



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 26, 2026 – 07:59 AM EDT

PDB ID : 7SR5 / pdb_00007sr5
Title : Single chain trimer HLA-A*02:01 (Y108C, A163C) with Wilms tumor protein peptide RMFPNAPYL
Authors : Finton, K.A.K.; Rupert, P.B.
Deposited on : 2021-11-07
Resolution : 2.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1596 (2.36-2.36)
Clashscore	190562	1663 (2.36-2.36)
Ramachandran outliers	187476	1646 (2.36-2.36)
Sidechain outliers	187428	1646 (2.36-2.36)
RSRZ outliers	180081	1598 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	424	14% 85% 11%
1	C	424	17% 78% 17%
2	B	116	13% 91% 6%
2	D	116	12% 91% 5%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 7504 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Wilms tumor protein peptide,Beta-2-microglobulin,MHC class I antigen chimera.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	379	Total	C	N	O	S	0	0	0
			2919	1840	518	547	14			
1	C	350	Total	C	N	O	S	0	0	0
			2706	1706	485	503	12			

There are 86 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	10	GLY	-	linker	UNP P19544
A	11	GLY	-	linker	UNP P19544
A	12	GLY	-	linker	UNP P19544
A	13	GLY	-	linker	UNP P19544
A	14	SER	-	linker	UNP P19544
A	15	GLY	-	linker	UNP P19544
A	16	GLY	-	linker	UNP P19544
A	17	GLY	-	linker	UNP P19544
A	18	GLY	-	linker	UNP P19544
A	19	SER	-	linker	UNP P19544
A	20	GLY	-	linker	UNP P19544
A	21	GLY	-	linker	UNP P19544
A	22	GLY	-	linker	UNP P19544
A	23	GLY	-	linker	UNP P19544
A	24	SER	-	linker	UNP P19544
A	124	GLY	-	linker	UNP P16213
A	125	GLY	-	linker	UNP P16213
A	126	GLY	-	linker	UNP P16213
A	127	GLY	-	linker	UNP P16213
A	128	SER	-	linker	UNP P16213
A	129	GLY	-	linker	UNP P16213
A	130	GLY	-	linker	UNP P16213
A	131	GLY	-	linker	UNP P16213
A	132	GLY	-	linker	UNP P16213

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	133	SER	-	linker	UNP P16213
A	134	GLY	-	linker	UNP P16213
A	135	GLY	-	linker	UNP P16213
A	136	GLY	-	linker	UNP P16213
A	137	GLY	-	linker	UNP P16213
A	138	SER	-	linker	UNP P16213
A	139	GLY	-	linker	UNP P16213
A	140	GLY	-	linker	UNP P16213
A	141	GLY	-	linker	UNP P16213
A	142	GLY	-	linker	UNP P16213
A	143	SER	-	linker	UNP P16213
A	227	CYS	TYR	engineered mutation	UNP A0A678ZGP6
A	282	CYS	ALA	engineered mutation	UNP A0A678ZGP6
A	419	HIS	-	expression tag	UNP A0A678ZGP6
A	420	HIS	-	expression tag	UNP A0A678ZGP6
A	421	HIS	-	expression tag	UNP A0A678ZGP6
A	422	HIS	-	expression tag	UNP A0A678ZGP6
A	423	HIS	-	expression tag	UNP A0A678ZGP6
A	424	HIS	-	expression tag	UNP A0A678ZGP6
C	10	GLY	-	linker	UNP P19544
C	11	GLY	-	linker	UNP P19544
C	12	GLY	-	linker	UNP P19544
C	13	GLY	-	linker	UNP P19544
C	14	SER	-	linker	UNP P19544
C	15	GLY	-	linker	UNP P19544
C	16	GLY	-	linker	UNP P19544
C	17	GLY	-	linker	UNP P19544
C	18	GLY	-	linker	UNP P19544
C	19	SER	-	linker	UNP P19544
C	20	GLY	-	linker	UNP P19544
C	21	GLY	-	linker	UNP P19544
C	22	GLY	-	linker	UNP P19544
C	23	GLY	-	linker	UNP P19544
C	24	SER	-	linker	UNP P19544
C	124	GLY	-	linker	UNP P16213
C	125	GLY	-	linker	UNP P16213
C	126	GLY	-	linker	UNP P16213
C	127	GLY	-	linker	UNP P16213
C	128	SER	-	linker	UNP P16213
C	129	GLY	-	linker	UNP P16213
C	130	GLY	-	linker	UNP P16213
C	131	GLY	-	linker	UNP P16213

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	132	GLY	-	linker	UNP P16213
C	133	SER	-	linker	UNP P16213
C	134	GLY	-	linker	UNP P16213
C	135	GLY	-	linker	UNP P16213
C	136	GLY	-	linker	UNP P16213
C	137	GLY	-	linker	UNP P16213
C	138	SER	-	linker	UNP P16213
C	139	GLY	-	linker	UNP P16213
C	140	GLY	-	linker	UNP P16213
C	141	GLY	-	linker	UNP P16213
C	142	GLY	-	linker	UNP P16213
C	143	SER	-	linker	UNP P16213
C	227	CYS	TYR	engineered mutation	UNP A0A678ZGP6
C	282	CYS	ALA	engineered mutation	UNP A0A678ZGP6
C	419	HIS	-	expression tag	UNP A0A678ZGP6
C	420	HIS	-	expression tag	UNP A0A678ZGP6
C	421	HIS	-	expression tag	UNP A0A678ZGP6
C	422	HIS	-	expression tag	UNP A0A678ZGP6
C	423	HIS	-	expression tag	UNP A0A678ZGP6
C	424	HIS	-	expression tag	UNP A0A678ZGP6

- Molecule 2 is a protein called VHH.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	113	Total	C	N	O	S	0	0	0
			829	512	142	171	4			
2	D	112	Total	C	N	O	S	0	0	0
			825	509	142	170	4			

- Molecule 3 is water.



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	88	Total	O	0	0
			88	88		
3	B	44	Total	O	0	0
			44	44		
3	C	53	Total	O	0	0
			53	53		
3	D	40	Total	O	0	0
			40	40		

- Molecule 1: Wilms tumor protein peptide, Beta-2-microglobulin, MHC class I antigen chimera





● Molecule 2: VHH



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	117.48Å 117.48Å 261.27Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.74 – 2.35 48.74 – 2.35	Depositor EDS
% Data completeness (in resolution range)	99.4 (48.74-2.35) 99.4 (48.74-2.35)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.00 (at 2.34Å)	Xtrriage
Refinement program	PHENIX 1.19.1_4122	Depositor
R, R_{free}	0.229 , 0.248 0.232 , 0.251	Depositor DCC
R_{free} test set	3828 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å ²)	41.0	Xtrriage
Anisotropy	0.092	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 36.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	7504	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 35.82 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.4979e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.09	0/3003	0.28	0/4094
1	C	0.09	0/2781	0.27	0/3785
2	B	0.10	0/842	0.29	0/1141
2	D	0.08	0/838	0.28	0/1135
All	All	0.09	0/7464	0.28	0/10155

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2919	0	2594	10	0
1	C	2706	0	2416	10	0
2	B	829	0	762	5	0
2	D	825	0	759	3	0
3	A	88	0	0	1	0
3	B	44	0	0	1	0
3	C	53	0	0	0	0
3	D	40	0	0	0	0
All	All	7504	0	6531	27	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (27) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:68:ARG:NH2	2:D:91:ASP:OD2	2.28	0.64
1:A:213:HIS:NE2	3:A:501:HOH:O	2.31	0.60
1:A:332:MET:HE3	1:A:360:TRP:HH2	1.69	0.58
2:B:68:ARG:NH2	2:B:91:ASP:OD2	2.33	0.57
1:A:3:PHE:CD1	1:A:4:PRO:HD2	2.43	0.53
2:B:21:ARG:NH2	3:B:201:HOH:O	2.42	0.53
2:B:22:LEU:HG	2:B:84:MET:HE2	1.92	0.51
1:C:3:PHE:CD1	1:C:4:PRO:HD2	2.46	0.51
1:A:69:ARG:NH2	2:B:52:ASP:OD1	2.44	0.50
1:C:249:ASP:OD2	1:C:251:ARG:NE	2.47	0.48
1:C:276:TRP:HB2	1:C:287:LYS:HG3	1.99	0.45
1:A:308:VAL:O	1:A:312:ARG:HG3	2.17	0.45
1:C:84:TRP:CE2	1:C:260:ALA:HB2	2.52	0.45
1:C:308:VAL:O	1:C:312:ARG:HG3	2.18	0.44
1:A:250:TRP:HB3	1:A:312:ARG:HD3	1.99	0.44
1:C:316:GLU:OE2	1:C:319:LYS:NZ	2.46	0.43
2:D:87:LEU:HB3	2:D:116:VAL:HG21	2.01	0.42
1:A:245:ASP:OD2	1:A:256:TYR:OH	2.36	0.42
1:A:149:ARG:NH2	1:A:245:ASP:OD1	2.53	0.42
1:C:241:MET:HE3	1:C:241:MET:HB3	1.95	0.41
1:C:97:THR:O	1:C:121:ARG:NH1	2.45	0.41
1:C:331:HIS:CD2	1:C:331:HIS:C	2.98	0.41
2:D:36:MET:HB2	2:D:80:VAL:HG11	2.03	0.41
1:A:84:TRP:CE2	1:A:260:ALA:HB2	2.56	0.41
1:C:250:TRP:HB3	1:C:312:ARG:HD3	2.01	0.41
1:A:217:HIS:HA	1:A:220:ASP:HB2	2.03	0.41
2:B:20:LEU:HB2	2:B:84:MET:HE3	2.03	0.41

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	371/424 (88%)	363 (98%)	8 (2%)	0	100	100
1	C	338/424 (80%)	333 (98%)	5 (2%)	0	100	100
2	B	109/116 (94%)	107 (98%)	2 (2%)	0	100	100
2	D	108/116 (93%)	106 (98%)	2 (2%)	0	100	100
All	All	926/1080 (86%)	909 (98%)	17 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	282/347 (81%)	281 (100%)	1 (0%)	84	91
1	C	263/347 (76%)	261 (99%)	2 (1%)	73	84
2	B	86/97 (89%)	86 (100%)	0	100	100
2	D	86/97 (89%)	86 (100%)	0	100	100
All	All	717/888 (81%)	714 (100%)	3 (0%)	84	91

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	223	THR
1	C	178	ARG
1	C	313	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	37	HIS
1	A	41	ASN
1	A	284	GLN
1	A	288	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	83	GLN
2	B	85	ASN
1	C	37	HIS
2	D	83	GLN
2	D	85	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	379/424 (89%)	0.99	61 (16%) 4 5	28, 47, 89, 110	0
1	C	350/424 (82%)	1.18	70 (20%) 3 2	30, 50, 103, 156	0
2	B	113/116 (97%)	0.76	15 (13%) 7 8	28, 36, 78, 97	0
2	D	112/116 (96%)	0.69	14 (12%) 8 9	26, 37, 82, 97	0
All	All	954/1080 (88%)	1.00	160 (16%) 4 4	26, 45, 92, 156	0

All (160) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	417	TRP	10.7
1	A	340	HIS	8.6
1	C	400	TYR	8.4
2	D	75	ASN	8.4
1	A	417	TRP	8.0
1	C	398	GLN	7.7
1	C	334	HIS	7.6
1	C	373	LEU	7.3
2	B	75	ASN	7.2
2	B	3	GLU	7.1
2	B	30	ILE	7.0
2	B	76	THR	6.3
1	A	366	ASP	6.3
2	D	30	ILE	6.1
1	A	25	ILE	6.0
1	C	333	THR	6.0
2	D	3	GLU	5.9
1	C	25	ILE	5.9
1	C	415	LEU	5.7
2	B	31	PHE	5.7
1	C	347	TRP	5.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	403	HIS	5.6
1	C	405	GLN	5.5
1	A	370	ASP	5.5
1	A	12	GLY	5.4
2	B	28	GLY	5.4
1	C	410	PRO	5.4
1	C	344	LEU	5.4
1	C	159	GLY	5.3
1	C	413	LEU	5.3
1	A	281	MET	5.0
1	C	401	THR	5.0
1	A	342	ALA	5.0
2	B	29	SER	5.0
2	D	76	THR	5.0
1	C	402	CYS	5.0
1	C	345	ARG	4.9
1	C	412	PRO	4.9
1	A	335	HIS	4.9
1	C	12	GLY	4.8
2	D	77	LYS	4.8
2	D	27	SER	4.8
1	C	399	ARG	4.8
1	C	332	MET	4.8
1	A	368	THR	4.8
1	A	144	GLY	4.7
1	C	404	VAL	4.6
1	A	279	ALA	4.6
1	C	346	CYS	4.6
1	A	367	GLN	4.5
2	D	31	PHE	4.3
1	C	357	THR	4.2
1	A	159	GLY	4.2
1	A	391	VAL	4.1
1	C	358	LEU	4.0
1	C	387	TRP	4.0
1	A	11	GLY	4.0
2	B	27	SER	3.9
1	A	397	GLU	3.9
1	A	396	GLN	3.9
1	A	332	MET	3.8
2	B	117	SER	3.7
1	C	121	ARG	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	256	TYR	3.7
1	A	341	GLU	3.7
1	C	355	GLU	3.6
1	C	11	GLY	3.6
2	D	28	GLY	3.6
1	A	363	ASP	3.6
1	A	288	HIS	3.6
1	C	409	LEU	3.6
2	D	29	SER	3.5
1	C	416	ARG	3.5
1	C	407	GLU	3.4
1	A	372	GLU	3.4
1	A	392	VAL	3.4
2	D	117	SER	3.3
1	A	343	THR	3.3
2	D	32	SER	3.3
1	A	371	THR	3.2
1	C	350	SER	3.2
2	B	77	LYS	3.2
1	C	414	THR	3.2
1	A	415	LEU	3.2
1	A	369	GLN	3.2
1	A	256	TYR	3.2
1	A	413	LEU	3.1
1	C	162	GLU	3.0
1	C	374	VAL	3.0
1	C	375	GLU	3.0
1	A	400	TYR	3.0
1	A	333	THR	3.0
2	D	78	ASN	3.0
2	B	32	SER	2.9
1	A	10	GLY	2.9
1	A	162	GLU	2.9
1	A	407	GLU	2.9
1	C	411	LYS	2.9
1	A	362	ARG	2.9
1	A	334	HIS	2.9
1	C	356	ILE	2.9
1	C	160	ARG	2.8
1	C	330	THR	2.8
1	C	98	GLU	2.8
1	A	121	ARG	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	42	THR	2.8
1	A	229	ASN	2.8
1	C	325	THR	2.7
1	C	281	MET	2.7
1	C	97	THR	2.7
1	A	365	GLU	2.7
1	A	393	PRO	2.7
1	C	328	PRO	2.7
1	C	229	ASN	2.6
1	C	232	GLU	2.6
2	D	74	ASP	2.6
1	A	160	ARG	2.6
1	A	350	SER	2.6
1	C	331	HIS	2.6
1	A	254	ARG	2.6
1	C	284	GLN	2.5
1	A	161	GLY	2.5
1	A	197	GLN	2.5
1	A	399	ARG	2.5
1	A	411	LYS	2.5
1	C	72	LYS	2.5
1	A	388	ALA	2.5
1	C	144	GLY	2.5
1	C	324	ARG	2.4
1	C	234	GLY	2.4
1	A	401	THR	2.4
1	A	394	SER	2.3
1	A	360	TRP	2.3
1	C	329	LYS	2.3
1	A	278	ALA	2.3
1	C	278	ALA	2.3
2	B	45	LYS	2.3
1	C	408	GLY	2.3
1	A	145	SER	2.3
1	A	72	LYS	2.3
1	C	58	ASP	2.2
1	C	182	ASP	2.2
1	A	410	PRO	2.2
1	A	373	LEU	2.2
1	C	43	LYS	2.2
1	C	279	ALA	2.2
1	C	354	ALA	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	8	TYR	2.1
1	C	254	ARG	2.1
1	C	288	HIS	2.1
1	A	403	HIS	2.1
1	A	277	THR	2.1
1	C	376	THR	2.1
2	B	78	ASN	2.1
2	B	4	VAL	2.1
1	C	149	ARG	2.1
1	A	398	GLN	2.1
2	D	45	LYS	2.0
1	C	214	SER	2.0
1	A	344	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.