



Full wwPDB EM Validation Report ⓘ

Sep 29, 2026 – 04:39 pm BST

PDB ID : 9SRS / pdb_00009srs
EMDB ID : EMD-55147
Title : Partial cryo-EM structure of essential Mycoplasma pneumoniae lipoprotein Mpn444 (flexible loops excluded)
Authors : Manger, S.; Keles, I.
Deposited on : 2025-09-25
Resolution : 3.74 Å(reported)
Based on initial model : .

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev133
MolProbity : 4-5-2 with Phenix2.2
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.51



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.74 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	10346 (3.24 - 4.24)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1328	 69% 6% 25%

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 15665 atoms, of which 7734 are hydrogens and 0 are deuteriums.


In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Uncharacterized lipoprotein MG309 homolog.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	A	994	Total	C	H	N	O	S	0	0
			15665	5034	7734	1323	1569	5		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1300	ALA	-	expression tag	UNP P75334
A	1301	ALA	-	expression tag	UNP P75334
A	1302	ALA	-	expression tag	UNP P75334



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	432841	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	3600	Depositor
Magnification	105000	Depositor
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	2.368	Depositor
Minimum map value	-1.444	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.024	Depositor
Recommended contour level	0.216	Depositor
Map size (Å)	441.6, 441.6, 441.6	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.92, 0.92, 0.92	Depositor

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.03	7/8049 (0.1%)	1.80	29/10825 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	8

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1230	ASP	C-N	47.37	1.99	1.33
1	A	176	ALA	C-N	-33.07	0.87	1.33
1	A	316	GLN	C-N	21.97	1.64	1.33
1	A	550	SER	C-N	14.26	1.53	1.33
1	A	1237	SER	C-N	-10.09	1.19	1.33
1	A	552	PRO	N-CD	6.42	1.56	1.47
1	A	1261	PRO	N-CD	5.70	1.55	1.47

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	176	ALA	O-C-N	-59.40	50.29	122.17
1	A	1237	SER	CA-C-N	-50.28	25.50	121.54
1	A	1237	SER	C-N-CA	-50.28	25.50	121.54
1	A	316	GLN	CA-C-N	-43.95	37.59	121.54
1	A	316	GLN	C-N-CA	-43.95	37.59	121.54
1	A	550	SER	CA-C-N	-30.92	66.05	121.70
1	A	550	SER	C-N-CA	-30.92	66.05	121.70
1	A	1230	ASP	CA-C-N	24.06	165.01	121.70
1	A	1230	ASP	C-N-CA	24.06	165.01	121.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1237	SER	O-C-N	22.93	159.68	123.00
1	A	552	PRO	CA-N-CD	-11.54	95.84	112.00
1	A	1261	PRO	CA-N-CD	-10.90	96.73	112.00
1	A	550	SER	O-C-N	-9.92	107.13	123.00
1	A	316	GLN	O-C-N	-7.23	112.98	122.59
1	A	724	ASN	CA-CB-CG	6.80	119.40	112.60
1	A	60	ASP	CA-CB-CG	6.65	119.25	112.60
1	A	598	ARG	NE-CZ-NH2	6.32	124.89	119.20
1	A	567	ASP	CA-CB-CG	6.12	118.72	112.60
1	A	1204	PHE	CA-CB-CG	5.97	119.77	113.80
1	A	496	ARG	NE-CZ-NH2	5.84	124.46	119.20
1	A	273	LYS	CA-C-N	5.59	126.24	120.60
1	A	273	LYS	C-N-CA	5.59	126.24	120.60
1	A	836	ARG	NE-CZ-NH2	5.54	124.19	119.20
1	A	554	PHE	CA-CB-CG	5.52	119.32	113.80
1	A	838	ASP	CA-CB-CG	5.50	118.10	112.60
1	A	878	PHE	CA-CB-CG	5.44	119.24	113.80
1	A	69	ARG	NE-CZ-NH2	5.41	124.07	119.20
1	A	582	ASN	CA-CB-CG	5.31	117.91	112.60
1	A	99	HIS	CB-CG-CD2	-5.16	124.50	131.20

There are no chirality outliers.

All (8) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	1237	SER	Peptide
1	A	176	ALA	Mainchain
1	A	316	GLN	Mainchain,Peptide
1	A	39	ARG	Sidechain
1	A	550	SER	Mainchain
1	A	58	TYR	Sidechain
1	A	622	TYR	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7931	7734	7798	118	0
All	All	7931	7734	7798	118	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (118) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:855:LEU:CD1	1:A:856:LEU:HG	1.43	1.48
1:A:177:LYS:NZ	1:A:180:ILE:HG13	1.30	1.44
1:A:1228:GLY:O	1:A:1231:SER:C	1.64	1.40
1:A:860:LEU:HB2	1:A:1233:LYS:CE	1.52	1.38
1:A:177:LYS:NZ	1:A:180:ILE:CG1	1.86	1.37
1:A:317:LYS:HG2	1:A:318:LYS:N	1.05	1.34
1:A:860:LEU:CB	1:A:1233:LYS:HE2	1.46	1.31
1:A:317:LYS:CG	1:A:318:LYS:N	1.96	1.28
1:A:860:LEU:HD22	1:A:1233:LYS:CE	1.61	1.27
1:A:855:LEU:CD1	1:A:856:LEU:CG	1.98	1.21
1:A:1230:ASP:C	1:A:1231:SER:N	1.99	1.19
1:A:1227:ILE:CD1	1:A:1232:LEU:HD11	1.73	1.19
1:A:177:LYS:CE	1:A:180:ILE:HG12	1.73	1.17
1:A:174:LYS:HA	1:A:547:ASN:C	1.64	1.16
1:A:174:LYS:CA	1:A:547:ASN:C	2.14	1.15
1:A:860:LEU:HB2	1:A:1232:LEU:CD1	1.78	1.14
1:A:545:LYS:CE	1:A:546:ASP:N	2.12	1.12
1:A:1227:ILE:HD11	1:A:1232:LEU:CD1	1.81	1.11
1:A:860:LEU:HD22	1:A:1232:LEU:HD22	1.11	1.10
1:A:855:LEU:HD13	1:A:856:LEU:CG	1.63	1.09
1:A:1232:LEU:HB3	1:A:1233:LYS:NZ	1.65	1.09
1:A:545:LYS:HZ2	1:A:546:ASP:N	1.53	1.07
1:A:860:LEU:HD22	1:A:1232:LEU:CD2	1.85	1.06
1:A:860:LEU:HB2	1:A:1233:LYS:HE3	1.37	1.05
1:A:855:LEU:HD13	1:A:856:LEU:CD2	1.86	1.05
1:A:177:LYS:HZ1	1:A:180:ILE:CG1	1.55	1.04
1:A:860:LEU:CB	1:A:1233:LYS:CE	2.20	1.04
1:A:860:LEU:HD22	1:A:1233:LYS:CD	1.87	1.04
1:A:1232:LEU:CD2	1:A:1250:PHE:CZ	2.43	1.02
1:A:860:LEU:CB	1:A:1232:LEU:HD13	1.73	1.01
1:A:855:LEU:HD12	1:A:856:LEU:CG	1.63	1.01
1:A:860:LEU:CD2	1:A:1233:LYS:CE	2.29	1.01
1:A:313:LEU:O	1:A:317:LYS:C	2.03	0.99

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:545:LYS:NZ	1:A:546:ASP:N	2.10	0.98
1:A:545:LYS:HE3	1:A:546:ASP:N	1.76	0.97
1:A:177:LYS:NZ	1:A:180:ILE:HG12	1.72	0.96
1:A:855:LEU:HD12	1:A:856:LEU:HG	1.22	0.96
1:A:177:LYS:HZ3	1:A:180:ILE:CG1	1.72	0.95
1:A:860:LEU:HB2	1:A:1232:LEU:HD13	0.95	0.94
1:A:860:LEU:CD2	1:A:1233:LYS:HE2	1.75	0.93
1:A:177:LYS:CE	1:A:180:ILE:CG1	2.40	0.92
1:A:860:LEU:CD2	1:A:1232:LEU:HD22	1.99	0.92
1:A:1232:LEU:CD2	1:A:1250:PHE:CE2	2.53	0.91
1:A:545:LYS:HZ2	1:A:546:ASP:CB	1.86	0.88
1:A:1232:LEU:HB3	1:A:1233:LYS:HZ2	1.36	0.87
1:A:855:LEU:HD13	1:A:856:LEU:HD23	1.57	0.86
1:A:855:LEU:HD13	1:A:856:LEU:HG	1.24	0.85
1:A:1228:GLY:C	1:A:1231:SER:C	2.34	0.85
1:A:177:LYS:HZ1	1:A:180:ILE:HG13	0.71	0.85
1:A:545:LYS:NZ	1:A:546:ASP:HB2	1.91	0.85
1:A:175:ASN:N	1:A:547:ASN:C	2.35	0.84
1:A:545:LYS:HZ2	1:A:546:ASP:HB2	1.42	0.84
1:A:853:HIS:HA	1:A:856:LEU:CB	2.02	0.84
1:A:1232:LEU:HD23	1:A:1250:PHE:CE2	2.14	0.83
1:A:1227:ILE:HD11	1:A:1232:LEU:HD11	0.89	0.83
1:A:172:VAL:HG21	1:A:178:LEU:C	2.05	0.82
1:A:545:LYS:HZ2	1:A:546:ASP:CA	1.92	0.81
1:A:1232:LEU:CD2	1:A:1250:PHE:HZ	1.93	0.79
1:A:177:LYS:HE2	1:A:180:ILE:HG12	1.66	0.77
1:A:853:HIS:HA	1:A:856:LEU:HB3	1.64	0.77
1:A:175:ASN:HA	1:A:547:ASN:ND2	1.95	0.74
1:A:545:LYS:NZ	1:A:546:ASP:CB	2.49	0.74
1:A:174:LYS:C	1:A:547:ASN:C	2.56	0.74
1:A:1232:LEU:HD22	1:A:1250:PHE:CE2	2.23	0.73
1:A:317:LYS:C	1:A:318:LYS:HB2	2.12	0.73
1:A:1232:LEU:HD21	1:A:1250:PHE:HZ	1.53	0.71
1:A:860:LEU:HB3	1:A:1233:LYS:HE2	1.68	0.70
1:A:551:TYR:OH	1:A:552:PRO:N	2.25	0.69
1:A:1227:ILE:HD11	1:A:1233:LYS:HD3	1.74	0.68
1:A:1232:LEU:HD21	1:A:1250:PHE:CZ	2.27	0.68
1:A:854:TRP:N	1:A:856:LEU:HB2	2.10	0.67
1:A:860:LEU:CB	1:A:1232:LEU:CD1	2.54	0.64
1:A:1232:LEU:HD23	1:A:1250:PHE:CZ	2.27	0.63
1:A:177:LYS:HE3	1:A:180:ILE:HG12	1.77	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1228:GLY:O	1:A:1231:SER:O	1.96	0.61
1:A:853:HIS:CA	1:A:856:LEU:CB	2.75	0.61
1:A:177:LYS:HE3	1:A:180:ILE:CG1	2.30	0.60
1:A:545:LYS:CD	1:A:546:ASP:N	2.65	0.60
1:A:317:LYS:CB	1:A:318:LYS:N	2.65	0.59
1:A:1228:GLY:O	1:A:1231:SER:CA	2.50	0.59
1:A:179:LYS:HD3	1:A:552:PRO:HG2	1.85	0.59
1:A:177:LYS:HZ3	1:A:180:ILE:CA	2.16	0.58
1:A:1227:ILE:CG1	1:A:1232:LEU:HD11	2.32	0.58
1:A:1232:LEU:HD22	1:A:1250:PHE:CZ	2.34	0.57
1:A:1232:LEU:HD22	1:A:1250:PHE:HE2	1.68	0.57
1:A:1229:THR:O	1:A:1231:SER:N	2.38	0.57
1:A:1261:PRO:HD2	1:A:1262:ASN:H	1.70	0.56
1:A:551:TYR:CE1	1:A:552:PRO:N	2.74	0.55
1:A:860:LEU:HD22	1:A:1233:LYS:HE2	1.43	0.55
1:A:1229:THR:C	1:A:1231:SER:N	2.67	0.53
1:A:1232:LEU:CD2	1:A:1250:PHE:HE2	2.16	0.52
1:A:172:VAL:HG21	1:A:178:LEU:O	2.10	0.51
1:A:1237:SER:CB	1:A:1239:LYS:H	2.09	0.51
1:A:1261:PRO:HD2	1:A:1262:ASN:N	2.25	0.50
1:A:177:LYS:HZ3	1:A:180:ILE:N	2.09	0.49
1:A:545:LYS:HD2	1:A:546:ASP:N	2.26	0.49
1:A:317:LYS:C	1:A:318:LYS:CB	2.67	0.48
1:A:174:LYS:HA	1:A:547:ASN:CA	2.37	0.48
1:A:551:TYR:CZ	1:A:552:PRO:N	2.82	0.48
1:A:1094:ILE:HG21	1:A:1119:THR:HB	1.95	0.48
1:A:1259:LEU:C	1:A:1260:ASP:CB	2.64	0.47
1:A:172:VAL:CG2	1:A:178:LEU:O	2.62	0.47
1:A:172:VAL:HG21	1:A:177:LYS:HG3	1.65	0.46
1:A:313:LEU:O	1:A:317:LYS:CA	2.65	0.45
1:A:388:PHE:CD2	1:A:393:VAL:HG21	2.53	0.44
1:A:177:LYS:HZ3	1:A:180:ILE:H	1.64	0.44
1:A:853:HIS:C	1:A:856:LEU:HB2	2.42	0.44
1:A:200:ASN:HA	1:A:641:ILE:HG23	2.00	0.44
1:A:853:HIS:CA	1:A:856:LEU:HB2	2.47	0.44
1:A:1258:ALA:O	1:A:1260:ASP:HB3	2.17	0.44
1:A:855:LEU:HB2	1:A:856:LEU:CD2	2.46	0.44
1:A:393:VAL:HG22	1:A:612:GLU:HB2	1.99	0.43
1:A:860:LEU:CD2	1:A:1232:LEU:CD2	2.74	0.43
1:A:313:LEU:O	1:A:317:LYS:O	2.34	0.42
1:A:757:ILE:H	1:A:757:ILE:HD12	1.85	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:474:GLY:HA3	1:A:492:PHE:CE2	2.55	0.41
1:A:37:ILE:HD13	1:A:682:GLU:CD	2.46	0.41
1:A:177:LYS:HD2	1:A:178:LEU:HD13	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	948/1328 (71%)	879 (93%)	64 (7%)	5 (0%)	24 56

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1230	ASP
1	A	1238	SER
1	A	702	TYR
1	A	1106	LEU
1	A	1116	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	887/1151 (77%)	874 (98%)	13 (2%)	57 68

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	98	VAL
1	A	120	VAL
1	A	178	LEU
1	A	458	TYR
1	A	568	LEU
1	A	575	HIS
1	A	718	SER
1	A	758	THR
1	A	1013	ILE
1	A	1118	VAL
1	A	1123	LYS
1	A	1246	SER
1	A	1299	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	86	GLN
1	A	90	ASN
1	A	99	HIS
1	A	190	GLN
1	A	258	ASN
1	A	344	ASN
1	A	477	HIS
1	A	573	GLN
1	A	677	ASN
1	A	704	GLN
1	A	876	ASN
1	A	1089	ASN
1	A	1130	GLN
1	A	1203	GLN
1	A	1264	GLN
1	A	1266	GLN
1	A	1275	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	22

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	171:PHE	C	172:VAL	N	9.10
1	A	546:ASP	C	547:ASN	N	8.69
1	A	551:TYR	C	552:PRO	N	7.42
1	A	172:VAL	C	173:ASN	N	6.96
1	A	547:ASN	C	548:PHE	N	6.77
1	A	545:LYS	C	546:ASP	N	5.54
1	A	549:LEU	C	550:SER	N	4.58
1	A	856:LEU	C	857:LYS	N	4.48
1	A	1260:ASP	C	1261:PRO	N	4.35
1	A	177:LYS	C	178:LEU	N	4.24
1	A	855:LEU	C	856:LEU	N	4.13
1	A	1232:LEU	C	1233:LYS	N	4.02
1	A	1231:SER	C	1232:LEU	N	4.01
1	A	544:ASN	C	545:LYS	N	3.49
1	A	1233:LYS	C	1234:GLN	N	3.47
1	A	1236:ASP	C	1237:SER	N	3.09

Continued on next page...

Continued from previous page...

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	1259:LEU	C	1260:ASP	N	2.96
1	A	317:LYS	C	318:LYS	N	2.13
1	A	1230:ASP	C	1231:SER	N	1.99
1	A	316:GLN	C	317:LYS	N	1.64
1	A	1237:SER	C	1238:SER	N	1.19
1	A	176:ALA	C	177:LYS	N	0.87


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-55147. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 240




Y Index: 240




Z Index: 240


6.2.2 Raw map



X Index: 240



Y Index: 240




Z Index: 240


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 244




Y Index: 254




Z Index: 214


6.3.2 Raw map



X Index: 245



Y Index: 259




Z Index: 214


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map



X




Y



Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.216. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 94 nm^3 ; this corresponds to an approximate mass of 85 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of $0.267 \text{ \AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.267 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.74	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.70	7.13	3.84

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-55147 and PDB model 9SRS. Per-residue inclusion information can be found in [section 3](#) on [page 4](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.216 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.216).

9.4 Atom inclusion [i](#)



At the recommended contour level, 86% of all backbone atoms, 85% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.216) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8510	0.4030
A	0.8520	0.4030

