



Full wwPDB EM Validation Report ⓘ

Mar 8, 2026 – 03:24 PM UTC

PDB ID : 7STX / pdb_00007stx
EMDB ID : EMD-25438
Title : Cryo-EM structure of human NatB in complex with CoA-Alpha-Synuclein
Authors : Deng, S.; Marmorstein, R.
Deposited on : 2021-11-15
Resolution : 3.14 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.14 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	14483 (2.64 - 3.64)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	178	
2	B	956	
3	C	6	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 8611 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called N-alpha-acetyltransferase 20.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	158	Total	C	N	O	S	0	0
			1272	819	209	239	5		

- Molecule 2 is a protein called N-alpha-acetyltransferase 25, NatB auxiliary subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	914	Total	C	N	O	S	0	0
			7246	4638	1217	1355	36		


- Molecule 3 is a protein called Alpha-synuclein.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	6	Total	C	N	O	S	0	0
			45	30	5	8	2		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	0	ACE	-	acetylation	UNP P37840

- Molecule 4 is COENZYME A (CCD ID: COA) (formula: $C_{21}H_{36}N_7O_{16}P_3S$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms						AltConf
			Total	C	N	O	P	S	
4	A	1	48	21	7	16	3	1	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: N-alpha-acetyltransferase 20


Chain A: 



- Molecule 2: N-alpha-acetyltransferase 25, NatB auxiliary subunit

Chain B: 





• Molecule 3: Alpha-synuclein



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	726923	Depositor
Resolution determination method	OTHER	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	1.6, 1.3	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k), GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.143	Depositor
Minimum map value	-0.121	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.003	Depositor
Recommended contour level	0.015	Depositor
Map size (Å)	239.04, 239.04, 239.04	wwPDB
Map dimensions	288, 288, 288	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.83, 0.83, 0.83	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: COA, ACE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.57	0/1303	0.84	3/1764 (0.2%)
2	B	0.46	0/7250	0.89	30/9802 (0.3%)
3	C	1.78	1/43 (2.3%)	3.49	2/56 (3.6%)
All	All	0.49	1/8596 (0.0%)	0.91	35/11622 (0.3%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	0	ACE	C-N	11.36	1.56	1.33

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	462	GLN	N-CA-C	-24.84	79.86	110.41
3	C	0	ACE	O-C-N	-22.85	54.45	123.00
2	B	701	PRO	N-CA-C	-18.64	80.65	111.77
2	B	640	LEU	N-CA-C	-17.42	81.03	109.07
2	B	145	LYS	N-CA-C	-15.39	86.51	110.36
2	B	667	LYS	CB-CA-C	-14.98	86.82	111.23
2	B	670	ASP	N-CA-C	13.65	130.83	112.13
2	B	538	GLN	N-CA-C	-13.23	97.64	114.04
1	A	108	VAL	N-CA-C	-13.15	90.99	108.35
3	C	0	ACE	C-N-CA	12.48	159.15	121.70
2	B	432	LYS	CB-CA-C	-11.36	93.42	111.48
2	B	629	THR	CB-CA-C	11.13	132.57	110.42
2	B	629	THR	N-CA-C	-9.68	90.18	110.80
2	B	905	VAL	N-CA-C	-8.96	103.93	111.91
2	B	627	ILE	CB-CA-C	8.56	125.32	111.29
2	B	297	TYR	N-CA-C	8.43	128.75	110.80
2	B	757	VAL	N-CA-C	8.43	127.08	108.88

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	642	PRO	CB-CA-C	-7.92	98.49	111.56
2	B	145	LYS	CB-CA-C	-7.89	94.43	111.78
2	B	630	SER	N-CA-C	-7.74	96.62	109.07
2	B	627	ILE	N-CA-C	-7.29	94.17	109.34
2	B	463	PHE	N-CA-CB	-6.83	98.94	110.41
2	B	299	ALA	N-CA-C	-6.54	96.86	110.80
2	B	641	ARG	N-CA-C	-6.42	100.44	110.14
2	B	703	LEU	N-CA-C	-6.27	106.22	114.31
1	A	107	PHE	CB-CA-C	6.15	122.65	110.42
2	B	299	ALA	CA-C-N	6.13	133.25	121.54
2	B	299	ALA	C-N-CA	6.13	133.25	121.54
2	B	670	ASP	CB-CA-C	-5.80	101.67	110.83
2	B	667	LYS	N-CA-C	5.75	120.11	113.38
2	B	462	GLN	CB-CA-C	-5.47	98.27	110.19
2	B	297	TYR	CB-CA-C	-5.32	99.83	110.42
2	B	144	PRO	CA-C-N	-5.18	112.22	122.02
2	B	144	PRO	C-N-CA	-5.18	112.22	122.02
1	A	67	ARG	N-CA-C	-5.16	106.09	114.09

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1272	0	1220	36	0
2	B	7246	0	7087	105	0
3	C	45	0	42	1	0
4	A	48	0	27	2	0
All	All	8611	0	8376	139	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (139) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:71:HIS:HB3	1:A:107:PHE:CE1	1.32	1.58
1:A:71:HIS:CB	1:A:107:PHE:CE1	2.07	1.37
1:A:71:HIS:CB	1:A:107:PHE:HE1	1.37	1.37
4:A:201:COA:O4B	4:A:201:COA:C1B	1.64	1.26
1:A:16:ASN:OD1	2:B:538:GLN:NE2	1.67	1.25
2:B:626:ASN:O	2:B:966:THR:HG21	1.38	1.19
2:B:537:ILE:O	2:B:537:ILE:HG23	1.42	1.14
2:B:621:LEU:O	2:B:625:ALA:HB3	1.58	1.04
1:A:106:PHE:HE1	1:A:158:ARG:HG3	1.21	1.01
1:A:106:PHE:O	1:A:107:PHE:HD1	1.42	1.00
2:B:626:ASN:O	2:B:966:THR:CG2	2.11	0.97
1:A:106:PHE:O	1:A:107:PHE:CD1	2.16	0.97
2:B:537:ILE:O	2:B:537:ILE:CG2	2.16	0.93
2:B:627:ILE:HD11	2:B:963:ARG:CZ	1.98	0.93
1:A:106:PHE:HE1	1:A:158:ARG:CG	1.84	0.90
1:A:106:PHE:CE1	1:A:158:ARG:HG3	2.07	0.90
1:A:71:HIS:HB2	1:A:107:PHE:CE1	2.08	0.89
2:B:277:ILE:HD13	2:B:298:SER:HB3	1.55	0.89
1:A:109:ASP:OD1	1:A:153:ARG:HG2	1.73	0.88
2:B:533:ASP:OD2	2:B:535:LYS:NZ	2.08	0.86
2:B:277:ILE:HD13	2:B:298:SER:CB	2.06	0.85
2:B:621:LEU:O	2:B:625:ALA:CB	2.24	0.85
2:B:283:PRO:HG3	2:B:297:TYR:OH	1.78	0.84
2:B:629:THR:HG22	2:B:634:SER:HB2	1.59	0.82
2:B:461:LEU:C	2:B:462:GLN:O	2.09	0.80
2:B:283:PRO:CG	2:B:297:TYR:OH	2.30	0.79
2:B:408:ILE:HG21	2:B:463:PHE:CE1	2.20	0.77
2:B:450:LEU:HD23	2:B:462:GLN:HG3	1.67	0.76
2:B:670:ASP:OD2	2:B:670:ASP:N	2.18	0.76
2:B:432:LYS:O	2:B:432:LYS:HG2	1.85	0.74
2:B:627:ILE:CD1	2:B:963:ARG:CZ	2.66	0.73
1:A:68:GLU:HG2	1:A:106:PHE:CE2	2.24	0.73
1:A:28:GLY:HA2	2:B:536:HIS:HB2	1.71	0.73
2:B:450:LEU:CD2	2:B:462:GLN:HG3	2.19	0.73
2:B:670:ASP:O	2:B:671:VAL:HG23	1.89	0.73
2:B:627:ILE:HD11	2:B:963:ARG:NH2	2.06	0.69
2:B:299:ALA:O	2:B:302:ALA:N	2.19	0.66
1:A:5:ARG:NH2	1:A:11:ASP:OD2	2.29	0.64
2:B:641:ARG:HB3	2:B:644:GLU:HG2	1.79	0.64
1:A:48:ALA:HB1	1:A:49:PRO:HD2	1.79	0.63
2:B:227:GLU:HB2	2:B:230:SER:HB2	1.82	0.61
2:B:627:ILE:HD11	2:B:963:ARG:NH1	2.16	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:633:GLU:O	2:B:633:GLU:HG2	1.99	0.60
2:B:757:VAL:HG12	2:B:757:VAL:O	2.01	0.60
2:B:283:PRO:HG2	2:B:297:TYR:OH	2.02	0.60
2:B:671:VAL:HG12	2:B:671:VAL:O	2.01	0.60
2:B:522:PHE:HB3	2:B:555:GLN:HG3	1.85	0.58
1:A:68:GLU:HG2	1:A:106:PHE:CZ	2.39	0.57
4:A:201:COA:O5P	4:A:201:COA:N8P	2.37	0.57
2:B:624:GLU:O	2:B:629:THR:HB	2.06	0.56
1:A:5:ARG:NH1	1:A:47:GLU:OE1	2.39	0.55
2:B:297:TYR:CD1	2:B:297:TYR:N	2.73	0.55
2:B:277:ILE:HG23	2:B:297:TYR:O	2.06	0.55
1:A:13:PHE:CE1	2:B:537:ILE:HD11	2.42	0.55
1:A:108:VAL:HG23	1:A:156:LEU:HD21	1.89	0.55
1:A:109:ASP:O	1:A:110:LEU:HB2	2.05	0.54
2:B:546:LEU:O	2:B:550:ALA:HB2	2.07	0.54
1:A:3:THR:HG23	2:B:264:GLN:HB3	1.91	0.53
1:A:26:THR:OG1	2:B:535:LYS:HB2	2.09	0.53
2:B:298:SER:O	2:B:299:ALA:C	2.50	0.52
2:B:488:VAL:HG11	2:B:519:LEU:HD21	1.92	0.52
2:B:852:LEU:HD11	2:B:898:GLN:HE22	1.75	0.52
2:B:145:LYS:HE2	2:B:148:TYR:HE2	1.73	0.52
2:B:908:ILE:HG23	2:B:950:LEU:HD11	1.92	0.52
1:A:70:TRP:O	1:A:105:GLY:O	2.28	0.52
2:B:844:PHE:HZ	2:B:897:LEU:HD21	1.75	0.51
2:B:767:SER:OG	2:B:769:CYS:SG	2.68	0.51
2:B:863:ARG:HH21	2:B:972:ILE:HD13	1.75	0.51
2:B:125:ARG:HB2	2:B:582:ILE:HD11	1.92	0.51
2:B:246:PRO:HD3	2:B:276:LEU:HD21	1.91	0.51
2:B:229:GLN:O	2:B:233:ASN:HB2	2.12	0.50
2:B:627:ILE:CD1	2:B:963:ARG:NH1	2.74	0.50
2:B:685:LEU:HD21	2:B:740:THR:HG22	1.94	0.50
2:B:27:UNK:O	2:B:31:UNK:N	2.45	0.49
2:B:422:ARG:HH12	2:B:473:HIS:HB2	1.76	0.49
2:B:898:GLN:HA	2:B:901:ILE:HG22	1.94	0.49
2:B:631:LEU:HD12	2:B:631:LEU:O	2.11	0.49
2:B:217:ARG:NH2	2:B:291:LEU:O	2.46	0.48
2:B:653:ARG:HA	2:B:653:ARG:HD3	1.60	0.48
2:B:802:GLU:HG3	2:B:886:VAL:HG11	1.95	0.48
1:A:108:VAL:CG2	1:A:156:LEU:HD21	2.43	0.48
2:B:654:ASP:OD1	2:B:656:ARG:NE	2.47	0.48
2:B:283:PRO:HG3	2:B:297:TYR:CZ	2.48	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:859:GLU:HG3	2:B:970:LEU:HA	1.96	0.48
1:A:48:ALA:O	1:A:49:PRO:C	2.57	0.48
2:B:859:GLU:OE2	2:B:863:ARG:NH1	2.46	0.47
1:A:19:ASN:ND2	1:A:25:GLU:O	2.48	0.47
2:B:645:ASP:OD1	2:B:645:ASP:N	2.47	0.47
2:B:47:ALA:HB2	2:B:81:SER:HB2	1.97	0.47
2:B:699:GLY:C	2:B:701:PRO:O	2.58	0.47
1:A:106:PHE:CE1	1:A:158:ARG:CG	2.76	0.47
2:B:402:LEU:HD21	2:B:441:GLU:HG3	1.98	0.46
2:B:584:ALA:HB3	2:B:593:ILE:HD11	1.98	0.46
2:B:502:SER:O	2:B:502:SER:OG	2.33	0.46
2:B:142:ILE:HG22	2:B:143:VAL:HG23	1.98	0.46
2:B:250:ALA:HB2	2:B:295:VAL:HG22	1.98	0.46
1:A:74:VAL:HG21	1:A:93:MET:HE1	1.97	0.46
2:B:299:ALA:HB1	2:B:343:TYR:CZ	2.51	0.45
2:B:768:GLY:H	2:B:818:LYS:HE3	1.80	0.45
1:A:71:HIS:HB3	1:A:107:PHE:HE1	0.45	0.45
1:A:60:LYS:O	1:A:73:HIS:N	2.45	0.45
2:B:641:ARG:HB3	2:B:644:GLU:CG	2.46	0.45
2:B:602:ARG:HG3	2:B:653:ARG:HG2	1.99	0.44
2:B:101:LEU:O	2:B:104:ALA:HB3	2.16	0.44
2:B:514:ARG:NH2	2:B:755:GLY:O	2.49	0.44
1:A:107:PHE:HE2	1:A:153:ARG:CZ	2.31	0.44
2:B:313:GLU:HG3	2:B:320:LEU:HB2	2.00	0.44
1:A:107:PHE:HA	1:A:154:LYS:O	2.18	0.44
2:B:408:ILE:HG21	2:B:463:PHE:CD1	2.53	0.44
2:B:666:PRO:O	2:B:667:LYS:CB	2.64	0.44
1:A:117:GLN:O	1:A:121:ASN:HB2	2.18	0.43
2:B:823:LEU:HD12	2:B:953:LEU:HD11	1.99	0.43
2:B:964:LEU:O	2:B:967:THR:OG1	2.36	0.43
1:A:57:ILE:HD12	1:A:77:LEU:HD12	2.00	0.43
2:B:519:LEU:O	2:B:949:TYR:OH	2.36	0.43
2:B:236:MET:HE3	2:B:236:MET:HB3	1.81	0.42
2:B:593:ILE:HD13	2:B:593:ILE:HA	1.92	0.42
1:A:109:ASP:OD1	1:A:153:ARG:CG	2.57	0.42
2:B:450:LEU:CD2	2:B:462:GLN:CG	2.95	0.42
2:B:144:PRO:C	2:B:145:LYS:O	2.50	0.42
2:B:511:LEU:HD23	2:B:511:LEU:HA	1.83	0.42
2:B:703:LEU:HD11	2:B:724:ILE:HD13	2.02	0.42
2:B:963:ARG:O	2:B:966:THR:OG1	2.37	0.41
2:B:103:GLU:HA	2:B:106:VAL:HB	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:422:ARG:HH22	2:B:473:HIS:HB3	1.85	0.41
2:B:418:VAL:HG12	2:B:470:LEU:HD13	2.02	0.41
2:B:203:LEU:HB3	2:B:212:ALA:HB2	2.01	0.41
3:C:1:MET:HE2	3:C:1:MET:HB2	1.93	0.41
2:B:640:LEU:HD23	2:B:640:LEU:HA	1.76	0.41
2:B:276:LEU:HD23	2:B:276:LEU:HA	1.89	0.41
2:B:692:LEU:HA	2:B:692:LEU:HD23	1.91	0.41
2:B:210:GLN:O	2:B:210:GLN:NE2	2.53	0.41
2:B:156:LEU:HD21	2:B:176:LEU:HG	2.03	0.41
2:B:601:ASN:O	2:B:605:ASN:HB2	2.21	0.41
2:B:670:ASP:O	2:B:671:VAL:CG2	2.64	0.41
2:B:621:LEU:HD23	2:B:621:LEU:HA	1.85	0.41
1:A:71:HIS:CB	1:A:107:PHE:CD1	2.90	0.40
2:B:643:GLU:H	2:B:643:GLU:HG2	1.77	0.40
2:B:629:THR:HG22	2:B:634:SER:CB	2.42	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	154/178 (86%)	129 (84%)	25 (16%)	0	100	100
2	B	878/956 (92%)	799 (91%)	75 (8%)	4 (0%)	24	54
3	C	4/6 (67%)	3 (75%)	0	1 (25%)	0	0
All	All	1036/1140 (91%)	931 (90%)	100 (10%)	5 (0%)	26	54

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	C	1	MET
2	B	537	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	671	VAL
2	B	432	LYS
2	B	147	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	131/152 (86%)	127 (97%)	4 (3%)	35	60
2	B	775/842 (92%)	760 (98%)	15 (2%)	50	69
3	C	5/5 (100%)	5 (100%)	0	100	100
All	All	911/999 (91%)	892 (98%)	19 (2%)	46	67

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	15	PHE
1	A	65	VAL
1	A	107	PHE
1	A	146	ASP
2	B	228	ILE
2	B	297	TYR
2	B	300	GLU
2	B	301	LYS
2	B	462	GLN
2	B	536	HIS
2	B	537	ILE
2	B	627	ILE
2	B	641	ARG
2	B	652	LEU
2	B	653	ARG
2	B	667	LYS
2	B	670	ASP
2	B	702	SER
2	B	703	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	19	ASN
2	B	116	HIS
2	B	210	GLN
2	B	249	ASN
2	B	337	GLN
2	B	387	GLN
2	B	413	GLN
2	B	428	HIS
2	B	447	GLN
2	B	448	HIS
2	B	490	GLN
2	B	561	GLN
2	B	605	ASN
2	B	639	ASN
2	B	750	GLN
2	B	766	ASN
2	B	834	HIS
2	B	868	ASN
2	B	898	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	COA	A	201	-	47,50,50	3.18	17 (36%)	69,75,75	1.96	20 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	COA	A	201	-	-	20/48/64/64	0/3/3/3

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	201	COA	O4B-C1B	9.75	1.64	1.42
4	A	201	COA	P2A-O3A	8.10	1.68	1.59
4	A	201	COA	C9P-N8P	7.58	1.51	1.33
4	A	201	COA	C2B-C1B	-6.70	1.32	1.53
4	A	201	COA	O4B-C4B	-6.63	1.30	1.45
4	A	201	COA	P3B-O3B	5.71	1.69	1.59
4	A	201	COA	P1A-O3A	4.45	1.64	1.59
4	A	201	COA	C5A-C4A	-3.45	1.32	1.39
4	A	201	COA	OAP-CAP	-3.40	1.36	1.42
4	A	201	COA	C5P-N4P	3.37	1.41	1.33
4	A	201	COA	C6A-N6A	3.37	1.42	1.34
4	A	201	COA	O3B-C3B	-2.97	1.33	1.44
4	A	201	COA	C8A-N9A	-2.65	1.33	1.37
4	A	201	COA	C5A-N7A	-2.54	1.34	1.39
4	A	201	COA	C7P-N8P	2.41	1.51	1.46
4	A	201	COA	O5P-C5P	-2.22	1.18	1.23
4	A	201	COA	CDP-CBP	-2.14	1.49	1.53

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	201	COA	N3A-C2A-N1A	-5.92	119.62	128.58
4	A	201	COA	C5A-C4A-N3A	-4.75	120.17	126.72
4	A	201	COA	C6P-C5P-N4P	4.30	124.17	116.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	201	COA	N6A-C6A-N1A	-4.15	109.14	118.38
4	A	201	COA	N9A-C8A-N7A	-3.85	108.47	113.94
4	A	201	COA	C7P-C6P-C5P	-3.80	106.06	112.39
4	A	201	COA	C6P-C7P-N8P	-3.53	104.50	112.00
4	A	201	COA	C2A-N3A-C4A	3.43	120.20	111.83
4	A	201	COA	C3B-C2B-C1B	3.01	106.51	99.89
4	A	201	COA	C5A-C6A-N6A	2.90	130.47	123.29
4	A	201	COA	CAP-C9P-N8P	2.88	121.95	116.48
4	A	201	COA	N3A-C4A-N9A	2.69	131.75	127.17
4	A	201	COA	C5A-N7A-C8A	2.63	107.58	103.45
4	A	201	COA	C7P-N8P-C9P	-2.62	117.84	122.55
4	A	201	COA	P3B-O3B-C3B	-2.55	116.62	123.43
4	A	201	COA	O5P-C5P-C6P	-2.47	117.54	122.02
4	A	201	COA	O5P-C5P-N4P	-2.42	118.28	123.03
4	A	201	COA	C2P-C3P-N4P	-2.41	106.83	112.31
4	A	201	COA	C4A-C5A-N7A	-2.19	108.08	110.58
4	A	201	COA	C5A-C4A-N9A	2.08	108.08	105.81

There are no chirality outliers.

All (20) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	A	201	COA	C5B-O5B-P1A-O1A
4	A	201	COA	CCP-O6A-P2A-O3A
4	A	201	COA	CCP-O6A-P2A-O4A
4	A	201	COA	CCP-O6A-P2A-O5A
4	A	201	COA	CDP-CBP-CCP-O6A
4	A	201	COA	CEP-CBP-CCP-O6A
4	A	201	COA	CAP-CBP-CCP-O6A
4	A	201	COA	OAP-CAP-CBP-CCP
4	A	201	COA	C9P-CAP-CBP-CCP
4	A	201	COA	OAP-CAP-CBP-CEP
4	A	201	COA	C5P-C6P-C7P-N8P
4	A	201	COA	S1P-C2P-C3P-N4P
4	A	201	COA	C6P-C5P-N4P-C3P
4	A	201	COA	O5P-C5P-N4P-C3P
4	A	201	COA	C3B-C4B-C5B-O5B
4	A	201	COA	O4B-C4B-C5B-O5B
4	A	201	COA	OAP-CAP-CBP-CDP
4	A	201	COA	C9P-CAP-CBP-CDP
4	A	201	COA	C9P-CAP-CBP-CEP
4	A	201	COA	N8P-C9P-CAP-OAP

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	201	COA	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

The following chains have linkage breaks:

Mol	Chain	Number of breaks
2	B	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	B	40:UNK	C	45:HIS	N	7.24


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-25438. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 144



Y Index: 144



Z Index: 144


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 135



Y Index: 124




Z Index: 150


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.015. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 50 nm³; this corresponds to an approximate mass of 45 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.318 Å⁻¹

8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMD map EMD-25438 and PDB model 7STX. Per-residue inclusion information can be found in section 3 on page 5.

9.1 Map-model overlay [i](#)

This section was not generated.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)

This section was not generated.

9.4 Atom inclusion [i](#)



At the recommended contour level, 75% of all backbone atoms, 69% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.015) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.6940	0.4000
A	0.7950	0.4400
B	0.6760	0.3920
C	0.6820	0.3970

