



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 12:17 PM UTC

PDB ID : 6SU3 / pdb_00006su3
Title : Crystal structure of the 48C12 heliorhodopsin in the violet form at pH 8.8
Authors : Kovalev, K.; Volkov, D.; Astashkin, R.; Alekseev, A.; Gushchin, I.; Gordeliy, V.
Deposited on : 2019-09-12
Resolution : 1.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4037 (1.50-1.50)
Clashscore	190562	4235 (1.50-1.50)
Ramachandran outliers	187476	4153 (1.50-1.50)
Sidechain outliers	187428	4150 (1.50-1.50)
RSRZ outliers	180081	4039 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	264	4% 85% 10% ..
1	X	264	5% 81% 15% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	GOL	A	801	-	-	X	-

2 Entry composition [i](#)


There are 8 unique types of molecules in this entry. The entry contains 4753 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 48C12 heliorhodopsin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	X	256	Total	C	N	O	S	0	12	0
			2061	1378	323	353	7			
1	A	256	Total	C	N	O	S	0	6	0
			2005	1346	310	342	7			

- Molecule 2 is EICOSANE (CCD ID: LFA) (formula: $C_{20}H_{42}$).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	X	1	Total	C	0	0
			12	12		
2	X	1	Total	C	0	0
			16	16		
2	X	1	Total	C	0	0
			14	14		
2	X	1	Total	C	0	0
			14	14		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	X	1	Total C 14 14	0	0
2	X	1	Total C 17 17	0	0
2	X	1	Total C 8 8	0	0
2	X	1	Total C 9 9	0	0
2	X	1	Total C 10 10	0	0
2	X	1	Total C 10 10	0	0
2	X	1	Total C 7 7	0	0
2	X	1	Total C 17 17	0	0
2	X	1	Total C 9 9	0	0
2	A	1	Total C 15 15	0	0
2	A	1	Total C 15 15	0	0
2	A	1	Total C 10 10	0	0
2	A	1	Total C 18 18	0	0
2	A	1	Total C 13 13	0	0
2	A	1	Total C 7 7	0	0
2	A	1	Total C 11 11	0	0
2	A	1	Total C 13 13	0	0
2	A	1	Total C 15 15	0	0
2	A	1	Total C 11 11	0	0
2	A	1	Total C 7 7	0	0
2	A	1	Total C 8 8	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C 7 7	0	0

- Molecule 3 is (2R)-2,3-dihydroxypropyl (9Z)-octadec-9-enoate (CCD ID: OLC) (formula: C₂₁H₄₀O₄).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	X	1	Total C O 22 18 4	0	0
3	X	1	Total C O 23 19 4	0	0
3	A	1	Total C O 16 12 4	0	0

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	X	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is RETINAL (CCD ID: RET) (formula: $C_{20}H_{28}O$).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	X	1	Total	C	0	0
			20	20		
5	A	1	Total	C	0	0
			20	20		

- Molecule 6 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 7 is OLEIC ACID (CCD ID: OLA) (formula: $C_{18}H_{34}O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			16	14	2		
7	A	1	Total	C	O	0	0
			19	17	2		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	X	109	Total 112	O 112	0	2
8	A	121	Total 121	O 121	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 48C12 heliorhodopsin



- Molecule 1: 48C12 heliorhodopsin



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	56.12Å 59.75Å 94.32Å 90.00° 92.30° 90.00°	Depositor
Resolution (Å)	20.00 – 1.50 20.00 – 1.50	Depositor EDS
% Data completeness (in resolution range)	98.5 (20.00-1.50) 98.5 (20.00-1.50)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.30 (at 1.50Å)	Xtriage
Refinement program	REFMAC 5.8.0238	Depositor
R, R_{free}	0.153 , 0.199 0.154 , 0.199	Depositor DCC
R_{free} test set	4924 reflections (4.93%)	wwPDB-VP
Wilson B-factor (Å ²)	18.9	Xtriage
Anisotropy	0.377	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 61.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.079 for h,-k,-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	4753	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.34% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: OLA, SO4, GOL, OLC, LFA, RET

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.94	1/2060 (0.0%)	1.22	1/2814 (0.0%)
1	X	0.95	2/2117 (0.1%)	1.21	1/2888 (0.0%)
All	All	0.94	3/4177 (0.1%)	1.21	2/5702 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	X	255	PRO	C-N	9.22	1.46	1.33
1	A	241	LYS	C-N	6.79	1.42	1.33
1	X	241	LYS	C-N	5.85	1.41	1.33

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	72	PHE	CA-CB-CG	6.04	119.83	113.80
1	X	72	PHE	CA-CB-CG	5.76	119.56	113.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2005	0	2025	27	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	X	2061	0	2082	46	0
2	A	150	0	281	15	0
2	X	157	0	301	14	0
3	A	16	0	21	1	0
3	X	45	0	64	4	0
4	X	5	0	0	0	0
5	A	20	0	27	3	0
5	X	20	0	27	4	0
6	A	6	0	8	4	0
7	A	35	0	50	3	0
8	A	121	0	0	6	0
8	X	112	0	0	4	0
All	All	4753	0	4886	108	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (108) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:811:LFA:C1	2:A:812:LFA:H41	1.73	1.18
6:A:801:GOL:H32	8:A:910:HOH:O	1.48	1.09
1:X:187[A]:SER:OG	1:X:189:VAL:HG12	1.55	1.06
2:A:811:LFA:C1	2:A:812:LFA:C4	2.33	1.06
2:X:313:LFA:H13	2:X:315:LFA:C2	1.87	1.04
1:A:123:CYS:SG	1:A:199[A]:ILE:HD11	1.97	1.04
2:X:313:LFA:H11	2:X:315:LFA:H31	1.34	1.03
2:X:313:LFA:H13	2:X:315:LFA:H22	1.06	1.03
2:A:811:LFA:H11	2:A:812:LFA:C4	1.90	1.02
2:A:811:LFA:H11	2:A:812:LFA:H41	1.35	1.01
1:X:123:CYS:SG	1:X:199[A]:ILE:HD11	2.01	1.00
8:X:486:HOH:O	1:A:189:VAL:CG1	2.11	0.99
6:A:801:GOL:C3	8:A:910:HOH:O	2.04	0.96
1:X:104[B]:ARG:HH22	1:X:230[B]:GLU:CD	1.77	0.93
1:A:189:VAL:HB	8:A:968:HOH:O	1.67	0.92
2:X:313:LFA:C1	2:X:315:LFA:H31	1.97	0.92
1:X:62:GLU:H	2:X:309:LFA:H51	1.34	0.91
1:X:193:GLY:HA3	3:X:302:OLC:H21A	1.52	0.89
2:X:313:LFA:C1	2:X:315:LFA:H22	2.01	0.84
2:A:811:LFA:H12	2:A:812:LFA:H41	1.59	0.84
2:A:807:LFA:C10	2:A:812:LFA:H13	2.07	0.83

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:186:THR:OG1	8:A:901:HOH:O	1.97	0.83
1:X:149:GLU:OE2	1:X:226[A]:TYR:OH	1.97	0.83
1:X:4:PRO:HG2	1:X:97:MET:SD	2.20	0.80
1:X:104[B]:ARG:NH2	1:X:230[B]:GLU:OE1	2.15	0.79
2:A:811:LFA:C1	2:A:812:LFA:H42	2.12	0.79
1:X:35:ASN:C	1:X:35:ASN:HD22	1.90	0.77
1:X:104[B]:ARG:NH2	1:X:230[B]:GLU:CD	2.42	0.76
2:X:313:LFA:C1	2:X:315:LFA:C3	2.65	0.74
1:X:104[B]:ARG:NH2	1:X:230[B]:GLU:OE2	2.23	0.71
1:X:193:GLY:CA	3:X:302:OLC:H21A	2.19	0.70
8:X:486:HOH:O	1:A:189:VAL:HG13	1.85	0.70
1:X:155:LYS:CD	1:X:219:GLY:HA3	2.24	0.68
2:X:305:LFA:H121	2:X:316:LFA:H71	1.76	0.67
1:X:155:LYS:CD	1:X:218:LYS:O	2.44	0.66
1:X:9:ILE:HD12	1:X:96:LEU:HD12	1.78	0.65
1:A:8:GLU:O	8:A:902:HOH:O	2.14	0.65
2:A:811:LFA:H13	2:A:812:LFA:H42	1.80	0.63
2:A:807:LFA:C10	2:A:812:LFA:C1	2.77	0.61
2:X:313:LFA:C1	2:X:315:LFA:C2	2.69	0.61
6:A:801:GOL:H12	7:A:802:OLA:O2	2.02	0.60
1:X:150:LYS:NZ	8:X:402:HOH:O	2.35	0.59
1:X:189:VAL:HG11	1:A:47:ASN:HA	1.84	0.59
2:X:306:LFA:C14	2:X:316:LFA:H72	2.32	0.59
5:X:317:RET:H161	5:X:317:RET:H8	1.87	0.57
1:A:47:ASN:C	1:A:47:ASN:HD22	2.12	0.57
1:X:123:CYS:SG	1:X:199[A]:ILE:CD1	2.88	0.56
5:A:818:RET:H171	5:A:818:RET:H8	1.89	0.55
2:X:313:LFA:H13	2:X:315:LFA:C3	2.29	0.54
2:X:306:LFA:C14	2:X:316:LFA:C9	2.86	0.53
1:X:35:ASN:ND2	1:X:37:PHE:H	2.08	0.51
5:X:317:RET:H8	5:X:317:RET:H171	1.92	0.51
2:A:811:LFA:H12	2:A:812:LFA:H62	1.92	0.51
1:X:193:GLY:HA3	3:X:302:OLC:C21	2.35	0.51
1:X:9:ILE:HD12	1:X:96:LEU:CD1	2.41	0.51
2:A:811:LFA:C6	2:A:812:LFA:H71	2.41	0.51
1:X:88:PHE:CE2	1:X:103:PHE:HE2	2.30	0.50
5:A:818:RET:H171	5:A:818:RET:C8	2.42	0.49
1:X:61:LEU:HD12	1:X:61:LEU:C	2.37	0.49
1:A:102:ILE:N	1:A:102:ILE:HD13	2.27	0.48
1:X:225:ASN:C	1:X:225:ASN:HD22	2.19	0.48
1:X:187[B]:SER:HB3	1:X:189:VAL:HG12	1.96	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:X:187[A]:SER:OG	1:X:189:VAL:CG1	2.45	0.48
1:X:22:PHE:HD1	2:X:313:LFA:H11	1.79	0.47
1:A:61:LEU:HD12	1:A:61:LEU:C	2.38	0.47
1:A:204[A]:LEU:HD22	3:A:804:OLC:H8A	1.96	0.47
5:X:317:RET:H171	5:X:317:RET:C8	2.42	0.47
1:A:218:LYS:HA	1:A:218:LYS:HD2	1.64	0.47
1:X:249:PHE:HA	1:X:253:LEU:HB2	1.97	0.46
2:A:813:LFA:H101	2:A:813:LFA:H71	1.52	0.46
1:X:88:PHE:CE2	1:X:103:PHE:CE2	3.04	0.46
1:A:41:MET:SD	1:A:61:LEU:HD11	2.56	0.46
1:X:204[B]:LEU:C	1:X:204[B]:LEU:HD23	2.41	0.46
1:A:123:CYS:SG	1:A:199[A]:ILE:CD1	2.88	0.46
1:A:249:PHE:HA	1:A:253:LEU:HB2	1.97	0.46
1:X:12:LEU:HD13	1:X:230[A]:GLU:HG2	1.98	0.45
1:A:47:ASN:C	1:A:47:ASN:ND2	2.73	0.45
1:A:199[A]:ILE:CG2	7:A:803:OLA:H10	2.46	0.45
2:A:811:LFA:H13	2:A:811:LFA:H42	1.81	0.45
1:X:160:LEU:HB3	1:X:161:PRO:HD3	1.99	0.45
1:X:193:GLY:HA3	3:X:302:OLC:C1	2.47	0.44
1:X:187[A]:SER:CB	1:X:189:VAL:HG12	2.46	0.44
2:A:811:LFA:H62	2:A:812:LFA:H71	1.99	0.44
1:X:4:PRO:HB2	1:X:9:ILE:HD11	1.99	0.44
1:X:130:ALA:HA	1:A:130:ALA:HA	1.99	0.44
1:A:231[A]:ARG:NH1	8:A:902:HOH:O	2.50	0.44
1:X:93:SER:OG	1:X:97:MET:HE1	2.18	0.43
1:A:47:ASN:ND2	1:A:53:THR:OG1	2.51	0.43
1:X:35:ASN:C	1:X:35:ASN:ND2	2.64	0.43
1:A:35:ASN:OD1	1:A:35:ASN:C	2.62	0.43
5:A:818:RET:H8	5:A:818:RET:H161	1.99	0.43
5:X:317:RET:H181	5:X:317:RET:H7	1.78	0.42
1:A:12:LEU:HD23	1:A:12:LEU:HA	1.80	0.42
1:A:160:LEU:HB3	1:A:161:PRO:HD3	2.01	0.42
1:X:103:PHE:HB2	8:X:461:HOH:O	2.20	0.42
1:A:38:ALA:HB1	1:A:62:GLU:HB3	2.02	0.42
6:A:801:GOL:C1	7:A:802:OLA:O2	2.67	0.42
1:X:76[B]:SER:OG	1:X:241:LYS:HE2	2.20	0.42
1:X:155:LYS:CD	1:X:155:LYS:N	2.83	0.41
1:X:246:TRP:HB3	2:X:314:LFA:H31	2.02	0.41
1:A:153:GLN:HA	1:A:153:GLN:HE21	1.86	0.41
2:A:806:LFA:H81	2:A:806:LFA:H51	1.61	0.41
1:X:225:ASN:C	1:X:225:ASN:ND2	2.78	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:X:170:ILE:HD12	1:X:170:ILE:HA	1.95	0.40
1:X:12:LEU:HD23	1:X:12:LEU:HA	1.93	0.40
1:A:67:LEU:HA	1:A:67:LEU:HD12	1.89	0.40
1:X:88:PHE:CD1	1:X:92:TYR:HB2	2.57	0.40
1:A:9:ILE:HD12	1:A:9:ILE:HA	1.83	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	260/264 (98%)	256 (98%)	4 (2%)	0	100	100
1	X	266/264 (101%)	263 (99%)	3 (1%)	0	100	100
All	All	526/528 (100%)	519 (99%)	7 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	207/218 (95%)	198 (96%)	9 (4%)	26	4
1	X	216/218 (99%)	212 (98%)	4 (2%)	50	22
All	All	423/436 (97%)	410 (97%)	13 (3%)	36	9

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	X	35	ASN
1	X	97	MET
1	X	107	GLU
1	X	186	THR
1	A	47	ASN
1	A	67	LEU
1	A	83	VAL
1	A	102	ILE
1	A	187	SER
1	A	218	LYS
1	A	228	ARG
1	A	238[A]	LEU
1	A	238[B]	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	X	35	ASN
1	X	47	ASN
1	X	99	ASN
1	X	213	GLN
1	X	225	ASN
1	X	247	GLN
1	A	13	GLN
1	A	47	ASN
1	A	99	ASN
1	A	138	ASN
1	A	153	GLN
1	A	213	GLN
1	A	225	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

35 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	LFA	X	314	-	6,6,19	0.15	0	5,5,18	0.16	0
2	LFA	A	813	-	14,14,19	0.28	0	13,13,18	0.13	0
2	LFA	X	312	-	9,9,19	0.13	0	8,8,18	0.26	0
2	LFA	X	316	-	8,8,19	0.11	0	7,7,18	0.09	0
2	LFA	A	807	-	9,9,19	0.13	0	8,8,18	0.14	0
5	RET	X	317	1	20,20,21	1.46	3 (15%)	27,27,28	1.08	2 (7%)
2	LFA	X	315	-	16,16,19	0.26	0	15,15,18	0.11	0
4	SO4	X	304	-	4,4,4	0.31	0	6,6,6	0.09	0
2	LFA	X	306	-	13,13,19	0.12	0	12,12,18	0.09	0
2	LFA	X	313	-	9,9,19	0.14	0	8,8,18	0.11	0
2	LFA	X	308	-	13,13,19	0.17	0	12,12,18	0.06	0
2	LFA	A	808	-	17,17,19	0.15	0	16,16,18	0.11	0
2	LFA	A	811	-	10,10,19	0.13	0	9,9,18	0.10	0
2	LFA	A	815	-	6,6,19	0.13	0	5,5,18	0.09	0
6	GOL	A	801	-	5,5,5	0.18	0	5,5,5	0.30	0
2	LFA	A	812	-	12,12,19	0.13	0	11,11,18	0.09	0
7	OLA	A	803	-	18,18,19	0.67	0	18,18,19	0.46	0
2	LFA	A	816	-	7,7,19	0.17	0	6,6,18	0.17	0
2	LFA	A	809	-	12,12,19	0.13	0	11,11,18	0.13	0
2	LFA	A	805	-	14,14,19	0.11	0	13,13,18	0.16	0
3	OLC	X	303	-	22,22,24	0.96	1 (4%)	23,23,25	0.90	0
2	LFA	A	817	-	6,6,19	0.19	0	5,5,18	0.06	0
2	LFA	X	305	-	15,15,19	0.16	0	14,14,18	0.11	0
3	OLC	X	302	-	21,21,24	1.06	1 (4%)	22,22,25	1.11	2 (9%)
3	OLC	A	804	-	15,15,24	1.02	1 (6%)	16,16,25	1.21	2 (12%)
2	LFA	X	307	-	13,13,19	0.14	0	12,12,18	0.17	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	LFA	X	301	-	11,11,19	0.21	0	10,10,18	0.19	0
2	LFA	X	310	-	7,7,19	0.21	0	6,6,18	0.09	0
5	RET	A	818	1	20,20,21	1.54	3 (15%)	27,27,28	1.16	2 (7%)
2	LFA	A	814	-	10,10,19	0.20	0	9,9,18	0.09	0
2	LFA	A	810	-	6,6,19	0.16	0	5,5,18	0.15	0
2	LFA	X	311	-	8,8,19	0.22	0	7,7,18	0.09	0
2	LFA	A	806	-	14,14,19	0.11	0	13,13,18	0.12	0
7	OLA	A	802	-	15,15,19	0.58	0	15,15,19	0.59	0
2	LFA	X	309	-	16,16,19	0.15	0	15,15,18	0.12	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LFA	X	314	-	-	3/4/4/17	-
2	LFA	A	813	-	-	9/12/12/17	-
2	LFA	X	312	-	-	1/7/7/17	-
2	LFA	X	316	-	-	5/6/6/17	-
2	LFA	A	807	-	-	3/7/7/17	-
5	RET	X	317	1	-	0/13/30/31	0/1/1/1
2	LFA	X	315	-	-	11/14/14/17	-
2	LFA	X	306	-	-	7/11/11/17	-
2	LFA	X	313	-	-	4/7/7/17	-
2	LFA	X	308	-	-	7/11/11/17	-
2	LFA	A	808	-	-	6/15/15/17	-
2	LFA	A	811	-	-	5/8/8/17	-
2	LFA	A	815	-	-	1/4/4/17	-
6	GOL	A	801	-	-	2/4/4/4	-
2	LFA	A	812	-	-	7/10/10/17	-
7	OLA	A	803	-	-	11/16/16/17	-
2	LFA	A	816	-	-	1/5/5/17	-
2	LFA	A	809	-	-	5/10/10/17	-
2	LFA	A	805	-	-	3/12/12/17	-
3	OLC	X	303	-	-	6/22/22/24	-
2	LFA	A	817	-	-	3/4/4/17	-
2	LFA	X	305	-	-	3/13/13/17	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	OLC	X	302	-	-	11/21/21/24	-
3	OLC	A	804	-	-	5/15/15/24	-
2	LFA	X	307	-	-	4/11/11/17	-
2	LFA	X	301	-	-	1/9/9/17	-
2	LFA	X	310	-	-	5/5/5/17	-
5	RET	A	818	1	-	0/13/30/31	0/1/1/1
2	LFA	A	814	-	-	2/8/8/17	-
2	LFA	A	810	-	-	2/4/4/17	-
2	LFA	X	311	-	-	4/6/6/17	-
2	LFA	A	806	-	-	5/12/12/17	-
7	OLA	A	802	-	-	6/13/13/17	-
2	LFA	X	309	-	-	10/14/14/17	-

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	X	302	OLC	O20-C1	4.67	1.46	1.33
5	A	818	RET	C14-C13	4.12	1.36	1.33
3	X	303	OLC	O20-C1	4.05	1.45	1.33
5	X	317	RET	C14-C13	3.82	1.36	1.33
3	A	804	OLC	O20-C1	3.68	1.44	1.33
5	A	818	RET	C8-C9	-2.80	1.40	1.46
5	X	317	RET	C12-C13	-2.65	1.40	1.46
5	X	317	RET	C8-C9	-2.45	1.40	1.46
5	A	818	RET	C12-C13	-2.40	1.40	1.46

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	X	317	RET	C19-C9-C10	-3.45	117.22	122.82
5	A	818	RET	C19-C9-C10	-3.35	117.39	122.82
3	X	302	OLC	O20-C1-C2	3.34	122.02	111.83
3	A	804	OLC	O20-C1-C2	3.21	121.63	111.83
5	X	317	RET	C19-C9-C8	2.41	121.77	118.09
3	A	804	OLC	O20-C1-O19	-2.40	117.63	123.63
5	A	818	RET	C19-C9-C8	2.27	121.56	118.09
3	X	302	OLC	O20-C1-O19	-2.01	118.59	123.63

There are no chirality outliers.

All (158) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	X	302	OLC	O20-C21-C22-C24
3	X	302	OLC	O20-C21-C22-O23
7	A	803	OLA	C11-C10-C9-C8
7	A	802	OLA	C11-C10-C9-C8
2	A	813	LFA	C7-C8-C9-C10
3	X	302	OLC	C2-C1-O20-C21
2	A	806	LFA	C5-C6-C7-C8
3	X	303	OLC	O20-C21-C22-C24
3	A	804	OLC	O20-C21-C22-C24
2	A	816	LFA	C5-C6-C7-C8
3	X	302	OLC	O19-C1-O20-C21
3	A	804	OLC	O20-C21-C22-O23
3	X	303	OLC	O20-C21-C22-O23
3	X	302	OLC	C21-C22-C24-O25
2	X	306	LFA	C6-C7-C8-C9
2	X	315	LFA	C4-C5-C6-C7
2	A	811	LFA	C7-C8-C9-C10
2	X	309	LFA	C5-C6-C7-C8
2	X	305	LFA	C11-C12-C13-C14
2	X	309	LFA	C6-C7-C8-C9
2	X	309	LFA	C14-C15-C16-C17
2	X	311	LFA	C3-C4-C5-C6
2	A	811	LFA	C3-C4-C5-C6
2	A	812	LFA	C5-C6-C7-C8
2	A	806	LFA	C3-C4-C5-C6
2	X	308	LFA	C4-C5-C6-C7
7	A	802	OLA	C2-C3-C4-C5
2	A	810	LFA	C3-C4-C5-C6
7	A	802	OLA	C4-C5-C6-C7
2	X	316	LFA	C3-C4-C5-C6
2	X	310	LFA	C3-C4-C5-C6
2	A	805	LFA	C11-C12-C13-C14
2	X	316	LFA	C4-C5-C6-C7
7	A	803	OLA	C5-C6-C7-C8
2	X	307	LFA	C4-C5-C6-C7
2	X	308	LFA	C7-C8-C9-C10
2	A	815	LFA	C3-C4-C5-C6
2	A	817	LFA	C3-C4-C5-C6
2	X	311	LFA	C4-C5-C6-C7
2	X	313	LFA	C4-C5-C6-C7
2	X	307	LFA	C5-C6-C7-C8
2	X	309	LFA	C10-C11-C12-C13

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	805	LFA	C9-C10-C11-C12
2	X	315	LFA	C3-C4-C5-C6
2	X	305	LFA	C9-C10-C11-C12
2	X	309	LFA	C15-C16-C17-C18
2	A	813	LFA	C9-C10-C11-C12
7	A	802	OLA	C5-C6-C7-C8
2	X	310	LFA	C2-C3-C4-C5
2	A	812	LFA	C4-C5-C6-C7
2	X	306	LFA	C7-C8-C9-C10
2	A	817	LFA	C2-C3-C4-C5
2	X	309	LFA	C17-C18-C19-C20
3	X	302	OLC	C10-C11-C12-C13
2	X	315	LFA	C2-C3-C4-C5
2	X	315	LFA	C6-C7-C8-C9
2	X	315	LFA	C7-C8-C9-C10
2	X	315	LFA	C9-C10-C11-C12
2	A	806	LFA	C4-C5-C6-C7
7	A	803	OLA	C14-C15-C16-C17
2	A	813	LFA	C3-C4-C5-C6
2	X	309	LFA	C9-C10-C11-C12
2	X	306	LFA	C4-C5-C6-C7
2	A	809	LFA	C9-C10-C11-C12
7	A	803	OLA	C7-C8-C9-C10
2	X	313	LFA	C5-C6-C7-C8
2	X	315	LFA	C13-C14-C15-C16
2	A	811	LFA	C2-C3-C4-C5
3	X	302	OLC	O23-C22-C24-O25
2	A	813	LFA	C5-C6-C7-C8
2	A	811	LFA	C1-C2-C3-C4
2	A	812	LFA	C6-C7-C8-C9
3	A	804	OLC	C2-C1-O20-C21
2	A	809	LFA	C5-C6-C7-C8
2	X	308	LFA	C11-C10-C9-C8
2	A	808	LFA	C10-C11-C12-C13
2	A	813	LFA	C4-C5-C6-C7
2	A	813	LFA	C2-C3-C4-C5
2	A	806	LFA	C6-C7-C8-C9
2	A	813	LFA	C6-C7-C8-C9
3	X	303	OLC	C2-C3-C4-C5
2	X	314	LFA	C4-C5-C6-C7
2	A	812	LFA	C1-C2-C3-C4
2	X	316	LFA	C5-C6-C7-C8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	808	LFA	C17-C18-C19-C20
2	A	817	LFA	C4-C5-C6-C7
2	X	314	LFA	C1-C2-C3-C4
2	A	809	LFA	C10-C11-C12-C13
2	X	308	LFA	C11-C12-C13-C14
7	A	802	OLA	C1-C2-C3-C4
2	X	308	LFA	C1-C2-C3-C4
2	X	315	LFA	C12-C13-C14-C15
2	A	807	LFA	C16-C17-C18-C19
2	X	306	LFA	C11-C10-C9-C8
3	X	302	OLC	C12-C13-C14-C15
2	X	313	LFA	C1-C2-C3-C4
2	A	808	LFA	C3-C4-C5-C6
2	A	809	LFA	C1-C2-C3-C4
7	A	803	OLA	C9-C10-C11-C12
3	X	303	OLC	C4-C5-C6-C7
3	A	804	OLC	O19-C1-O20-C21
2	X	315	LFA	C11-C10-C9-C8
2	X	306	LFA	C11-C12-C13-C14
2	A	808	LFA	C11-C10-C9-C8
2	X	308	LFA	C3-C4-C5-C6
2	A	812	LFA	C7-C8-C9-C10
6	A	801	GOL	O1-C1-C2-O2
2	X	309	LFA	C16-C17-C18-C19
2	A	807	LFA	C13-C14-C15-C16
2	X	315	LFA	C1-C2-C3-C4
2	X	309	LFA	C11-C12-C13-C14
2	A	806	LFA	C2-C3-C4-C5
2	A	813	LFA	C1-C2-C3-C4
2	X	313	LFA	C2-C3-C4-C5
2	X	310	LFA	C4-C5-C6-C7
2	X	308	LFA	C2-C3-C4-C5
2	X	311	LFA	C5-C6-C7-C8
7	A	803	OLA	C11-C12-C13-C14
7	A	803	OLA	C4-C5-C6-C7
2	X	316	LFA	C6-C7-C8-C9
2	A	811	LFA	C11-C10-C9-C8
2	X	310	LFA	C5-C6-C7-C8
2	X	316	LFA	C1-C2-C3-C4
2	A	805	LFA	C10-C11-C12-C13
2	A	809	LFA	C4-C5-C6-C7
2	A	812	LFA	C9-C10-C11-C12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	813	LFA	C11-C10-C9-C8
2	X	306	LFA	C9-C10-C11-C12
3	X	302	OLC	C4-C5-C6-C7
2	A	807	LFA	C14-C15-C16-C17
2	A	808	LFA	C14-C15-C16-C17
6	A	801	GOL	O1-C1-C2-C3
2	A	814	LFA	C4-C5-C6-C7
2	X	307	LFA	C3-C4-C5-C6
2	A	808	LFA	C5-C6-C7-C8
2	A	812	LFA	C3-C4-C5-C6
2	A	814	LFA	C5-C6-C7-C8
2	X	311	LFA	C2-C3-C4-C5
3	X	302	OLC	C5-C6-C7-C8
2	A	810	LFA	C1-C2-C3-C4
7	A	803	OLA	O1-C1-C2-C3
2	X	306	LFA	C5-C6-C7-C8
2	X	305	LFA	C10-C11-C12-C13
2	X	301	LFA	C10-C11-C12-C13
3	X	302	OLC	C7-C8-C9-C10
3	X	303	OLC	C9-C10-C11-C12
7	A	803	OLA	C10-C11-C12-C13
2	X	314	LFA	C3-C4-C5-C6
7	A	803	OLA	C3-C4-C5-C6
7	A	802	OLA	C3-C4-C5-C6
2	X	307	LFA	C6-C7-C8-C9
3	A	804	OLC	C5-C6-C7-C8
7	A	803	OLA	O2-C1-C2-C3
2	X	310	LFA	C1-C2-C3-C4
2	X	315	LFA	C14-C15-C16-C17
3	X	303	OLC	C12-C13-C14-C15
2	X	309	LFA	C13-C14-C15-C16
2	X	312	LFA	C7-C8-C9-C10

There are no ring outliers.

19 monomers are involved in 46 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	X	314	LFA	1	0
2	A	813	LFA	1	0
2	X	316	LFA	3	0
2	A	807	LFA	2	0
5	X	317	RET	4	0


Continued on next page...




Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	X	315	LFA	8	0
2	X	306	LFA	2	0
2	X	313	LFA	9	0
2	A	811	LFA	11	0
6	A	801	GOL	4	0
2	A	812	LFA	12	0
7	A	803	OLA	1	0
2	X	305	LFA	1	0
3	X	302	OLC	4	0
3	A	804	OLC	1	0
5	A	818	RET	3	0
2	A	806	LFA	1	0
7	A	802	OLA	2	0
2	X	309	LFA	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.















Ligand RET X 317			
			
Bond lengths		Bond angles	
			
Torsions		Rings	





Ligand LFA X 315			
			
Bond lengths		Bond angles	
			
Torsions		Rings	


Ligand LFA X 306			
			
Bond lengths		Bond angles	
			
Torsions		Rings	




Ligand LFA X 313			
			
Bond lengths		Bond angles	
			
Torsions		Rings	














5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	256/264 (96%)	-0.02	10 (3%)	43 47	10, 21, 45, 59	6 (2%)
1	X	256/264 (96%)	-0.05	12 (4%)	36 40	8, 21, 44, 58	12 (4%)
All	All	512/528 (96%)	-0.04	22 (4%)	40 44	8, 21, 44, 59	18 (3%)

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	2	ALA	4.9
1	A	4	PRO	4.6
1	A	256	ALA	3.4
1	X	88	PHE	3.2
1	A	9	ILE	3.1
1	X	89	PHE	3.1
1	A	6	VAL	3.0
1	X	189	VAL	2.9
1	X	87	ASN	2.8
1	A	189	VAL	2.8
1	X	257	LEU	2.7
1	X	190	ALA	2.7
1	X	86	GLY	2.6
1	X	256	ALA	2.5
1	X	186	THR	2.4
1	A	188	ASP	2.2
1	A	3	LYS	2.2
1	X	85	SER	2.2
1	A	257	LEU	2.1
1	X	187[A]	SER	2.1
1	A	12	LEU	2.0
1	X	93	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	GOL	A	801	6/6	0.74	0.14	28,37,41,42	0
2	LFA	X	316	9/20	0.78	0.14	34,37,41,42	0
2	LFA	A	812	13/20	0.78	0.14	33,35,39,46	0
3	OLC	X	302	22/25	0.78	0.14	29,35,43,44	0
2	LFA	X	308	14/20	0.78	0.12	32,37,40,42	0
2	LFA	X	314	7/20	0.79	0.12	37,38,41,43	0
2	LFA	A	815	7/20	0.79	0.12	35,36,39,43	0
2	LFA	A	817	7/20	0.80	0.11	33,35,40,42	0
2	LFA	A	809	13/20	0.81	0.12	34,35,40,43	0
2	LFA	X	312	10/20	0.81	0.12	30,36,38,40	0
7	OLA	A	802	16/20	0.81	0.13	30,35,39,41	0
2	LFA	A	813	15/20	0.82	0.11	34,37,43,46	0
2	LFA	X	315	17/20	0.82	0.11	33,35,39,41	0
2	LFA	X	311	9/20	0.83	0.11	33,35,41,41	0
2	LFA	A	808	18/20	0.84	0.11	32,35,39,43	0
2	LFA	A	816	8/20	0.84	0.11	28,35,37,40	0
3	OLC	X	303	23/25	0.86	0.10	25,29,35,48	0
2	LFA	A	814	11/20	0.87	0.10	30,35,40,45	0
2	LFA	X	306	14/20	0.87	0.13	44,51,64,72	0
2	LFA	X	309	17/20	0.87	0.10	27,35,43,44	0
2	LFA	X	310	8/20	0.87	0.10	31,37,38,39	0
2	LFA	A	810	7/20	0.88	0.11	31,35,38,43	0
2	LFA	A	811	11/20	0.88	0.09	35,37,40,41	0
2	LFA	A	807	10/20	0.88	0.10	32,33,37,38	0
4	SO4	X	304	5/5	0.89	0.08	55,58,65,69	0
2	LFA	A	806	15/20	0.89	0.11	33,37,61,66	0
2	LFA	X	307	14/20	0.89	0.09	30,34,39,42	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	LFA	X	313	10/20	0.90	0.08	32,35,41,43	0
7	OLA	A	803	19/20	0.91	0.08	25,32,39,41	0
2	LFA	X	301	12/20	0.92	0.09	29,34,44,45	0
2	LFA	A	805	15/20	0.93	0.08	22,25,37,41	0
3	OLC	A	804	16/25	0.93	0.09	26,32,38,41	0
2	LFA	X	305	16/20	0.93	0.08	22,29,46,59	0
5	RET	A	818	20/21	0.95	0.06	16,17,22,26	0
5	RET	X	317	20/21	0.96	0.06	14,17,21,24	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around LFA X 316:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 812:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC X 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA X 308:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA X 314:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 815:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 817:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 809:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA X 312:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLA A 802:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 813:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA X 315:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA X 311:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 808:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 816:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC X 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 814:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA X 306:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA X 309:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA X 310:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 810:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 811:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around LFA A 807:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 806:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA X 307:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA X 313:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLA A 803:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA X 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 805:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 804:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA X 305:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around RET A 818:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around RET X 317:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.