



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 08:31 PM UTC

PDB ID : 6SUD / pdb_00006sud
Title : Structure of L320A mutant of Rex8A from *Paenibacillus barcinonensis* complexed with xylose.
Authors : Jimenez-Ortega, E.; Ramirez-Escudero, M.; Sanz-Aparicio, J.
Deposited on : 2019-09-13
Resolution : 1.74 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.74 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1187 (1.74-1.74)
Clashscore	190562	1207 (1.74-1.74)
Ramachandran outliers	187476	1200 (1.74-1.74)
Sidechain outliers	187428	1200 (1.74-1.74)
RSRZ outliers	180081	1188 (1.74-1.74)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	382	9% 83% 15% ..
1	B	382	19% 84% 14% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	EDO	A	501	-	-	X	-
2	EDO	A	505	-	-	X	-
2	EDO	A	506	-	-	X	-
2	EDO	A	507	-	-	X	-
2	EDO	B	501	-	-	X	-
2	EDO	B	502	-	-	X	-
2	EDO	B	504	-	-	X	-
2	EDO	B	506	-	-	X	-
3	GOL	A	502	-	-	X	-
3	GOL	B	508	-	-	X	-

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 6953 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Reducing-end xylose-releasing exo-oligoxylanase Rex8A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	377	Total	C	N	O	S	0	1	0
			3118	1987	534	582	15			
1	B	377	Total	C	N	O	S	0	3	0
			3136	1999	537	585	15			

There are 6 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	320	ALA	LEU	engineered mutation	UNP A0A0S2UQQ5
A	381	GLN	-	expression tag	UNP A0A0S2UQQ5
A	382	GLN	-	expression tag	UNP A0A0S2UQQ5
B	320	ALA	LEU	engineered mutation	UNP A0A0S2UQQ5
B	381	GLN	-	expression tag	UNP A0A0S2UQQ5
B	382	GLN	-	expression tag	UNP A0A0S2UQQ5

- Molecule 2 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0

- Molecule 3 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 4 is beta-D-xylopyranose (CCD ID: XYP) (formula: C₅H₁₀O₅) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			10	5	5		
4	A	1	Total	C	O	0	0
			10	5	5		
4	B	1	Total	C	O	0	0
			10	5	5		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	303	Total	O	0	0
			303	303		
5	B	294	Total	O	0	0
			294	294		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Reducing-end xylose-releasing exo-oligoxylanase Rex8A



- Molecule 1: Reducing-end xylose-releasing exo-oligoxylanase Rex8A



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	51.51Å 59.17Å 79.41Å 87.83° 78.35° 74.61°	Depositor
Resolution (Å)	57.11 – 1.74 57.11 – 1.74	Depositor EDS
% Data completeness (in resolution range)	96.6 (57.11-1.74) 96.6 (57.11-1.74)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.47 (at 1.74Å)	Xtriage
Refinement program	REFMAC 5.8.0238	Depositor
R, R_{free}	0.242 , 0.277 0.248 , 0.280	Depositor DCC
R_{free} test set	4371 reflections (4.81%)	wwPDB-VP
Wilson B-factor (Å ²)	14.8	Xtriage
Anisotropy	0.460	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 39.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	6953	wwPDB-VP
Average B, all atoms (Å ²)	15.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 30.86 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.2190e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, GOL, XYP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.96	0/3225	1.26	3/4380 (0.1%)
1	B	0.97	1/3243 (0.0%)	1.26	2/4402 (0.0%)
All	All	0.97	1/6468 (0.0%)	1.26	5/8782 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	240	SER	CA-CB	-5.23	1.47	1.54

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	381	GLN	CA-C-N	6.42	133.25	121.70
1	A	381	GLN	C-N-CA	6.42	133.25	121.70
1	A	27	GLU	CB-CA-C	-6.16	100.57	110.79
1	B	20	ARG	O-C-N	5.42	128.56	122.22
1	B	170	GLN	CB-CA-C	-5.20	102.60	111.02

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3118	0	2849	78	0
1	B	3136	0	2871	70	0
2	A	24	0	36	25	0
2	B	24	0	36	24	0
3	A	6	0	8	5	0
3	B	18	0	24	8	0
4	A	20	0	0	1	0
4	B	10	0	0	1	0
5	A	303	0	0	52	0
5	B	294	0	0	32	0
All	All	6953	0	5824	167	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (167) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:331:MET:HG2	5:A:604:HOH:O	1.35	1.27
1:A:82:MET:HB2	5:A:625:HOH:O	1.33	1.23
1:A:273:VAL:HG21	5:A:830:HOH:O	1.35	1.22
2:A:501:EDO:O1	2:A:505:EDO:H12	1.43	1.17
1:B:151:TYR:HB2	5:B:770:HOH:O	1.49	1.12
1:A:84:LYS:HD2	2:A:501:EDO:H22	1.36	1.07
1:A:297:PHE:HE2	5:A:875:HOH:O	1.40	1.04
1:B:335:ALA:HB1	5:B:661:HOH:O	1.56	1.04
1:A:142:ASN:HB2	5:A:662:HOH:O	1.59	1.03
1:B:297:PHE:HE2	5:B:864:HOH:O	1.42	1.03
3:B:507:GOL:H12	4:B:510:XYP:O4	1.60	1.02
1:A:151:TYR:HD2	2:A:507:EDO:H22	1.23	1.01
2:A:501:EDO:C1	2:A:505:EDO:C1	2.40	1.00
1:A:151:TYR:CD2	2:A:507:EDO:H22	1.97	1.00
2:A:501:EDO:C1	2:A:505:EDO:H12	1.91	0.99
1:A:84:LYS:HA	2:A:506:EDO:H22	1.44	0.99
1:A:289:GLN:HG3	5:A:830:HOH:O	1.69	0.91
1:A:342:ASP:HB3	5:A:815:HOH:O	1.69	0.91
1:B:293:ILE:HD11	5:B:864:HOH:O	1.70	0.91
1:B:151:TYR:HD2	2:B:502:EDO:H22	1.35	0.91
1:B:273:VAL:HG21	5:B:776:HOH:O	1.71	0.90
1:A:377:TYR:OH	3:A:502:GOL:H11	1.72	0.89
1:A:280:PHE:CD2	5:A:746:HOH:O	2.27	0.88
1:A:82:MET:SD	5:A:732:HOH:O	2.31	0.86

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:280:PHE:HD2	5:A:746:HOH:O	1.59	0.85
1:B:377:TYR:CE1	3:B:508:GOL:H11	2.12	0.85
1:B:151:TYR:CD2	2:B:502:EDO:H22	2.12	0.84
1:A:380:TYR:HB3	5:A:662:HOH:O	1.76	0.84
1:B:158:ARG:HD3	2:B:504:EDO:H21	1.59	0.83
1:A:231:THR:HG21	5:A:635:HOH:O	1.78	0.83
1:A:274:ALA:HB3	5:A:604:HOH:O	1.80	0.82
1:A:246:TYR:O	2:A:503:EDO:H12	1.80	0.81
2:A:505:EDO:H11	2:A:506:EDO:O1	1.81	0.81
1:B:36:TRP:HA	5:B:766:HOH:O	1.79	0.80
1:A:84:LYS:CD	2:A:501:EDO:H22	2.11	0.80
1:A:103:GLU:HG2	5:A:817:HOH:O	1.82	0.79
1:B:85[B]:LYS:HD2	2:B:501:EDO:C1	2.12	0.79
1:B:84:LYS:HA	2:B:501:EDO:H22	1.62	0.79
1:B:377:TYR:HE1	3:B:508:GOL:H11	1.47	0.78
1:A:82:MET:HA	5:A:732:HOH:O	1.82	0.78
1:A:84:LYS:HD2	2:A:501:EDO:C2	2.14	0.78
1:A:151:TYR:HD2	2:A:507:EDO:C2	1.97	0.77
1:B:291:ASN:HB3	2:B:506:EDO:H22	1.67	0.76
2:A:501:EDO:O1	2:A:505:EDO:C1	2.29	0.76
1:B:377:TYR:CD1	5:B:755:HOH:O	2.40	0.74
3:B:508:GOL:H12	5:B:609:HOH:O	1.88	0.73
1:A:368:PHE:HA	5:A:739:HOH:O	1.88	0.73
1:B:36:TRP:CE3	5:B:766:HOH:O	2.40	0.73
1:B:273:VAL:HB	5:B:686:HOH:O	1.90	0.71
1:A:329:ASN:HA	5:A:795:HOH:O	1.90	0.69
1:B:158:ARG:HD3	2:B:504:EDO:C2	2.23	0.69
1:B:39:LEU:HD11	1:B:363:ASN:HB3	1.76	0.67
1:A:79:ALA:HA	5:A:625:HOH:O	1.93	0.67
1:A:86:HIS:H	2:A:506:EDO:H11	1.61	0.65
2:A:504:EDO:H12	5:A:640:HOH:O	1.95	0.65
1:A:246:TYR:O	2:A:503:EDO:C1	2.43	0.65
1:A:377:TYR:CE1	5:A:650:HOH:O	2.49	0.65
1:A:271:ALA:HA	5:A:604:HOH:O	1.97	0.65
1:B:381:GLN:O	1:B:382:GLN:HB2	1.97	0.64
2:A:501:EDO:H11	2:A:505:EDO:C1	2.27	0.64
1:A:279:TRP:HB2	5:A:746:HOH:O	1.98	0.63
1:B:289:GLN:HG3	5:B:776:HOH:O	1.97	0.63
1:B:39:LEU:HG	1:B:48:ILE:HG12	1.80	0.62
2:A:501:EDO:H12	2:A:505:EDO:C1	2.29	0.61
1:A:293:ILE:HD11	5:A:875:HOH:O	2.00	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:147:GLY:HA3	5:B:770:HOH:O	2.00	0.61
2:B:509:EDO:H22	5:B:610:HOH:O	2.00	0.61
1:A:289:GLN:CG	5:A:830:HOH:O	2.40	0.60
1:B:158:ARG:CD	2:B:504:EDO:H21	2.30	0.60
1:B:40:PHE:HA	1:B:49:TYR:HB3	1.83	0.60
1:B:151:TYR:HD2	2:B:502:EDO:C2	2.10	0.60
2:A:501:EDO:H11	2:A:506:EDO:O1	2.01	0.60
1:A:380:TYR:CB	5:A:662:HOH:O	2.44	0.59
5:A:624:HOH:O	1:B:122:SER:HB3	2.02	0.59
1:B:273:VAL:CG2	5:B:776:HOH:O	2.40	0.59
1:B:381:GLN:O	1:B:382:GLN:CB	2.50	0.59
1:A:276:ASP:HA	5:A:746:HOH:O	2.03	0.59
1:B:377:TYR:OH	3:B:508:GOL:H11	2.02	0.58
1:A:40:PHE:HA	1:A:49:TYR:HB3	1.84	0.58
1:A:377:TYR:CZ	3:A:502:GOL:H11	2.39	0.58
1:B:277:TRP:CE2	1:B:281:ARG:HD3	2.39	0.58
1:A:269:VAL:HG11	5:A:768:HOH:O	2.02	0.58
1:B:158:ARG:CD	2:B:504:EDO:C2	2.81	0.57
1:B:269:VAL:HG11	5:B:773:HOH:O	2.03	0.57
1:B:85[B]:LYS:HD2	2:B:501:EDO:H11	1.82	0.57
1:A:277:TRP:CE2	1:A:281:ARG:HD3	2.39	0.56
4:A:508:XYP:O4	4:A:509:XYP:C2	2.51	0.56
1:A:223:GLU:HG2	5:A:669:HOH:O	2.06	0.56
1:B:377:TYR:CZ	3:B:508:GOL:H11	2.41	0.56
1:A:56:LYS:NZ	5:A:616:HOH:O	2.39	0.56
5:A:624:HOH:O	1:B:122:SER:CB	2.53	0.56
1:B:270:ALA:HB1	5:B:811:HOH:O	2.04	0.56
1:A:262:PHE:CZ	5:A:875:HOH:O	2.53	0.56
1:A:39:LEU:HD21	1:A:363:ASN:HB3	1.87	0.56
1:B:135:MET:HE2	1:B:139:PHE:CE1	2.40	0.55
1:A:135:MET:HE2	1:A:139:PHE:CE1	2.41	0.55
2:A:501:EDO:C1	2:A:505:EDO:H11	2.33	0.55
1:A:201:HIS:HB3	5:A:746:HOH:O	2.07	0.54
2:A:501:EDO:H11	2:A:505:EDO:H11	1.88	0.54
1:A:297:PHE:CE2	5:A:875:HOH:O	2.30	0.53
2:A:501:EDO:H12	2:A:505:EDO:O1	2.09	0.53
1:A:239:LEU:CD2	5:A:875:HOH:O	2.56	0.52
1:B:24:ARG:O	1:B:27:GLU:HG2	2.08	0.52
1:A:377:TYR:CD2	5:A:739:HOH:O	2.54	0.52
1:A:377:TYR:CE2	3:A:502:GOL:H11	2.45	0.52
1:A:84:LYS:CE	2:A:501:EDO:H22	2.40	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:310:ILE:HD12	5:B:652:HOH:O	2.09	0.52
1:B:158:ARG:HB2	2:B:504:EDO:H22	1.92	0.51
1:A:83:ASP:CG	5:A:603:HOH:O	2.53	0.51
1:B:338:GLY:HA3	2:B:506:EDO:H21	1.92	0.51
1:A:148:PRO:HD2	2:A:507:EDO:H21	1.93	0.51
1:B:329:ASN:HA	5:B:811:HOH:O	2.10	0.51
1:A:270:ALA:HB1	5:A:795:HOH:O	2.11	0.50
1:A:273:VAL:HB	5:A:675:HOH:O	2.11	0.50
1:B:368:PHE:HA	5:B:755:HOH:O	2.12	0.50
1:B:96:TYR:CE2	5:B:842:HOH:O	2.54	0.49
1:B:239:LEU:CD2	5:B:864:HOH:O	2.60	0.49
1:B:240:SER:HB3	5:B:773:HOH:O	2.12	0.49
1:B:334:LEU:HD11	1:B:372:ALA:HB1	1.93	0.49
1:A:334:LEU:HD11	1:A:372:ALA:HB1	1.94	0.48
1:B:96:TYR:HE2	5:B:842:HOH:O	1.96	0.48
1:B:148:PRO:HD2	2:B:502:EDO:H21	1.96	0.48
3:B:503:GOL:H31	5:B:836:HOH:O	2.13	0.48
1:A:310:ILE:HD12	5:A:701:HOH:O	2.14	0.48
1:B:158:ARG:CD	2:B:504:EDO:H22	2.44	0.48
1:B:85[B]:LYS:HD2	2:B:501:EDO:H12	1.94	0.47
1:B:339:PRO:HD3	2:B:506:EDO:H12	1.96	0.47
1:B:377:TYR:HE1	3:B:508:GOL:C1	2.24	0.47
1:A:358:ARG:NH1	5:A:606:HOH:O	2.27	0.47
1:B:273:VAL:CG2	5:B:634:HOH:O	2.61	0.47
1:A:26:ASP:OD1	1:A:27:GLU:N	2.48	0.46
1:A:286:GLN:HA	5:A:675:HOH:O	2.15	0.46
1:B:85[B]:LYS:HD2	2:B:501:EDO:C2	2.45	0.46
1:B:242:GLU:CD	5:B:602:HOH:O	2.59	0.45
1:B:61:ASP:HA	1:B:360:TYR:CG	2.52	0.45
1:B:270:ALA:CB	5:B:811:HOH:O	2.65	0.45
1:A:377:TYR:HE2	3:A:502:GOL:C1	2.30	0.45
1:B:182:ARG:HD2	1:B:217:PHE:CE1	2.53	0.44
1:A:240:SER:HB3	5:A:768:HOH:O	2.16	0.44
1:B:84:LYS:HA	2:B:501:EDO:C2	2.42	0.44
1:A:368:PHE:HD1	5:A:739:HOH:O	2.00	0.44
1:A:103:GLU:CG	5:A:817:HOH:O	2.55	0.44
1:B:265:ASP:CG	5:B:626:HOH:O	2.60	0.44
1:A:61:ASP:HA	1:A:360:TYR:CG	2.53	0.43
1:A:86:HIS:CE1	1:A:90:ARG:HE	2.37	0.43
1:A:182:ARG:HD2	1:A:217:PHE:CE2	2.54	0.43
1:A:342:ASP:CB	5:A:815:HOH:O	2.46	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:377:TYR:CE2	3:A:502:GOL:C1	3.01	0.43
1:A:286:GLN:HB3	5:A:675:HOH:O	2.19	0.43
1:B:300:ILE:C	5:B:689:HOH:O	2.62	0.43
1:B:289:GLN:CG	5:B:776:HOH:O	2.63	0.43
1:B:273:VAL:HG23	1:B:274:ALA:N	2.34	0.43
1:A:37[B]:ASN:ND2	5:A:622:HOH:O	2.48	0.42
1:A:240:SER:CB	5:A:768:HOH:O	2.67	0.42
1:A:286:GLN:CA	5:A:675:HOH:O	2.67	0.42
1:B:240:SER:CB	5:B:773:HOH:O	2.67	0.41
1:A:83:ASP:OD1	5:A:603:HOH:O	2.21	0.41
1:A:286:GLN:CB	5:A:675:HOH:O	2.69	0.41
1:A:228:TYR:HD1	2:A:503:EDO:H12	1.86	0.41
1:B:342[B]:ASP:OD1	1:B:346:LYS:NZ	2.53	0.41
1:B:291:ASN:HB3	2:B:506:EDO:C2	2.44	0.41
1:A:234:HIS:HA	1:A:235:PRO:HD3	1.87	0.40
1:A:357:LYS:HE3	1:A:358:ARG:NH2	2.36	0.40
1:B:83:ASP:CG	5:B:605:HOH:O	2.65	0.40
1:B:158:ARG:CB	2:B:504:EDO:H22	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	376/382 (98%)	370 (98%)	6 (2%)	0	100	100
1	B	378/382 (99%)	373 (99%)	5 (1%)	0	100	100
All	All	754/764 (99%)	743 (98%)	11 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	315/318 (99%)	314 (100%)	1 (0%)	86	82
1	B	317/318 (100%)	315 (99%)	2 (1%)	78	71
All	All	632/636 (99%)	629 (100%)	3 (0%)	81	75

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	39	LEU
1	B	19	GLN
1	B	357	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	261	HIS
1	A	350	ASN
1	B	45	HIS
1	B	64	ASN
1	B	100	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry

19 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	EDO	A	505	-	3,3,3	0.32	0	2,2,2	0.48	0
2	EDO	A	506	-	3,3,3	0.09	0	2,2,2	0.27	0
3	GOL	B	503	-	5,5,5	0.13	0	5,5,5	0.40	0
3	GOL	B	507	-	5,5,5	0.12	0	5,5,5	0.30	0
2	EDO	B	506	-	3,3,3	0.20	0	2,2,2	0.32	0
4	XYP	B	510	-	10,10,10	0.47	0	14,14,14	0.59	0
2	EDO	B	505	-	3,3,3	0.06	0	2,2,2	0.18	0
2	EDO	B	502	-	3,3,3	0.20	0	2,2,2	0.36	0
2	EDO	B	504	-	3,3,3	0.08	0	2,2,2	0.49	0
2	EDO	B	501	-	3,3,3	0.04	0	2,2,2	0.56	0
4	XYP	A	509	-	10,10,10	0.63	0	14,14,14	0.94	0
2	EDO	B	509	-	3,3,3	0.18	0	2,2,2	0.51	0
3	GOL	B	508	-	5,5,5	0.10	0	5,5,5	0.49	0
2	EDO	A	501	-	3,3,3	0.39	0	2,2,2	0.46	0
3	GOL	A	502	-	5,5,5	0.04	0	5,5,5	0.48	0
2	EDO	A	503	-	3,3,3	0.19	0	2,2,2	0.43	0
2	EDO	A	507	-	3,3,3	0.14	0	2,2,2	0.50	0
2	EDO	A	504	-	3,3,3	0.10	0	2,2,2	0.11	0
4	XYP	A	508	-	10,10,10	0.64	0	14,14,14	0.96	1 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	A	505	-	-	1/1/1/1	-
2	EDO	A	506	-	-	1/1/1/1	-
3	GOL	B	503	-	-	0/4/4/4	-
3	GOL	B	507	-	-	4/4/4/4	-
2	EDO	B	506	-	-	0/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	XYP	B	510	-	-	-	0/1/1/1
2	EDO	B	505	-	-	1/1/1/1	-
2	EDO	B	502	-	-	1/1/1/1	-
2	EDO	B	504	-	-	1/1/1/1	-
2	EDO	B	501	-	-	1/1/1/1	-
4	XYP	A	509	-	-	-	0/1/1/1
2	EDO	B	509	-	-	1/1/1/1	-
3	GOL	B	508	-	-	2/4/4/4	-
2	EDO	A	501	-	-	0/1/1/1	-
3	GOL	A	502	-	-	0/4/4/4	-
2	EDO	A	503	-	-	1/1/1/1	-
2	EDO	A	507	-	-	1/1/1/1	-
2	EDO	A	504	-	-	1/1/1/1	-
4	XYP	A	508	-	-	-	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	508	XYP	O2-C2-C1	2.03	113.93	109.25

There are no chirality outliers.

All (16) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	B	507	GOL	C1-C2-C3-O3
3	B	507	GOL	O1-C1-C2-C3
3	B	508	GOL	O1-C1-C2-C3
3	B	507	GOL	O2-C2-C3-O3
3	B	508	GOL	O1-C1-C2-O2
2	B	509	EDO	O1-C1-C2-O2
2	B	505	EDO	O1-C1-C2-O2
3	B	507	GOL	O1-C1-C2-O2
2	A	504	EDO	O1-C1-C2-O2
2	A	505	EDO	O1-C1-C2-O2
2	B	501	EDO	O1-C1-C2-O2
2	A	503	EDO	O1-C1-C2-O2
2	A	506	EDO	O1-C1-C2-O2
2	B	504	EDO	O1-C1-C2-O2
2	B	502	EDO	O1-C1-C2-O2
2	A	507	EDO	O1-C1-C2-O2


There are no ring outliers.


18 monomers are involved in 63 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	505	EDO	10	0
2	A	506	EDO	4	0
3	B	503	GOL	1	0
3	B	507	GOL	1	0
2	B	506	EDO	4	0
4	B	510	XYP	1	0
2	B	502	EDO	4	0
2	B	504	EDO	7	0
2	B	501	EDO	8	0
4	A	509	XYP	1	0
2	B	509	EDO	1	0
3	B	508	GOL	6	0
2	A	501	EDO	14	0
3	A	502	GOL	5	0
2	A	503	EDO	3	0
2	A	507	EDO	4	0
2	A	504	EDO	1	0
4	A	508	XYP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	377/382 (98%)	0.89	35 (9%) 14 18	6, 12, 25, 40	1 (0%)
1	B	377/382 (98%)	1.17	72 (19%) 3 3	6, 14, 28, 46	3 (0%)
All	All	754/764 (98%)	1.03	107 (14%) 6 8	6, 13, 27, 46	4 (0%)

All (107) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	170	GLN	4.9
1	B	382	GLN	4.6
1	B	170	GLN	4.0
1	B	20	ARG	4.0
1	B	24	ARG	3.8
1	B	52	VAL	3.7
1	A	52	VAL	3.7
1	B	313	GLU	3.7
1	A	40	PHE	3.5
1	B	342[A]	ASP	3.5
1	B	121	LEU	3.5
1	B	36	TRP	3.4
1	B	26	ASP	3.3
1	B	33	GLU	3.3
1	A	382	GLN	3.3
1	B	304	ASP	3.3
1	B	25	GLU	3.3
1	A	301	ASP	3.3
1	B	381	GLN	3.2
1	B	299	ASP	3.1
1	B	171	GLY	3.1
1	B	41	TYR	3.0
1	B	347	ARG	3.0
1	B	6	LYS	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	334	LEU	2.9
1	A	65	ASP	2.9
1	B	345	VAL	2.9
1	A	36	TRP	2.9
1	B	40	PHE	2.8
1	B	169	GLU	2.8
1	B	51	PRO	2.8
1	B	65	ASP	2.8
1	A	51	PRO	2.7
1	A	299	ASP	2.7
1	B	339	PRO	2.6
1	B	368	PHE	2.6
1	B	172	GLU	2.6
1	B	301	ASP	2.6
1	A	24	ARG	2.6
1	B	54	ASP	2.6
1	B	302	VAL	2.6
1	A	54	ASP	2.5
1	A	121	LEU	2.5
1	A	171	GLY	2.5
1	B	120	ARG	2.5
1	B	21	SER	2.5
1	A	342	ASP	2.4
1	A	44	GLU	2.4
1	B	223	GLU	2.4
1	B	122	SER	2.4
1	A	381	GLN	2.4
1	B	55	ASP	2.4
1	B	85[A]	LYS	2.4
1	A	41	TYR	2.4
1	B	265	ASP	2.4
1	A	347	ARG	2.4
1	A	45	HIS	2.4
1	A	269	VAL	2.4
1	B	22	GLY	2.3
1	B	212	GLU	2.3
1	B	325	LEU	2.3
1	B	340	ASP	2.3
1	B	53	GLY	2.3
1	B	96	TYR	2.3
1	A	26	ASP	2.3
1	B	318	PRO	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	17	LEU	2.3
1	B	29	LYS	2.3
1	B	269	VAL	2.3
1	A	172	GLU	2.2
1	A	335	ALA	2.2
1	A	21	SER	2.2
1	B	333	SER	2.2
1	A	20	ARG	2.2
1	B	349	TRP	2.2
1	A	6	LYS	2.2
1	B	303	SER	2.2
1	B	173	GLY	2.2
1	B	80	VAL	2.2
1	A	55	ASP	2.2
1	A	247	ASP	2.2
1	A	313	GLU	2.2
1	B	13	THR	2.1
1	A	169	GLU	2.1
1	B	23	TYR	2.1
1	B	358	ARG	2.1
1	A	79	ALA	2.1
1	B	15	ALA	2.1
1	B	168	GLY	2.1
1	A	33	GLU	2.1
1	A	343	SER	2.1
1	B	371	LEU	2.1
1	B	11	THR	2.1
1	B	92	TRP	2.1
1	B	285	TRP	2.1
1	A	246	TYR	2.1
1	B	132	PHE	2.1
1	B	300	ILE	2.1
1	B	311	GLU	2.0
1	B	350	ASN	2.0
1	B	10	ASP	2.0
1	B	287	VAL	2.0
1	B	45	HIS	2.0
1	B	34	GLN	2.0
1	A	367	PHE	2.0
1	B	28	ILE	2.0
1	B	149	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	EDO	A	506	4/4	0.68	0.19	20,20,20,21	0
3	GOL	B	507	6/6	0.69	0.20	23,23,24,24	0
4	XYP	A	509	10/10	0.69	0.21	31,33,33,34	0
2	EDO	B	502	4/4	0.71	0.18	18,18,18,19	0
3	GOL	B	508	6/6	0.72	0.20	20,21,22,23	0
3	GOL	A	502	6/6	0.74	0.21	24,24,25,28	0
2	EDO	A	507	4/4	0.74	0.17	18,19,19,19	0
2	EDO	B	504	4/4	0.76	0.19	28,28,28,29	0
3	GOL	B	503	6/6	0.78	0.14	27,28,29,30	0
2	EDO	B	505	4/4	0.79	0.15	29,29,29,30	0
2	EDO	A	504	4/4	0.80	0.17	26,26,26,27	0
2	EDO	B	501	4/4	0.80	0.15	19,20,20,21	0
2	EDO	B	506	4/4	0.84	0.19	19,20,20,23	0
4	XYP	A	508	10/10	0.85	0.12	17,18,18,18	0
2	EDO	A	505	4/4	0.85	0.13	21,21,22,23	0
2	EDO	B	509	4/4	0.86	0.18	21,21,21,21	0
2	EDO	A	501	4/4	0.87	0.14	20,20,21,21	0
4	XYP	B	510	10/10	0.88	0.11	18,19,20,21	0
2	EDO	A	503	4/4	0.89	0.16	16,16,16,16	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around XYP A 509:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around XYP A 508:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around XYP B 510:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.