



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 06:49 AM UTC

PDB ID : 6SUV / pdb_00006suv
Title : Horse cytochrome c complexed by octa-anionic calixarene
Authors : Geremia, S.; Brancatelli, G.
Deposited on : 2019-09-16
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AaA	104	84% 14% .
1	BaB	104	85% 13% .
1	CaC	104	80% 19% .
1	DaD	104	81% 18% .
1	EaE	104	90% 9% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	FaF	104	 84%14%•
1	GaG	104	 88%12%•
1	HaH	104	 87%12%•

2 Entry composition


There are 5 unique types of molecules in this entry. The entry contains 7976 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome c.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	AaA	104	Total	C	N	O	S	0	0	0
			823	524	144	151	4			
1	BaB	104	Total	C	N	O	S	0	0	0
			823	524	144	151	4			
1	CaC	104	Total	C	N	O	S	0	0	0
			823	524	144	151	4			
1	DaD	104	Total	C	N	O	S	0	0	0
			823	524	144	151	4			
1	EaE	104	Total	C	N	O	S	0	0	0
			823	524	144	151	4			
1	FaF	104	Total	C	N	O	S	0	0	0
			823	524	144	151	4			
1	GaG	104	Total	C	N	O	S	0	0	0
			823	524	144	151	4			
1	HaH	104	Total	C	N	O	S	0	0	0
			823	524	144	151	4			

- Molecule 2 is ACETYL GROUP (CCD ID: ACE) (formula: C₂H₄O).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	AaA	1	Total	C	O	0	0
			3	2	1		
2	BaB	1	Total	C	O	0	0
			3	2	1		
2	CaC	1	Total	C	O	0	0
			3	2	1		
2	DaD	1	Total	C	O	0	0
			3	2	1		
2	EaE	1	Total	C	O	0	0
			3	2	1		
2	FaF	1	Total	C	O	0	0
			3	2	1		
2	GaG	1	Total	C	O	0	0
			3	2	1		
2	HaH	1	Total	C	O	0	0
			3	2	1		

- Molecule 3 is HEME C (CCD ID: HEC) (formula: $C_{34}H_{34}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	AaA	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
3	BaB	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
3	CaC	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
3	DaD	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
3	EaE	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
3	FaF	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
3	GaG	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
3	HaH	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 4 is octa-anionic calixarene (CCD ID: LVQ) (formula: $C_{38}H_{37}AsNaO_{25}S_4$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	AaA	1	Total 69	As 1	C 38	Na 1	O 25	S 4	0	0
4	BaB	1	Total 69	As 1	C 38	Na 1	O 25	S 4	0	0
4	CaC	1	Total 69	As 1	C 38	Na 1	O 25	S 4	0	0
4	DaD	1	Total 69	As 1	C 38	Na 1	O 25	S 4	0	0
4	EaE	1	Total 69	As 1	C 38	Na 1	O 25	S 4	0	0
4	FaF	1	Total 69	As 1	C 38	Na 1	O 25	S 4	0	0
4	GaG	1	Total 69	As 1	C 38	Na 1	O 25	S 4	0	0
4	HaH	1	Total 69	As 1	C 38	Na 1	O 25	S 4	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	AaA	52	Total O 52 52	0	0
5	BaB	61	Total O 61 61	0	0
5	CaC	61	Total O 61 61	0	0
5	DaD	64	Total O 64 64	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	EaE	54	Total 54	O 54	0	0
5	FaF	61	Total 61	O 61	0	0
5	GaG	63	Total 63	O 63	0	0
5	HaH	56	Total 56	O 56	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Cytochrome c

Chain AaA:  84% 14% .




- Molecule 1: Cytochrome c

Chain BaB:  85% 13% .




- Molecule 1: Cytochrome c

Chain CaC:  80% 19% .



- Molecule 1: Cytochrome c

Chain DaD:  81% 18% .



- Molecule 1: Cytochrome c

Chain EaE:  90% 9% .




- Molecule 1: Cytochrome c



Chain FaF:  84% 14% .



● Molecule 1: Cytochrome c



● Molecule 1: Cytochrome c



4 Data and refinement statistics

Property	Value	Source
Space group	P 43	Depositor
Cell constants a, b, c, α , β , γ	65.59Å 65.59Å 250.70Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.38 – 2.50 46.38 – 2.50	Depositor EDS
% Data completeness (in resolution range)	96.1 (46.38-2.50) 98.0 (46.38-2.50)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.46 (at 2.51Å)	Xtriage
Refinement program	REFMAC 5.8.0257	Depositor
R, R_{free}	0.170 , 0.237 0.147 , 0.204	Depositor DCC
R_{free} test set	1828 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	25.8	Xtriage
Anisotropy	0.132	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 43.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	0.069 for h,-k,-l	Xtriage
Reported twinning fraction	0.499 for H, K, L 0.501 for -K, -H, -L	Depositor
Outliers	0 of 35576 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7976	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.23% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEC, ACE, LVQ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	AaA	0.51	0/839	1.01	0/1118
1	BaB	0.50	0/839	1.00	0/1118
1	CaC	0.54	0/839	1.00	0/1118
1	DaD	0.49	0/839	1.01	0/1118
1	EaE	0.51	0/839	1.03	0/1118
1	FaF	0.51	0/839	0.99	0/1118
1	GaG	0.52	0/839	1.01	0/1118
1	HaH	0.50	0/839	0.98	0/1118
All	All	0.51	0/6712	1.01	0/8944

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AaA	823	0	845	14	0
1	BaB	823	0	845	12	0
1	CaC	823	0	845	19	0
1	DaD	823	0	845	16	1
1	EaE	823	0	845	8	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	FaF	823	0	845	14	0
1	GaG	823	0	845	10	0
1	HaH	823	0	844	12	0
2	AaA	3	0	3	0	0
2	BaB	3	0	3	0	0
2	CaC	3	0	3	0	0
2	DaD	3	0	3	0	0
2	EaE	3	0	3	0	0
2	FaF	3	0	3	0	0
2	GaG	3	0	3	0	0
2	HaH	3	0	3	1	0
3	AaA	43	0	30	1	0
3	BaB	43	0	30	0	0
3	CaC	43	0	30	0	0
3	DaD	43	0	30	1	0
3	EaE	43	0	30	0	0
3	FaF	43	0	30	0	0
3	GaG	43	0	30	2	0
3	HaH	43	0	30	2	0
4	AaA	69	0	0	2	0
4	BaB	69	0	0	3	0
4	CaC	69	0	0	1	0
4	DaD	69	0	0	3	0
4	EaE	69	0	0	1	0
4	FaF	69	0	0	2	0
4	GaG	69	0	0	4	1
4	HaH	69	0	0	3	0
5	AaA	52	0	0	7	0
5	BaB	61	0	0	6	0
5	CaC	61	0	0	13	0
5	DaD	64	0	0	10	0
5	EaE	54	0	0	3	0
5	FaF	61	0	0	7	0
5	GaG	63	0	0	3	0
5	HaH	56	0	0	5	0
All	All	7976	0	7023	110	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (110) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:AaA:203:LVQ:O03	1:BaB:72:LYS:HD2	1.59	1.01
1:BaB:7:LYS:HD3	4:DaD:203:LVQ:O22	1.62	0.98
1:CaC:13:LYS:HE2	5:CaC:318:HOH:O	1.69	0.92
1:CaC:22:LYS:HD3	5:CaC:335:HOH:O	1.69	0.92
1:CaC:99:LYS:HD3	5:CaC:338:HOH:O	1.72	0.89
1:HaH:27:LYS:HB3	5:HaH:323:HOH:O	1.76	0.84
1:HaH:56:GLY:HA2	5:HaH:309:HOH:O	1.77	0.83
1:DaD:27:LYS:HB3	5:DaD:312:HOH:O	1.81	0.81
1:FaF:17:CYS:HA	5:FaF:303:HOH:O	1.82	0.79
4:EaE:203:LVQ:O23	1:GaG:7:LYS:HD3	1.82	0.77
1:BaB:73:LYS:HD3	5:BaB:302:HOH:O	1.85	0.76
1:FaF:33:HIS:HB3	5:FaF:323:HOH:O	1.85	0.76
1:FaF:79:LYS:O	5:FaF:301:HOH:O	2.04	0.75
1:GaG:38:ARG:HD3	5:GaG:337:HOH:O	1.88	0.73
1:BaB:70:ASN:ND2	5:BaB:302:HOH:O	2.16	0.72
1:DaD:93:ASP:OD1	5:DaD:301:HOH:O	2.07	0.71
4:HaH:203:LVQ:O24	5:HaH:301:HOH:O	2.08	0.70
1:CaC:13:LYS:CE	5:CaC:318:HOH:O	2.33	0.69
1:HaH:79:LYS:HG2	3:HaH:202:HEC:HBD2	1.74	0.69
1:FaF:7:LYS:HD3	4:HaH:203:LVQ:O22	1.93	0.68
1:DaD:32:LEU:HD23	5:DaD:336:HOH:O	1.93	0.68
1:CaC:60:LYS:HE3	5:CaC:343:HOH:O	1.93	0.67
1:HaH:31:ASN:O	5:HaH:302:HOH:O	2.12	0.67
1:FaF:70:ASN:HB3	5:FaF:317:HOH:O	1.94	0.66
1:DaD:90:GLU:OE1	5:DaD:302:HOH:O	2.13	0.66
1:EaE:12:GLN:OE1	5:EaE:301:HOH:O	2.12	0.66
1:AaA:87:LYS:NZ	4:AaA:203:LVQ:O26	2.30	0.65
1:EaE:4:GLU:OE1	5:EaE:302:HOH:O	2.13	0.65
1:AaA:25:LYS:NZ	5:AaA:303:HOH:O	2.25	0.62
4:FaF:203:LVQ:O22	1:HaH:7:LYS:HD3	1.99	0.62
1:DaD:18:HIS:O	5:DaD:303:HOH:O	2.17	0.60
1:HaH:14:CYS:SG	3:HaH:202:HEC:HMB1	2.41	0.60
1:AaA:90:GLU:OE1	5:AaA:301:HOH:O	2.16	0.60
1:EaE:7:LYS:HD3	4:GaG:203:LVQ:O22	2.01	0.60
1:HaH:92:GLU:HB3	2:HaH:201:ACE:H2	1.84	0.59
4:FaF:203:LVQ:C29	1:HaH:7:LYS:HD3	2.33	0.59
1:CaC:22:LYS:CD	5:CaC:335:HOH:O	2.36	0.59
1:DaD:79:LYS:HD3	5:DaD:313:HOH:O	2.03	0.57
1:DaD:99:LYS:HD2	5:DaD:339:HOH:O	2.04	0.57
1:CaC:23:GLY:N	5:CaC:301:HOH:O	2.38	0.57
1:FaF:7:LYS:HD3	4:HaH:203:LVQ:C29	2.35	0.56
1:EaE:80:MET:HA	5:EaE:311:HOH:O	2.05	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:AaA:73:LYS:NZ	4:BaB:203:LVQ:O14	2.35	0.55
4:BaB:203:LVQ:O22	1:DaD:7:LYS:HD3	2.09	0.53
1:AaA:52:ASN:C	1:AaA:52:ASN:HD22	2.17	0.53
1:DaD:53:LYS:O	5:DaD:304:HOH:O	2.18	0.52
1:EaE:52:ASN:C	1:EaE:52:ASN:HD22	2.17	0.52
1:CaC:52:ASN:HD22	1:CaC:52:ASN:C	2.18	0.52
1:FaF:52:ASN:C	1:FaF:52:ASN:HD22	2.17	0.52
1:DaD:52:ASN:C	1:DaD:52:ASN:HD22	2.18	0.52
1:GaG:52:ASN:C	1:GaG:52:ASN:HD22	2.17	0.52
1:FaF:69:GLU:HG3	1:FaF:91:ARG:CZ	2.39	0.52
1:CaC:70:ASN:HB3	5:CaC:328:HOH:O	2.10	0.52
1:BaB:52:ASN:C	1:BaB:52:ASN:HD22	2.17	0.52
1:HaH:52:ASN:HD22	1:HaH:52:ASN:C	2.18	0.52
1:HaH:69:GLU:HG3	1:HaH:91:ARG:CZ	2.41	0.51
1:CaC:79:LYS:HD3	5:CaC:322:HOH:O	2.11	0.51
1:AaA:79:LYS:HG2	3:AaA:202:HEC:HBD2	1.92	0.51
1:DaD:2:ASP:HA	5:DaD:325:HOH:O	2.10	0.50
4:GaG:203:LVQ:C08	4:GaG:203:LVQ:C01	2.89	0.50
1:AaA:73:LYS:HD3	5:AaA:307:HOH:O	2.11	0.50
1:AaA:69:GLU:HG3	1:AaA:91:ARG:CZ	2.42	0.50
1:AaA:51:ALA:HB2	5:AaA:311:HOH:O	2.12	0.49
1:CaC:69:GLU:HG3	1:CaC:91:ARG:CZ	2.41	0.49
1:AaA:39:LYS:HD2	5:AaA:341:HOH:O	2.11	0.49
4:GaG:203:LVQ:O03	4:GaG:203:LVQ:C04	2.60	0.49
1:BaB:22:LYS:HD2	5:BaB:312:HOH:O	2.12	0.48
1:AaA:51:ALA:N	5:AaA:311:HOH:O	2.47	0.48
1:BaB:25:LYS:HB2	5:BaB:329:HOH:O	2.13	0.48
1:HaH:56:GLY:CA	5:HaH:309:HOH:O	2.47	0.48
1:GaG:79:LYS:HG2	3:GaG:202:HEC:HBD2	1.94	0.47
1:CaC:25:LYS:HD2	5:CaC:331:HOH:O	2.15	0.47
1:CaC:39:LYS:HD2	5:CaC:353:HOH:O	2.16	0.46
1:BaB:8:LYS:NZ	4:DaD:203:LVQ:O24	2.35	0.46
1:FaF:38:ARG:HD3	5:FaF:335:HOH:O	2.15	0.45
1:DaD:53:LYS:CD	5:DaD:311:HOH:O	2.65	0.44
1:BaB:9:ILE:HG13	5:BaB:317:HOH:O	2.18	0.44
1:DaD:43:ALA:HA	1:DaD:44:PRO:HD3	1.90	0.44
1:FaF:4:GLU:HB2	5:FaF:334:HOH:O	2.18	0.44
1:FaF:38:ARG:NH2	5:FaF:310:HOH:O	2.50	0.44
1:EaE:68:LEU:HD13	1:EaE:94:LEU:HD23	2.00	0.43
1:FaF:41:GLY:HA2	1:FaF:48:TYR:CZ	2.54	0.43
1:BaB:41:GLY:HA2	1:BaB:48:TYR:CZ	2.54	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:GaG:90:GLU:OE1	5:GaG:302:HOH:O	2.21	0.43
1:HaH:41:GLY:HA2	1:HaH:48:TYR:CZ	2.54	0.43
1:CaC:33:HIS:HE1	5:CaC:323:HOH:O	2.02	0.43
1:CaC:41:GLY:HA2	1:CaC:48:TYR:CZ	2.54	0.43
1:AaA:38:ARG:NH1	5:AaA:305:HOH:O	2.28	0.42
1:DaD:68:LEU:HD13	1:DaD:94:LEU:HD23	2.01	0.42
1:CaC:68:LEU:HD13	1:CaC:94:LEU:HD23	2.02	0.42
1:DaD:41:GLY:HA2	1:DaD:48:TYR:CZ	2.55	0.42
1:EaE:41:GLY:HA2	1:EaE:48:TYR:CZ	2.55	0.42
1:FaF:68:LEU:HD13	1:FaF:94:LEU:HD23	2.02	0.42
1:AaA:41:GLY:HA2	1:AaA:48:TYR:CZ	2.54	0.42
4:DaD:203:LVQ:O32	4:DaD:203:LVQ:O23	2.38	0.42
1:GaG:39:LYS:HD2	5:GaG:351:HOH:O	2.18	0.42
4:BaB:203:LVQ:C31	4:BaB:203:LVQ:O03	2.67	0.41
1:CaC:27:LYS:HB3	5:CaC:313:HOH:O	2.19	0.41
1:BaB:33:HIS:ND1	5:BaB:301:HOH:O	2.06	0.41
1:CaC:87:LYS:NZ	4:CaC:203:LVQ:O26	2.45	0.41
1:AaA:43:ALA:HA	1:AaA:44:PRO:HD3	1.90	0.41
1:DaD:68:LEU:HD21	3:DaD:202:HEC:HMB2	2.02	0.41
1:FaF:43:ALA:HA	1:FaF:44:PRO:HD3	1.90	0.41
1:CaC:43:ALA:HA	1:CaC:44:PRO:HD3	1.90	0.41
1:EaE:12:GLN:HE22	1:GaG:12:GLN:HE22	1.69	0.41
1:GaG:41:GLY:HA2	1:GaG:48:TYR:CZ	2.55	0.41
1:GaG:94:LEU:HD21	3:GaG:202:HEC:HMB3	2.02	0.41
1:GaG:68:LEU:HD13	1:GaG:94:LEU:HD23	2.01	0.41
4:GaG:203:LVQ:O03	4:GaG:203:LVQ:C03	2.68	0.41
1:BaB:68:LEU:HD13	1:BaB:94:LEU:HD23	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:DaD:72:LYS:NZ	4:GaG:203:LVQ:O05[4_555]	2.01	0.19

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	AaA	102/104 (98%)	100 (98%)	2 (2%)	0	100	100
1	BaB	102/104 (98%)	100 (98%)	2 (2%)	0	100	100
1	CaC	102/104 (98%)	100 (98%)	2 (2%)	0	100	100
1	DaD	102/104 (98%)	99 (97%)	3 (3%)	0	100	100
1	EaE	102/104 (98%)	100 (98%)	2 (2%)	0	100	100
1	FaF	102/104 (98%)	99 (97%)	3 (3%)	0	100	100
1	GaG	102/104 (98%)	100 (98%)	2 (2%)	0	100	100
1	HaH	102/104 (98%)	100 (98%)	2 (2%)	0	100	100
All	All	816/832 (98%)	798 (98%)	18 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	AaA	86/86 (100%)	82 (95%)	4 (5%)	23	47
1	BaB	86/86 (100%)	82 (95%)	4 (5%)	23	47
1	CaC	86/86 (100%)	85 (99%)	1 (1%)	63	83
1	DaD	86/86 (100%)	83 (96%)	3 (4%)	32	58
1	EaE	86/86 (100%)	84 (98%)	2 (2%)	44	72
1	FaF	86/86 (100%)	83 (96%)	3 (4%)	32	58
1	GaG	86/86 (100%)	83 (96%)	3 (4%)	32	58
1	HaH	86/86 (100%)	82 (95%)	4 (5%)	23	47
All	All	688/688 (100%)	664 (96%)	24 (4%)	32	58

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	AaA	7	LYS
1	AaA	16	GLN
1	AaA	52	ASN
1	AaA	69	GLU
1	BaB	25	LYS
1	BaB	52	ASN
1	BaB	69	GLU
1	BaB	99	LYS
1	CaC	52	ASN
1	DaD	52	ASN
1	DaD	60	LYS
1	DaD	69	GLU
1	EaE	52	ASN
1	EaE	69	GLU
1	FaF	25	LYS
1	FaF	52	ASN
1	FaF	69	GLU
1	GaG	16	GLN
1	GaG	52	ASN
1	GaG	69	GLU
1	HaH	25	LYS
1	HaH	52	ASN
1	HaH	60	LYS
1	HaH	69	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

24 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	ACE	HaH	201	1	1,2,2	0.41	0	0,1,1	-	-
4	LVQ	BaB	203	-	66,78,78	1.81	11 (16%)	97,136,136	2.31	27 (27%)
3	HEC	FaF	202	1	46,50,50	1.65	4 (8%)	58,82,82	1.65	8 (13%)
4	LVQ	HaH	203	-	66,78,78	1.76	10 (15%)	97,136,136	2.55	33 (34%)
2	ACE	AaA	201	1	1,2,2	0.06	0	0,1,1	-	-
2	ACE	GaG	201	1	1,2,2	0.17	0	0,1,1	-	-
3	HEC	DaD	202	1	46,50,50	1.55	3 (6%)	58,82,82	1.39	4 (6%)
4	LVQ	FaF	203	-	66,78,78	2.00	18 (27%)	97,136,136	2.61	37 (38%)
3	HEC	EaE	202	1	46,50,50	1.63	6 (13%)	58,82,82	1.68	6 (10%)
3	HEC	CaC	202	1	46,50,50	1.71	7 (15%)	58,82,82	1.41	8 (13%)
2	ACE	DaD	201	1	1,2,2	0.20	0	0,1,1	-	-
3	HEC	GaG	202	1	46,50,50	1.64	4 (8%)	58,82,82	1.35	6 (10%)
4	LVQ	DaD	203	-	66,78,78	1.96	13 (19%)	97,136,136	2.57	38 (39%)
4	LVQ	EaE	203	-	66,78,78	1.68	7 (10%)	97,136,136	2.44	34 (35%)
2	ACE	BaB	201	1	1,2,2	0.27	0	0,1,1	-	-
3	HEC	BaB	202	1	46,50,50	1.70	6 (13%)	58,82,82	1.50	5 (8%)
4	LVQ	GaG	203	-	66,78,78	1.69	12 (18%)	97,136,136	2.43	35 (36%)
3	HEC	HaH	202	1	46,50,50	1.57	3 (6%)	58,82,82	1.67	6 (10%)
2	ACE	FaF	201	1	1,2,2	0.04	0	0,1,1	-	-
4	LVQ	AaA	203	-	66,78,78	1.71	9 (13%)	97,136,136	2.02	25 (25%)
2	ACE	CaC	201	1	1,2,2	0.22	0	0,1,1	-	-
4	LVQ	CaC	203	-	66,78,78	1.58	11 (16%)	97,136,136	2.41	30 (30%)
3	HEC	AaA	202	1	46,50,50	1.54	4 (8%)	58,82,82	1.75	10 (17%)
2	ACE	EaE	201	1	1,2,2	0.15	0	0,1,1	-	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HEC	CaC	202	1	-	4/14/54/54	-
4	LVQ	BaB	203	-	-	3/30/131/131	-
4	LVQ	GaG	203	-	-	2/30/131/131	-
3	HEC	HaH	202	1	-	7/14/54/54	-
3	HEC	FaF	202	1	-	6/14/54/54	-
3	HEC	DaD	202	1	-	6/14/54/54	-
3	HEC	GaG	202	1	-	4/14/54/54	-
4	LVQ	HaH	203	-	-	1/30/131/131	-
4	LVQ	AaA	203	-	-	3/30/131/131	-
4	LVQ	DaD	203	-	-	3/30/131/131	-
3	HEC	EaE	202	1	-	7/14/54/54	-
4	LVQ	EaE	203	-	-	3/30/131/131	-
4	LVQ	FaF	203	-	-	2/30/131/131	-
4	LVQ	CaC	203	-	-	4/30/131/131	-
3	HEC	BaB	202	1	-	7/14/54/54	-
3	HEC	AaA	202	1	-	4/14/54/54	-

All (128) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	BaB	203	LVQ	AS-C2	7.55	1.98	1.90
4	FaF	203	LVQ	AS-C2	7.11	1.98	1.90
4	DaD	203	LVQ	AS-C2	7.09	1.98	1.90
4	BaB	203	LVQ	AS-C1	6.74	1.98	1.90
4	EaE	203	LVQ	AS-C2	6.72	1.97	1.90
4	HaH	203	LVQ	AS-C1	6.65	1.97	1.90
4	EaE	203	LVQ	AS-C1	6.63	1.97	1.90
4	GaG	203	LVQ	AS-C2	6.53	1.97	1.90
4	HaH	203	LVQ	AS-C2	6.51	1.97	1.90
4	FaF	203	LVQ	AS-C1	6.38	1.97	1.90
3	FaF	202	HEC	CAB-C3B	6.17	1.55	1.35
4	DaD	203	LVQ	AS-C1	6.14	1.97	1.90
4	CaC	203	LVQ	AS-C1	6.01	1.97	1.90
3	BaB	202	HEC	CAB-C3B	5.95	1.54	1.35
3	DaD	202	HEC	CAB-C3B	5.89	1.54	1.35
4	AaA	203	LVQ	AS-C2	5.88	1.97	1.90
3	BaB	202	HEC	CAC-C3C	5.87	1.54	1.35
4	AaA	203	LVQ	AS-C1	5.82	1.96	1.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	GaG	203	LVQ	AS-C1	5.67	1.96	1.90
3	CaC	202	HEC	CAC-C3C	5.65	1.53	1.35
3	EaE	202	HEC	CAB-C3B	5.62	1.53	1.35
3	CaC	202	HEC	CAB-C3B	5.58	1.53	1.35
3	GaG	202	HEC	CAB-C3B	5.56	1.53	1.35
3	AaA	202	HEC	CAC-C3C	5.46	1.52	1.35
3	FaF	202	HEC	CAC-C3C	5.44	1.52	1.35
3	GaG	202	HEC	CAC-C3C	5.32	1.52	1.35
3	HaH	202	HEC	CAB-C3B	5.26	1.52	1.35
3	DaD	202	HEC	CAC-C3C	5.23	1.52	1.35
3	HaH	202	HEC	CAC-C3C	5.10	1.51	1.35
3	AaA	202	HEC	CAB-C3B	5.06	1.51	1.35
4	CaC	203	LVQ	AS-C2	4.92	1.95	1.90
3	EaE	202	HEC	CAC-C3C	4.88	1.50	1.35
4	DaD	203	LVQ	C31-C04	4.39	1.60	1.52
4	FaF	203	LVQ	C31-C04	4.22	1.60	1.52
4	BaB	203	LVQ	C01-C02	3.84	1.59	1.52
4	FaF	203	LVQ	C03-C04	3.81	1.48	1.40
4	DaD	203	LVQ	C11-C24	3.70	1.59	1.52
4	DaD	203	LVQ	C01-C14	3.68	1.59	1.52
4	DaD	203	LVQ	C21-C22	3.66	1.59	1.52
4	AaA	203	LVQ	C36-S4	3.56	1.84	1.77
4	HaH	203	LVQ	C31-C04	3.53	1.58	1.52
4	HaH	203	LVQ	C21-C22	3.48	1.58	1.52
4	FaF	203	LVQ	C21-C22	3.33	1.58	1.52
3	FaF	202	HEC	C4C-NC	-3.32	1.33	1.39
4	BaB	203	LVQ	C21-C22	3.29	1.58	1.52
4	AaA	203	LVQ	C11-C24	3.26	1.58	1.52
4	BaB	203	LVQ	C01-C14	3.24	1.58	1.52
4	FaF	203	LVQ	C21-C34	3.23	1.58	1.52
4	EaE	203	LVQ	C31-C04	3.22	1.58	1.52
4	CaC	203	LVQ	C31-C04	3.21	1.58	1.52
4	HaH	203	LVQ	C11-C24	3.17	1.58	1.52
4	DaD	203	LVQ	C11-C12	3.17	1.58	1.52
4	FaF	203	LVQ	C11-C24	3.04	1.57	1.52
4	GaG	203	LVQ	C31-C04	3.03	1.57	1.52
4	DaD	203	LVQ	C38-C39	3.03	1.57	1.50
4	GaG	203	LVQ	C21-C22	2.98	1.57	1.52
4	CaC	203	LVQ	C01-C02	2.96	1.57	1.52
4	AaA	203	LVQ	C21-C34	2.92	1.57	1.52
4	FaF	203	LVQ	C23-C24	2.92	1.46	1.40
4	DaD	203	LVQ	C01-C02	2.86	1.57	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	CaC	203	LVQ	C21-C22	2.85	1.57	1.52
4	CaC	203	LVQ	C21-C34	2.84	1.57	1.52
4	FaF	203	LVQ	C31-C32	2.81	1.57	1.52
4	FaF	203	LVQ	C01-C14	2.79	1.57	1.52
4	HaH	203	LVQ	C01-C14	2.75	1.57	1.52
4	FaF	203	LVQ	C01-C02	2.75	1.57	1.52
4	CaC	203	LVQ	C38-C39	2.69	1.56	1.50
4	DaD	203	LVQ	C03-C04	2.62	1.45	1.40
4	FaF	203	LVQ	C13-C14	2.59	1.45	1.40
3	EaE	202	HEC	C1C-NC	-2.58	1.34	1.39
4	AaA	203	LVQ	C01-C14	2.57	1.57	1.52
3	CaC	202	HEC	C1B-NB	-2.56	1.34	1.39
4	AaA	203	LVQ	C11-C12	2.53	1.56	1.52
4	FaF	203	LVQ	C11-C12	2.53	1.56	1.52
4	DaD	203	LVQ	C23-C24	2.52	1.45	1.40
4	GaG	203	LVQ	C03-C04	2.50	1.45	1.40
3	BaB	202	HEC	C1D-C2D	2.48	1.49	1.43
4	HaH	203	LVQ	C31-C32	2.48	1.56	1.52
4	AaA	203	LVQ	C21-C22	2.48	1.56	1.52
4	GaG	203	LVQ	C27-C26	2.47	1.43	1.39
4	GaG	203	LVQ	C26-S3	2.45	1.82	1.77
4	GaG	203	LVQ	O11-C13	-2.43	1.34	1.40
4	AaA	203	LVQ	C38-C39	2.41	1.56	1.50
3	EaE	202	HEC	C1B-NB	-2.40	1.35	1.39
3	CaC	202	HEC	C1C-NC	-2.34	1.35	1.39
4	BaB	203	LVQ	C23-C24	2.32	1.45	1.40
4	BaB	203	LVQ	C21-C34	2.32	1.56	1.52
4	CaC	203	LVQ	C11-C12	2.31	1.56	1.52
4	CaC	203	LVQ	C11-C24	2.31	1.56	1.52
4	BaB	203	LVQ	C31-C04	2.30	1.56	1.52
3	BaB	202	HEC	C1B-NB	-2.28	1.35	1.39
4	EaE	203	LVQ	C23-C22	2.26	1.45	1.40
3	FaF	202	HEC	C1D-ND	-2.26	1.35	1.39
4	GaG	203	LVQ	C11-C12	2.25	1.56	1.52
3	EaE	202	HEC	C4A-NA	-2.23	1.35	1.39
4	BaB	203	LVQ	C38-C39	2.23	1.55	1.50
4	EaE	203	LVQ	C01-C02	2.22	1.56	1.52
4	HaH	203	LVQ	O31-C33	-2.21	1.35	1.40
3	BaB	202	HEC	CHD-C4C	2.21	1.42	1.38
4	DaD	203	LVQ	O11-C13	-2.21	1.35	1.40
4	FaF	203	LVQ	O22-C29	2.20	1.29	1.22
3	BaB	202	HEC	C1A-NA	-2.16	1.35	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	GaG	203	LVQ	C03-C02	2.16	1.44	1.40
4	EaE	203	LVQ	C11-C12	2.16	1.56	1.52
3	GaG	202	HEC	C4D-C3D	2.15	1.48	1.44
4	HaH	203	LVQ	C11-C12	2.15	1.56	1.52
3	EaE	202	HEC	CHA-C1A	2.14	1.42	1.38
4	HaH	203	LVQ	O22-C29	2.14	1.29	1.22
3	DaD	202	HEC	C1B-NB	-2.13	1.35	1.39
4	BaB	203	LVQ	C11-C24	2.11	1.56	1.52
4	CaC	203	LVQ	C03-C04	2.11	1.44	1.40
4	GaG	203	LVQ	C01-C14	2.11	1.56	1.52
4	FaF	203	LVQ	C07-C06	2.10	1.42	1.39
4	DaD	203	LVQ	C15-C16	2.09	1.42	1.39
4	FaF	203	LVQ	C03-C02	2.08	1.44	1.40
4	CaC	203	LVQ	C26-S3	2.08	1.81	1.77
4	FaF	203	LVQ	C05-C06	2.08	1.42	1.39
4	BaB	203	LVQ	C23-C22	2.08	1.44	1.40
3	AaA	202	HEC	C4B-NB	-2.07	1.35	1.39
4	EaE	203	LVQ	C38-C39	2.07	1.55	1.50
3	GaG	202	HEC	C4B-NB	-2.06	1.35	1.39
4	GaG	203	LVQ	C01-C02	2.05	1.56	1.52
3	AaA	202	HEC	CHC-C4B	2.05	1.42	1.38
3	CaC	202	HEC	CMD-C2D	2.05	1.55	1.50
4	FaF	203	LVQ	C05-C04	2.02	1.42	1.39
3	CaC	202	HEC	CHA-C1A	2.01	1.42	1.38
3	HaH	202	HEC	C4B-NB	-2.01	1.35	1.39
3	CaC	202	HEC	O2D-CGD	-2.00	1.24	1.30

All (312) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	HaH	203	LVQ	O33-C39-O32	-13.95	116.22	125.68
4	EaE	203	LVQ	O33-C39-O32	-13.52	116.51	125.68
4	DaD	203	LVQ	O33-C39-O32	-13.40	116.59	125.68
4	FaF	203	LVQ	O33-C39-O32	-12.55	117.17	125.68
4	BaB	203	LVQ	O33-C39-O32	-11.17	118.10	125.68
4	CaC	203	LVQ	O33-C39-O32	-11.06	118.18	125.68
4	GaG	203	LVQ	O33-C39-O32	-10.84	118.33	125.68
4	FaF	203	LVQ	O11-C13-C12	-8.60	107.49	119.11
3	AaA	202	HEC	CBB-CAB-C3B	-8.18	111.08	127.43
3	FaF	202	HEC	CBB-CAB-C3B	-7.99	111.46	127.43
3	EaE	202	HEC	CBB-CAB-C3B	-7.90	111.64	127.43
4	CaC	203	LVQ	O11-C13-C14	-7.84	108.51	119.11

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	HaH	202	HEC	CBB-CAB-C3B	-7.67	112.09	127.43
4	AaA	203	LVQ	O33-C39-O32	-7.56	120.55	125.68
4	GaG	203	LVQ	O11-C13-C12	-7.30	109.24	119.11
4	BaB	203	LVQ	O11-C13-C12	-7.24	109.32	119.11
4	HaH	203	LVQ	O15-S2-C16	-6.88	90.87	106.68
3	BaB	202	HEC	CBB-CAB-C3B	-6.60	114.25	127.43
3	DaD	202	HEC	CBB-CAB-C3B	-6.18	115.07	127.43
3	GaG	202	HEC	CBB-CAB-C3B	-6.13	115.18	127.43
3	EaE	202	HEC	CBC-CAC-C3C	-6.13	115.18	127.43
4	AaA	203	LVQ	O32-C39-C38	-5.93	116.12	124.96
4	EaE	203	LVQ	O05-S1-C06	5.76	119.90	106.68
4	AaA	203	LVQ	O11-C13-C12	-5.63	111.50	119.11
4	FaF	203	LVQ	O32-C39-C38	-5.56	116.67	124.96
4	EaE	203	LVQ	O32-C39-C38	-5.33	117.02	124.96
4	CaC	203	LVQ	C28-O21-C23	-5.26	102.30	113.76
4	FaF	203	LVQ	O11-C13-C14	5.23	126.18	119.11
3	CaC	202	HEC	CBB-CAB-C3B	-5.18	117.07	127.43
4	HaH	203	LVQ	O31-C33-C34	-5.14	112.16	119.11
4	BaB	203	LVQ	O36-S4-C36	5.10	119.82	106.64
4	CaC	203	LVQ	O11-C13-C12	4.82	125.62	119.11
4	GaG	203	LVQ	O26-S3-C26	-4.77	95.74	106.68
4	FaF	203	LVQ	C28-O21-C23	-4.68	103.58	113.76
4	BaB	203	LVQ	C32-C31-C04	-4.67	99.44	113.08
4	DaD	203	LVQ	O32-C39-C38	-4.64	118.05	124.96
4	DaD	203	LVQ	O06-S1-C06	4.63	117.31	106.68
4	GaG	203	LVQ	C12-C11-C24	-4.60	99.65	113.08
4	CaC	203	LVQ	C32-C31-C04	-4.60	99.65	113.08
4	GaG	203	LVQ	O01-C03-C02	-4.58	112.92	119.11
4	DaD	203	LVQ	C37-C36-S4	4.56	127.54	119.88
4	CaC	203	LVQ	O32-C39-C38	-4.37	118.44	124.96
4	GaG	203	LVQ	O25-S3-C26	4.36	116.70	106.68
4	EaE	203	LVQ	O01-C03-C02	-4.36	113.22	119.11
4	CaC	203	LVQ	O01-C03-C02	-4.33	113.25	119.11
4	FaF	203	LVQ	C17-C16-S2	-4.33	112.59	119.88
4	CaC	203	LVQ	O31-C33-C32	-4.32	113.26	119.11
4	BaB	203	LVQ	O14-S2-C16	4.25	116.45	106.68
4	BaB	203	LVQ	O11-C13-C14	4.25	124.85	119.11
4	DaD	203	LVQ	O15-S2-C16	4.20	116.32	106.68
4	DaD	203	LVQ	C31-C04-C03	4.17	128.98	121.94
4	DaD	203	LVQ	O35-S4-C36	4.16	116.23	106.68
4	FaF	203	LVQ	O15-S2-C16	4.12	116.14	106.68
4	EaE	203	LVQ	O14-S2-C16	4.11	116.13	106.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	EaE	203	LVQ	O11-C13-C12	-4.06	113.62	119.11
4	FaF	203	LVQ	O01-C03-C02	-4.05	113.64	119.11
4	HaH	203	LVQ	C34-C21-C22	-4.02	101.33	113.08
4	EaE	203	LVQ	O31-C33-C34	-4.00	113.70	119.11
3	FaF	202	HEC	CBD-CAD-C3D	-3.98	101.52	112.53
4	DaD	203	LVQ	C15-C14-C13	-3.96	113.08	119.00
4	BaB	203	LVQ	C17-C16-S2	-3.96	113.22	119.88
4	GaG	203	LVQ	O24-S3-C26	3.95	116.85	106.64
4	AaA	203	LVQ	O26-S3-C26	3.95	115.76	106.68
4	DaD	203	LVQ	C35-C36-S4	-3.94	113.24	119.88
4	GaG	203	LVQ	O31-C33-C32	-3.92	113.81	119.11
4	BaB	203	LVQ	C12-C11-C24	-3.92	101.64	113.08
4	EaE	203	LVQ	C32-C31-C04	-3.91	101.65	113.08
4	GaG	203	LVQ	C08-O01-C03	-3.89	105.28	113.76
4	HaH	203	LVQ	O25-S3-C26	3.89	115.61	106.68
3	HaH	202	HEC	CMB-C2B-C1B	3.88	131.32	125.42
4	HaH	203	LVQ	O11-C13-C14	-3.86	113.89	119.11
4	HaH	203	LVQ	C37-C32-C33	-3.86	113.23	119.00
3	HaH	202	HEC	CBC-CAC-C3C	-3.85	119.74	127.43
4	CaC	203	LVQ	C21-C34-C33	3.81	128.36	121.94
3	AaA	202	HEC	CBD-CAD-C3D	-3.78	102.09	112.53
4	EaE	203	LVQ	C02-C01-C14	-3.74	102.15	113.08
4	HaH	203	LVQ	C05-C04-C03	-3.73	113.42	119.00
4	CaC	203	LVQ	O01-C03-C04	3.69	124.09	119.11
4	HaH	203	LVQ	C15-C16-C17	3.68	125.29	120.34
4	EaE	203	LVQ	C31-C04-C03	3.68	128.16	121.94
4	CaC	203	LVQ	O31-C33-C34	3.67	124.07	119.11
3	AaA	202	HEC	CBC-CAC-C3C	-3.65	120.13	127.43
4	FaF	203	LVQ	C01-C14-C13	3.65	128.10	121.94
4	GaG	203	LVQ	C32-C31-C04	-3.64	102.44	113.08
4	AaA	203	LVQ	C12-C11-C24	-3.63	102.49	113.08
4	FaF	203	LVQ	O04-S1-C06	3.62	115.98	106.64
4	GaG	203	LVQ	O01-C03-C04	3.61	123.98	119.11
4	DaD	203	LVQ	C21-C22-C23	3.60	128.02	121.94
4	CaC	203	LVQ	C12-C11-C24	-3.58	102.62	113.08
4	FaF	203	LVQ	O25-S3-C26	3.58	114.90	106.68
4	BaB	203	LVQ	C15-C14-C13	-3.57	113.67	119.00
4	DaD	203	LVQ	O01-C03-C02	-3.56	114.30	119.11
3	HaH	202	HEC	CBD-CAD-C3D	-3.54	102.74	112.53
4	EaE	203	LVQ	C34-C21-C22	-3.54	102.75	113.08
4	AaA	203	LVQ	C21-C22-C23	3.53	127.90	121.94
4	DaD	203	LVQ	O34-S4-C36	-3.53	98.58	106.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	EaE	203	LVQ	C21-C22-C23	3.52	127.88	121.94
4	HaH	203	LVQ	C14-C13-C12	3.51	127.49	120.49
4	AaA	203	LVQ	C32-C31-C04	-3.49	102.90	113.08
4	HaH	203	LVQ	O14-S2-C16	3.47	114.64	106.68
4	DaD	203	LVQ	C34-C21-C22	-3.45	103.00	113.08
4	BaB	203	LVQ	O32-C39-C38	-3.44	119.84	124.96
3	HaH	202	HEC	CBA-CAA-C2A	-3.43	103.05	112.53
4	DaD	203	LVQ	C32-C31-C04	-3.40	103.15	113.08
4	EaE	203	LVQ	C21-C22-C27	-3.39	114.55	120.14
4	GaG	203	LVQ	O04-S1-C06	3.38	115.38	106.64
4	HaH	203	LVQ	O32-C39-C38	-3.36	119.95	124.96
3	BaB	202	HEC	CBC-CAC-C3C	-3.36	120.72	127.43
4	FaF	203	LVQ	C31-C04-C03	3.36	127.60	121.94
4	DaD	203	LVQ	O14-S2-C16	3.34	114.36	106.68
4	AaA	203	LVQ	C35-C36-C37	-3.34	115.86	120.34
4	FaF	203	LVQ	O36-S4-C36	3.34	115.26	106.64
4	HaH	203	LVQ	C11-C24-C23	3.34	127.57	121.94
4	EaE	203	LVQ	O01-C03-C04	3.31	123.58	119.11
4	GaG	203	LVQ	C15-C16-C17	3.30	124.78	120.34
4	HaH	203	LVQ	C12-C11-C24	-3.29	103.48	113.08
4	DaD	203	LVQ	C27-C22-C23	-3.27	114.11	119.00
4	CaC	203	LVQ	C34-C35-C36	3.26	124.76	120.65
4	BaB	203	LVQ	O01-C03-C02	-3.26	114.71	119.11
3	EaE	202	HEC	CMD-C2D-C1D	3.25	130.37	125.42
4	HaH	203	LVQ	C31-C04-C03	3.25	127.42	121.94
4	HaH	203	LVQ	O34-S4-C36	3.24	114.13	106.68
4	GaG	203	LVQ	O32-C39-C38	-3.24	120.13	124.96
4	FaF	203	LVQ	C21-C22-C23	3.24	127.40	121.94
4	AaA	203	LVQ	C11-C24-C23	3.23	127.40	121.94
4	AaA	203	LVQ	C34-C35-C36	3.22	124.70	120.65
4	HaH	203	LVQ	C02-C01-C14	-3.21	103.70	113.08
4	FaF	203	LVQ	C34-C21-C22	-3.21	103.72	113.08
4	HaH	203	LVQ	C34-C33-C32	3.19	126.85	120.49
4	BaB	203	LVQ	O31-C33-C32	-3.18	114.81	119.11
4	AaA	203	LVQ	C34-C21-C22	-3.18	103.80	113.08
4	DaD	203	LVQ	O16-S2-O15	-3.18	96.82	111.55
4	HaH	203	LVQ	C27-C22-C23	-3.17	114.26	119.00
3	DaD	202	HEC	O1A-CGA-CBA	-3.17	113.05	123.09
4	GaG	203	LVQ	C22-C27-C26	3.15	124.61	120.65
4	HaH	203	LVQ	O01-C03-C02	-3.14	114.86	119.11
4	EaE	203	LVQ	C12-C11-C24	-3.14	103.91	113.08
4	HaH	203	LVQ	O05-S1-C06	3.12	113.86	106.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	HaH	203	LVQ	C11-C24-C25	-3.12	114.98	120.14
4	CaC	203	LVQ	O14-S2-C16	3.12	113.85	106.68
4	GaG	203	LVQ	C31-C04-C03	3.10	127.16	121.94
4	GaG	203	LVQ	O36-S4-C36	3.07	114.58	106.64
4	AaA	203	LVQ	C25-C24-C23	-3.07	114.41	119.00
4	FaF	203	LVQ	C11-C24-C23	3.06	127.10	121.94
4	FaF	203	LVQ	C25-C26-S3	3.05	125.00	119.88
4	GaG	203	LVQ	C34-C21-C22	-3.04	104.22	113.08
4	FaF	203	LVQ	C12-C11-C24	-3.02	104.25	113.08
4	CaC	203	LVQ	C31-C04-C03	3.01	127.02	121.94
4	DaD	203	LVQ	C12-C11-C24	-3.00	104.32	113.08
4	CaC	203	LVQ	O36-S4-C36	3.00	114.39	106.64
4	GaG	203	LVQ	C25-C26-S3	3.00	124.92	119.88
4	GaG	203	LVQ	C01-C14-C13	3.00	127.00	121.94
4	HaH	203	LVQ	C04-C05-C06	3.00	124.42	120.65
4	CaC	203	LVQ	C35-C34-C33	-3.00	114.52	119.00
4	DaD	203	LVQ	C14-C13-C12	2.98	126.42	120.49
4	AaA	203	LVQ	C14-C13-C12	2.96	126.38	120.49
4	DaD	203	LVQ	O11-C13-C14	-2.95	115.11	119.11
4	AaA	203	LVQ	C15-C14-C13	-2.94	114.60	119.00
4	HaH	203	LVQ	C21-C22-C23	2.93	126.89	121.94
4	BaB	203	LVQ	C11-C24-C23	2.93	126.89	121.94
4	GaG	203	LVQ	C32-C37-C36	-2.93	116.96	120.65
3	FaF	202	HEC	O2A-CGA-CBA	2.93	123.25	114.00
4	BaB	203	LVQ	C01-C14-C13	2.92	126.87	121.94
4	AaA	203	LVQ	O06-S1-C06	2.92	113.38	106.68
4	DaD	203	LVQ	O15-S2-O14	-2.92	98.20	112.88
4	HaH	203	LVQ	C17-C12-C13	-2.91	114.65	119.00
3	AaA	202	HEC	O2A-CGA-CBA	2.89	123.12	114.00
4	AaA	203	LVQ	C21-C22-C27	-2.87	115.39	120.14
3	CaC	202	HEC	CBD-CAD-C3D	-2.87	104.60	112.53
4	DaD	203	LVQ	C15-C16-S2	2.87	124.70	119.88
4	HaH	203	LVQ	C15-C14-C13	-2.86	114.72	119.00
3	CaC	202	HEC	CBA-CAA-C2A	-2.85	104.64	112.53
4	HaH	203	LVQ	C31-C32-C33	2.84	126.74	121.94
4	FaF	203	LVQ	C02-C01-C14	-2.82	104.85	113.08
4	HaH	203	LVQ	C11-C12-C13	2.81	126.68	121.94
3	FaF	202	HEC	CAD-C3D-C4D	2.81	130.42	124.94
4	EaE	203	LVQ	O36-S4-C36	2.78	113.81	106.64
4	EaE	203	LVQ	C05-C04-C03	-2.76	114.88	119.00
4	HaH	203	LVQ	C32-C31-C04	-2.74	105.07	113.08
3	EaE	202	HEC	CMA-C3A-C4A	2.74	129.56	124.73

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AaA	202	HEC	CAA-C2A-C1A	2.73	130.40	124.85
4	FaF	203	LVQ	O35-S4-C36	2.73	112.94	106.68
4	AaA	203	LVQ	C17-C12-C13	-2.72	114.93	119.00
4	HaH	203	LVQ	O04-S1-C06	2.72	113.66	106.64
4	EaE	203	LVQ	C28-O21-C23	-2.70	107.89	113.76
4	FaF	203	LVQ	C37-C32-C33	-2.69	114.98	119.00
4	GaG	203	LVQ	C17-C12-C13	-2.68	114.99	119.00
4	BaB	203	LVQ	C21-C34-C33	2.68	126.47	121.94
4	GaG	203	LVQ	C14-C13-C12	2.68	125.83	120.49
4	AaA	203	LVQ	C01-C14-C13	2.68	126.46	121.94
3	AaA	202	HEC	CHB-C1B-NB	2.68	128.71	123.86
4	FaF	203	LVQ	C05-C04-C03	-2.67	115.00	119.00
4	FaF	203	LVQ	O21-C23-C22	-2.67	115.50	119.11
4	DaD	203	LVQ	C17-C16-S2	-2.67	115.38	119.88
4	AaA	203	LVQ	C04-C05-C06	2.67	124.00	120.65
4	DaD	203	LVQ	C31-C04-C05	-2.66	115.75	120.14
4	GaG	203	LVQ	C05-C04-C03	-2.66	115.03	119.00
4	CaC	203	LVQ	C34-C21-C22	-2.65	105.34	113.08
4	CaC	203	LVQ	O34-S4-C36	-2.65	100.59	106.68
4	DaD	203	LVQ	O13-C19-C18	2.65	122.51	116.87
4	EaE	203	LVQ	O05-S1-O06	-2.64	99.61	112.88
4	BaB	203	LVQ	C01-C02-C03	2.63	126.38	121.94
3	DaD	202	HEC	O2A-CGA-CBA	2.63	122.30	114.00
4	BaB	203	LVQ	O24-S3-C26	2.63	113.43	106.64
3	HaH	202	HEC	O1A-CGA-CBA	-2.62	114.78	123.09
4	DaD	203	LVQ	C24-C23-C22	2.62	125.70	120.49
4	BaB	203	LVQ	C07-C02-C03	-2.61	115.10	119.00
4	GaG	203	LVQ	C28-O21-C23	-2.59	108.12	113.76
3	BaB	202	HEC	O2A-CGA-CBA	2.58	122.16	114.00
4	GaG	203	LVQ	O11-C13-C14	2.58	122.59	119.11
3	GaG	202	HEC	CBD-CAD-C3D	-2.57	105.42	112.53
4	EaE	203	LVQ	O16-S2-O15	-2.56	99.67	111.55
4	FaF	203	LVQ	O01-C03-C04	2.55	122.56	119.11
4	DaD	203	LVQ	C11-C24-C23	2.55	126.25	121.94
4	FaF	203	LVQ	C27-C26-S3	-2.54	115.60	119.88
3	AaA	202	HEC	O1A-CGA-CBA	-2.53	115.07	123.09
4	FaF	203	LVQ	C17-C12-C13	-2.53	115.22	119.00
4	BaB	203	LVQ	C11-C24-C25	-2.53	115.97	120.14
4	EaE	203	LVQ	C14-C13-C12	2.51	125.49	120.49
4	EaE	203	LVQ	O31-C33-C32	2.50	122.49	119.11
4	DaD	203	LVQ	C05-C04-C03	-2.50	115.26	119.00
4	EaE	203	LVQ	O35-S4-C36	2.50	112.42	106.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	BaB	203	LVQ	C35-C34-C33	-2.48	115.29	119.00
3	FaF	202	HEC	CAA-C2A-C1A	2.48	129.89	124.85
4	AaA	203	LVQ	C08-O01-C03	2.48	119.15	113.76
3	AaA	202	HEC	CAA-C2A-C3A	-2.47	123.23	127.87
4	FaF	203	LVQ	C14-C13-C12	2.47	125.40	120.49
4	GaG	203	LVQ	C35-C34-C33	-2.46	115.33	119.00
4	FaF	203	LVQ	C15-C14-C13	-2.45	115.33	119.00
4	GaG	203	LVQ	O34-S4-C36	-2.45	101.05	106.68
4	FaF	203	LVQ	C15-C16-C17	2.45	123.63	120.34
4	CaC	203	LVQ	O04-S1-C06	2.42	112.90	106.64
3	DaD	202	HEC	CMD-C2D-C3D	2.42	130.75	125.62
4	AaA	203	LVQ	O35-S4-C36	2.41	112.22	106.68
4	CaC	203	LVQ	C17-C12-C13	-2.40	115.41	119.00
4	EaE	203	LVQ	C11-C24-C23	2.39	125.98	121.94
4	DaD	203	LVQ	C27-C26-S3	-2.39	115.86	119.88
4	AaA	203	LVQ	O36-S4-C36	2.37	112.77	106.64
3	FaF	202	HEC	CHD-C4C-NC	-2.37	121.87	124.45
3	GaG	202	HEC	CAD-CBD-CGD	2.36	119.91	113.67
4	DaD	203	LVQ	O36-S4-C36	2.36	112.72	106.64
4	BaB	203	LVQ	C14-C13-C12	2.35	125.18	120.49
3	CaC	202	HEC	CBC-CAC-C3C	-2.35	122.74	127.43
4	CaC	203	LVQ	O35-S4-C36	2.35	112.07	106.68
4	BaB	203	LVQ	C15-C16-C17	2.34	123.49	120.34
3	GaG	202	HEC	CAA-CBA-CGA	-2.34	107.46	113.67
4	FaF	203	LVQ	C32-C37-C36	2.34	123.59	120.65
4	FaF	203	LVQ	C27-C22-C23	-2.34	115.50	119.00
4	EaE	203	LVQ	C01-C14-C13	2.34	125.88	121.94
3	FaF	202	HEC	CBC-CAC-C3C	-2.33	122.77	127.43
4	GaG	203	LVQ	C27-C22-C23	-2.33	115.51	119.00
4	BaB	203	LVQ	C31-C04-C03	2.32	125.86	121.94
4	EaE	203	LVQ	C21-C34-C33	-2.32	118.03	121.94
4	DaD	203	LVQ	C02-C01-C14	-2.32	106.31	113.08
4	FaF	203	LVQ	C15-C16-S2	2.32	123.78	119.88
4	FaF	203	LVQ	C01-C14-C15	-2.31	116.33	120.14
3	CaC	202	HEC	O2A-CGA-CBA	2.30	121.26	114.00
4	EaE	203	LVQ	O26-S3-C26	2.30	111.95	106.68
3	CaC	202	HEC	O2D-CGD-CBD	2.29	121.24	114.00
4	BaB	203	LVQ	C34-C21-C22	-2.29	106.39	113.08
4	EaE	203	LVQ	C17-C12-C13	-2.29	115.58	119.00
4	CaC	203	LVQ	O24-S3-C26	2.27	112.51	106.64
3	GaG	202	HEC	CAD-C3D-C4D	2.27	129.38	124.94
4	DaD	203	LVQ	O05-S1-C06	2.27	111.89	106.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	HaH	203	LVQ	C22-C27-C26	2.27	123.50	120.65
4	HaH	203	LVQ	C17-C16-S2	-2.27	116.06	119.88
4	DaD	203	LVQ	C25-C24-C23	-2.26	115.62	119.00
4	DaD	203	LVQ	C17-C12-C13	-2.26	115.62	119.00
3	EaE	202	HEC	CAD-CBD-CGD	-2.25	107.69	113.67
4	FaF	203	LVQ	O31-C33-C34	-2.25	116.07	119.11
3	EaE	202	HEC	C1D-C2D-C3D	-2.24	104.25	106.82
4	HaH	203	LVQ	O16-S2-C16	2.22	112.39	106.64
3	CaC	202	HEC	CAD-C3D-C4D	2.22	129.27	124.94
4	EaE	203	LVQ	O34-S4-C36	-2.21	101.60	106.68
4	GaG	203	LVQ	C35-C36-S4	-2.21	116.16	119.88
4	EaE	203	LVQ	C15-C14-C13	-2.20	115.70	119.00
4	BaB	203	LVQ	O26-S3-C26	2.20	111.72	106.68
4	CaC	203	LVQ	O26-S3-C26	2.20	111.72	106.68
4	FaF	203	LVQ	C32-C31-C04	-2.19	106.69	113.08
4	GaG	203	LVQ	C21-C34-C33	2.18	125.63	121.94
3	CaC	202	HEC	CHB-C4A-NA	2.18	126.82	124.45
4	AaA	203	LVQ	C31-C04-C03	2.18	125.61	121.94
3	GaG	202	HEC	O2D-CGD-CBD	2.17	120.87	114.00
3	AaA	202	HEC	C4B-NB-C1B	2.16	109.34	105.82
4	FaF	203	LVQ	C11-C24-C25	-2.15	116.58	120.14
3	AaA	202	HEC	O1D-CGD-CBD	-2.13	116.33	123.09
4	BaB	203	LVQ	O35-S4-C36	-2.13	101.80	106.68
4	AaA	203	LVQ	C35-C36-S4	2.12	123.44	119.88
4	DaD	203	LVQ	O22-C29-C28	-2.11	112.94	121.97
4	BaB	203	LVQ	C27-C26-S3	2.10	123.40	119.88
4	GaG	203	LVQ	C25-C26-C27	-2.10	117.53	120.34
4	EaE	203	LVQ	O15-S2-C16	-2.09	101.87	106.68
4	DaD	203	LVQ	C04-C05-C06	2.08	123.27	120.65
4	CaC	203	LVQ	O06-S1-C06	2.08	111.46	106.68
4	DaD	203	LVQ	C01-C14-C15	2.08	123.57	120.14
4	EaE	203	LVQ	C11-C24-C25	-2.07	116.72	120.14
3	FaF	202	HEC	CMA-C3A-C4A	2.07	128.38	124.73
4	CaC	203	LVQ	O15-S2-O14	-2.05	102.56	112.88
4	GaG	203	LVQ	O03-C09-O02	2.05	128.60	123.33
4	GaG	203	LVQ	C01-C14-C15	-2.05	116.75	120.14
4	EaE	203	LVQ	C04-C05-C06	2.05	123.23	120.65
4	AaA	203	LVQ	C24-C23-C22	2.04	124.56	120.49
3	BaB	202	HEC	O1A-CGA-CBA	-2.04	116.62	123.09
4	DaD	203	LVQ	C21-C34-C33	2.04	125.38	121.94
4	CaC	203	LVQ	C08-O01-C03	-2.03	109.34	113.76
4	EaE	203	LVQ	O25-S3-C26	2.02	111.33	106.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	BaB	202	HEC	O2D-CGD-CBD	2.02	120.39	114.00
4	FaF	203	LVQ	C22-C27-C26	2.01	123.18	120.65
4	CaC	203	LVQ	C31-C04-C05	-2.01	116.83	120.14
4	GaG	203	LVQ	C15-C14-C13	-2.01	116.00	119.00
4	CaC	203	LVQ	O16-S2-C16	2.00	111.82	106.64
4	CaC	203	LVQ	C27-C22-C23	-2.00	116.01	119.00

There are no chirality outliers.

All (66) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	AaA	202	HEC	C2B-C3B-CAB-CBB
3	AaA	202	HEC	C4B-C3B-CAB-CBB
3	AaA	202	HEC	C2C-C3C-CAC-CBC
3	AaA	202	HEC	C4C-C3C-CAC-CBC
3	BaB	202	HEC	C2B-C3B-CAB-CBB
3	BaB	202	HEC	C2C-C3C-CAC-CBC
3	BaB	202	HEC	C4C-C3C-CAC-CBC
3	CaC	202	HEC	C2B-C3B-CAB-CBB
3	CaC	202	HEC	C4B-C3B-CAB-CBB
3	CaC	202	HEC	C2C-C3C-CAC-CBC
3	CaC	202	HEC	C4C-C3C-CAC-CBC
3	DaD	202	HEC	C2B-C3B-CAB-CBB
3	DaD	202	HEC	C4B-C3B-CAB-CBB
3	DaD	202	HEC	C2C-C3C-CAC-CBC
3	DaD	202	HEC	C4C-C3C-CAC-CBC
3	EaE	202	HEC	C2B-C3B-CAB-CBB
3	EaE	202	HEC	C4B-C3B-CAB-CBB
3	EaE	202	HEC	C2C-C3C-CAC-CBC
3	EaE	202	HEC	C4C-C3C-CAC-CBC
3	FaF	202	HEC	C2B-C3B-CAB-CBB
3	FaF	202	HEC	C4B-C3B-CAB-CBB
3	FaF	202	HEC	C2C-C3C-CAC-CBC
3	FaF	202	HEC	C4C-C3C-CAC-CBC
3	GaG	202	HEC	C2B-C3B-CAB-CBB
3	GaG	202	HEC	C4B-C3B-CAB-CBB
3	GaG	202	HEC	C2C-C3C-CAC-CBC
3	GaG	202	HEC	C4C-C3C-CAC-CBC
3	HaH	202	HEC	C2B-C3B-CAB-CBB
3	HaH	202	HEC	C2C-C3C-CAC-CBC
3	HaH	202	HEC	C4C-C3C-CAC-CBC
4	AaA	203	LVQ	C29-C28-O21-C23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	AaA	203	LVQ	C09-C08-O01-C03
4	CaC	203	LVQ	C29-C28-O21-C23
4	CaC	203	LVQ	O21-C28-C29-O22
4	DaD	203	LVQ	C29-C28-O21-C23
4	EaE	203	LVQ	C29-C28-O21-C23
4	EaE	203	LVQ	O21-C28-C29-O22
4	FaF	203	LVQ	C29-C28-O21-C23
4	EaE	203	LVQ	O21-C28-C29-O23
3	EaE	202	HEC	C3D-CAD-CBD-CGD
4	CaC	203	LVQ	O21-C28-C29-O23
4	DaD	203	LVQ	O21-C28-C29-O23
4	AaA	203	LVQ	O01-C08-C09-O03
3	BaB	202	HEC	C4B-C3B-CAB-CBB
3	HaH	202	HEC	C4B-C3B-CAB-CBB
4	BaB	203	LVQ	C29-C28-O21-C23
4	GaG	203	LVQ	C29-C28-O21-C23
4	HaH	203	LVQ	C29-C28-O21-C23
3	BaB	202	HEC	C4D-C3D-CAD-CBD
3	BaB	202	HEC	C3D-CAD-CBD-CGD
3	FaF	202	HEC	CAA-CBA-CGA-O1A
3	FaF	202	HEC	CAA-CBA-CGA-O2A
3	DaD	202	HEC	CAA-CBA-CGA-O2A
3	HaH	202	HEC	CAA-CBA-CGA-O2A
4	BaB	203	LVQ	C07-C06-S1-O04
4	CaC	203	LVQ	C07-C06-S1-O04
4	GaG	203	LVQ	O01-C08-C09-O03
3	BaB	202	HEC	C2D-C3D-CAD-CBD
4	FaF	203	LVQ	O01-C08-C09-O03
3	DaD	202	HEC	CAA-CBA-CGA-O1A
3	HaH	202	HEC	C3D-CAD-CBD-CGD
3	HaH	202	HEC	CAA-CBA-CGA-O1A
3	EaE	202	HEC	CAA-CBA-CGA-O2A
4	BaB	203	LVQ	C09-C08-O01-C03
3	EaE	202	HEC	CAA-CBA-CGA-O1A
4	DaD	203	LVQ	C07-C06-S1-O04

There are no ring outliers.

13 monomers are involved in 27 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	HaH	201	ACE	1	0
4	BaB	203	LVQ	3	0


Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	HaH	203	LVQ	3	0
3	DaD	202	HEC	1	0
4	FaF	203	LVQ	2	0
3	GaG	202	HEC	2	0
4	DaD	203	LVQ	3	0
4	EaE	203	LVQ	1	0
4	GaG	203	LVQ	4	1
3	HaH	202	HEC	2	0
4	AaA	203	LVQ	2	0
4	CaC	203	LVQ	1	0
3	AaA	202	HEC	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand LVQ BaB 203




Bond lengths



Bond angles




Torsions




Rings


Ligand HEC FaF 202




Bond lengths



Bond angles




Torsions




Rings


Ligand LVQ HaH 203




Bond lengths



Bond angles




Torsions




Rings


Ligand HEC DaD 202




Ligand LVQ FaF 203




Bond lengths



Bond angles




Torsions




Rings


Ligand HEC EaE 202




Bond lengths



Bond angles




Torsions




Rings


Ligand HEC CaC 202




Bond lengths



Bond angles




Torsions




Rings


Ligand HEC GaG 202




Bond lengths



Bond angles




Torsions




Rings


Ligand LVQ DaD 203




Ligand LVQ EaE 203




Bond lengths



Bond angles




Torsions




Rings


Ligand HEC BaB 202




Bond lengths



Bond angles




Torsions




Rings


Ligand LVQ GaG 203




Bond lengths



Bond angles




Torsions




Rings


Ligand HEC HaH 202




Bond lengths



Bond angles




Torsions




Rings


Ligand LVQ AaA 203




Bond lengths



Bond angles





Torsions



Rings

Ligand LVQ CaC 203





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	AaA	104/104 (100%)	-0.53	0 100 100	16, 23, 38, 62	0
1	BaB	104/104 (100%)	-0.47	0 100 100	15, 29, 42, 88	0
1	CaC	104/104 (100%)	-0.56	0 100 100	14, 23, 40, 51	0
1	DaD	104/104 (100%)	-0.60	0 100 100	13, 23, 37, 62	0
1	EaE	104/104 (100%)	-0.59	0 100 100	14, 24, 39, 64	0
1	FaF	104/104 (100%)	-0.53	0 100 100	14, 27, 42, 64	0
1	GaG	104/104 (100%)	-0.67	0 100 100	12, 21, 33, 71	0
1	HaH	104/104 (100%)	-0.55	0 100 100	17, 27, 38, 49	0
All	All	832/832 (100%)	-0.56	0 100 100	12, 24, 41, 88	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	ACE	GaG	201	3/3	0.90	0.18	39,39,40,42	0
2	ACE	HaH	201	3/3	0.90	0.12	30,30,34,34	0
2	ACE	FaF	201	3/3	0.92	0.11	33,33,35,37	0
2	ACE	CaC	201	3/3	0.94	0.10	34,34,36,37	0
2	ACE	AaA	201	3/3	0.97	0.08	29,29,34,36	0
2	ACE	BaB	201	3/3	0.97	0.06	26,26,28,29	0
2	ACE	DaD	201	3/3	0.98	0.06	30,30,31,32	0
3	HEC	AaA	202	43/43	0.98	0.05	12,16,18,20	0
3	HEC	BaB	202	43/43	0.98	0.06	15,17,21,27	0
3	HEC	CaC	202	43/43	0.98	0.06	14,16,19,21	0
3	HEC	DaD	202	43/43	0.98	0.05	13,19,21,23	0
3	HEC	EaE	202	43/43	0.98	0.06	15,17,22,29	0
3	HEC	FaF	202	43/43	0.98	0.06	14,17,22,24	0
3	HEC	GaG	202	43/43	0.98	0.06	12,17,22,26	0
4	LVQ	AaA	203	69/69	0.98	0.06	17,27,52,65	0
4	LVQ	BaB	203	69/69	0.98	0.06	16,24,38,48	0
4	LVQ	CaC	203	69/69	0.98	0.07	16,25,37,43	0
4	LVQ	DaD	203	69/69	0.98	0.05	13,18,27,32	0
4	LVQ	EaE	203	69/69	0.98	0.06	15,25,47,58	0
4	LVQ	FaF	203	69/69	0.98	0.06	18,23,36,45	0
4	LVQ	GaG	203	69/69	0.98	0.05	11,18,26,32	0
4	LVQ	HaH	203	69/69	0.98	0.06	18,25,42,49	0
2	ACE	EaE	201	3/3	0.99	0.04	17,17,18,18	0
3	HEC	HaH	202	43/43	0.99	0.05	15,19,26,34	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around HEC AaA 202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC BaB 202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC CaC 202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC DaD 202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC EaE 202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around HEC FaF 202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC GaG 202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LVQ AaA 203:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LVQ BaB 203:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LVQ CaC 203:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LVQ DaD 203:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LVQ EaE 203:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LVQ FaF 203:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LVQ GaG 203:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LVQ HaH 203:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEC HaH 202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.