



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 07:42 AM UTC

PDB ID : 1SVC / pdb_00001svc
Title : NFKB P50 HOMODIMER BOUND TO DNA
Authors : Mueller, C.W.; Harrison, S.C.
Deposited on : 1995-11-27
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	D	19	
2	P	365	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 2903 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a DNA chain called DNA (5'-D(*AP*GP*AP*TP*GP*GP*GP*GP*AP*AP*TP*CP*CP*CP*CP*TP*A P*GP*A)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	D	19	Total	C	N	O	P	0	0	0
			391	186	78	109	18			

- Molecule 2 is a protein called PROTEIN (NUCLEAR FACTOR KAPPA-B (NF-KB)).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	P	311	Total	C	N	O	S	0	0	0
			2449	1555	427	456	11			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
P	62	ALA	CYS	engineered mutation	UNP P19838

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	D	15	Total	O	0	0
			15	15		
3	P	48	Total	O	0	0
			48	48		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: DNA (5'-D(*AP*GP*AP*TP*GP*GP*GP*GP*AP*AP*TP*CP*CP*CP*CP*TP*A P*GP*A)-3')

Chain D: 



- Molecule 2: PROTEIN (NUCLEAR FACTOR KAPPA-B (NF-KB))

Chain P: 



4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	137.00Å 137.00Å 57.00Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	12.00 – 2.60	Depositor
% Data completeness (in resolution range)	92.0 (12.00-2.60)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR	Depositor
R, R_{free}	0.225 , 0.286	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	2903	wwPDB-VP
Average B, all atoms (Å ²)	71.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	D	0.72	0/440	1.53	1/678 (0.1%)
2	P	0.58	0/2502	1.09	17/3379 (0.5%)
All	All	0.60	0/2942	1.18	18/4057 (0.4%)

There are no bond length outliers.

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	P	351	TYR	CA-C-N	9.84	129.91	119.78
2	P	351	TYR	C-N-CA	9.84	129.91	119.78
2	P	171	LEU	N-CA-C	8.41	122.81	112.54
2	P	352	PRO	N-CA-C	8.36	124.50	111.21
2	P	74	SER	N-CA-C	6.80	120.16	109.96
2	P	84	GLN	N-CA-C	6.11	119.16	109.50
2	P	94	ALA	N-CA-C	6.11	118.43	110.43
2	P	114	LEU	N-CA-C	-6.09	99.35	109.46
2	P	204	GLN	N-CA-C	6.08	120.86	112.90
2	P	150	VAL	N-CA-C	6.07	116.24	110.42
2	P	92	GLY	CA-C-N	5.93	127.26	119.84
2	P	92	GLY	C-N-CA	5.93	127.26	119.84
2	P	284	ARG	N-CA-C	5.78	118.15	108.73
2	P	349	LEU	N-CA-C	5.21	117.11	108.20
2	P	322	ILE	N-CA-C	5.19	115.46	110.74
2	P	307	HIS	N-CA-C	5.12	116.60	108.67
1	D	3	DA	C4'-C3'-C2'	5.10	110.04	102.40
2	P	67	HIS	N-CA-C	5.01	119.47	112.90

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	391	0	214	16	0
2	P	2449	0	2453	105	0
3	D	15	0	0	1	0
3	P	48	0	0	1	0
All	All	2903	0	2667	118	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

All (118) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:P:45:LEU:HD12	2:P:219:ALA:HB2	1.39	1.05
2:P:123:ILE:HD12	2:P:164:ARG:HH11	1.46	0.81
2:P:110:HIS:HD2	2:P:112:HIS:H	1.29	0.80
2:P:173:HIS:HD2	2:P:175:ASP:H	1.28	0.80
2:P:218:THR:HG23	2:P:234:PRO:HG3	1.65	0.77
2:P:91:VAL:HG11	2:P:221:LEU:HD13	1.65	0.77
2:P:151:PHE:HA	2:P:205:THR:HG21	1.65	0.76
2:P:201:ALA:O	2:P:205:THR:HG23	1.88	0.73
1:D:15:DC:H2'	1:D:16:DT:C6	2.27	0.70
2:P:91:VAL:HB	2:P:221:LEU:HD22	1.74	0.69
2:P:97:ILE:HG22	2:P:125:THR:HG23	1.78	0.66
2:P:117:LYS:HG2	2:P:139:ASN:HB2	1.77	0.66
2:P:158:MET:HE2	2:P:172:VAL:HG13	1.78	0.65
2:P:61:VAL:HG23	3:P:429:HOH:O	1.97	0.65
2:P:43:PRO:O	2:P:232:LEU:HD22	1.98	0.64
1:D:18:DG:H1'	1:D:19:DA:H4'	1.80	0.63
2:P:263:VAL:HG13	2:P:319:TYR:HB3	1.81	0.62
2:P:91:VAL:HG12	2:P:92:GLY:H	1.65	0.61
2:P:307:HIS:HB3	2:P:311:ALA:HB3	1.83	0.61
2:P:163:ILE:CG2	2:P:185:GLY:HA2	2.31	0.60
2:P:154:LEU:HD12	2:P:205:THR:HG22	1.82	0.60
2:P:231:ARG:HD3	2:P:232:LEU:O	2.02	0.59
2:P:178:TYR:CE1	2:P:179:LEU:HG	2.36	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:8:DG:OP2	2:P:308:ARG:HD2	2.02	0.59
2:P:117:LYS:HG2	2:P:139:ASN:CB	2.32	0.59
2:P:123:ILE:HD12	2:P:164:ARG:NH1	2.18	0.58
2:P:43:PRO:HA	2:P:89:ASN:HB2	1.84	0.58
2:P:288:GLU:HG2	2:P:294:VAL:HG12	1.86	0.58
2:P:163:ILE:HG21	2:P:185:GLY:HA2	1.86	0.57
2:P:257:ASP:HB2	2:P:270:TYR:H	1.68	0.57
2:P:154:LEU:O	2:P:158:MET:HG3	2.05	0.56
2:P:167:ASN:ND2	2:P:234:PRO:HG2	2.20	0.56
2:P:216:MET:HE2	2:P:234:PRO:HB2	1.88	0.55
2:P:110:HIS:CD2	2:P:112:HIS:H	2.17	0.55
2:P:221:LEU:HD11	2:P:232:LEU:HD21	1.88	0.55
2:P:219:ALA:O	2:P:231:ARG:HA	2.06	0.55
2:P:91:VAL:HG12	2:P:92:GLY:N	2.21	0.55
2:P:100:LEU:HG	2:P:114:LEU:HG	1.88	0.55
1:D:2:DG:H2''	1:D:3:DA:OP2	2.07	0.54
2:P:97:ILE:O	2:P:217:PHE:HA	2.07	0.54
1:D:4:DT:H2''	1:D:5:DG:H5''	1.89	0.54
2:P:176:LEU:HD21	2:P:196:LEU:HD12	1.90	0.53
2:P:87:ILE:CD1	2:P:94:ALA:HB3	2.39	0.53
2:P:173:HIS:CD2	2:P:175:ASP:HB2	2.44	0.53
2:P:285:PHE:HA	2:P:331:PHE:O	2.09	0.53
2:P:112:HIS:ND1	2:P:145:VAL:HG12	2.25	0.52
2:P:159:THR:HA	2:P:197:ILE:HD13	1.92	0.52
2:P:327:PRO:HB2	2:P:349:LEU:HD11	1.92	0.51
2:P:45:LEU:HD12	2:P:219:ALA:CB	2.27	0.51
2:P:286:TYR:HA	2:P:295:TRP:O	2.11	0.51
2:P:98:VAL:HB	2:P:124:CYS:HB3	1.93	0.50
2:P:109:LEU:HG	2:P:171:LEU:HB3	1.92	0.50
2:P:92:GLY:O	2:P:94:ALA:N	2.45	0.50
2:P:144:HIS:HD2	2:P:145:VAL:O	1.95	0.50
2:P:251:LEU:HB3	2:P:343:SER:HB3	1.94	0.49
2:P:183:GLY:O	2:P:188:GLN:HB3	2.13	0.49
2:P:222:PRO:HA	2:P:228:PHE:HA	1.95	0.49
2:P:287:GLU:HB2	2:P:330:VAL:HG12	1.95	0.49
2:P:110:HIS:CD2	2:P:111:ALA:N	2.80	0.49
2:P:223:ASP:OD2	2:P:230:ARG:HG2	2.12	0.49
2:P:285:PHE:HB2	2:P:297:GLY:O	2.13	0.48
2:P:319:TYR:CG	2:P:320:LYS:N	2.82	0.48
2:P:335:ARG:HG3	2:P:342:THR:HG22	1.96	0.48
1:D:9:DA:H2''	1:D:10:DA:C8	2.48	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:3:DA:H2''	1:D:4:DT:O5'	2.13	0.48
2:P:318:LYS:HE3	2:P:322:ILE:HD11	1.95	0.47
1:D:10:DA:H5''	2:P:147:LYS:NZ	2.29	0.47
2:P:94:ALA:HB2	2:P:221:LEU:HD23	1.97	0.47
2:P:167:ASN:HD21	2:P:234:PRO:HG2	1.80	0.47
2:P:58:PHE:N	2:P:58:PHE:CD1	2.81	0.47
2:P:74:SER:HB2	2:P:76:GLU:HG2	1.97	0.47
2:P:46:GLN:CG	2:P:47:ILE:N	2.78	0.46
2:P:212:VAL:CG2	2:P:239:ALA:HB1	2.46	0.46
2:P:108:HIS:CD2	2:P:204:GLN:OE1	2.68	0.46
2:P:185:GLY:C	2:P:187:ARG:H	2.24	0.46
2:P:51:PRO:HG3	2:P:215:LEU:HD12	1.98	0.45
2:P:285:PHE:CE2	2:P:332:VAL:HG22	2.52	0.45
2:P:278:LYS:HA	2:P:306:VAL:HG21	1.99	0.45
2:P:110:HIS:CD2	2:P:111:ALA:H	2.35	0.45
2:P:319:TYR:HD2	2:P:321:ASP:O	1.99	0.45
1:D:18:DG:H2''	1:D:19:DA:O5'	2.16	0.45
2:P:158:MET:HE3	2:P:204:GLN:HE22	1.83	0.44
2:P:195:GLU:O	2:P:199:GLN:HG2	2.17	0.44
1:D:15:DC:H2'	1:D:16:DT:C5	2.53	0.44
2:P:101:VAL:CG2	2:P:214:ARG:HB2	2.48	0.44
1:D:1:DA:C2'	1:D:2:DG:H5'	2.48	0.43
2:P:173:HIS:CD2	2:P:175:ASP:H	2.19	0.43
2:P:208:MET:HE2	2:P:208:MET:HB2	1.85	0.43
2:P:285:PHE:O	2:P:296:GLU:HA	2.17	0.43
3:D:427:HOH:O	2:P:144:HIS:HE1	2.02	0.43
2:P:93:PRO:HG3	2:P:130:PRO:HG3	2.01	0.43
2:P:96:VAL:HG23	2:P:126:VAL:HG13	1.99	0.42
2:P:286:TYR:C	2:P:286:TYR:CD1	2.97	0.42
2:P:117:LYS:CG	2:P:139:ASN:HB2	2.46	0.42
1:D:4:DT:C2'	1:D:5:DG:H5''	2.49	0.42
1:D:5:DG:H2''	1:D:6:DG:O5'	2.19	0.42
2:P:63:GLU:O	2:P:67:HIS:NE2	2.50	0.42
2:P:163:ILE:HG23	2:P:185:GLY:HA2	1.99	0.42
1:D:10:DA:H5''	2:P:147:LYS:HZ2	1.84	0.42
2:P:351:TYR:HB2	2:P:352:PRO:HD2	2.01	0.42
1:D:1:DA:N3	1:D:1:DA:O4'	2.52	0.41
2:P:318:LYS:HE3	2:P:322:ILE:CD1	2.50	0.41
2:P:126:VAL:CG1	2:P:135:VAL:HG11	2.50	0.41
2:P:184:GLY:HA3	2:P:188:GLN:HB2	2.01	0.41
1:D:3:DA:H2'	1:D:4:DT:H72	2.01	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:P:70:LEU:HD21	2:P:240:ILE:HD13	2.03	0.41
2:P:257:ASP:CB	2:P:270:TYR:H	2.32	0.41
2:P:61:VAL:CG2	2:P:143:LEU:HD11	2.50	0.41
2:P:263:VAL:HG12	2:P:322:ILE:HD13	2.02	0.41
2:P:278:LYS:HB3	2:P:306:VAL:HB	2.02	0.41
2:P:158:MET:HB2	2:P:197:ILE:HG23	2.02	0.41
2:P:126:VAL:HG13	2:P:135:VAL:HG11	2.02	0.41
2:P:150:VAL:HG12	2:P:205:THR:HB	2.02	0.41
2:P:263:VAL:HG13	2:P:319:TYR:CB	2.47	0.41
2:P:85:VAL:HG12	2:P:86:LYS:N	2.35	0.41
2:P:140:LEU:HD23	2:P:140:LEU:HA	1.92	0.41
2:P:101:VAL:HG23	2:P:214:ARG:HB2	2.02	0.40
2:P:318:LYS:HG2	2:P:319:TYR:N	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
2	P	309/365 (85%)	273 (88%)	28 (9%)	8 (3%)	4 7

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	P	81	SER
2	P	90	TYR
2	P	93	PRO
2	P	290	GLU
2	P	184	GLY
2	P	185	GLY
2	P	89	ASN
2	P	278	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	P	266/315 (84%)	247 (93%)	19 (7%)	13	31

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	P	48	LEU
2	P	58	PHE
2	P	93	PRO
2	P	96	VAL
2	P	125	THR
2	P	132	ASP
2	P	133	MET
2	P	154	LEU
2	P	160	GLU
2	P	170	LEU
2	P	188	GLN
2	P	193	GLU
2	P	206	LYS
2	P	229	THR
2	P	231	ARG
2	P	264	THR
2	P	303	PRO
2	P	304	THR
2	P	346	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
2	P	99	GLN
2	P	108	HIS
2	P	110	HIS
2	P	144	HIS
2	P	167	ASN
2	P	173	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	P	204	GLN
2	P	333	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.