



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 19, 2026 – 01:27 AM UTC

PDB ID : 5SVF / pdb_00005svf
Title : IDH1 R132H in complex with IDH125
Authors : Xie, X.; Kulathila, R.
Deposited on : 2016-08-05
Resolution : 2.34 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.34 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3031 (2.36-2.32)
Clashscore	190562	3127 (2.36-2.32)
Ramachandran outliers	187476	3095 (2.36-2.32)
Sidechain outliers	187428	3095 (2.36-2.32)
RSRZ outliers	180081	3033 (2.36-2.32)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	417	88% 8% 5%
1	B	417	88% 7% 5%
1	C	417	2% 84% 12% .
1	D	417	2% 78% 18% .

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 13375 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Isocitrate dehydrogenase [NADP] cytoplasmic.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	398	Total	C	N	O	S	0	2	0
			3156	2008	533	597	18			
1	C	399	Total	C	N	O	S	0	0	0
			3155	2009	536	592	18			
1	B	397	Total	C	N	O	S	0	2	0
			3158	2010	540	590	18			
1	D	402	Total	C	N	O	S	0	1	0
			3194	2032	543	601	18			

There are 16 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	expression tag	UNP O75874
A	-1	PRO	-	expression tag	UNP O75874
A	0	GLY	-	expression tag	UNP O75874
A	132	HIS	ARG	engineered mutation	UNP O75874
C	-2	GLY	-	expression tag	UNP O75874
C	-1	PRO	-	expression tag	UNP O75874
C	0	GLY	-	expression tag	UNP O75874
C	132	HIS	ARG	engineered mutation	UNP O75874
B	-2	GLY	-	expression tag	UNP O75874
B	-1	PRO	-	expression tag	UNP O75874
B	0	GLY	-	expression tag	UNP O75874
B	132	HIS	ARG	engineered mutation	UNP O75874
D	-2	GLY	-	expression tag	UNP O75874
D	-1	PRO	-	expression tag	UNP O75874
D	0	GLY	-	expression tag	UNP O75874
D	132	HIS	ARG	engineered mutation	UNP O75874

- Molecule 2 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NDP) (formula: C₂₁H₃₀N₇O₁₇P₃).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	C	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	D	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 3 is (4S)-3-(2-[[[(1S)-1-phenylethyl]amino}pyrimidin-4-yl)-4-(propan-2-yl)-1,3-oxazolidin-2-one (CCD ID: 70P) (formula: C₁₈H₂₂N₄O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			24	18	4	2		
3	C	1	Total	C	N	O	0	0
			24	18	4	2		
3	B	1	Total	C	N	O	0	0
			24	18	4	2		
3	D	1	Total	C	N	O	0	0
			24	18	4	2		

- Molecule 4 is CITRATE ANION (CCD ID: FLC) (formula: $C_6H_5O_7$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			13	6	7		
4	C	1	Total	C	O	0	0
			13	6	7		
4	B	1	Total	C	O	0	0
			13	6	7		
4	D	1	Total	C	O	0	0
			13	6	7		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	125	Total	O	0	0
			125	125		
5	C	64	Total	O	0	0
			64	64		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	134	Total 134	O 134	0	0
5	D	49	Total 49	O 49	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Isocitrate dehydrogenase [NADP] cytoplasmic




- Molecule 1: Isocitrate dehydrogenase [NADP] cytoplasmic




- Molecule 1: Isocitrate dehydrogenase [NADP] cytoplasmic



- Molecule 1: Isocitrate dehydrogenase [NADP] cytoplasmic





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	81.98Å 154.99Å 162.99Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.75 – 2.34 40.75 – 2.34	Depositor EDS
% Data completeness (in resolution range)	100.0 (40.75-2.34) 96.1 (40.75-2.34)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.93 (at 2.34Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.179 , 0.223 0.186 , 0.228	Depositor DCC
R_{free} test set	4443 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	44.3	Xtriage
Anisotropy	0.084	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 32.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.015 for -h,l,k	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	13375	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.35% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 70P, FLC, NDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.47	0/3226	0.56	1/4348 (0.0%)
1	B	0.46	0/3228	0.55	0/4347
1	C	0.37	0/3219	0.53	0/4337
1	D	0.47	0/3264	0.56	1/4400 (0.0%)
All	All	0.45	0/12937	0.55	2/17432 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	388	ARG	N-CA-C	6.32	119.84	111.75
1	D	134	ALA	N-CA-C	5.22	119.34	112.92

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3156	0	3131	17	1
1	B	3158	0	3152	21	0
1	C	3155	0	3142	32	1
1	D	3194	0	3166	47	2
2	A	48	0	26	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	48	0	26	2	0
2	C	48	0	26	1	0
2	D	48	0	26	1	0
3	A	24	0	0	0	0
3	B	24	0	0	0	0
3	C	24	0	0	0	0
3	D	24	0	0	0	0
4	A	13	0	5	0	0
4	B	13	0	5	2	0
4	C	13	0	5	1	0
4	D	13	0	5	2	0
5	A	125	0	0	0	0
5	B	134	0	0	0	0
5	C	64	0	0	3	0
5	D	49	0	0	1	0
All	All	13375	0	12715	113	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (113) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:216:LEU:HD22	1:D:180:MET:HE1	1.56	0.85
2:B:501:NDP:H42N	4:B:503:FLC:HA2	1.60	0.84
1:D:199:MET:HE2	1:D:296:VAL:HG21	1.67	0.76
1:D:7:GLY:HA3	1:D:37:LEU:HD23	1.69	0.74
1:C:7:GLY:HA3	1:C:37:LEU:HD23	1.71	0.73
1:D:143:ASP:HB3	1:D:180:MET:HE3	1.72	0.70
2:D:501:NDP:H42N	4:D:503:FLC:HA2	1.75	0.68
1:D:100:ARG:NH1	4:D:503:FLC:OA1	2.31	0.64
1:C:86:PHE:HB2	1:C:88:LEU:HD22	1.79	0.64
1:B:212:LYS:HG2	1:B:215:ILE:HD12	1.83	0.61
1:D:151:LYS:HE2	1:D:171:ASN:OD1	2.02	0.60
1:C:72:LYS:HG2	1:C:73:CYS:O	2.03	0.59
2:C:501:NDP:H42N	4:C:503:FLC:HA1	1.86	0.57
1:A:24:GLU:O	1:A:28[A]:GLU:HG2	2.04	0.57
1:C:199:MET:HE2	1:C:296:VAL:HG21	1.86	0.57
1:B:330:ILE:HD12	1:B:363:SER:HB3	1.87	0.56
1:D:113:ILE:HG23	1:D:119:ARG:HD3	1.86	0.56
1:A:327:THR:H	1:A:394:THR:HG1	1.54	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:319:TYR:HB2	1:A:325:THR:HG21	1.87	0.56
1:A:29:LYS:HE2	1:A:399:ASP:OD1	2.05	0.55
1:D:137:ASP:HA	1:D:182:MET:HG3	1.86	0.55
1:C:330:ILE:HD12	1:C:363:SER:HB3	1.88	0.55
1:D:52:THR:O	1:D:55:GLN:HB2	2.07	0.55
1:D:141:ALA:HB1	1:D:180:MET:HE2	1.90	0.53
1:C:125:VAL:HG22	1:C:262:GLU:HG2	1.89	0.53
1:D:160:ASP:OD1	1:D:160:ASP:N	2.26	0.52
1:C:325:THR:O	1:C:393:ASN:HB2	2.10	0.52
1:B:374:LYS:HD2	1:B:391:TYR:CZ	2.44	0.51
1:C:362:VAL:HG23	1:C:408:LYS:HD2	1.92	0.51
1:A:129:ILE:HG21	1:A:199:MET:HE3	1.93	0.51
1:B:180:MET:HE3	1:D:219:TYR:CG	2.47	0.50
1:C:210:SER:HA	1:C:249:ARG:O	2.11	0.50
1:D:34:TYR:OH	1:D:406:LYS:HG2	2.12	0.49
1:D:361:GLU:O	1:D:365:GLU:HG3	2.13	0.49
1:D:267:TRP:CD1	1:D:269:CYS:HG	2.30	0.49
1:D:210:SER:HA	1:D:249:ARG:O	2.12	0.49
1:D:357:ASN:O	1:D:361:GLU:HG3	2.12	0.49
1:D:96:ASN:O	1:D:100:ARG:HG3	2.13	0.49
1:D:330:ILE:HD12	1:D:363:SER:HB3	1.95	0.49
1:C:112:ILE:HD13	1:C:330:ILE:HG22	1.94	0.48
1:A:80:GLU:H	1:A:80:GLU:CD	2.21	0.48
1:B:243:LYS:N	1:B:243:LYS:HD3	2.28	0.47
1:D:128:ILE:HG12	1:D:263:GLY:HA2	1.96	0.47
1:C:48:ASN:C	1:C:48:ASN:HD22	2.22	0.47
1:A:330:ILE:HD12	1:A:363:SER:HB3	1.96	0.47
1:C:50:ASP:CG	1:C:88:LEU:HB2	2.39	0.47
1:B:22:ILE:HD11	1:B:327:THR:HB	1.96	0.47
1:B:180:MET:HE1	1:D:216:LEU:HD13	1.96	0.47
1:D:53:ASN:HA	1:D:92:TRP:CH2	2.50	0.47
1:C:212:LYS:HG2	1:C:215:ILE:HD12	1.97	0.47
1:D:187:LYS:HA	1:D:187:LYS:HD2	1.82	0.46
1:C:61:ALA:HA	1:C:64:ILE:HD12	1.96	0.46
1:D:60:ALA:O	1:D:64:ILE:HG13	2.15	0.46
1:D:83:VAL:HA	1:D:88:LEU:HD12	1.98	0.46
1:B:75:THR:O	2:B:501:NDP:H2N	2.15	0.46
1:B:197:PHE:CZ	1:B:231:TYR:HB2	2.51	0.46
1:C:203:LYS:HB3	1:C:203:LYS:NZ	2.32	0.45
1:D:43:ASP:HB3	1:D:48:ASN:HD22	1.81	0.45
1:D:209:LEU:HD22	1:D:227:PHE:CG	2.52	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:182:MET:HE3	1:B:182:MET:HB2	1.70	0.45
1:C:400:LYS:NZ	5:C:606:HOH:O	2.49	0.45
1:C:282:ALA:HB2	1:C:291:MET:HE2	1.99	0.45
1:C:194:HIS:O	1:C:198:GLN:HG2	2.17	0.45
1:D:197:PHE:CZ	1:D:231:TYR:HB2	2.51	0.45
1:D:198:GLN:HG3	1:D:300:GLY:HA2	1.99	0.45
1:C:295:LEU:O	1:C:303:VAL:HA	2.17	0.44
1:A:112:ILE:HD13	1:A:330:ILE:HG22	1.98	0.44
1:C:140:ARG:HH11	1:C:140:ARG:HG3	1.82	0.44
1:C:257:GLN:NE2	5:C:603:HOH:O	2.34	0.44
1:A:23:TRP:CD2	1:A:73:CYS:HB2	2.53	0.43
1:B:292:THR:HG21	1:B:338[A]:ARG:NH1	2.34	0.43
1:C:292:THR:HG21	1:C:338:ARG:HH11	1.84	0.43
1:B:210:SER:HA	1:B:249:ARG:O	2.18	0.43
1:B:334:PHE:HA	1:B:337:THR:OG1	2.19	0.43
1:B:143:ASP:HB2	1:D:219:TYR:HB2	2.00	0.43
1:D:26:ILE:HG23	1:D:30:LEU:HD12	2.01	0.43
1:D:279:ASP:OD1	1:D:279:ASP:N	2.45	0.43
1:D:402:GLY:O	1:D:406:LYS:HG3	2.19	0.43
4:B:503:FLC:OG1	4:B:503:FLC:OHB	2.33	0.43
1:D:113:ILE:CG2	1:D:119:ARG:HD3	2.49	0.43
1:A:75:THR:O	2:A:501:NDP:H2N	2.19	0.42
1:C:318:MET:HB3	1:C:323:GLN:HB3	2.01	0.42
1:D:362:VAL:HG23	1:D:408:LYS:HD2	2.01	0.42
1:D:239:PHE:CD2	1:D:244:ILE:HG13	2.54	0.42
1:A:84:GLU:O	1:A:87:LYS:NZ	2.48	0.42
1:A:210:SER:HA	1:A:249:ARG:O	2.19	0.42
1:D:182:MET:HE3	1:D:182:MET:HB2	1.76	0.42
1:B:180:MET:HG2	1:D:219:TYR:CE2	2.54	0.42
1:B:167:TYR:HB3	1:D:142:THR:HG21	2.02	0.42
1:D:77:THR:HA	1:D:78:PRO:HD3	1.92	0.42
1:B:66:LYS:HE3	1:B:67:HIS:CE1	2.55	0.42
1:A:180:MET:HE2	1:A:182:MET:HE3	2.02	0.41
1:C:257:GLN:HB2	5:C:638:HOH:O	2.19	0.41
1:C:261:SER:OG	1:C:262:GLU:N	2.53	0.41
1:D:69:VAL:HG22	1:D:342:HIS:HD2	1.85	0.41
1:B:186:ASP:OD1	1:D:177:GLY:HA2	2.20	0.41
1:C:83:VAL:HA	1:C:88:LEU:CD2	2.50	0.41
1:A:382:GLY:O	1:A:386:VAL:HG23	2.21	0.41
1:C:7:GLY:HA2	1:C:352:LEU:HD22	2.02	0.41
1:B:314:ARG:NH1	1:B:314:ARG:HG2	2.34	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:67:HIS:O	1:D:68:ASN:HB2	2.20	0.41
1:D:228:GLN:HG2	5:D:613:HOH:O	2.19	0.41
1:A:147:PRO:HD2	1:C:156:TYR:CE2	2.56	0.41
1:A:108:PHE:CB	1:A:199:MET:HE2	2.51	0.41
1:A:212:LYS:HE3	1:A:215:ILE:HD12	2.03	0.41
1:C:83:VAL:HA	1:C:88:LEU:HD23	2.01	0.41
1:B:314:ARG:CG	1:B:314:ARG:HH11	2.34	0.41
1:D:357:ASN:ND2	1:D:361:GLU:OE1	2.53	0.41
1:D:103:LEU:HD12	1:D:295:LEU:HD23	2.03	0.40
1:C:140:ARG:O	1:C:140:ARG:HG2	2.20	0.40
1:C:223:PHE:CE2	1:C:270:LYS:HG3	2.57	0.40
1:D:247:GLU:OE2	1:D:249:ARG:NH2	2.50	0.40
1:C:78:PRO:HD2	1:C:92:TRP:O	2.22	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:9:SER:OG	1:D:36:GLU:OE2[1_556]	2.13	0.07
1:A:320:GLN:O	1:D:350:LYS:NZ[2_555]	2.15	0.05

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	394/417 (94%)	385 (98%)	9 (2%)	0	100	100
1	B	393/417 (94%)	383 (98%)	10 (2%)	0	100	100
1	C	393/417 (94%)	381 (97%)	12 (3%)	0	100	100
1	D	399/417 (96%)	380 (95%)	18 (4%)	1 (0%)	36	41
All	All	1579/1668 (95%)	1529 (97%)	49 (3%)	1 (0%)	48	57

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	162	THR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	338/351 (96%)	337 (100%)	1 (0%)	86	91
1	B	338/351 (96%)	334 (99%)	4 (1%)	63	75
1	C	337/351 (96%)	335 (99%)	2 (1%)	78	86
1	D	341/351 (97%)	335 (98%)	6 (2%)	51	64
All	All	1354/1404 (96%)	1341 (99%)	13 (1%)	68	79

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	312	VAL
1	C	91	MET
1	C	292	THR
1	B	6	SER
1	B	184	ASN
1	B	292	THR
1	B	312	VAL
1	D	4	LYS
1	D	5	ILE
1	D	9	SER
1	D	19	THR
1	D	171	ASN
1	D	312	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	68	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	184	ASN
1	A	238	GLN
1	A	271	ASN
1	A	277	GLN
1	A	323	GLN
1	A	385	ASN
1	C	90	GLN
1	B	53	ASN
1	B	68	ASN
1	B	198	GLN
1	B	213	ASN
1	B	238	GLN
1	B	323	GLN
1	D	48	ASN
1	D	55	GLN
1	D	67	HIS
1	D	323	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

12 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	FLC	D	503	-	12,12,12	1.36	1 (8%)	17,17,17	1.48	2 (11%)
4	FLC	B	503	-	12,12,12	1.11	1 (8%)	17,17,17	1.21	2 (11%)
3	70P	A	502	-	26,26,26	1.17	1 (3%)	33,36,36	1.51	4 (12%)
2	NDP	A	501	-	51,52,52	1.27	5 (9%)	71,80,80	1.65	11 (15%)
3	70P	C	502	-	26,26,26	1.25	0	33,36,36	1.48	7 (21%)
3	70P	D	502	-	26,26,26	1.32	2 (7%)	33,36,36	1.72	6 (18%)
3	70P	B	502	-	26,26,26	1.20	3 (11%)	33,36,36	1.34	4 (12%)
4	FLC	C	503	-	12,12,12	0.98	0	17,17,17	1.30	1 (5%)
4	FLC	A	503	-	12,12,12	1.21	1 (8%)	17,17,17	1.27	2 (11%)
2	NDP	D	501	-	51,52,52	1.34	5 (9%)	71,80,80	1.52	11 (15%)
2	NDP	C	501	-	51,52,52	1.36	5 (9%)	71,80,80	1.65	12 (16%)
2	NDP	B	501	-	51,52,52	1.50	8 (15%)	71,80,80	1.64	12 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	FLC	D	503	-	-	2/16/16/16	-
4	FLC	B	503	-	-	4/16/16/16	-
3	70P	A	502	-	-	0/16/29/29	0/3/3/3
2	NDP	A	501	-	-	8/34/77/77	0/5/5/5
3	70P	C	502	-	-	0/16/29/29	0/3/3/3
3	70P	D	502	-	-	0/16/29/29	0/3/3/3
3	70P	B	502	-	-	0/16/29/29	0/3/3/3
4	FLC	C	503	-	-	0/16/16/16	-
4	FLC	A	503	-	-	3/16/16/16	-
2	NDP	D	501	-	-	7/34/77/77	0/5/5/5
2	NDP	C	501	-	-	10/34/77/77	0/5/5/5
2	NDP	B	501	-	-	6/34/77/77	0/5/5/5

All (32) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	NDP	C4N-C3N	-5.46	1.39	1.50
2	B	501	NDP	C4N-C3N	-5.30	1.40	1.50
2	D	501	NDP	C4N-C3N	-5.21	1.40	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	501	NDP	C4N-C3N	-5.17	1.40	1.50
2	C	501	NDP	C4N-C5N	-3.58	1.39	1.49
2	D	501	NDP	C4N-C5N	-3.55	1.39	1.49
2	C	501	NDP	PA-O3	3.37	1.63	1.59
2	B	501	NDP	C4N-C5N	-3.24	1.40	1.49
4	D	503	FLC	CB-CBC	-3.23	1.50	1.53
2	B	501	NDP	PN-O3	3.22	1.63	1.59
2	B	501	NDP	P2B-O2B	3.22	1.65	1.59
2	A	501	NDP	C4N-C5N	-3.13	1.40	1.49
2	B	501	NDP	PA-O3	3.11	1.62	1.59
2	D	501	NDP	PA-O3	3.02	1.62	1.59
2	C	501	NDP	PN-O3	2.98	1.62	1.59
2	B	501	NDP	C5A-N7A	-2.67	1.34	1.39
3	D	502	70P	C8-N1	2.50	1.37	1.34
2	B	501	NDP	C8A-N7A	2.48	1.36	1.31
2	A	501	NDP	P2B-O2B	2.48	1.63	1.59
2	B	501	NDP	C6N-C5N	2.44	1.40	1.33
2	A	501	NDP	C6N-C5N	2.44	1.40	1.33
3	D	502	70P	C14-N4	2.42	1.40	1.36
2	D	501	NDP	C6N-C5N	2.37	1.40	1.33
3	A	502	70P	C8-N1	2.32	1.37	1.34
2	C	501	NDP	C6N-C5N	2.27	1.40	1.33
4	A	503	FLC	CB-CBC	-2.26	1.51	1.53
2	D	501	NDP	PN-O3	2.25	1.61	1.59
3	B	502	70P	C14-N4	2.16	1.39	1.36
4	B	503	FLC	CB-CBC	-2.15	1.51	1.53
2	A	501	NDP	C8A-N7A	2.07	1.35	1.31
3	B	502	70P	C8-N1	2.04	1.37	1.34
3	B	502	70P	C6-C5	2.02	1.42	1.39

All (74) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	NDP	C5A-C4A-N3A	-5.77	118.78	126.72
2	A	501	NDP	C5A-C4A-N3A	-5.48	119.17	126.72
2	D	501	NDP	C5A-C4A-N3A	-5.17	119.59	126.72
2	C	501	NDP	C5A-C4A-N3A	-5.08	119.72	126.72
2	C	501	NDP	N3A-C2A-N1A	-4.97	121.06	128.58
2	D	501	NDP	N3A-C2A-N1A	-4.84	121.26	128.58
2	B	501	NDP	N3A-C2A-N1A	-4.79	121.33	128.58
2	A	501	NDP	N3A-C2A-N1A	-4.45	121.84	128.58
3	A	502	70P	C18-C7-N1	4.20	116.38	108.91

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	NDP	N9A-C8A-N7A	-4.18	108.00	113.94
3	D	502	70P	C18-C7-N1	4.12	116.24	108.91
3	C	502	70P	C13-O1-C14	3.95	114.25	109.94
2	C	501	NDP	N9A-C8A-N7A	-3.90	108.40	113.94
3	D	502	70P	C13-O1-C14	3.89	114.19	109.94
3	A	502	70P	C13-O1-C14	3.85	114.15	109.94
2	C	501	NDP	C2A-N3A-C4A	3.65	120.74	111.83
2	B	501	NDP	N3A-C4A-N9A	3.63	133.34	127.17
4	C	503	FLC	OB2-CBC-CB	3.60	120.04	113.14
2	D	501	NDP	N3A-C4A-N9A	3.59	133.28	127.17
2	B	501	NDP	C2A-N3A-C4A	3.57	120.55	111.83
2	A	501	NDP	C2A-N3A-C4A	3.50	120.39	111.83
2	A	501	NDP	C5A-N7A-C8A	3.49	108.94	103.45
2	A	501	NDP	C4A-C5A-N7A	-3.48	106.60	110.58
2	D	501	NDP	C2A-N3A-C4A	3.43	120.22	111.83
2	A	501	NDP	N3A-C4A-N9A	3.39	132.94	127.17
2	C	501	NDP	N3A-C4A-N9A	3.38	132.92	127.17
3	D	502	70P	C10-C9-N3	-3.34	118.14	123.62
4	D	503	FLC	OB1-CBC-CB	-3.29	115.73	122.09
3	B	502	70P	C13-C12-C15	-3.26	110.23	115.02
2	B	501	NDP	O2B-P2B-O1X	-3.25	97.75	109.33
2	D	501	NDP	N9A-C8A-N7A	-3.22	109.37	113.94
2	B	501	NDP	C1D-N1N-C2N	-3.08	116.06	121.14
4	D	503	FLC	OB2-CBC-CB	3.07	119.03	113.14
2	A	501	NDP	C1D-N1N-C2N	-3.04	116.14	121.14
3	B	502	70P	C13-O1-C14	3.02	113.25	109.94
3	D	502	70P	C8-N1-C7	2.98	127.66	122.67
3	A	502	70P	C8-N1-C7	2.94	127.61	122.67
2	C	501	NDP	C4A-N9A-C8A	2.94	108.82	105.74
2	B	501	NDP	N9A-C8A-N7A	-2.94	109.77	113.94
3	B	502	70P	C10-C9-N3	-2.92	118.85	123.62
3	C	502	70P	C18-C7-N1	2.90	114.07	108.91
2	C	501	NDP	C5A-N7A-C8A	2.87	107.96	103.45
3	C	502	70P	O1-C13-C12	-2.86	102.40	105.63
3	C	502	70P	C13-C12-C15	-2.80	110.91	115.02
3	A	502	70P	C10-C9-N3	-2.79	119.05	123.62
3	C	502	70P	C8-N1-C7	2.77	127.31	122.67
2	C	501	NDP	O4B-C1B-N9A	2.76	113.39	108.09
3	D	502	70P	C13-C12-C15	-2.75	110.99	115.02
2	C	501	NDP	C4A-C5A-N7A	-2.73	107.47	110.58
2	A	501	NDP	C4A-N9A-C8A	2.70	108.57	105.74
2	D	501	NDP	C4A-N9A-C8A	2.67	108.54	105.74

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	502	70P	C18-C7-N1	2.64	113.60	108.91
2	C	501	NDP	C1D-N1N-C2N	-2.58	116.89	121.14
2	C	501	NDP	O4D-C1D-N1N	2.52	112.89	108.08
2	C	501	NDP	C2B-C1B-N9A	-2.43	109.76	113.75
3	D	502	70P	O1-C13-C12	-2.42	102.90	105.63
2	B	501	NDP	C4A-C5A-N7A	-2.40	107.83	110.58
2	A	501	NDP	O2A-PA-O1A	2.39	123.57	112.44
3	C	502	70P	C10-C9-N3	-2.38	119.73	123.62
3	C	502	70P	O2-C14-N4	2.37	131.41	128.52
4	A	503	FLC	OB2-CBC-CB	2.37	117.68	113.14
2	D	501	NDP	C4A-C5A-N7A	-2.34	107.90	110.58
2	D	501	NDP	O4D-C1D-N1N	2.33	112.52	108.08
2	B	501	NDP	C5A-N7A-C8A	2.30	107.06	103.45
2	D	501	NDP	C5A-N7A-C8A	2.30	107.06	103.45
4	B	503	FLC	OB2-CBC-CB	2.27	117.50	113.14
2	A	501	NDP	O3-PN-O1N	-2.19	104.12	110.70
2	B	501	NDP	O7N-C7N-C3N	-2.17	116.80	120.90
2	D	501	NDP	O2B-C2B-C1B	-2.17	102.43	110.05
4	B	503	FLC	OG1-CGC-CG	-2.11	116.97	122.95
2	B	501	NDP	C6A-C5A-C4A	2.09	120.04	117.18
2	B	501	NDP	O4B-C1B-N9A	2.07	112.06	108.09
4	A	503	FLC	OB1-CBC-CB	-2.04	118.15	122.09
2	D	501	NDP	C1D-N1N-C2N	-2.04	117.78	121.14

There are no chirality outliers.

All (40) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	NDP	C5D-O5D-PN-O3
2	A	501	NDP	C5D-O5D-PN-O1N
2	A	501	NDP	C5D-O5D-PN-O2N
2	C	501	NDP	C5D-O5D-PN-O3
2	C	501	NDP	C5D-O5D-PN-O2N
2	B	501	NDP	C5D-O5D-PN-O2N
2	D	501	NDP	C5D-O5D-PN-O3
2	D	501	NDP	C5D-O5D-PN-O2N
4	B	503	FLC	CG-CB-CBC-OB1
4	B	503	FLC	CG-CB-CBC-OB2
4	B	503	FLC	OHB-CB-CBC-OB1
4	B	503	FLC	OHB-CB-CBC-OB2
2	C	501	NDP	O4B-C4B-C5B-O5B
2	D	501	NDP	O4B-C4B-C5B-O5B

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	C	501	NDP	C3B-C4B-C5B-O5B
4	D	503	FLC	CB-CG-CGC-OG1
2	A	501	NDP	O4B-C4B-C5B-O5B
4	D	503	FLC	CB-CG-CGC-OG2
2	D	501	NDP	C3B-C4B-C5B-O5B
2	A	501	NDP	C3B-C4B-C5B-O5B
4	A	503	FLC	CB-CG-CGC-OG2
2	C	501	NDP	C5D-O5D-PN-O1N
2	B	501	NDP	C5D-O5D-PN-O3
2	D	501	NDP	C5D-O5D-PN-O1N
4	A	503	FLC	CB-CG-CGC-OG1
2	B	501	NDP	C2D-C1D-N1N-C2N
2	B	501	NDP	O4D-C1D-N1N-C2N
2	A	501	NDP	C2B-O2B-P2B-O2X
2	A	501	NDP	O4D-C1D-N1N-C2N
2	C	501	NDP	O4D-C1D-N1N-C2N
2	D	501	NDP	O4D-C1D-N1N-C2N
2	A	501	NDP	C2D-C1D-N1N-C2N
2	C	501	NDP	C2D-C1D-N1N-C2N
2	D	501	NDP	C2D-C1D-N1N-C2N
2	B	501	NDP	C2B-O2B-P2B-O2X
2	C	501	NDP	O4D-C1D-N1N-C6N
2	B	501	NDP	O4D-C1D-N1N-C6N
2	C	501	NDP	C2B-O2B-P2B-O1X
4	A	503	FLC	CB-CA-CAC-OA1
2	C	501	NDP	PA-O3-PN-O2N


There are no ring outliers.



7 monomers are involved in 7 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	503	FLC	2	0
4	B	503	FLC	2	0
2	A	501	NDP	1	0
4	C	503	FLC	1	0
2	D	501	NDP	1	0
2	C	501	NDP	1	0
2	B	501	NDP	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will


also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	398/417 (95%)	-0.33	5 (1%) 75 79	22, 41, 60, 83	2 (0%)
1	B	397/417 (95%)	-0.35	4 (1%) 79 82	21, 42, 55, 80	2 (0%)
1	C	399/417 (95%)	0.07	8 (2%) 65 70	33, 51, 81, 101	0
1	D	402/417 (96%)	0.33	8 (1%) 65 70	28, 58, 81, 92	1 (0%)
All	All	1596/1668 (95%)	-0.07	25 (1%) 70 75	21, 47, 75, 101	5 (0%)

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	134	ALA	4.6
1	D	410	ALA	3.9
1	C	134	ALA	3.6
1	C	414	LEU	2.8
1	B	412	ALA	2.8
1	D	67	HIS	2.7
1	C	140	ARG	2.6
1	D	135	TYR	2.5
1	D	271	ASN	2.5
1	D	36	GLU	2.5
1	A	412	ALA	2.4
1	C	51	ALA	2.3
1	C	88	LEU	2.3
1	C	39	LEU	2.3
1	B	140	ARG	2.2
1	D	23	TRP	2.2
1	C	132	HIS	2.2
1	C	86	PHE	2.1
1	B	278	SER	2.1
1	A	161	GLY	2.1
1	D	277	GLN	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	388	ARG	2.0
1	A	141	ALA	2.0
1	B	132	HIS	2.0
1	D	383	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	FLC	C	503	13/13	0.77	0.11	79,83,85,86	0
4	FLC	B	503	13/13	0.84	0.10	54,62,71,82	0
4	FLC	D	503	13/13	0.84	0.09	70,77,81,84	0
4	FLC	A	503	13/13	0.88	0.09	55,66,76,81	0
3	70P	D	502	24/24	0.94	0.08	44,49,55,59	0
3	70P	C	502	24/24	0.95	0.09	40,47,53,58	0
3	70P	B	502	24/24	0.96	0.08	37,43,51,53	0
2	NDP	D	501	48/48	0.96	0.06	44,54,61,64	0
2	NDP	C	501	48/48	0.96	0.07	42,54,64,69	0
3	70P	A	502	24/24	0.97	0.07	31,40,46,50	0
2	NDP	B	501	48/48	0.98	0.05	31,37,44,62	0
2	NDP	A	501	48/48	0.98	0.05	33,40,46,50	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 70P D 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 70P C 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 70P B 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NDP D 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NDP C 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 70P A 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NDP B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NDP A 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.