



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 04:57 PM UTC

PDB ID : 8SWQ / pdb_00008swq
Title : Structure of K. lactis PNP bound to transition state analog DADMe-
IMMUCILLIN H and sulfate
Authors : Fedorov, E.; Ghosh, A.
Deposited on : 2023-05-19
Resolution : 1.98 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 1.98 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	180053	1506 (1.98-1.98)
Clashscore	190562	1534 (1.98-1.98)
Ramachandran outliers	187476	1518 (1.98-1.98)
Sidechain outliers	187428	1518 (1.98-1.98)
RSRZ outliers	180081	1506 (1.98-1.98)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	307	2% 91% 7% ..
1	B	307	3% 83% 6% . 9%
1	C	307	4% 72% 11% . 14%
1	D	307	4% 84% 11% ..
1	E	307	3% 77% 11% . 10%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	307	2% 79% 7% • 13%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 13615 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Purine nucleoside phosphorylase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	302	Total	C	N	O	S	Se	0	2	0
			2308	1471	397	431	5	4			
1	B	278	Total	C	N	O	S	Se	0	0	0
			2111	1347	361	394	5	4			
1	C	263	Total	C	N	O	S	Se	0	2	0
			2016	1287	351	369	5	4			
1	D	294	Total	C	N	O	S	Se	0	0	0
			2221	1419	382	411	5	4			
1	E	275	Total	C	N	O	S	Se	0	2	0
			2100	1340	361	390	5	4			
1	F	266	Total	C	N	O	S	Se	0	1	0
			2030	1297	352	372	5	4			

There are 6 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	0	SER	-	expression tag	UNP Q6CSZ6
B	0	SER	-	expression tag	UNP Q6CSZ6
C	0	SER	-	expression tag	UNP Q6CSZ6
D	0	SER	-	expression tag	UNP Q6CSZ6
E	0	SER	-	expression tag	UNP Q6CSZ6
F	0	SER	-	expression tag	UNP Q6CSZ6

- Molecule 2 is 7-[[[(3R,4R)-3-(hydroxymethyl)-4-oxidanyl-pyrrolidin-1-ium-1-yl]methyl]-3,5-dihydropyrrolo[3,2-d]pyrimidin-4-one (CCD ID: DIH) (formula: C₁₂H₁₇N₄O₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			19	12	4	3		
2	B	1	Total	C	N	O	0	0
			19	12	4	3		
2	D	1	Total	C	N	O	0	0
			19	12	4	3		
2	E	1	Total	C	N	O	0	0
			19	12	4	3		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O S 5 4 1	0	0
3	B	1	Total O S 5 4 1	0	0
3	C	1	Total O S 5 4 1	0	0
3	D	1	Total O S 5 4 1	0	0
3	E	1	Total O S 5 4 1	0	0
3	F	1	Total O S 5 4 1	0	0

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0
4	E	1	Total C O 6 3 3	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	169	Total 171	O 171	0	2
5	B	126	Total 127	O 127	0	1
5	C	82	Total 82	O 82	0	0
5	D	98	Total 99	O 99	0	1
5	E	85	Total 85	O 85	0	0
5	F	135	Total 135	O 135	0	0



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Purine nucleoside phosphorylase




- Molecule 1: Purine nucleoside phosphorylase




- Molecule 1: Purine nucleoside phosphorylase





- Molecule 1: Purine nucleoside phosphorylase







- Molecule 1: Purine nucleoside phosphorylase



- Molecule 1: Purine nucleoside phosphorylase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	89.96Å 110.79Å 98.04Å 90.00° 108.95° 90.00°	Depositor
Resolution (Å)	26.37 – 1.98 26.37 – 1.98	Depositor EDS
% Data completeness (in resolution range)	99.6 (26.37-1.98) 99.6 (26.37-1.98)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.34 (at 1.98Å)	Xtriage
Refinement program	PHENIX 1.8.2_1309	Depositor
R, R_{free}	0.163 , 0.197 0.162 , 0.194	Depositor DCC
R_{free} test set	6319 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	25.5	Xtriage
Anisotropy	0.232	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 46.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	13615	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.24% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, DIH, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.50	0/2362	0.81	1/3198 (0.0%)
1	B	0.50	0/2152	0.80	1/2911 (0.0%)
1	C	0.42	0/2057	0.78	0/2776
1	D	0.44	0/2267	0.78	3/3071 (0.1%)
1	E	0.44	0/2144	0.77	0/2901
1	F	0.47	0/2068	0.77	0/2790
All	All	0.46	0/13050	0.79	5/17647 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	E	0	1

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	169	GLY	CA-C-N	6.54	126.45	119.85
1	D	169	GLY	C-N-CA	6.54	126.45	119.85
1	B	91	VAL	CB-CA-C	-6.25	101.31	110.62
1	D	68	PHE	N-CA-C	6.00	120.44	113.18
1	A	259	VAL	CB-CA-C	5.13	117.17	110.96

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	E	113	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2308	0	2292	14	0
1	B	2111	0	2089	11	0
1	C	2016	0	2006	19	0
1	D	2221	0	2182	21	0
1	E	2100	0	2080	19	0
1	F	2030	0	2020	11	0
2	A	19	0	16	2	0
2	B	19	0	16	0	0
2	D	19	0	16	1	0
2	E	19	0	16	2	0
3	A	5	0	0	0	0
3	B	5	0	0	0	0
3	C	5	0	0	0	0
3	D	5	0	0	0	0
3	E	5	0	0	1	0
3	F	5	0	0	0	0
4	A	6	0	8	1	0
4	B	6	0	8	0	0
4	D	6	0	8	1	0
4	E	6	0	8	2	0
5	A	171	0	0	1	0
5	B	127	0	0	3	0
5	C	82	0	0	1	0
5	D	99	0	0	3	0
5	E	85	0	0	1	0
5	F	135	0	0	0	0
All	All	13615	0	12765	98	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (98) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:37:LEU:HD21	1:D:93:MSE:HE3	1.61	0.81
1:A:85:MSE:HE2	1:A:90:VAL:HG21	1.67	0.76
1:E:85:MSE:HE1	1:E:299:ILE:HG22	1.72	0.72
1:E:85:MSE:HE3	1:E:300:PHE:HA	1.71	0.72
1:B:177:ASP:N	5:B:501:HOH:O	2.24	0.71
1:D:24:LEU:HD23	1:D:58:LEU:HD23	1.73	0.70
1:B:44:LEU:HD21	1:B:253:LEU:HD21	1.75	0.68
1:F:85:MSE:HE2	1:F:90:VAL:HG21	1.76	0.67
1:C:165:PHE:HB3	1:C:168:PHE:HD2	1.60	0.67
1:E:85:MSE:HE2	1:E:303:VAL:HG21	1.77	0.67
1:C:37:LEU:HD11	1:C:93:MSE:HG3	1.84	0.60
1:D:16:ALA:O	1:D:20:ILE:HG12	2.02	0.59
1:D:284:VAL:HG11	2:D:401:DIH:H6'1	1.87	0.57
1:C:85:MSE:HE1	1:C:299:ILE:HG22	1.86	0.57
1:B:5:ASP:O	1:B:9:GLN:N	2.39	0.56
1:A:219:SER:HB3	1:A:260:VAL:HG12	1.87	0.56
1:E:38:VAL:HB	1:E:92:LEU:HD22	1.88	0.56
1:E:191:LYS:HE2	1:E:200:ILE:HG13	1.86	0.55
1:F:85:MSE:HE3	1:F:303:VAL:HG21	1.88	0.55
1:C:220:ARG:NH2	5:C:503:HOH:O	2.38	0.55
1:C:189:SER:O	1:C:193:GLU:HG3	2.07	0.55
1:A:201:HIS:HA	4:A:403:GOL:H2	1.90	0.54
2:E:401:DIH:H2'1	5:E:528:HOH:O	2.08	0.54
1:A:253:LEU:CD2	1:A:288:SER:HA	2.37	0.54
4:E:403:GOL:O3	4:E:403:GOL:O1	2.27	0.53
1:D:145:VAL:HB	1:D:250:ALA:HB3	1.91	0.53
1:E:47:ILE:HA	1:E:296:GLN:HG2	1.91	0.53
1:D:16:ALA:HA	1:D:66:PRO:HG2	1.91	0.52
1:E:253:LEU:HD12	1:E:288:SER:HA	1.92	0.52
1:A:74:PRO:HB2	1:D:289:ALA:CB	2.39	0.51
1:A:85:MSE:HE3	1:A:303:VAL:HG11	1.92	0.51
4:D:403:GOL:H32	5:D:524:HOH:O	2.11	0.51
1:F:50:LYS:NZ	1:F:297:GLU:OE2	2.26	0.51
1:E:51:ILE:HD11	1:E:92:LEU:HG	1.92	0.51
1:D:247:ARG:NH1	5:D:502:HOH:O	2.25	0.51
1:F:180:ASP:OD1	1:F:247:ARG:HD2	2.10	0.51
1:A:5:ASP:HB3	1:A:8:GLU:HB3	1.93	0.50
2:E:401:DIH:H6'2	3:E:402:SO4:O2	2.11	0.50
1:B:123:VAL:HG21	1:B:306:ILE:HG13	1.94	0.49
1:D:61:SER:HB3	1:D:64:THR:HG23	1.94	0.49
1:C:299:ILE:O	1:C:303:VAL:HG23	2.13	0.49
1:C:62:TYR:HE1	1:C:80:LEU:HD13	1.77	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:247:ARG:HH11	1:F:247:ARG:HG3	1.78	0.49
2:A:401:DIH:H2'1	5:A:502:HOH:O	2.12	0.48
1:F:85:MSE:HE3	1:F:303:VAL:HG11	1.95	0.48
1:C:85:MSE:HE3	1:C:300:PHE:HA	1.95	0.48
1:A:85:MSE:HE3	1:A:303:VAL:HG21	1.96	0.47
1:C:36:ALA:HB2	1:C:123:VAL:HG13	1.96	0.47
1:E:253:LEU:CD1	1:E:288:SER:HA	2.44	0.47
1:C:128:ASN:ND2	1:C:234:THR:OG1	2.44	0.47
1:F:62:TYR:HE1	1:F:80:LEU:HD13	1.80	0.47
1:B:275:GLN:HB2	5:B:520:HOH:O	2.15	0.47
1:D:37:LEU:HD11	1:D:93:MSE:HG3	1.97	0.47
1:D:54:GLU:HA	1:D:55:PRO:C	2.38	0.47
1:B:306:ILE:HD12	1:B:306:ILE:HA	1.65	0.47
1:B:50:LYS:HB2	1:B:85:MSE:HE2	1.96	0.46
1:C:306:ILE:HD12	1:C:306:ILE:HA	1.75	0.46
1:D:282:GLU:OE1	5:D:501:HOH:O	2.21	0.46
1:D:47:ILE:HD11	1:D:85:MSE:SE	2.66	0.45
1:E:142:LEU:HD23	1:E:253:LEU:HD23	1.98	0.45
1:D:192:LYS:HB3	1:D:192:LYS:HE2	1.70	0.45
1:E:54:GLU:HA	1:E:55:PRO:C	2.41	0.45
1:A:74:PRO:HB2	1:D:289:ALA:HB3	1.98	0.45
4:E:403:GOL:HO1	4:E:403:GOL:HO3	1.61	0.45
1:C:51:ILE:HG13	1:C:92:LEU:HD11	1.99	0.44
1:C:190:LYS:HD3	1:C:190:LYS:HA	1.70	0.44
1:D:79:GLU:HG2	1:D:94:ASN:HB3	1.98	0.44
1:D:104:SER:OG	1:D:107:GLU:HG3	2.17	0.44
1:C:207:TYR:HH	1:C:209:HIS:CD2	2.28	0.44
1:E:34:PRO:HG2	1:E:121:ILE:HD11	2.00	0.44
1:B:293:LYS:HG2	5:B:579:HOH:O	2.18	0.44
1:E:17:HIS:O	1:E:21:SER:HB2	2.18	0.43
1:A:10:ARG:HE	1:A:167:GLU:CD	2.27	0.43
1:A:284:VAL:HG11	2:A:401:DIH:H6'1	2.02	0.42
1:B:156:GLY:HA2	1:B:158:HIS:CE1	2.55	0.42
1:C:44:LEU:O	1:C:47:ILE:HG12	2.20	0.42
1:C:54:GLU:HA	1:C:55:PRO:C	2.44	0.42
1:A:74:PRO:HB2	1:D:289:ALA:HB1	2.01	0.41
1:A:145:VAL:HB	1:A:250:ALA:HB3	2.01	0.41
1:C:51:ILE:HG12	1:C:85:MSE:HG3	2.01	0.41
1:D:93:MSE:CE	1:D:111:PRO:HB2	2.50	0.41
1:D:144:CYS:SG	1:D:184:ARG:HG2	2.60	0.41
1:F:50:LYS:HA	1:F:50:LYS:HD3	1.85	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:290:LYS:NZ	1:F:293:LYS:HE2	2.36	0.41
1:E:34:PRO:O	1:E:121:ILE:HD13	2.21	0.41
1:A:50:LYS:HA	1:A:50:LYS:HD3	1.89	0.41
1:B:44:LEU:HD11	1:B:253:LEU:HD22	2.02	0.41
1:F:295:VAL:O	1:F:299:ILE:HG12	2.21	0.41
1:C:183:LEU:HD22	1:C:306:ILE:HD11	2.02	0.41
1:B:33:LEU:HA	1:B:34:PRO:HD2	1.92	0.40
1:E:253:LEU:HD13	1:E:255:THR:HG22	2.02	0.40
1:F:145:VAL:HB	1:F:250:ALA:HB3	2.03	0.40
1:D:190:LYS:HD3	1:D:190:LYS:HA	1.85	0.40
1:C:194:LEU:HD11	1:C:301:SER:OG	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	302/307 (98%)	297 (98%)	5 (2%)	0	100	100
1	B	272/307 (89%)	270 (99%)	2 (1%)	0	100	100
1	C	255/307 (83%)	252 (99%)	2 (1%)	1 (0%)	30	20
1	D	290/307 (94%)	283 (98%)	7 (2%)	0	100	100
1	E	271/307 (88%)	268 (99%)	3 (1%)	0	100	100
1	F	257/307 (84%)	254 (99%)	2 (1%)	1 (0%)	30	20
All	All	1647/1842 (89%)	1624 (99%)	21 (1%)	2 (0%)	48	41

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	156	GLY
1	F	156	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	249/253 (98%)	241 (97%)	8 (3%)	34	24
1	B	226/253 (89%)	217 (96%)	9 (4%)	28	17
1	C	214/253 (85%)	198 (92%)	16 (8%)	12	4
1	D	234/253 (92%)	225 (96%)	9 (4%)	29	19
1	E	225/253 (89%)	205 (91%)	20 (9%)	9	2
1	F	215/253 (85%)	206 (96%)	9 (4%)	26	15
All	All	1363/1518 (90%)	1292 (95%)	71 (5%)	21	9

All (71) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	ILE
1	A	8	GLU
1	A	71	SER
1	A	73	VAL
1	A	80	LEU
1	A	146	TYR
1	A	167	GLU
1	A	259	VAL
1	B	23	LYS
1	B	49	THR
1	B	80	LEU
1	B	91	VAL
1	B	97	LEU
1	B	146	TYR
1	B	154	LEU
1	B	275	GLN
1	B	306	ILE
1	C	12	LEU
1	C	22	GLU
1	C	31	GLU
1	C	44	LEU
1	C	51	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	80	LEU
1	C	85	MSE
1	C	96	ARG
1	C	123	VAL
1	C	146	TYR
1	C	167	GLU
1	C	192	LYS
1	C	197	GLU
1	C	253	LEU
1	C	259	VAL
1	C	306	ILE
1	D	42	SER
1	D	47	ILE
1	D	64	THR
1	D	122	ASN
1	D	146	TYR
1	D	167	GLU
1	D	297	GLU
1	D	303	VAL
1	D	306	ILE
1	E	21	SER
1	E	23	LYS
1	E	30	SER
1	E	47	ILE
1	E	64	THR
1	E	69	LYS
1	E	105	LEU
1	E	113	ARG
1	E	146	TYR
1	E	158	HIS
1	E	160	LEU
1	E	192	LYS
1	E	197	GLU
1	E	253	LEU
1	E	259	VAL
1	E	278	LYS
1	E	280	THR
1	E	297	GLU
1	E	305	GLU
1	E	306	ILE
1	F	25	GLU
1	F	53	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	80	LEU
1	F	91	VAL
1	F	146	TYR
1	F	197	GLU
1	F	260	VAL
1	F	290	LYS
1	F	306	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	296	GLN
1	B	110	HIS
1	B	158	HIS
1	C	128	ASN
1	E	103	HIS
1	F	110	HIS
1	F	296	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

14 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	DIH	A	401	-	21,21,21	5.28	10 (47%)	22,30,30	3.27	11 (50%)
3	SO4	F	401	-	4,4,4	0.26	0	6,6,6	0.19	0
2	DIH	D	401	-	21,21,21	5.35	10 (47%)	22,30,30	2.99	8 (36%)
3	SO4	A	402	-	4,4,4	0.22	0	6,6,6	0.17	0
2	DIH	E	401	-	21,21,21	5.35	10 (47%)	22,30,30	3.24	11 (50%)
4	GOL	A	403	-	5,5,5	0.45	0	5,5,5	0.37	0
4	GOL	B	403	-	5,5,5	0.36	0	5,5,5	0.60	0
4	GOL	D	403	-	5,5,5	0.34	0	5,5,5	0.54	0
3	SO4	C	401	-	4,4,4	0.23	0	6,6,6	0.13	0
3	SO4	B	402	-	4,4,4	0.32	0	6,6,6	0.17	0
3	SO4	D	402	-	4,4,4	0.20	0	6,6,6	0.24	0
4	GOL	E	403	-	5,5,5	0.36	0	5,5,5	0.19	0
2	DIH	B	401	-	21,21,21	5.37	10 (47%)	22,30,30	2.25	8 (36%)
3	SO4	E	402	-	4,4,4	0.19	0	6,6,6	0.18	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DIH	A	401	-	-	2/6/18/18	0/3/3/3
2	DIH	D	401	-	-	2/6/18/18	0/3/3/3
4	GOL	A	403	-	-	2/4/4/4	-
2	DIH	E	401	-	-	2/6/18/18	0/3/3/3
4	GOL	B	403	-	-	2/4/4/4	-
4	GOL	D	403	-	-	4/4/4/4	-
2	DIH	B	401	-	-	0/6/18/18	0/3/3/3
4	GOL	E	403	-	-	0/4/4/4	-

All (40) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	401	DIH	C10-N1'	-13.43	1.18	1.47
2	D	401	DIH	C10-N1'	-13.39	1.18	1.47
2	A	401	DIH	C10-N1'	-13.24	1.18	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	401	DIH	C10-N1'	-13.01	1.18	1.47
2	D	401	DIH	C2'-N1'	-11.00	1.30	1.47
2	E	401	DIH	C2'-N1'	-10.91	1.30	1.47
2	B	401	DIH	C2'-N1'	-10.83	1.30	1.47
2	A	401	DIH	C2'-N1'	-10.28	1.31	1.47
2	B	401	DIH	C4'-C3'	-9.35	1.31	1.53
2	D	401	DIH	C4'-C3'	-9.11	1.31	1.53
2	A	401	DIH	C4'-C3'	-9.11	1.31	1.53
2	E	401	DIH	C4'-C3'	-9.03	1.31	1.53
2	D	401	DIH	C2'-C3'	7.84	1.64	1.52
2	A	401	DIH	C2'-C3'	7.73	1.64	1.52
2	E	401	DIH	C2'-C3'	7.52	1.64	1.52
2	B	401	DIH	C2'-C3'	7.33	1.63	1.52
2	E	401	DIH	O6-C6	6.58	1.36	1.23
2	B	401	DIH	O6-C6	6.56	1.36	1.23
2	A	401	DIH	O6-C6	6.45	1.35	1.23
2	D	401	DIH	O6-C6	6.40	1.35	1.23
2	E	401	DIH	C5'-C4'	6.24	1.64	1.52
2	D	401	DIH	C5'-C4'	6.08	1.64	1.52
2	B	401	DIH	C5'-C4'	6.04	1.64	1.52
2	A	401	DIH	C5'-C4'	5.97	1.64	1.52
2	B	401	DIH	C10-C9	5.89	1.57	1.51
2	B	401	DIH	C6-N1	-5.30	1.28	1.39
2	E	401	DIH	C6-N1	-5.16	1.28	1.39
2	D	401	DIH	C6-N1	-5.09	1.28	1.39
2	A	401	DIH	C6-N1	-5.02	1.28	1.39
2	A	401	DIH	C10-C9	4.81	1.56	1.51
2	B	401	DIH	C6'-N1'	4.77	1.54	1.47
2	E	401	DIH	C6'-N1'	4.72	1.54	1.47
2	E	401	DIH	C10-C9	4.72	1.55	1.51
2	A	401	DIH	C6'-N1'	4.53	1.53	1.47
2	D	401	DIH	C6'-N1'	4.51	1.53	1.47
2	D	401	DIH	C10-C9	4.24	1.55	1.51
2	A	401	DIH	C6'-C4'	2.94	1.57	1.53
2	D	401	DIH	C6'-C4'	2.67	1.56	1.53
2	B	401	DIH	C6'-C4'	2.65	1.56	1.53
2	E	401	DIH	C6'-C4'	2.37	1.56	1.53

All (38) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	401	DIH	C9-C10-N1'	-9.90	99.52	113.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	401	DIH	C9-C10-N1'	-9.47	100.11	113.38
2	A	401	DIH	C9-C10-N1'	-8.99	100.79	113.38
2	D	401	DIH	C4-C5-C6	-5.88	116.24	121.41
2	A	401	DIH	C4-C5-C6	-5.81	116.30	121.41
2	E	401	DIH	C4-C5-C6	-5.61	116.48	121.41
2	B	401	DIH	C4-C5-C6	-5.35	116.71	121.41
2	A	401	DIH	C2'-N1'-C6'	4.62	110.84	104.12
2	E	401	DIH	C5-C6-N1	4.25	119.58	110.26
2	A	401	DIH	C10-N1'-C2'	4.14	121.32	113.39
2	A	401	DIH	C5-C6-N1	4.13	119.31	110.26
2	D	401	DIH	C5-C6-N1	4.03	119.09	110.26
2	E	401	DIH	C2'-N1'-C6'	4.00	109.94	104.12
2	B	401	DIH	C5-C6-N1	3.95	118.94	110.26
2	A	401	DIH	C10-N1'-C6'	3.79	120.66	113.39
2	A	401	DIH	N1-C2-N3	-3.46	121.51	125.50
2	B	401	DIH	C9-C10-N1'	3.42	118.17	113.38
2	D	401	DIH	N1-C2-N3	-3.42	121.56	125.50
2	B	401	DIH	C5-C4-N3	-3.37	120.90	124.64
2	E	401	DIH	C5-C4-N3	-3.36	120.91	124.64
2	A	401	DIH	C5-C4-N3	-3.13	121.17	124.64
2	E	401	DIH	O6-C6-C5	-2.99	120.05	127.26
2	E	401	DIH	C10-N1'-C6'	2.99	119.12	113.39
2	E	401	DIH	N1-C2-N3	-2.96	122.09	125.50
2	A	401	DIH	O6-C6-C5	-2.92	120.22	127.26
2	E	401	DIH	C2-N1-C6	-2.89	121.13	125.09
2	B	401	DIH	N1-C2-N3	-2.77	122.30	125.50
2	D	401	DIH	O6-C6-C5	-2.69	120.76	127.26
2	D	401	DIH	C5-C4-N3	-2.64	121.71	124.64
2	B	401	DIH	O6-C6-C5	-2.64	120.90	127.26
2	B	401	DIH	C2-N1-C6	-2.60	121.53	125.09
2	E	401	DIH	C10-N1'-C2'	2.55	118.29	113.39
2	D	401	DIH	C4-C5-N7	2.53	109.25	105.57
2	A	401	DIH	C4-C5-N7	2.52	109.24	105.57
2	E	401	DIH	C4-C5-N7	2.48	109.18	105.57
2	A	401	DIH	C2-N1-C6	-2.45	121.73	125.09
2	B	401	DIH	C4-C5-N7	2.42	109.10	105.57
2	D	401	DIH	C2-N1-C6	-2.34	121.89	125.09

There are no chirality outliers.

All (14) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	401	DIH	C9-C10-N1'-C6'
2	A	401	DIH	C9-C10-N1'-C2'
2	D	401	DIH	C9-C10-N1'-C6'
2	D	401	DIH	C9-C10-N1'-C2'
2	E	401	DIH	C9-C10-N1'-C6'
2	E	401	DIH	C9-C10-N1'-C2'
4	A	403	GOL	O1-C1-C2-C3
4	D	403	GOL	O1-C1-C2-C3
4	D	403	GOL	O1-C1-C2-O2
4	B	403	GOL	O1-C1-C2-C3
4	D	403	GOL	C1-C2-C3-O3
4	A	403	GOL	O1-C1-C2-O2
4	B	403	GOL	O1-C1-C2-O2
4	D	403	GOL	O2-C2-C3-O3


There are no ring outliers.


7 monomers are involved in 9 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	401	DIH	2	0
2	D	401	DIH	1	0
2	E	401	DIH	2	0
4	A	403	GOL	1	0
4	D	403	GOL	1	0
4	E	403	GOL	2	0
3	E	402	SO4	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


























5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	298/307 (97%)	-0.30	5 (1%)	69 78	10, 21, 50, 87	2 (0%)
1	B	274/307 (89%)	-0.26	9 (3%)	49 59	10, 23, 53, 96	0
1	C	259/307 (84%)	0.13	11 (4%)	40 50	14, 34, 64, 96	2 (0%)
1	D	290/307 (94%)	0.05	11 (3%)	44 54	15, 33, 73, 100	0
1	E	271/307 (88%)	0.02	8 (2%)	52 62	16, 33, 63, 83	2 (0%)
1	F	262/307 (85%)	-0.25	7 (2%)	56 66	11, 23, 51, 74	1 (0%)
All	All	1654/1842 (89%)	-0.10	51 (3%)	51 61	10, 28, 63, 100	7 (0%)

All (51) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	158	HIS	5.6
1	C	269	GLU	4.6
1	B	6	ILE	4.5
1	A	74	PRO	4.5
1	B	5	ASP	4.3
1	F	287	ASN	4.0
1	F	97	LEU	3.8
1	D	41	GLY	3.7
1	B	158	HIS	3.5
1	C	268	ASP	3.5
1	D	43	GLY	3.5
1	D	44	LEU	3.3
1	B	7	ASN	3.3
1	D	52	ALA	3.2
1	A	73	VAL	3.2
1	E	11	ALA	3.1
1	C	289	ALA	3.1
1	E	47	ILE	3.0
1	D	49	THR	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	197	GLU	3.0
1	B	306	ILE	3.0
1	C	96	ARG	2.9
1	F	209	HIS	2.9
1	D	42	SER	2.9
1	F	306	ILE	2.9
1	A	75	GLY	2.8
1	B	78	GLY	2.8
1	E	156	GLY	2.7
1	D	9	GLN	2.7
1	C	106	ALA	2.5
1	A	72	THR	2.5
1	B	8	GLU	2.5
1	E	26	ASP	2.5
1	E	8	GLU	2.4
1	B	42	SER	2.4
1	D	64	THR	2.4
1	D	33	LEU	2.4
1	F	289	ALA	2.4
1	C	195	ASN	2.3
1	C	49	THR	2.3
1	F	286	GLU	2.3
1	C	5	ASP	2.2
1	D	53	ASP	2.2
1	C	256	ASN	2.2
1	F	268	ASP	2.2
1	E	78	GLY	2.2
1	E	9	GLN	2.1
1	B	177	ASP	2.1
1	A	76	HIS	2.1
1	C	304	ALA	2.0
1	D	66	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	GOL	E	403	6/6	0.61	0.21	53,60,64,64	0
4	GOL	D	403	6/6	0.73	0.21	57,58,59,65	0
4	GOL	B	403	6/6	0.79	0.18	50,55,64,68	0
4	GOL	A	403	6/6	0.90	0.14	38,48,58,62	0
2	DIH	E	401	19/19	0.92	0.08	17,23,35,36	0
3	SO4	C	401	5/5	0.92	0.14	46,49,54,59	0
2	DIH	D	401	19/19	0.96	0.06	11,18,35,36	0
2	DIH	A	401	19/19	0.96	0.06	10,16,27,32	0
2	DIH	B	401	19/19	0.96	0.05	10,15,24,28	0
3	SO4	F	401	5/5	0.96	0.09	34,41,50,52	0
3	SO4	D	402	5/5	0.97	0.07	36,40,43,49	0
3	SO4	B	402	5/5	0.98	0.08	26,27,31,36	0
3	SO4	E	402	5/5	0.99	0.04	28,30,40,42	0
3	SO4	A	402	5/5	0.99	0.04	28,29,31,41	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around DIH E 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 C 401:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DIH D 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DIH A 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DIH B 401:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 F 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 D 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 B 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 E 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around SO4 A 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.