



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 10:04 PM UTC

PDB ID : 1SXP / pdb_00001sxp
Title : BGT in complex with a 13mer DNA containing a central A:G mismatch
Authors : Lariviere, L.; Morera, S.
Deposited on : 2004-03-31
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	C	13	 77% 8% 8% 8%
2	D	13	 46% 46% 8%
3	A	351	 3% 58% 37% .
3	B	351	 % 65% 32% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	GOL	B	353	-	X	-	-
5	GOL	B	354	-	X	-	-
5	GOL	B	355	-	X	-	-

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 6498 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a DNA chain called 5'-D(*A*AP*TP*AP*CP*TP*AP*AP*GP*AP*TP*AP*G)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	C	12	Total	C	N	O	P	0	0	0
			246	119	49	67	11			


- Molecule 2 is a DNA chain called 5'-D(*CP*TP*AP*TP*CP*TP*GP*AP*GP*TP*AP*TP*T)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	12	Total	C	N	O	P	0	0	0
			242	118	41	72	11			

- Molecule 3 is a protein called DNA beta-glucosyltransferase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	A	351	Total	C	N	O	S	0	0	0
			2870	1854	479	526	11			
3	B	351	Total	C	N	O	S	0	0	0
			2870	1854	479	526	11			

- Molecule 4 is TETRAETHYLENE GLYCOL (CCD ID: PG4) (formula: C₈H₁₈O₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			13	8	5		

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	C	13	Total 13	O 13	0	0
6	D	13	Total 13	O 13	0	0
6	A	71	Total 71	O 71	0	0
6	B	142	Total 142	O 142	0	0

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 5'-D(*A*AP*TP*AP*CP*TP*AP*AP*GP*AP*TP*AP*G)-3'

Chain C: 




- Molecule 2: 5'-D(*CP*TP*AP*TP*CP*TP*GP*AP*GP*TP*AP*TP*T)-3'

Chain D: 



- Molecule 3: DNA beta-glucosyltransferase


Chain A: 



- Molecule 3: DNA beta-glucosyltransferase

Chain B: 





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	87.35Å 172.82Å 60.84Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.50 20.00 – 2.50	Depositor EDS
% Data completeness (in resolution range)	(Not available) (20.00-2.50) 96.0 (20.00-2.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.34 (at 2.50Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.212 , 0.272 0.210 , 0.271	Depositor DCC
R_{free} test set	1555 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å ²)	42.8	Xtriage
Anisotropy	0.233	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 44.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6498	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.89% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, PG4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	C	0.26	0/277	0.73	0/426
2	D	0.29	0/270	0.72	0/415
3	A	0.40	0/2932	0.90	8/3953 (0.2%)
3	B	0.46	1/2932 (0.0%)	0.95	9/3953 (0.2%)
All	All	0.42	1/6411 (0.0%)	0.91	17/8747 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	274	MET	SD-CE	-5.19	1.66	1.79

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	266	ILE	N-CA-C	-8.86	95.51	108.71
3	A	48	THR	N-CA-C	6.79	120.04	109.52
3	A	8	MET	N-CA-C	6.71	118.59	111.28
3	A	266	ILE	N-CA-C	-6.60	98.92	108.36
3	B	48	THR	N-CA-C	6.49	119.57	109.52
3	A	155	ILE	N-CA-C	6.31	118.27	111.58
3	B	155	ILE	N-CA-C	6.28	119.19	113.10
3	A	78	LEU	N-CA-C	6.12	118.74	111.71

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	85	LYS	N-CA-C	-5.85	104.81	111.07
3	B	58	ASP	N-CA-C	-5.81	105.95	113.16
3	B	282	ILE	N-CA-C	5.67	116.10	108.17
3	A	26	LEU	N-CA-C	-5.47	105.32	111.28
3	A	33	MET	N-CA-C	-5.39	106.65	113.18
3	B	8	MET	N-CA-C	5.35	117.87	111.71
3	B	152	ASP	N-CA-C	5.31	119.61	113.18
3	A	282	ILE	N-CA-C	5.11	115.84	108.48
3	B	207	GLY	N-CA-C	-5.10	108.28	115.32

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	2	DA	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	246	0	137	2	0
2	D	242	0	139	6	0
3	A	2870	0	2903	109	0
3	B	2870	0	2903	105	0
4	B	13	0	18	1	0
5	B	18	0	19	3	0
6	A	71	0	0	3	0
6	B	142	0	0	5	0
6	C	13	0	0	0	0
6	D	13	0	0	0	0
All	All	6498	0	6119	219	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (219) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:280:MET:HE3	3:B:293:ILE:HD11	1.35	1.09
3:B:217:ARG:H	3:B:220:GLN:HE21	1.02	0.95
3:A:217:ARG:H	3:A:220:GLN:HE21	0.96	0.92
3:A:217:ARG:N	3:A:220:GLN:HE21	1.68	0.91
3:A:243:VAL:HG11	3:A:269:ARG:NH2	1.85	0.90
3:B:91:LYS:HE2	3:B:91:LYS:HA	1.55	0.88
3:B:176:LYS:HD2	3:B:176:LYS:N	1.90	0.87
3:A:191:ARG:HA	3:A:191:ARG:NH2	1.88	0.86
3:A:215:ASN:OD1	3:A:237:LYS:HE3	1.80	0.80
3:B:324:LEU:HD23	5:B:355:GOL:H12	1.64	0.80
3:B:101:ILE:HD11	3:B:143:ILE:HG22	1.64	0.80
3:B:217:ARG:H	3:B:220:GLN:NE2	1.80	0.80
3:B:217:ARG:N	3:B:220:GLN:HE21	1.80	0.77
3:A:217:ARG:H	3:A:220:GLN:NE2	1.79	0.77
3:A:64:VAL:HG21	3:A:87:MET:HE3	1.65	0.76
2:D:18:DC:H3'	3:B:16:LYS:HD3	1.66	0.76
3:B:176:LYS:HD2	3:B:176:LYS:H	1.48	0.74
3:B:89:LYS:HE3	3:B:89:LYS:HA	1.68	0.73
3:B:223:ASN:HD22	3:B:224:PRO:N	1.87	0.72
3:A:297:ARG:HB3	3:A:323:MET:HE3	1.72	0.71
3:B:186:TYR:HE1	3:B:199:MET:HE2	1.53	0.70
2:D:15:DT:H2''	2:D:16:DA:N7	2.06	0.70
3:B:269:ARG:HG2	6:B:376:HOH:O	1.92	0.69
3:A:205:ASP:HB2	3:A:303:ARG:NH1	2.08	0.68
3:A:184:VAL:HB	3:A:210:ILE:HG12	1.75	0.68
3:B:85:LYS:HE3	3:B:125:GLU:OE1	1.94	0.68
3:B:223:ASN:ND2	3:B:225:LYS:H	1.92	0.67
3:B:223:ASN:HD22	3:B:224:PRO:CD	2.08	0.66
3:B:76:PRO:HG3	3:B:117:TRP:CD2	2.31	0.66
3:B:223:ASN:HD22	3:B:223:ASN:C	2.04	0.65
3:A:206:THR:HA	3:A:307:ILE:HD11	1.78	0.65
3:B:200:VAL:HA	3:B:204:PHE:CD1	2.32	0.65
3:A:25:TYR:CD1	3:A:169:MET:HE3	2.32	0.65
3:A:292:ILE:HG22	3:A:293:ILE:HG13	1.79	0.64
3:B:302:ASN:ND2	3:B:305:GLU:H	1.94	0.64
1:C:2:DA:H2'	1:C:3:DT:H72	1.79	0.64
3:B:84:GLN:HE22	3:B:108:SER:H	1.47	0.63
3:A:84:GLN:HE22	3:A:108:SER:H	1.46	0.63
3:B:324:LEU:HB3	5:B:355:GOL:H2	1.78	0.63
3:A:189:SER:HB3	3:A:215:ASN:HB2	1.81	0.63
3:B:274:MET:HE3	3:B:331:LEU:CA	2.30	0.62
3:B:186:TYR:CE2	3:B:256:ILE:HD13	2.35	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:292:ILE:HG22	3:B:293:ILE:HG13	1.82	0.62
3:A:230:LYS:HB3	6:A:418:HOH:O	2.00	0.60
3:A:253:ALA:HB3	3:A:273:THR:HG23	1.83	0.60
3:B:238:ILE:HD12	3:B:246:LYS:HG2	1.83	0.60
3:A:262:ASN:ND2	3:A:285:GLU:HB3	2.17	0.60
3:A:133:LYS:HG3	3:A:156:GLU:HB2	1.84	0.59
1:C:2:DA:H2'	1:C:3:DT:C7	2.33	0.59
3:B:131:PRO:HB2	3:B:155:ILE:HD11	1.84	0.59
3:A:39:ILE:CG2	3:A:48:THR:HG22	2.32	0.59
3:A:155:ILE:HG13	3:A:156:GLU:HG3	1.83	0.59
3:A:191:ARG:HB3	3:A:195:ARG:HG3	1.84	0.59
3:A:190:PHE:CZ	3:A:220:GLN:HB3	2.38	0.58
3:A:243:VAL:HG11	3:A:269:ARG:HH22	1.64	0.58
3:A:191:ARG:HA	3:A:191:ARG:HH21	1.66	0.58
3:B:64:VAL:HG21	3:B:87:MET:HE3	1.86	0.58
3:A:310:VAL:O	3:A:314:LYS:HG3	2.03	0.58
3:A:195:ARG:O	3:A:199:MET:HG3	2.04	0.58
3:B:311:ASN:HA	3:B:314:LYS:HG2	1.86	0.57
3:B:2:LYS:HG3	3:B:59:TYR:CD1	2.39	0.57
3:B:238:ILE:HG23	3:B:239:PRO:HD2	1.86	0.57
3:A:219:LYS:HB2	6:A:385:HOH:O	2.04	0.57
3:A:208:LEU:HD11	3:A:307:ILE:HA	1.86	0.56
3:A:326:ILE:O	3:A:330:ILE:HG12	2.05	0.56
3:B:101:ILE:HD11	3:B:143:ILE:CG2	2.35	0.56
3:B:109:TRP:NE1	3:B:123:GLU:HB2	2.20	0.56
3:B:274:MET:HE3	3:B:331:LEU:HA	1.88	0.56
3:B:55:ASP:HB3	3:B:58:ASP:OD2	2.05	0.55
3:A:273:THR:HG22	3:A:280:MET:HB2	1.88	0.55
3:A:202:PHE:HB3	3:A:254:LEU:HD21	1.88	0.55
3:A:297:ARG:HB3	3:A:323:MET:CE	2.37	0.55
3:B:180:LYS:HE2	3:B:248:SER:O	2.07	0.54
3:A:217:ARG:N	3:A:220:GLN:NE2	2.49	0.54
3:A:76:PRO:HG3	3:A:117:TRP:CD2	2.42	0.54
3:B:256:ILE:HD12	3:B:256:ILE:N	2.23	0.54
3:B:317:ASP:OD2	3:B:321:LYS:HE2	2.07	0.54
3:A:329:ASP:OD2	3:A:333:LYS:HE3	2.08	0.53
3:A:200:VAL:HA	3:A:204:PHE:CD1	2.44	0.52
3:B:183:ASP:OD1	4:B:352:PG4:H12	2.08	0.52
3:B:223:ASN:HD22	3:B:224:PRO:HD2	1.73	0.52
3:B:109:TRP:HB3	3:B:110:PRO:HD3	1.92	0.52
3:A:40:ILE:HD12	3:A:54:VAL:HG21	1.91	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:259:LYS:HG2	3:B:259:LYS:O	2.10	0.51
3:B:219:LYS:O	3:B:222:LYS:HD3	2.11	0.51
3:A:243:VAL:HG11	3:A:269:ARG:HH21	1.74	0.51
3:A:8:MET:HB3	3:A:67:SER:HB3	1.93	0.51
3:A:1:MET:HG2	3:A:351:LEU:HD21	1.93	0.51
3:A:196:GLU:OE2	3:A:223:ASN:HB2	2.11	0.51
3:A:338:LYS:O	3:A:342:GLN:HG3	2.11	0.51
3:A:25:TYR:HD1	3:A:169:MET:HE3	1.74	0.50
3:B:19:PRO:HB3	5:B:353:GOL:H31	1.92	0.50
3:B:195:ARG:NH2	3:B:199:MET:HE3	2.26	0.50
2:D:15:DT:H2"	2:D:16:DA:C8	2.47	0.50
3:A:148:HIS:O	3:A:151:VAL:HG22	2.12	0.50
3:B:90:TYR:CE2	3:B:92:SER:HB3	2.47	0.49
3:A:349:ILE:HG13	3:A:351:LEU:HG	1.94	0.49
3:B:78:LEU:HD23	6:B:460:HOH:O	2.12	0.49
3:A:38:ASP:OD1	3:A:49:LYS:HE2	2.12	0.49
3:A:169:MET:C	3:A:171:ASP:H	2.20	0.49
3:B:109:TRP:CE2	3:B:123:GLU:HB2	2.48	0.49
3:B:39:ILE:CG2	3:B:48:THR:HG22	2.42	0.49
3:A:18:VAL:HB	3:A:19:PRO:CD	2.43	0.49
3:A:81:LEU:HD13	3:A:121:TYR:CZ	2.47	0.49
3:A:199:MET:HE2	3:A:212:PHE:CZ	2.46	0.49
3:B:254:LEU:HG	3:B:256:ILE:HD12	1.95	0.49
3:B:3:ILE:HG12	3:B:61:ARG:HB2	1.95	0.48
3:A:11:ASN:HD21	3:A:13:ILE:HD11	1.79	0.48
3:A:102:ARG:C	3:A:104:PRO:HD3	2.37	0.48
3:B:184:VAL:HB	3:B:210:ILE:HG12	1.95	0.48
3:B:223:ASN:ND2	3:B:224:PRO:HD2	2.28	0.48
3:A:199:MET:HE2	3:A:212:PHE:HZ	1.78	0.48
3:B:274:MET:CE	3:B:331:LEU:HA	2.43	0.48
3:B:280:MET:HE3	3:B:293:ILE:CD1	2.24	0.48
3:B:223:ASN:ND2	3:B:223:ASN:C	2.72	0.48
3:B:271:TRP:HZ3	3:B:274:MET:CE	2.27	0.48
3:B:269:ARG:HD2	6:B:424:HOH:O	2.13	0.47
2:D:21:DA:H2"	2:D:22:DG:C8	2.50	0.47
3:B:148:HIS:C	3:B:150:LYS:H	2.21	0.47
3:B:254:LEU:HD12	3:B:281:LEU:O	2.14	0.47
3:A:14:ASN:OD1	3:A:16:LYS:HB2	2.15	0.47
3:A:151:VAL:HG21	3:A:154:VAL:CG2	2.45	0.47
3:A:211:GLU:CD	3:A:235:THR:HG21	2.39	0.47
3:B:186:TYR:CE1	3:B:199:MET:HE2	2.43	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:306:LEU:C	3:A:306:LEU:HD13	2.39	0.47
3:A:309:ARG:O	3:A:313:LEU:HG	2.15	0.47
3:A:84:GLN:NE2	3:A:108:SER:OG	2.48	0.46
3:A:295:ASP:OD1	3:A:297:ARG:HB2	2.14	0.46
3:A:27:PHE:CE1	3:A:37:VAL:HG13	2.50	0.46
3:A:191:ARG:O	3:A:192:SER:HB3	2.15	0.46
3:A:322:GLU:O	3:A:326:ILE:HG13	2.16	0.46
3:A:182:LEU:HD22	3:A:211:GLU:HB2	1.98	0.46
3:B:160:PHE:HE1	3:B:344:ALA:HB3	1.81	0.46
3:B:259:LYS:HD2	3:B:260:ASN:ND2	2.31	0.46
3:A:26:LEU:O	3:A:29:VAL:HG12	2.16	0.46
3:B:176:LYS:O	3:B:177:PRO:C	2.59	0.45
3:B:274:MET:HE3	3:B:331:LEU:CB	2.47	0.45
3:A:163:GLU:HG2	3:A:271:TRP:CD1	2.51	0.45
3:A:238:ILE:HB	3:A:239:PRO:CD	2.46	0.45
3:B:4:ALA:HB2	3:B:59:TYR:CG	2.50	0.45
3:B:133:LYS:HG3	3:B:156:GLU:HB2	1.98	0.45
3:A:215:ASN:CG	3:A:237:LYS:HE3	2.40	0.45
3:A:92:SER:O	3:A:130:SER:HB3	2.17	0.45
3:B:91:LYS:HE2	3:B:91:LYS:CA	2.38	0.45
3:A:224:PRO:HA	6:A:381:HOH:O	2.16	0.45
3:B:55:ASP:OD2	3:B:57:ASN:HB2	2.17	0.45
3:B:262:ASN:OD1	3:B:286:PHE:HA	2.17	0.45
3:B:253:ALA:HB3	3:B:273:THR:HG23	1.99	0.44
3:A:222:LYS:O	3:A:223:ASN:C	2.60	0.44
3:B:139:ILE:HA	3:B:159:TYR:CD1	2.52	0.44
3:A:11:ASN:ND2	3:A:13:ILE:HD11	2.32	0.44
3:A:69:ILE:HA	3:A:80:ILE:HD13	2.00	0.44
3:A:1:MET:HE3	3:A:351:LEU:CD2	2.47	0.44
3:A:121:TYR:HA	3:A:125:GLU:OE1	2.18	0.44
3:A:169:MET:C	3:A:171:ASP:N	2.74	0.43
3:B:191:ARG:HB3	3:B:195:ARG:CB	2.48	0.43
3:A:182:LEU:O	3:A:250:ALA:HA	2.18	0.43
3:B:4:ALA:HB2	3:B:59:TYR:CD1	2.53	0.43
3:B:308:ASP:O	3:B:312:GLU:HG3	2.18	0.43
3:A:191:ARG:HA	3:A:191:ARG:CZ	2.45	0.43
3:B:176:LYS:N	3:B:176:LYS:CD	2.69	0.43
3:A:6:ILE:HG22	3:A:40:ILE:HB	2.00	0.43
3:A:262:ASN:HD21	3:A:285:GLU:HB3	1.83	0.43
3:A:167:ILE:HA	3:A:172:PHE:CD2	2.53	0.43
3:A:4:ALA:HB2	3:A:59:TYR:CG	2.53	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:163:GLU:OE1	3:A:163:GLU:N	2.48	0.43
3:B:271:TRP:HZ3	3:B:274:MET:HE1	1.84	0.43
3:B:268:LEU:O	3:B:272:GLU:HG3	2.19	0.43
3:A:66:ASN:C	3:A:66:ASN:HD22	2.25	0.42
3:A:238:ILE:HB	3:A:239:PRO:HD2	2.01	0.42
3:B:274:MET:HE2	3:B:331:LEU:HG	2.01	0.42
3:A:30:ILE:O	3:A:33:MET:HB2	2.19	0.42
3:A:184:VAL:HG12	3:A:185:ILE:N	2.34	0.42
3:A:203:LEU:HD21	3:A:254:LEU:HD23	2.02	0.42
3:A:261:TYR:O	3:A:262:ASN:C	2.62	0.42
3:B:81:LEU:HD13	3:B:121:TYR:CZ	2.54	0.42
3:B:131:PRO:HB2	3:B:155:ILE:CD1	2.49	0.42
3:A:151:VAL:HG21	3:A:154:VAL:HG21	2.01	0.42
3:B:76:PRO:HG3	3:B:117:TRP:CE2	2.54	0.42
3:A:280:MET:CE	3:A:293:ILE:HD11	2.49	0.42
3:B:56:VAL:HG23	3:B:86:PHE:CE2	2.54	0.42
3:B:78:LEU:N	3:B:78:LEU:HD22	2.35	0.42
2:D:16:DA:H5'	3:B:217:ARG:HH22	1.85	0.42
3:A:345:PHE:O	3:A:348:ALA:HB3	2.19	0.42
3:B:27:PHE:CB	3:B:39:ILE:HD11	2.50	0.42
3:A:191:ARG:HG2	3:A:195:ARG:NH1	2.35	0.42
3:B:9:GLY:N	3:B:67:SER:OG	2.53	0.42
3:A:219:LYS:C	3:A:221:PHE:H	2.28	0.42
3:A:214:GLY:H	3:A:236:GLY:C	2.24	0.42
3:A:288:THR:C	3:A:290:HIS:H	2.28	0.42
3:A:302:ASN:ND2	3:A:304:ALA:H	2.18	0.42
3:B:326:ILE:O	3:B:330:ILE:HG12	2.20	0.42
3:A:109:TRP:HB3	3:A:110:PRO:HD3	2.02	0.41
3:B:148:HIS:C	3:B:150:LYS:N	2.78	0.41
3:B:180:LYS:NZ	6:B:356:HOH:O	2.53	0.41
3:B:202:PHE:HB3	3:B:254:LEU:CD2	2.50	0.41
3:B:338:LYS:O	3:B:341:TRP:HB3	2.20	0.41
3:A:192:SER:O	3:A:195:ARG:HG2	2.19	0.41
3:B:343:ASP:O	3:B:347:LYS:HB2	2.21	0.41
3:A:258:ASP:OD2	3:A:258:ASP:C	2.63	0.41
3:B:104:PRO:O	3:B:105:PHE:C	2.64	0.41
3:A:1:MET:HG2	3:A:351:LEU:CD2	2.50	0.41
3:B:71:PHE:HD2	3:B:111:ASN:ND2	2.19	0.41
3:B:238:ILE:HA	3:B:239:PRO:HD3	1.93	0.41
3:B:295:ASP:HB3	3:B:298:PHE:CD1	2.55	0.41
3:A:196:GLU:HG3	3:A:221:PHE:CD2	2.55	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:273:THR:HG22	3:B:280:MET:HB2	2.02	0.41
2:D:17:DT:OP1	3:B:236:GLY:HA3	2.21	0.41
3:A:141:LEU:O	3:A:145:LYS:HG3	2.20	0.41
3:A:170:ASN:HD21	3:A:338:LYS:NZ	2.19	0.41
3:B:271:TRP:CZ3	3:B:274:MET:CE	3.04	0.41
3:B:337:LYS:O	3:B:338:LYS:C	2.62	0.41
3:B:271:TRP:CZ3	3:B:274:MET:HE2	2.56	0.41
3:A:316:SER:C	3:A:318:VAL:N	2.78	0.40
3:B:237:LYS:HB2	6:B:420:HOH:O	2.22	0.40
3:A:164:GLN:HB3	3:A:168:HIS:CD2	2.56	0.40
3:A:287:ASP:OD2	3:A:290:HIS:HA	2.21	0.40
3:A:205:ASP:O	3:A:303:ARG:HD3	2.21	0.40
3:B:309:ARG:HG2	3:B:309:ARG:HH11	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	A	349/351 (99%)	306 (88%)	38 (11%)	5 (1%)	9	17
3	B	349/351 (99%)	331 (95%)	18 (5%)	0	100	100
All	All	698/702 (99%)	637 (91%)	56 (8%)	5 (1%)	18	34

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	A	192	SER
3	A	172	PHE
3	A	306	LEU
3	A	239	PRO
3	A	292	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	A	317/317 (100%)	305 (96%)	12 (4%)	29	56
3	B	317/317 (100%)	305 (96%)	12 (4%)	29	56
All	All	634/634 (100%)	610 (96%)	24 (4%)	29	56

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	A	66	ASN
3	A	78	LEU
3	A	124	GLU
3	A	152	ASP
3	A	171	ASP
3	A	190	PHE
3	A	191	ARG
3	A	226	TYR
3	A	268	LEU
3	A	305	GLU
3	A	324	LEU
3	A	325	SER
3	B	29	VAL
3	B	33	MET
3	B	66	ASN
3	B	89	LYS
3	B	124	GLU
3	B	191	ARG
3	B	217	ARG
3	B	268	LEU
3	B	293	ILE
3	B	302	ASN
3	B	306	LEU
3	B	331	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
3	A	11	ASN
3	A	36	ASN
3	A	84	GLN
3	A	170	ASN
3	A	173	GLN
3	A	194	GLN
3	A	220	GLN
3	A	260	ASN
3	A	301	ASN
3	A	302	ASN
3	A	332	ASN
3	B	36	ASN
3	B	84	GLN
3	B	137	GLN
3	B	170	ASN
3	B	194	GLN
3	B	209	ASN
3	B	220	GLN
3	B	223	ASN
3	B	260	ASN
3	B	302	ASN
3	B	332	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	GOL	B	354	-	5,5,5	4.46	5 (100%)	5,5,5	2.25	2 (40%)
4	PG4	B	352	-	12,12,12	0.70	0	11,11,11	0.81	0
5	GOL	B	353	-	5,5,5	4.40	5 (100%)	5,5,5	2.34	2 (40%)
5	GOL	B	355	-	5,5,5	4.22	5 (100%)	5,5,5	2.37	2 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	B	354	-	-	2/4/4/4	-
4	PG4	B	352	-	-	5/10/10/10	-
5	GOL	B	353	-	-	2/4/4/4	-
5	GOL	B	355	-	-	2/4/4/4	-

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	354	GOL	C1-C2	-5.43	1.31	1.51
5	B	354	GOL	C3-C2	-5.35	1.31	1.51
5	B	353	GOL	C3-C2	-5.29	1.31	1.51
5	B	353	GOL	C1-C2	-5.13	1.32	1.51
5	B	355	GOL	C3-C2	-5.10	1.32	1.51
5	B	355	GOL	C1-C2	-4.81	1.33	1.51
5	B	353	GOL	O1-C1	4.17	1.59	1.42
5	B	353	GOL	O3-C3	4.14	1.59	1.42
5	B	354	GOL	O3-C3	4.12	1.59	1.42
5	B	354	GOL	O1-C1	4.05	1.59	1.42
5	B	355	GOL	O3-C3	4.02	1.59	1.42
5	B	355	GOL	O1-C1	3.97	1.59	1.42
5	B	353	GOL	O2-C2	-2.81	1.35	1.43
5	B	355	GOL	O2-C2	-2.81	1.35	1.43
5	B	354	GOL	O2-C2	-2.80	1.35	1.43

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	355	GOL	O1-C1-C2	3.78	127.39	110.38
5	B	353	GOL	O1-C1-C2	3.68	126.96	110.38
5	B	354	GOL	O3-C3-C2	3.68	126.94	110.38
5	B	353	GOL	O3-C3-C2	3.63	126.73	110.38
5	B	355	GOL	O3-C3-C2	3.55	126.38	110.38
5	B	354	GOL	O1-C1-C2	3.34	125.40	110.38

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	B	353	GOL	C1-C2-C3-O3
5	B	353	GOL	O2-C2-C3-O3
5	B	355	GOL	O1-C1-C2-C3
5	B	355	GOL	O1-C1-C2-O2
4	B	352	PG4	O1-C1-C2-O2
5	B	354	GOL	O1-C1-C2-C3
5	B	354	GOL	O1-C1-C2-O2
4	B	352	PG4	C4-C3-O2-C2
4	B	352	PG4	C8-C7-O4-C6
4	B	352	PG4	C5-C6-O4-C7
4	B	352	PG4	O2-C3-C4-O3

There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	352	PG4	1	0
5	B	353	GOL	1	0
5	B	355	GOL	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	C	12/13 (92%)	-0.08	0	100	100	41, 54, 61, 82	0
2	D	12/13 (92%)	-0.20	0	100	100	41, 47, 58, 59	0
3	A	351/351 (100%)	0.16	9 (2%)	57	52	23, 50, 93, 103	0
3	B	351/351 (100%)	-0.40	2 (0%)	85	83	17, 33, 54, 67	0
All	All	726/728 (99%)	-0.12	11 (1%)	72	68	17, 39, 88, 103	0

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	A	242	MET	2.6
3	B	215	ASN	2.5
3	A	240	MET	2.4
3	A	228	TRP	2.4
3	A	241	ASN	2.3
3	B	194	GLN	2.2
3	A	221	PHE	2.2
3	A	224	PRO	2.1
3	A	227	PRO	2.1
3	A	193	GLY	2.0
3	A	190	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	GOL	B	355	6/6	0.79	0.19	49,52,53,55	0
5	GOL	B	354	6/6	0.83	0.14	57,60,61,61	0
4	PG4	B	352	13/13	0.84	0.14	64,71,75,75	0
5	GOL	B	353	6/6	0.85	0.14	56,61,62,63	0

6.5 Other polymers [i](#)

There are no such residues in this entry.