



Full wwPDB EM Validation Report ⓘ

Mar 9, 2026 – 05:27 AM UTC

PDB ID : 8SX7 / pdb_00008sx7
EMDB ID : EMD-40826
Title : Bovine multidrug resistance protein 4 (MRP4) bound to DHEA-S in MSP lipid nanodisc
Authors : Pourmal, S.; Stroud, R.M.
Deposited on : 2023-05-20
Resolution : 2.70 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	10327 (2.20 - 3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1325	35% 83% 6% 10%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 19263 atoms, of which 9745 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Multidrug resistance-associated protein 4.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	A	1188	Total	C	H	N	O	S	0	0
			19203	6158	9713	1602	1693	37		

There are 75 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	103	GLU	-	insertion	UNP F1MUC1
A	104	SER	-	insertion	UNP F1MUC1
A	105	THR	-	insertion	UNP F1MUC1
A	106	ARG	-	insertion	UNP F1MUC1
A	107	VAL	-	insertion	UNP F1MUC1
A	108	VAL	-	insertion	UNP F1MUC1
A	109	GLN	-	insertion	UNP F1MUC1
A	110	PRO	-	insertion	UNP F1MUC1
A	111	ILE	-	insertion	UNP F1MUC1
A	112	ILE	-	insertion	UNP F1MUC1
A	113	LEU	-	insertion	UNP F1MUC1
A	114	GLY	-	insertion	UNP F1MUC1
A	115	LYS	-	insertion	UNP F1MUC1
A	116	ILE	-	insertion	UNP F1MUC1
A	117	ILE	-	insertion	UNP F1MUC1
A	118	GLY	-	insertion	UNP F1MUC1
A	119	TYR	-	insertion	UNP F1MUC1
A	120	PHE	-	insertion	UNP F1MUC1
A	121	GLU	-	insertion	UNP F1MUC1
A	122	ASN	-	insertion	UNP F1MUC1
A	123	TYR	-	insertion	UNP F1MUC1
A	124	ASP	-	insertion	UNP F1MUC1
A	125	PRO	-	insertion	UNP F1MUC1
A	126	SER	-	insertion	UNP F1MUC1
A	127	ASP	-	insertion	UNP F1MUC1
A	128	SER	-	insertion	UNP F1MUC1
A	129	ALA	-	insertion	UNP F1MUC1
A	130	ALA	-	insertion	UNP F1MUC1

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	131	LEU	-	insertion	UNP F1MUC1
A	132	TYR	-	insertion	UNP F1MUC1
A	133	GLU	-	insertion	UNP F1MUC1
A	134	ALA	-	insertion	UNP F1MUC1
A	135	HIS	-	insertion	UNP F1MUC1
A	136	GLY	-	insertion	UNP F1MUC1
A	137	TYR	-	insertion	UNP F1MUC1
A	138	ALA	-	insertion	UNP F1MUC1
A	139	GLY	-	insertion	UNP F1MUC1
A	140	VAL	-	insertion	UNP F1MUC1
A	141	LEU	-	insertion	UNP F1MUC1
A	142	SER	-	insertion	UNP F1MUC1
A	143	ALA	-	insertion	UNP F1MUC1
A	144	CYS	-	insertion	UNP F1MUC1
A	145	THR	-	insertion	UNP F1MUC1
A	146	LEU	-	insertion	UNP F1MUC1
A	147	VAL	-	insertion	UNP F1MUC1
A	148	LEU	-	insertion	UNP F1MUC1
A	149	ALA	-	insertion	UNP F1MUC1
A	150	ILE	-	insertion	UNP F1MUC1
A	151	LEU	-	insertion	UNP F1MUC1
A	152	HIS	-	insertion	UNP F1MUC1
A	153	HIS	-	insertion	UNP F1MUC1
A	154	LEU	-	insertion	UNP F1MUC1
A	155	TYR	-	insertion	UNP F1MUC1
A	156	PHE	-	insertion	UNP F1MUC1
A	157	TYR	-	insertion	UNP F1MUC1
A	158	HIS	-	insertion	UNP F1MUC1
A	159	VAL	-	insertion	UNP F1MUC1
A	160	GLN	-	insertion	UNP F1MUC1
A	161	CYS	-	insertion	UNP F1MUC1
A	162	ALA	-	insertion	UNP F1MUC1
A	163	GLY	-	insertion	UNP F1MUC1
A	164	MET	-	insertion	UNP F1MUC1
A	165	ARG	-	insertion	UNP F1MUC1
A	166	LEU	-	insertion	UNP F1MUC1
A	167	ARG	-	insertion	UNP F1MUC1
A	168	VAL	-	insertion	UNP F1MUC1
A	169	ALA	-	insertion	UNP F1MUC1
A	170	MET	-	insertion	UNP F1MUC1
A	171	CYS	-	insertion	UNP F1MUC1
A	172	HIS	-	insertion	UNP F1MUC1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	173	MET	-	insertion	UNP F1MUC1
A	174	ILE	-	insertion	UNP F1MUC1
A	175	TYR	-	insertion	UNP F1MUC1
A	176	ARG	-	insertion	UNP F1MUC1
A	177	LYS	-	insertion	UNP F1MUC1

- Molecule 2 is 17-oxoandrost-5-en-3beta-yl hydrogen sulfate (CCD ID: ZWY) (formula: $C_{19}H_{28}O_5S$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
2	A	1	Total	C	H	O	S	0
			51	19	26	5	1	


- Molecule 3 is water.

Mol	Chain	Residues	Atoms			AltConf
3	A	3	Total	H	O	0
			9	6	3	

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Multidrug resistance-associated protein 4



Q1274	L1214	E1145	L1061
L1275	I1215	N1148	T1062
L1276	Q1216	A1149	A1063
G1277	K1217	L1150	L1064
K1278	K1218	E1151	I1065
A1279	I1219	E1152	K1066
E1280	R1220	V1153	S1067
A1281	E1221	Q1154	K1068
A1282	K1222	L1155	E1069
A1283	F1223	K1156	K1070
L1284	A1224	E1157	V1071
T1285	H1225	A1158	G1072
E1286	C1226	I1159	I1073
T1287	T1227	E1160	V1074
A1288	V1228	D1161	G1075
K1289	L1229	L1162	R1076
Q1290	T1230	P1163	T1077
V1291	I1231	G1164	G1078
Y1292	A1232	K1165	A1079
F1293	H1233	M1166	G1080
K1294	R1234	E1169	K1081
R1295	L1235	L1170	A1086
N1296	M1236	A1171	L1091
Y1297	T1237	E1172	S1092
P1298	I1238	S1173	E1093
ASP	I1239	G1174	P1094
ILE	D1240	S1175	E1095
THR	S1241	N1176	G1096
HIS	D1242	F1177	K1097
ASN	K1243	S1178	I1098
GLY	I1244	W1099	W1099
HIS	I1245	V1179	I1100
VAL	M1246	G1180	D1101
VAL	V1246	Q1181	K1102
MET	L1247	R1182	G1109
ASN	D1248	Q1183	D1112
ALA	S1249	L1184	Q1122
SER	G1250	V1185	E1123
SER	R1251	A1188	P1124
GLY	L1252	R1193	V1125
GLN	K1253	K1194	L1126
PRO	E1254	N1195	F1127
SER	Y1255	R1196	T1128
ALA	I1256	D1201	M1131
PHE	D1257	E1202	R1132
THR	E1257	T1204	D1136
ILE	P1258	A1205	N1139
PHE	Y1259	N1206	E1140
GLU	V1260	V1207	H1141
THR	L1261	D1208	S1142
ALA	L1262	P1209	D1143
LEU	Q1263	R1210	E1144
	M1264	T1211	
	R1265	D1212	
	D1266	E1213	
	S1267		
	L1268		
	F1269		
	Y1270		
	K1271		
	M1272		
	V1273		

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	360511	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	66	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	105000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	3.115	Depositor
Minimum map value	-2.620	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.066	Depositor
Recommended contour level	0.47	Depositor
Map size (Å)	250.5, 250.5, 250.5	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.835, 0.835, 0.835	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZWY

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.20	0/9694	0.40	0/13138

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	9490	9713	9709	46	0
2	A	25	26	0	0	0
3	A	3	6	0	0	0
All	All	9518	9745	9709	46	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (46) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:177:LYS:NZ	1:A:394:GLU:OE1	2.18	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:483:TRP:NE1	1:A:906:SER:O	2.29	0.65
1:A:807:ARG:NH2	1:A:1022:GLU:O	2.34	0.60
1:A:1181:GLN:O	1:A:1185:VAL:HG23	2.05	0.56
1:A:116:ILE:CD1	1:A:141:LEU:HD22	2.36	0.56
1:A:198:LEU:CD1	1:A:904:LEU:HD22	2.39	0.53
1:A:171:CYS:SG	1:A:202:VAL:HG11	2.49	0.52
1:A:455:LEU:HD11	1:A:590:VAL:HG23	1.91	0.52
1:A:287:LYS:NZ	1:A:806:LEU:O	2.44	0.51
1:A:1131:MET:HE1	1:A:1185:VAL:HG22	1.93	0.51
1:A:1202:GLU:OE2	1:A:1233:HIS:NE2	2.43	0.49
1:A:232:GLU:O	1:A:350:ARG:NH1	2.46	0.48
1:A:947:TRP:CD1	1:A:951:ARG:HH21	2.31	0.48
1:A:866:ILE:HB	1:A:867:PRO:HD3	1.94	0.48
1:A:346:ILE:HG23	1:A:351:VAL:HG21	1.95	0.48
1:A:198:LEU:HD12	1:A:904:LEU:HD22	1.95	0.48
1:A:84:ILE:HD11	1:A:170:MET:HE1	1.95	0.47
1:A:378:GLU:O	1:A:381:VAL:HG22	2.13	0.47
1:A:869:VAL:HB	1:A:870:PRO:HD3	1.97	0.46
1:A:490:ARG:NH1	1:A:524:ASP:OD2	2.47	0.45
1:A:262:ARG:NH2	1:A:834:ASP:OD2	2.42	0.45
1:A:1048:PHE:CE2	1:A:1092:SER:HB3	2.52	0.45
1:A:351:VAL:O	1:A:355:VAL:HG23	2.18	0.44
1:A:155:TYR:CZ	1:A:159:VAL:HG11	2.52	0.44
1:A:334:VAL:O	1:A:338:THR:HG22	2.17	0.44
1:A:208:VAL:CG2	1:A:379:ALA:HB2	2.47	0.44
1:A:485:PHE:O	1:A:492:ASN:ND2	2.50	0.43
1:A:1067:SER:O	1:A:1227:THR:OG1	2.34	0.43
1:A:1086:ALA:O	1:A:1091:LEU:N	2.43	0.43
1:A:369:PHE:HB3	1:A:370:PRO:HD3	1.99	0.43
1:A:328:SER:O	1:A:332:VAL:HG23	2.19	0.43
1:A:804:SER:O	1:A:808:ALA:N	2.52	0.43
1:A:1026:GLU:HA	1:A:1109:GLY:HA3	2.00	0.42
1:A:1153:VAL:HG11	1:A:1188:ALA:HB2	2.01	0.42
1:A:275:THR:O	1:A:279:VAL:HG23	2.20	0.42
1:A:454:LEU:HD23	1:A:454:LEU:C	2.45	0.42
1:A:365:VAL:O	1:A:370:PRO:HD3	2.19	0.42
1:A:56:LEU:HD21	1:A:165:ARG:CB	2.50	0.41
1:A:228:LEU:O	1:A:232:GLU:HG2	2.20	0.41
1:A:1150:LEU:HA	1:A:1153:VAL:HG22	2.03	0.41
1:A:56:LEU:HD21	1:A:165:ARG:HG2	2.02	0.41
1:A:1297:TYR:N	1:A:1298:PRO:CD	2.84	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1212:ASP:O	1:A:1216:GLN:HG2	2.22	0.40
1:A:204:LYS:O	1:A:208:VAL:HG23	2.22	0.40
1:A:329:LYS:HD2	1:A:731:GLN:OE1	2.20	0.40
1:A:932:ASP:OD1	1:A:932:ASP:C	2.64	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1180/1325 (89%)	1150 (98%)	30 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1033/1156 (89%)	1029 (100%)	4 (0%)	84	93

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	95	LEU
1	A	202	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	895	THR
1	A	913	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	429	GLN
1	A	610	GLN
1	A	710	HIS
1	A	845	GLN
1	A	999	GLN
1	A	1141	HIS
1	A	1195	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ZWY	A	1401	-	28,28,28	2.99	13 (46%)	42,46,46	2.24	15 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ZWY	A	1401	-	-	0/5/63/63	0/4/4/4

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1401	ZWY	O20-C18	-7.62	1.32	1.48
2	A	1401	ZWY	C01-C02	-4.86	1.46	1.54
2	A	1401	ZWY	C25-C15	-4.39	1.47	1.54
2	A	1401	ZWY	C12-C06	-4.27	1.46	1.53
2	A	1401	ZWY	C12-C13	-4.26	1.41	1.50
2	A	1401	ZWY	C08-C07	-4.00	1.46	1.54
2	A	1401	ZWY	C08-C09	-3.94	1.44	1.53
2	A	1401	ZWY	C16-C17	-3.83	1.45	1.53
2	A	1401	ZWY	C03-C04	-3.66	1.46	1.53
2	A	1401	ZWY	C09-C10	-3.02	1.46	1.51
2	A	1401	ZWY	C19-C18	-2.72	1.46	1.52
2	A	1401	ZWY	C19-C14	-2.38	1.46	1.51
2	A	1401	ZWY	C03-C02	-2.14	1.50	1.54

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1401	ZWY	C04-C05-C15	5.72	120.14	113.08
2	A	1401	ZWY	C18-C19-C14	5.43	119.48	111.45
2	A	1401	ZWY	O20-C18-C17	3.82	113.25	107.61
2	A	1401	ZWY	C16-C17-C18	3.70	116.37	110.33
2	A	1401	ZWY	C07-C06-C05	3.55	113.72	109.09
2	A	1401	ZWY	C02-C07-C06	3.19	116.50	113.13
2	A	1401	ZWY	C08-C07-C06	3.14	124.11	119.10
2	A	1401	ZWY	C03-C04-C05	3.06	118.34	113.14
2	A	1401	ZWY	C08-C09-C10	2.77	108.38	105.70
2	A	1401	ZWY	C12-C06-C07	2.77	114.86	110.93
2	A	1401	ZWY	C16-C15-C05	2.71	112.32	108.74
2	A	1401	ZWY	C19-C14-C13	2.29	123.67	120.57

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1401	ZWY	C06-C12-C13	2.06	115.61	112.76
2	A	1401	ZWY	C04-C05-C06	2.03	114.61	111.78
2	A	1401	ZWY	C17-C16-C15	2.02	117.09	112.78


There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-40826. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 150




Y Index: 150




Z Index: 150


6.2.2 Raw map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 149




Y Index: 142




Z Index: 140


6.3.2 Raw map



X Index: 149



Y Index: 143




Z Index: 152


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map



6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

This section was not generated.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 38 nm³; this corresponds to an approximate mass of 34 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.370 $\text{\AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.370 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.70	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.44	4.01	3.52

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.44 differs from the reported value 2.7 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMD map EMD-40826 and PDB model 8SX7. Per-residue inclusion information can be found in section 3 on page 6.

9.1 Map-model overlay [i](#)

This section was not generated.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.47).

9.4 Atom inclusion [i](#)



At the recommended contour level, 50% of all backbone atoms, 49% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.47) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.4930	0.3300
A	0.4960	0.3300

