



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 17, 2026 – 07:07 PM UTC

PDB ID : 5SYT / pdb_00005syt
Title : Crystal Structure of ZMPSTE24
Authors : Clark, K.; Jenkins, J.L.; Fedoriw, N.; Dumont, M.E.; Membrane Protein Structural Biology Consortium (MPSBC)
Deposited on : 2016-08-11
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	480	9% 78% 13% 8%

2 Entry composition [i](#)

There are 10 unique types of molecules in this entry. The entry contains 7938 atoms, of which 3932 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called CAAX prenyl protease 1 homolog.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
1	A	444	7123	2380	3554	556	621	12	0	1	0

There are 6 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	475	SER	-	expression tag	UNP O75844
A	476	GLY	-	expression tag	UNP O75844
A	477	LEU	-	expression tag	UNP O75844
A	478	GLU	-	expression tag	UNP O75844
A	479	VAL	-	expression tag	UNP O75844
A	480	LEU	-	expression tag	UNP O75844

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is 1,2-DIACYL-SN-GLYCERO-3-PHOSPHOCHOLINE (CCD ID: PC1) (formula: $C_{44}H_{88}NO_8P$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
3	A	1	Total	C	H	N	O	P	0	0
			71	21	40	1	8	1		

- Molecule 4 is PENTAETHYLENE GLYCOL MONODECYL ETHER (CCD ID: CXE) (formula: $C_{20}H_{42}O_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	H	O	0	0
			61	18	37	6		

- Molecule 5 is (HYDROXYETHYLOXY)TRI(ETHYLOXY)OCTANE (CCD ID: C8E) (formula: C₁₆H₃₄O₅).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	H	O	0	0
			55	16	34	5		
5	A	1	Total	C	H	O	0	0
			30	8	17	5		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	H	O	0	0
			17	7	6	4		
5	A	1	Total	C	H	O	0	0
			55	16	34	5		
5	A	1	Total	C	H	O	0	0
			26	7	15	4		
5	A	1	Total	C	H	O	0	0
			30	8	17	5		
5	A	1	Total	C	H	O	0	0
			39	11	23	5		
5	A	1	Total	C	H	O	0	0
			50	15	31	4		
5	A	1	Total	C	H	O	0	0
			26	7	15	4		
5	A	1	Total	C	H	O	0	0
			29	8	17	4		
5	A	1	Total	C	H	O	0	0
			25	7	14	4		
5	A	1	Total	C	H	O	0	0
			55	16	34	5		

- Molecule 6 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Zn	0	0
			1	1		

- Molecule 7 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	H	O	0	0
			14	3	8	3		
7	A	1	Total	C	H	O	0	0
			14	3	8	3		

- Molecule 8 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total	C	H	O	0	0
			17	4	10	3		

- Molecule 9 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula: C_2H_6OS).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
9	A	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
9	A	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
9	A	1	Total	C	H	O	S	0	0
			10	2	6	1	1		


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	158	Total	O	0	2
			160	160		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: CAAX prenyl protease 1 homolog



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	149.46Å 84.56Å 76.89Å 90.00° 119.07° 90.00°	Depositor
Resolution (Å)	33.60 – 2.00 33.60 – 2.00	Depositor EDS
% Data completeness (in resolution range)	99.7 (33.60-2.00) 93.7 (33.60-2.00)	Depositor EDS
R_{merge}	0.44	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.66 (at 2.00Å)	Xtriage
Refinement program	PHENIX 1.10.1_2155	Depositor
R, R_{free}	0.218 , 0.249 0.227 , 0.257	Depositor DCC
R_{free} test set	1997 reflections (3.54%)	wwPDB-VP
Wilson B-factor (Å ²)	19.7	Xtriage
Anisotropy	0.683	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 47.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.037 for -h-2*k,l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	7938	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.97% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CXE, SO4, PC1, C8E, PEG, ZN, DMS, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.56	0/3671	0.70	2/4983 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	314	LYS	CA-C-N	5.55	131.68	121.70
1	A	314	LYS	C-N-CA	5.55	131.68	121.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3569	3554	3549	50	1
2	A	10	0	0	0	0
3	A	31	40	36	4	1
4	A	24	37	35	2	0
5	A	180	257	252	5	0
6	A	1	0	0	0	0
7	A	12	16	16	4	0
8	A	7	10	10	0	0
9	A	12	18	18	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
10	A	160	0	0	7	0
All	All	4006	3932	3916	52	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (52) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:475:SER:OG	1:A:476:GLY:N	2.13	0.77
1:A:265:ASN:ND2	10:A:602:HOH:O	2.20	0.73
1:A:314:LYS:HA	1:A:315:ALA:HB3	1.74	0.68
1:A:43:ARG:NH2	3:A:503:PC1:O12	2.29	0.65
1:A:397:SER:HB2	1:A:398:PRO:HD3	1.84	0.60
1:A:369:ARG:HB2	1:A:372:LEU:HD22	1.82	0.60
1:A:241:MET:HE2	1:A:427:LYS:HE3	1.87	0.56
1:A:367:ILE:HD12	7:A:518:GOL:H11	1.88	0.54
1:A:13:MET:O	1:A:18:ARG:NH1	2.38	0.54
1:A:19:ILE:HD13	1:A:372:LEU:HD12	1.90	0.54
1:A:287:TYR:O	9:A:521:DMS:H22	2.08	0.54
1:A:393:GLN:OE1	4:A:504:CXE:H252	2.09	0.53
1:A:369:ARG:HD2	7:A:519:GOL:H32	1.89	0.53
1:A:286:GLU:H	1:A:286:GLU:CD	2.18	0.52
1:A:369:ARG:CD	7:A:519:GOL:H32	2.40	0.52
1:A:382:GLN:OE1	10:A:601:HOH:O	2.18	0.51
1:A:397:SER:CB	1:A:398:PRO:HD3	2.42	0.49
1:A:250:THR:HG22	1:A:251:LYS:N	2.26	0.49
1:A:312:GLU:O	1:A:313:ILE:HG23	2.13	0.49
1:A:46:LYS:HA	10:A:611:HOH:O	2.14	0.48
1:A:250:THR:HG22	1:A:251:LYS:H	1.77	0.48
1:A:317:VAL:C	1:A:319:ASN:H	2.21	0.48
1:A:229:LEU:HD12	1:A:230:PRO:HD2	1.95	0.48
1:A:250:THR:CG2	1:A:251:LYS:N	2.76	0.48
1:A:454:MET:HE3	10:A:738:HOH:O	2.14	0.47
1:A:193:GLY:N	1:A:196:PHE:HB3	2.30	0.47
1:A:35:THR:HG22	3:A:503:PC1:H232	1.97	0.46
1:A:478:GLU:O	1:A:478:GLU:HG3	2.15	0.46
1:A:260:ARG:HH11	5:A:511:C8E:H72	1.81	0.46
1:A:321:LYS:O	1:A:437:LYS:NZ	2.48	0.46
1:A:43:ARG:NH2	3:A:503:PC1:H142	2.31	0.45
1:A:200:ALA:O	1:A:204:THR:HG23	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:328:GLU:OE2	1:A:433:SER:OG	2.25	0.45
5:A:510:C8E:H201	10:A:616:HOH:O	2.16	0.45
1:A:10:LEU:HD22	1:A:10:LEU:N	2.32	0.45
1:A:205:LEU:C	1:A:205:LEU:HD23	2.42	0.45
1:A:55:LEU:CD2	1:A:463:LEU:HD21	2.47	0.45
1:A:53:PRO:C	1:A:55:LEU:H	2.25	0.45
1:A:393:GLN:NE2	10:A:607:HOH:O	2.29	0.45
1:A:324:CYS:HB3	1:A:328:GLU:HB2	1.98	0.44
1:A:59:MET:HE3	1:A:63:THR:HG22	1.98	0.44
1:A:254:VAL:HG11	9:A:521:DMS:H23	2.01	0.42
1:A:42:ARG:HD2	1:A:75:SER:OG	2.20	0.42
1:A:392:PHE:HE2	4:A:504:CXE:H191	1.85	0.42
1:A:453:SER:HB2	1:A:457:TYR:CD2	2.54	0.42
5:A:510:C8E:C20	10:A:616:HOH:O	2.68	0.41
1:A:84:TYR:CD1	1:A:84:TYR:C	2.98	0.41
1:A:43:ARG:NH2	3:A:503:PC1:H112	2.36	0.41
1:A:314:LYS:CA	1:A:315:ALA:HB3	2.48	0.41
1:A:163:PHE:CD2	5:A:511:C8E:H101	2.56	0.40
1:A:367:ILE:CD1	7:A:518:GOL:H11	2.49	0.40
1:A:397:SER:OG	5:A:510:C8E:H192	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:121:THR:OG1	3:A:503:PC1:O14[4_346]	1.97	0.23

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	439/480 (92%)	422 (96%)	15 (3%)	2 (0%)	24 21

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	313	ILE
1	A	318	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	378/424 (89%)	360 (95%)	18 (5%)	23	21

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	LEU
1	A	47	THR
1	A	50	HIS
1	A	81	SER
1	A	107	ARG
1	A	111	TYR
1	A	127	LEU
1	A	139	LEU
1	A	236	GLU
1	A	250	THR
1	A	275	LYS
1	A	313	ILE
1	A	330	LEU
1	A	333	LEU
1	A	367	ILE
1	A	372	LEU
1	A	475	SER
1	A	477	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	322	GLN
1	A	400	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 23 ligands modelled in this entry, 1 is monoatomic - leaving 22 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	GOL	A	518	-	5,5,5	0.39	0	5,5,5	0.92	0
5	C8E	A	516	-	20,20,20	0.37	0	19,19,19	0.81	1 (5%)
5	C8E	A	514	-	11,11,20	0.48	0	10,10,19	0.58	0
5	C8E	A	508	-	20,20,20	0.45	0	19,19,19	0.49	0
5	C8E	A	513	-	10,10,20	0.45	0	9,9,19	0.39	0
2	SO4	A	501	-	4,4,4	0.31	0	6,6,6	0.31	0
5	C8E	A	512	-	18,18,20	0.33	0	17,17,19	0.71	0
9	DMS	A	522	-	3,3,3	0.76	0	3,3,3	1.01	0
5	C8E	A	510	-	12,12,20	0.52	0	11,11,19	0.49	0
5	C8E	A	505	-	20,20,20	0.47	0	19,19,19	0.44	0
8	PEG	A	520	-	6,6,6	0.57	0	5,5,5	0.81	0
5	C8E	A	511	-	15,15,20	0.60	0	14,14,19	0.46	0
5	C8E	A	515	-	10,10,20	0.47	0	9,9,19	0.31	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	A	502	-	4,4,4	0.30	0	6,6,6	0.38	0
7	GOL	A	519	-	5,5,5	0.46	0	5,5,5	0.54	0
5	C8E	A	506	-	12,12,20	0.47	0	11,11,19	0.49	0
9	DMS	A	523	-	3,3,3	0.68	0	3,3,3	1.06	0
4	CXE	A	504	-	23,23,25	0.52	0	22,22,24	0.52	0
5	C8E	A	507	-	10,10,20	0.42	0	9,9,19	0.33	0
5	C8E	A	509	-	10,10,20	0.38	0	9,9,19	0.46	0
9	DMS	A	521	-	3,3,3	0.62	0	3,3,3	0.71	0
3	PC1	A	503	-	30,30,53	1.28	2 (6%)	36,38,61	1.51	5 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	GOL	A	518	-	-	3/4/4/4	-
5	C8E	A	506	-	-	4/10/10/18	-
5	C8E	A	510	-	-	6/10/10/18	-
5	C8E	A	516	-	-	8/18/18/18	-
5	C8E	A	514	-	-	7/9/9/18	-
5	C8E	A	508	-	-	9/18/18/18	-
5	C8E	A	513	-	-	3/8/8/18	-
5	C8E	A	505	-	-	12/18/18/18	-
3	PC1	A	503	-	-	11/34/34/57	-
5	C8E	A	509	-	-	4/8/8/18	-
4	CXE	A	504	-	-	11/21/21/23	-
8	PEG	A	520	-	-	3/4/4/4	-
5	C8E	A	507	-	-	5/8/8/18	-
5	C8E	A	512	-	-	8/16/16/18	-
5	C8E	A	511	-	-	4/13/13/18	-
5	C8E	A	515	-	-	1/8/8/18	-
7	GOL	A	519	-	-	3/4/4/4	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	503	PC1	O31-C31	3.42	1.43	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	503	PC1	O21-C21	3.19	1.43	1.34

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	503	PC1	O21-C21-C22	4.49	121.19	111.48
3	A	503	PC1	C23-C22-C21	-3.39	101.28	113.69
3	A	503	PC1	O31-C31-C32	3.35	121.31	111.15
5	A	516	C8E	O12-C11-C10	2.30	120.82	110.35
3	A	503	PC1	C15-N-C13	2.12	114.55	108.98
3	A	503	PC1	C15-N-C14	-2.02	103.66	108.98

There are no chirality outliers.

All (102) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	503	PC1	O13-C11-C12-N
7	A	518	GOL	O1-C1-C2-C3
5	A	516	C8E	C10-C11-O12-C13
5	A	506	C8E	C13-C14-O15-C16
5	A	505	C8E	O12-C13-C14-O15
5	A	510	C8E	O15-C16-C17-O18
5	A	507	C8E	C16-C17-O18-C19
5	A	507	C8E	C17-C16-O15-C14
5	A	513	C8E	O12-C13-C14-O15
4	A	504	CXE	O14-C15-C16-O17
4	A	504	CXE	O11-C12-C13-O14
3	A	503	PC1	C22-C21-O21-C2
4	A	504	CXE	O17-C18-C19-O20
5	A	508	C8E	O9-C10-C11-O12
5	A	510	C8E	O9-C10-C11-O12
5	A	505	C8E	C6-C7-C8-O9
5	A	509	C8E	O18-C19-C20-O21
3	A	503	PC1	O22-C21-O21-C2
5	A	512	C8E	O9-C10-C11-O12
3	A	503	PC1	C21-C22-C23-C24
7	A	519	GOL	O1-C1-C2-C3
5	A	512	C8E	O12-C13-C14-O15
4	A	504	CXE	C5-C6-C7-C8
5	A	516	C8E	C3-C4-C5-C6
7	A	518	GOL	O1-C1-C2-O2
5	A	506	C8E	O9-C10-C11-O12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	A	510	C8E	O18-C19-C20-O21
5	A	510	C8E	O12-C13-C14-O15
5	A	512	C8E	C3-C4-C5-C6
3	A	503	PC1	C23-C24-C25-C26
5	A	505	C8E	C2-C3-C4-C5
5	A	507	C8E	O18-C19-C20-O21
7	A	519	GOL	O1-C1-C2-O2
5	A	516	C8E	C6-C7-C8-O9
5	A	514	C8E	O18-C19-C20-O21
5	A	512	C8E	C4-C5-C6-C7
5	A	508	C8E	C4-C5-C6-C7
5	A	514	C8E	O15-C16-C17-O18
7	A	518	GOL	O2-C2-C3-O3
5	A	505	C8E	O15-C16-C17-O18
5	A	514	C8E	C20-C19-O18-C17
5	A	508	C8E	C2-C3-C4-C5
3	A	503	PC1	O11-C1-C2-O21
4	A	504	CXE	C22-C21-O20-C19
5	A	512	C8E	C16-C17-O18-C19
5	A	513	C8E	O15-C16-C17-O18
4	A	504	CXE	C6-C7-C8-C9
7	A	519	GOL	O2-C2-C3-O3
5	A	511	C8E	C20-C19-O18-C17
5	A	505	C8E	C10-C11-O12-C13
3	A	503	PC1	O11-C1-C2-C3
5	A	508	C8E	C14-C13-O12-C11
5	A	505	C8E	C11-C10-O9-C8
5	A	508	C8E	O18-C19-C20-O21
5	A	514	C8E	C13-C14-O15-C16
5	A	512	C8E	C1-C2-C3-C4
3	A	503	PC1	C26-C27-C28-C29
5	A	511	C8E	C13-C14-O15-C16
5	A	516	C8E	O9-C10-C11-O12
5	A	505	C8E	C16-C17-O18-C19
5	A	513	C8E	O18-C19-C20-O21
5	A	516	C8E	C7-C8-O9-C10
5	A	510	C8E	C17-C16-O15-C14
3	A	503	PC1	C1-O11-P-O13
5	A	508	C8E	C7-C8-O9-C10
5	A	511	C8E	C11-C10-O9-C8
8	A	520	PEG	O1-C1-C2-O2
5	A	510	C8E	C14-C13-O12-C11

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	504	CXE	C21-C22-O23-C24
4	A	504	CXE	C12-C13-O14-C15
5	A	512	C8E	C7-C8-O9-C10
5	A	509	C8E	O12-C13-C14-O15
5	A	516	C8E	C2-C3-C4-C5
5	A	514	C8E	C17-C16-O15-C14
5	A	514	C8E	C16-C17-O18-C19
4	A	504	CXE	C9-C10-O11-C12
5	A	505	C8E	C14-C13-O12-C11
5	A	505	C8E	C20-C19-O18-C17
8	A	520	PEG	C1-C2-O2-C3
5	A	505	C8E	C3-C4-C5-C6
3	A	503	PC1	C1-C2-C3-O31
5	A	508	C8E	C1-C2-C3-C4
5	A	516	C8E	C14-C13-O12-C11
4	A	504	CXE	C16-C15-O14-C13
5	A	512	C8E	C17-C16-O15-C14
5	A	511	C8E	O9-C10-C11-O12
4	A	504	CXE	O20-C21-C22-O23
3	A	503	PC1	O21-C2-C3-O31
5	A	508	C8E	C6-C7-C8-O9
5	A	508	C8E	C20-C19-O18-C17
5	A	506	C8E	O12-C13-C14-O15
5	A	507	C8E	O15-C16-C17-O18
5	A	509	C8E	C13-C14-O15-C16
5	A	516	C8E	O15-C16-C17-O18
5	A	505	C8E	O9-C10-C11-O12
5	A	515	C8E	O9-C10-C11-O12
5	A	505	C8E	C17-C16-O15-C14
8	A	520	PEG	C4-C3-O2-C2
5	A	506	C8E	C14-C13-O12-C11
5	A	509	C8E	C20-C19-O18-C17
5	A	514	C8E	C14-C13-O12-C11
5	A	507	C8E	O12-C13-C14-O15

There are no ring outliers.

7 monomers are involved in 18 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	A	518	GOL	2	0
5	A	510	C8E	3	0
5	A	511	C8E	2	0


Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	A	519	GOL	2	0
4	A	504	CXE	2	0
9	A	521	DMS	2	0
3	A	503	PC1	4	1

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	444/480 (92%)	0.73	45 (10%)	12 11	20, 36, 75, 105	1 (0%)

All (45) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	265	ASN	6.3
1	A	319	ASN	6.1
1	A	11	TRP	5.6
1	A	313	ILE	5.6
1	A	479	VAL	5.2
1	A	317	VAL	5.1
1	A	474	GLN	5.0
1	A	475	SER	4.9
1	A	476	GLY	4.6
1	A	477	LEU	4.4
1	A	380	ASP	4.3
1	A	480	LEU	4.0
1	A	312	GLU	4.0
1	A	478	GLU	3.8
1	A	10	LEU	3.8
1	A	193	GLY	3.7
1	A	320	LYS	3.7
1	A	47	THR	3.4
1	A	314	LYS	3.3
1	A	318	LYS	3.3
1	A	315	ALA	3.3
1	A	292	LYS	3.1
1	A	316	LYS	3.0
1	A	374	ALA	3.0
1	A	379	TYR	2.9
1	A	49	THR	2.9
1	A	473	LYS	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	471	THR	2.9
1	A	67	SER	2.8
1	A	114	PHE	2.8
1	A	275	LYS	2.7
1	A	472	MET	2.6
1	A	111	TYR	2.5
1	A	321	LYS	2.5
1	A	253	TYR	2.4
1	A	54	GLU	2.4
1	A	250	THR	2.3
1	A	280	PHE	2.2
1	A	50	HIS	2.2
1	A	55	LEU	2.2
1	A	192	GLY	2.1
1	A	378	PHE	2.1
1	A	470	LYS	2.1
1	A	58	ILE	2.0
1	A	278	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	GOL	A	519	6/6	0.65	0.21	68,90,105,117	0
5	C8E	A	511	16/21	0.66	0.19	28,55,69,79	0
2	SO4	A	502	5/5	0.71	0.16	47,58,71,83	0
5	C8E	A	514	12/21	0.72	0.18	44,69,83,85	0
9	DMS	A	522	4/4	0.74	0.21	32,40,53,82	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	C8E	A	515	11/21	0.76	0.18	41,53,74,80	0
3	PC1	A	503	31/54	0.79	0.19	30,55,74,78	0
5	C8E	A	513	11/21	0.79	0.18	43,58,76,79	0
9	DMS	A	521	4/4	0.80	0.21	46,56,92,92	0
4	CXE	A	504	24/26	0.80	0.17	33,54,70,85	0
8	PEG	A	520	7/7	0.81	0.16	46,55,65,67	0
5	C8E	A	508	21/21	0.82	0.17	42,56,70,72	0
5	C8E	A	512	19/21	0.83	0.14	31,44,67,68	0
5	C8E	A	506	13/21	0.83	0.15	41,57,66,69	0
2	SO4	A	501	5/5	0.84	0.12	62,73,88,92	0
7	GOL	A	518	6/6	0.84	0.17	35,42,48,50	0
5	C8E	A	505	21/21	0.84	0.16	32,56,84,84	0
5	C8E	A	510	13/21	0.86	0.12	34,44,54,56	0
9	DMS	A	523	4/4	0.86	0.22	47,61,96,96	0
5	C8E	A	507	11/21	0.87	0.13	41,49,53,62	0
5	C8E	A	516	21/21	0.89	0.12	30,41,55,63	0
5	C8E	A	509	11/21	0.90	0.13	36,54,71,74	0
6	ZN	A	517	1/1	0.98	0.04	30,30,30,30	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around C8E A 511:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around C8E A 514:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around C8E A 515:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PC1 A 503:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around C8E A 513:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CXE A 504:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around C8E A 508:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around C8E A 512:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around C8E A 506:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around C8E A 505:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around C8E A 510:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around C8E A 507:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around C8E A 516:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around C8E A 509:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.