



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 11:30 PM UTC

PDB ID : 1SZG / pdb_00001szg
Title : A198G:L230A flavocytochrome b2 with sulfite bound
Authors : Mowat, C.G.; Wehenkel, A.; Green, A.J.; Walkinshaw, M.D.; Reid, G.A.; Chapman, S.K.
Deposited on : 2004-04-05
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	511	5% 51% 20% • • 23%
1	B	511	7% 48% 21% 7% • 24%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	FNS	B	9570	-	-	X	-

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 6255 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Cytochrome b2, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	392	Total	C	N	O	S	0	0	1
			3040	1927	518	584	11			
1	B	387	Total	C	N	O	S	0	0	1
			3014	1911	513	579	11			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	198	GLY	ALA	engineered mutation	UNP P00175
A	230	ALA	LEU	engineered mutation	UNP P00175
B	198	GLY	ALA	engineered mutation	UNP P00175
B	230	ALA	LEU	engineered mutation	UNP P00175

- Molecule 2 is N-SULFO-FLAVIN MONONUCLEOTIDE (CCD ID: FNS) (formula: $C_{17}H_{21}N_4O_{12}PS$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	S	0	0
			35	17	4	12	1	1		
2	B	1	Total	C	N	O	P	S	0	0
			35	17	4	12	1	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	78	Total	O	0	0
			78	78		
3	B	53	Total	O	0	0
			53	53		


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Cytochrome b2, mitochondrial



- Molecule 1: Cytochrome b2, mitochondrial





4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	163.97Å 163.97Å 112.51Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	24.00 – 2.70 24.00 – 2.70	Depositor EDS
% Data completeness (in resolution range)	91.0 (24.00-2.70) 90.8 (24.00-2.70)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.34 (at 2.71Å)	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.223 , 0.266 0.224 , 0.265	Depositor DCC
R_{free} test set	2233 reflections (5.10%)	wwPDB-VP
Wilson B-factor (Å ²)	47.8	Xtriage
Anisotropy	0.038	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 69.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.020 for -h,-k,l	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	6255	wwPDB-VP
Average B, all atoms (Å ²)	53.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.86% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FNS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.66	1/3089 (0.0%)	0.99	4/4172 (0.1%)
1	B	0.68	3/3063 (0.1%)	0.98	5/4138 (0.1%)
All	All	0.67	4/6152 (0.1%)	0.99	9/8310 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	1	0

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	226	MET	SD-CE	-8.90	1.57	1.79
1	B	226	MET	SD-CE	-7.97	1.59	1.79
1	B	183	MET	SD-CE	-7.26	1.61	1.79
1	B	460	MET	SD-CE	6.66	1.96	1.79

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	492	ASN	N-CA-C	9.35	123.17	110.55
1	B	507	GLU	N-CA-C	7.44	122.49	113.41
1	A	103	LYS	N-CA-C	-6.41	104.01	112.72
1	B	104	GLU	N-CA-C	-5.96	106.65	114.04
1	B	106	ILE	N-CA-C	-5.47	104.99	110.30
1	B	417	ASP	N-CA-C	-5.26	105.44	111.07
1	A	492	ASN	N-CA-CB	5.16	118.30	110.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	117	PRO	O-C-N	5.13	123.56	121.15
1	A	218	GLN	N-CA-C	5.09	116.64	111.14

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	492	ASN	CA

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3040	0	3090	65	0
1	B	3014	0	3067	89	0
2	A	35	0	19	2	0
2	B	35	0	19	11	0
3	A	78	0	0	5	0
3	B	53	0	0	1	0
All	All	6255	0	6195	153	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (153) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:143:TYR:O	1:B:376:ARG:NH2	2.00	0.94
1:A:143:TYR:O	1:A:376:ARG:NH2	2.01	0.94
1:B:197:THR:HG21	1:B:436:LEU:HG	1.46	0.93
1:B:413:ARG:HH22	2:B:9570:FNS:P	1.98	0.86
1:B:183:MET:CE	1:B:250:TRP:HH2	1.93	0.79
1:B:243:PRO:HD2	1:B:247:GLN:HE22	1.46	0.79
1:B:105:ASP:HA	1:B:108:ARG:HB2	1.64	0.79
1:A:331:THR:HG22	1:A:333:LYS:H	1.54	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:201:LYS:HB2	1:A:232:SER:OG	1.90	0.72
1:B:104:GLU:HG2	1:B:105:ASP:N	1.90	0.71
1:B:507:GLU:O	1:B:508:PHE:HB2	1.90	0.71
1:B:462:MET:HE3	1:B:467:VAL:HG23	1.71	0.71
1:B:256:ASN:HD22	1:B:258:ASP:H	1.39	0.71
1:A:109:LYS:O	1:A:113:LYS:HB2	1.92	0.70
1:A:367:GLY:O	3:A:5645:HOH:O	2.09	0.69
1:A:136:LEU:HD21	1:A:440:SER:HB3	1.73	0.69
1:A:414:ARG:HD2	1:B:150:ASP:OD2	1.92	0.69
1:B:183:MET:HE2	1:B:250:TRP:HH2	1.55	0.69
1:A:256:ASN:HD22	1:A:258:ASP:H	1.43	0.66
1:B:388:LEU:HD22	1:B:392:MET:HG2	1.77	0.66
1:A:373:HIS:O	1:A:376:ARG:HG3	1.96	0.65
1:B:142:ALA:O	1:B:146:SER:HB2	1.97	0.65
2:B:9570:FNS:O4'	2:B:9570:FNS:H9	1.97	0.65
1:B:433:ARG:HG3	2:B:9570:FNS:C8M	2.27	0.65
1:B:183:MET:HE2	1:B:250:TRP:CH2	2.33	0.64
1:B:223:VAL:HG21	1:B:451:ILE:HG12	1.81	0.63
1:A:226:MET:HE1	1:A:349:LYS:HE3	1.81	0.63
1:B:339:LYS:HE3	1:B:364:GLY:O	1.99	0.63
1:A:219:GLY:O	1:A:222:LYS:NZ	2.32	0.62
1:A:196:ALA:H	1:A:226:MET:HE2	1.64	0.62
1:B:325:PHE:HB3	1:B:326:ILE:HG13	1.79	0.62
1:B:259:ARG:NH1	1:B:327:ASP:OD2	2.32	0.62
1:B:349:LYS:CE	2:B:9570:FNS:O2	2.48	0.62
1:A:351:VAL:HG21	1:A:368:VAL:HG22	1.83	0.61
1:B:434:PRO:HG3	3:B:9622:HOH:O	2.00	0.61
1:A:156:GLU:OE2	1:A:163:ARG:NH2	2.36	0.59
1:B:405:GLU:HG2	1:B:427:LYS:HD3	1.85	0.58
1:A:399:ASN:C	1:A:401:LYS:H	2.11	0.58
1:B:108:ARG:HH22	1:B:138:LYS:HG3	1.66	0.58
1:B:226:MET:HE3	1:B:252:GLN:HB2	1.86	0.58
1:A:348:ILE:HB	3:A:5645:HOH:O	2.03	0.58
2:A:5570:FNS:H9	2:A:5570:FNS:O4'	2.04	0.57
1:B:156:GLU:CD	1:B:163:ARG:HH22	2.13	0.57
1:B:156:GLU:OE2	1:B:163:ARG:NH2	2.37	0.57
1:A:372:ASN:HD22	1:A:375:GLY:H	1.53	0.56
1:B:104:GLU:OE1	1:B:108:ARG:NH1	2.40	0.55
1:B:218:GLN:HE22	1:B:444:ARG:HH11	1.54	0.55
1:B:256:ASN:HD22	1:B:258:ASP:N	2.05	0.54
1:A:124:ASN:ND2	1:A:126:TYR:HB2	2.23	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:259:ARG:HH21	1:A:334:ASP:CG	2.15	0.54
1:B:255:VAL:HB	1:B:262:THR:HG21	1.90	0.54
1:A:259:ARG:NH1	1:A:327:ASP:OD2	2.35	0.54
1:B:256:ASN:ND2	1:B:258:ASP:H	2.06	0.54
1:B:197:THR:HG22	1:B:197:THR:O	2.09	0.53
1:B:242:ALA:HB1	1:B:247:GLN:CD	2.33	0.53
1:B:387:VAL:O	1:B:391:THR:HG23	2.08	0.53
1:B:454:LEU:O	1:B:458:ILE:HG13	2.08	0.53
1:A:399:ASN:O	1:A:401:LYS:N	2.42	0.53
1:B:259:ARG:NH2	1:B:334:ASP:OD1	2.41	0.53
1:B:349:LYS:HE2	2:B:9570:FNS:O2	2.09	0.53
1:A:196:ALA:CB	1:A:226:MET:HE2	2.39	0.53
1:B:104:GLU:CG	1:B:105:ASP:N	2.68	0.52
1:B:121:ASN:HD22	1:B:121:ASN:N	2.07	0.52
1:B:413:ARG:NH2	2:B:9570:FNS:P	2.77	0.52
1:B:144:TYR:O	1:B:433:ARG:HD3	2.10	0.52
1:A:190:VAL:HG13	1:A:192:PHE:H	1.75	0.51
1:A:372:ASN:ND2	1:A:375:GLY:H	2.09	0.50
1:A:226:MET:HE1	1:A:349:LYS:CE	2.41	0.50
1:B:104:GLU:C	1:B:106:ILE:N	2.70	0.50
1:B:132:ALA:O	1:B:136:LEU:HG	2.12	0.50
1:A:414:ARG:HH11	1:B:150:ASP:CG	2.20	0.49
1:B:104:GLU:C	1:B:106:ILE:H	2.20	0.49
1:A:388:LEU:HD22	1:A:392:MET:HG2	1.94	0.49
1:B:353:ARG:HG2	1:B:355:GLU:OE1	2.11	0.49
1:A:102:THR:C	1:A:104:GLU:H	2.19	0.49
1:A:113:LYS:C	1:A:115:LEU:H	2.20	0.49
1:A:143:TYR:CZ	1:A:199:LEU:HD12	2.48	0.49
1:A:348:ILE:HD12	1:A:365:VAL:HG11	1.95	0.49
1:A:101:GLU:HA	1:A:104:GLU:OE1	2.13	0.48
1:B:196:ALA:CB	1:B:226:MET:HE2	2.44	0.48
1:B:111:GLN:HA	1:B:115:LEU:HB2	1.95	0.48
1:A:467:VAL:HG11	1:A:477:LEU:HD21	1.95	0.48
1:B:113:LYS:O	1:B:115:LEU:N	2.44	0.48
1:B:324:LYS:O	1:B:325:PHE:C	2.57	0.48
1:B:213:ALA:HB2	1:B:225:GLN:HE22	1.79	0.48
1:A:144:TYR:O	1:A:433:ARG:HD3	2.13	0.47
1:A:374:GLY:O	1:A:433:ARG:NH2	2.39	0.47
1:B:226:MET:HE1	1:B:349:LYS:CD	2.45	0.47
1:B:400:LEU:HD23	1:B:403:LYS:HG3	1.95	0.47
2:B:9570:FNS:O4	2:B:9570:FNS:S	2.72	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:256:ASN:HD22	1:B:257:SER:N	2.13	0.47
1:A:162:HIS:HE1	3:A:5606:HOH:O	1.98	0.46
1:A:226:MET:HE3	1:A:252:GLN:HB2	1.97	0.46
1:B:174:VAL:CG2	1:B:463:ARG:HG3	2.46	0.46
1:B:196:ALA:HB3	1:B:226:MET:HE2	1.98	0.46
1:A:388:LEU:HD13	1:A:424:LEU:HB2	1.97	0.46
1:A:177:VAL:HG13	1:A:462:MET:HE2	1.97	0.46
1:A:211:ASP:HB3	1:A:439:ASN:HD21	1.80	0.46
1:A:329:SER:O	1:A:330:LEU:C	2.58	0.46
1:A:239:ILE:HA	1:A:249:GLN:HE22	1.81	0.45
1:A:488:VAL:HG22	1:B:490:VAL:HG13	1.99	0.45
1:B:183:MET:CE	1:B:250:TRP:CH2	2.85	0.45
1:B:398:ARG:HG3	1:B:400:LEU:HD12	1.99	0.45
1:A:102:THR:HB	3:A:5642:HOH:O	2.17	0.45
1:A:159:ASN:HB3	1:B:488:VAL:HG11	1.99	0.45
1:B:335:ILE:HG21	1:B:348:ILE:HD11	1.98	0.44
1:B:495:LEU:O	1:B:499:VAL:HG22	2.18	0.44
1:A:200:CYS:HB2	1:A:209:GLU:CD	2.43	0.44
1:B:396:GLU:C	1:B:398:ARG:H	2.25	0.44
1:B:163:ARG:HD2	1:B:485:ALA:O	2.16	0.44
1:A:124:ASN:HD21	1:A:126:TYR:HB2	1.81	0.44
1:B:113:LYS:C	1:B:115:LEU:H	2.25	0.44
1:B:242:ALA:HB1	1:B:247:GLN:NE2	2.32	0.44
1:B:124:ASN:HD22	1:B:124:ASN:C	2.25	0.44
1:A:409:ASP:OD1	1:A:409:ASP:C	2.61	0.43
1:B:467:VAL:HG11	1:B:477:LEU:HD21	2.00	0.43
1:A:399:ASN:HD22	1:A:399:ASN:HA	1.63	0.43
1:B:331:THR:HG22	1:B:332:TRP:N	2.33	0.43
1:A:196:ALA:HB2	1:A:226:MET:HE2	1.99	0.43
2:A:5570:FNS:O2S	2:A:5570:FNS:C4	2.66	0.43
1:A:170:ILE:HG12	1:B:281:VAL:HG23	2.00	0.43
1:B:144:TYR:HA	2:B:9570:FNS:HM73	2.00	0.43
1:B:392:MET:HE2	1:B:425:GLY:O	2.18	0.43
1:A:287:GLY:H	1:A:377:GLN:NE2	2.17	0.42
1:B:181:THR:O	1:B:188:VAL:HG23	2.20	0.42
1:B:413:ARG:NH2	2:B:9570:FNS:O3P	2.49	0.42
1:A:442:TYR:HB2	1:A:446:GLY:HA3	2.00	0.42
1:B:255:VAL:HG13	1:B:330:LEU:HD11	2.00	0.42
1:B:392:MET:HB2	1:B:393:PRO:HD3	2.00	0.42
1:B:354:THR:HG23	1:B:391:THR:HB	2.02	0.42
1:A:163:ARG:NH1	1:B:488:VAL:O	2.53	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:492:ASN:CG	1:A:493:ASP:H	2.28	0.42
1:B:102:THR:HB	1:B:104:GLU:OE2	2.19	0.42
1:A:283:ALA:N	1:A:284:PRO:CD	2.82	0.42
1:A:462:MET:HE3	1:A:462:MET:HB3	1.96	0.42
1:A:484:LYS:HA	1:A:484:LYS:HD2	1.67	0.42
1:A:105:ASP:O	1:A:109:LYS:HB2	2.20	0.41
1:A:368:VAL:HG23	3:A:5645:HOH:O	2.20	0.41
1:B:398:ARG:O	1:B:400:LEU:HG	2.19	0.41
1:A:200:CYS:HB2	1:A:209:GLU:OE2	2.20	0.41
1:A:414:ARG:NH2	1:B:290:GLU:OE2	2.54	0.41
2:B:9570:FNS:O4	2:B:9570:FNS:O2S	2.38	0.41
1:B:259:ARG:NH2	1:B:334:ASP:CG	2.79	0.41
1:B:462:MET:HE2	1:B:462:MET:HB3	1.77	0.41
1:B:174:VAL:HG21	1:B:463:ARG:HG3	2.03	0.41
1:B:400:LEU:HA	1:B:403:LYS:HG3	2.02	0.41
1:B:258:ASP:HB3	1:B:261:ILE:HG13	2.03	0.40
2:B:9570:FNS:O2S	2:B:9570:FNS:C4	2.68	0.40
1:A:156:GLU:CD	1:A:163:ARG:HH22	2.30	0.40
1:B:344:LEU:HA	1:B:345:PRO:HD3	1.86	0.40
1:A:217:GLY:HA2	1:A:222:LYS:HG2	2.03	0.40
1:A:357:VAL:HG21	1:A:391:THR:HG21	2.02	0.40
1:B:387:VAL:O	1:B:391:THR:CG2	2.70	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	388/511 (76%)	364 (94%)	16 (4%)	8 (2%)	5	15
1	B	383/511 (75%)	360 (94%)	20 (5%)	3 (1%)	16	37
All	All	771/1022 (75%)	724 (94%)	36 (5%)	11 (1%)	9	23

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	400	LEU
1	A	299	ASN
1	A	397	GLN
1	B	105	ASP
1	B	325	PHE
1	A	298	SER
1	A	401	LYS
1	A	102	THR
1	A	114	SER
1	A	399	ASN
1	B	508	PHE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	334/439 (76%)	265 (79%)	69 (21%)	1	3
1	B	333/439 (76%)	257 (77%)	76 (23%)	1	2
All	All	667/878 (76%)	522 (78%)	145 (22%)	1	3

All (145) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	102	THR
1	A	103	LYS
1	A	104	GLU
1	A	106	ILE
1	A	108	ARG
1	A	111	GLN
1	A	112	LEU
1	A	113	LYS
1	A	124	ASN
1	A	125	LEU
1	A	131	LEU
1	A	139	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	152	VAL
1	A	170	ILE
1	A	175	ARG
1	A	177	VAL
1	A	184	LEU
1	A	190	VAL
1	A	201	LYS
1	A	206	LEU
1	A	212	VAL
1	A	229	THR
1	A	232	SER
1	A	236	GLU
1	A	239	ILE
1	A	240	GLU
1	A	246	LYS
1	A	255	VAL
1	A	256	ASN
1	A	260	LYS
1	A	265	LEU
1	A	271	LYS
1	A	288	GLN
1	A	294	LYS
1	A	295	LEU
1	A	296	LYS
1	A	297	PHE
1	A	324	LYS
1	A	330	LEU
1	A	331	THR
1	A	333	LYS
1	A	336	GLU
1	A	338	LEU
1	A	341	LYS
1	A	359	LYS
1	A	368	VAL
1	A	372	ASN
1	A	378	LEU
1	A	388	LEU
1	A	396	GLU
1	A	397	GLN
1	A	399	ASN
1	A	401	LYS
1	A	408	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	413	ARG
1	A	414	ARG
1	A	444	ARG
1	A	462	MET
1	A	464	LEU
1	A	474	LYS
1	A	476	ASP
1	A	477	LEU
1	A	483	LEU
1	A	490	VAL
1	A	492	ASN
1	A	494	VAL
1	A	506	THR
1	A	507	GLU
1	A	509	GLU
1	B	102	THR
1	B	103	LYS
1	B	104	GLU
1	B	106	ILE
1	B	108	ARG
1	B	109	LYS
1	B	111	GLN
1	B	112	LEU
1	B	113	LYS
1	B	114	SER
1	B	124	ASN
1	B	125	LEU
1	B	131	LEU
1	B	139	GLN
1	B	146	SER
1	B	152	VAL
1	B	163	ARG
1	B	175	ARG
1	B	176	LYS
1	B	184	LEU
1	B	188	VAL
1	B	197	THR
1	B	201	LYS
1	B	210	LYS
1	B	220	VAL
1	B	222	LYS
1	B	236	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	240	GLU
1	B	244	SER
1	B	246	LYS
1	B	255	VAL
1	B	256	ASN
1	B	257	SER
1	B	259	ARG
1	B	260	LYS
1	B	261	ILE
1	B	263	ASP
1	B	271	LYS
1	B	286	LEU
1	B	294	LYS
1	B	295	LEU
1	B	324	LYS
1	B	330	LEU
1	B	337	GLU
1	B	339	LYS
1	B	343	LYS
1	B	349	LYS
1	B	353	ARG
1	B	359	LYS
1	B	368	VAL
1	B	370	LEU
1	B	373	HIS
1	B	378	LEU
1	B	382	ARG
1	B	388	LEU
1	B	391	THR
1	B	397	GLN
1	B	398	ARG
1	B	401	LYS
1	B	402	ASP
1	B	408	VAL
1	B	413	ARG
1	B	427	LYS
1	B	429	VAL
1	B	436	LEU
1	B	462	MET
1	B	464	LEU
1	B	477	LEU
1	B	483	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	484	LYS
1	B	490	VAL
1	B	492	ASN
1	B	499	VAL
1	B	504	THR
1	B	507	GLU
1	B	509	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	124	ASN
1	A	134	GLN
1	A	157	ASN
1	A	159	ASN
1	A	218	GLN
1	A	249	GLN
1	A	252	GLN
1	A	256	ASN
1	A	268	ASN
1	A	288	GLN
1	A	372	ASN
1	A	377	GLN
1	A	397	GLN
1	A	399	ASN
1	A	439	ASN
1	A	497	ASN
1	B	121	ASN
1	B	124	ASN
1	B	159	ASN
1	B	187	HIS
1	B	218	GLN
1	B	225	GLN
1	B	247	GLN
1	B	256	ASN
1	B	268	ASN
1	B	377	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	FNS	B	9570	-	32,37,37	1.83	9 (28%)	40,58,58	2.38	9 (22%)
2	FNS	A	5570	-	32,37,37	1.86	7 (21%)	40,58,58	2.28	13 (32%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FNS	B	9570	-	-	2/18/24/24	0/3/3/3
2	FNS	A	5570	-	-	2/18/24/24	0/3/3/3

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	5570	FNS	C1'-N10	-6.55	1.32	1.47
2	B	9570	FNS	C1'-N10	-5.74	1.33	1.47
2	A	5570	FNS	C5'-C4'	-2.95	1.47	1.51
2	B	9570	FNS	C4'-C3'	-2.94	1.48	1.53
2	B	9570	FNS	C9-C8	-2.72	1.35	1.39
2	B	9570	FNS	C1'-C2'	-2.69	1.48	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	5570	FNS	C5A-N5	-2.61	1.33	1.41
2	A	5570	FNS	C9-C9A	-2.47	1.35	1.39
2	A	5570	FNS	C2-N3	2.35	1.44	1.39
2	B	9570	FNS	C2-N1	2.33	1.41	1.36
2	A	5570	FNS	C1'-C2'	-2.32	1.49	1.52
2	B	9570	FNS	C5'-C4'	-2.24	1.48	1.51
2	A	5570	FNS	C9-C8	-2.20	1.36	1.39
2	B	9570	FNS	C5A-N5	-2.19	1.35	1.41
2	B	9570	FNS	C4A-N5	-2.11	1.32	1.37
2	B	9570	FNS	C9-C9A	-2.08	1.36	1.39

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	9570	FNS	O2S-S-O3S	-8.65	98.70	119.69
2	A	5570	FNS	O2S-S-O3S	-7.40	101.73	119.69
2	B	9570	FNS	C5'-C4'-C3'	-5.68	101.51	112.22
2	A	5570	FNS	C5'-C4'-C3'	-5.31	102.21	112.22
2	A	5570	FNS	C10-N1-C2	4.85	127.35	116.85
2	B	9570	FNS	C10-N1-C2	4.43	126.43	116.85
2	B	9570	FNS	N10-C10-N1	4.39	131.43	118.51
2	A	5570	FNS	N10-C10-N1	4.00	130.27	118.51
2	A	5570	FNS	O2-C2-N3	3.68	125.65	118.58
2	A	5570	FNS	O4'-C4'-C3'	3.14	116.60	109.25
2	B	9570	FNS	O3P-P-O5'	-3.02	98.80	106.67
2	B	9570	FNS	O4'-C4'-C3'	2.76	115.70	109.25
2	B	9570	FNS	C4-N3-C2	-2.68	120.89	125.64
2	A	5570	FNS	C9-C8-C7	2.62	123.53	119.69
2	B	9570	FNS	C4'-C3'-C2'	-2.54	109.34	113.57
2	A	5570	FNS	O3P-P-O5'	-2.29	100.69	106.67
2	A	5570	FNS	C4-N3-C2	-2.24	121.67	125.64
2	A	5570	FNS	O3'-C3'-C2'	2.22	113.97	108.93
2	A	5570	FNS	C8M-C8-C9	-2.18	115.73	119.57
2	B	9570	FNS	C8M-C8-C9	-2.11	115.85	119.57
2	A	5570	FNS	N3-C2-N1	-2.00	115.24	119.50
2	A	5570	FNS	O4-C4-N3	-2.00	116.35	120.11

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	5570	FNS	C5'-O5'-P-O1P

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	5570	FNS	C4'-C5'-O5'-P
2	B	9570	FNS	C5'-O5'-P-O1P
2	B	9570	FNS	C4'-C5'-O5'-P


There are no ring outliers.

2 monomers are involved in 13 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	9570	FNS	11	0
2	A	5570	FNS	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand FNS B 9570




Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	392/511 (76%)	0.21	28 (7%)	22 19	34, 48, 75, 85	0
1	B	387/511 (75%)	0.67	35 (9%)	15 13	36, 56, 84, 91	0
All	All	779/1022 (76%)	0.44	63 (8%)	18 15	34, 51, 81, 91	0

All (63) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	300	THR	8.3
1	B	114	SER	7.2
1	B	104	GLU	7.0
1	B	240	GLU	6.4
1	B	325	PHE	6.3
1	B	245	ASP	6.1
1	B	106	ILE	6.1
1	A	100	GLY	5.4
1	A	114	SER	5.1
1	B	323	SER	4.3
1	B	103	LYS	4.3
1	B	102	THR	4.1
1	A	492	ASN	4.0
1	A	107	ALA	4.0
1	B	324	LYS	3.9
1	A	299	ASN	3.8
1	B	110	GLU	3.8
1	A	113	LYS	3.8
1	A	297	PHE	3.7
1	A	105	ASP	3.7
1	A	511	ALA	3.5
1	B	113	LYS	3.5
1	A	104	GLU	3.3
1	A	298	SER	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	399	ASN	3.2
1	A	102	THR	3.2
1	A	111	GLN	3.2
1	B	299	ASN	3.1
1	B	396	GLU	3.1
1	B	255	VAL	3.1
1	A	510	ASP	3.1
1	B	399	ASN	3.0
1	A	112	LEU	3.0
1	B	112	LEU	3.0
1	B	107	ALA	2.9
1	B	298	SER	2.9
1	B	105	ASP	2.8
1	B	108	ARG	2.8
1	A	103	LYS	2.8
1	B	343	LYS	2.7
1	B	266	VAL	2.7
1	B	261	ILE	2.7
1	A	106	ILE	2.7
1	B	270	GLU	2.6
1	B	215	GLY	2.6
1	A	175	ARG	2.6
1	B	138	LYS	2.4
1	B	111	GLN	2.3
1	B	242	ALA	2.2
1	A	373	HIS	2.2
1	A	321	ALA	2.2
1	A	288	GLN	2.2
1	A	294	LYS	2.2
1	B	268	ASN	2.2
1	B	246	LYS	2.2
1	A	108	ARG	2.1
1	B	397	GLN	2.1
1	A	506	THR	2.1
1	B	260	LYS	2.1
1	B	401	LYS	2.1
1	A	460	MET	2.1
1	B	204	ASN	2.0
1	A	115	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	FNS	B	9570	35/35	0.91	0.12	15,21,32,36	0
2	FNS	A	5570	35/35	0.92	0.12	13,19,33,37	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around FNS B 9570:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around FNS A 5570:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.