



Full wwPDB EM Validation Report ⓘ

Mar 27, 2026 – 10:37 PM UTC

PDB ID : 8SZH / pdb_00008szh
EMDB ID : EMD-40916
Title : Cryo-EM structure of cinacalcet-bound human calcium-sensing receptor CaSR-Gi complex in lipid nanodiscs
Authors : He, F.; Wu, C.; Gao, Y.; Skiniotis, G.
Deposited on : 2023-05-29
Resolution : 3.10 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	14724 (2.60 - 3.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	886	
1	B	886	
2	C	354	
3	D	343	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	E	71	
5	F	2	
5	G	2	
5	H	2	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	PCW	A	902	X	-	-	-

2 Entry composition [i](#)

There are 14 unique types of molecules in this entry. The entry contains 18062 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Extracellular calcium-sensing receptor.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	835	Total	C	N	O	S	0	0
			6579	4274	1082	1187	36		
1	B	812	Total	C	N	O	S	0	0
			6385	4147	1039	1163	36		

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	9	ASP	-	expression tag	UNP P41180
A	10	TYR	-	expression tag	UNP P41180
A	11	LYS	-	expression tag	UNP P41180
A	12	ASP	-	expression tag	UNP P41180
A	13	ASP	-	expression tag	UNP P41180
A	14	ASP	-	expression tag	UNP P41180
A	15	ASP	-	expression tag	UNP P41180
A	16	LYS	-	expression tag	UNP P41180
A	17	ALA	-	expression tag	UNP P41180
A	18	ALA	-	expression tag	UNP P41180
B	9	ASP	-	expression tag	UNP P41180
B	10	TYR	-	expression tag	UNP P41180
B	11	LYS	-	expression tag	UNP P41180
B	12	ASP	-	expression tag	UNP P41180
B	13	ASP	-	expression tag	UNP P41180
B	14	ASP	-	expression tag	UNP P41180
B	15	ASP	-	expression tag	UNP P41180
B	16	LYS	-	expression tag	UNP P41180
B	17	ALA	-	expression tag	UNP P41180
B	18	ALA	-	expression tag	UNP P41180

- Molecule 2 is a protein called Guanine nucleotide-binding protein G(i) subunit alpha-3.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	C	223	Total	C	N	O	S	0	0
			1770	1128	295	335	12		

- Molecule 3 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	D	338	Total	C	N	O	S	0	0
			2505	1559	448	477	21		

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	-2	GLY	-	expression tag	UNP P62873
D	-1	SER	-	expression tag	UNP P62873
D	0	SER	-	expression tag	UNP P62873
D	1	GLY	-	expression tag	UNP P62873

- Molecule 4 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2.


Mol	Chain	Residues	Atoms					AltConf	Trace
4	E	57	Total	C	N	O	S	0	0
			408	256	71	78	3		

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
5	F	2	Total	C	N	O	0	0
			28	16	2	10		
5	G	2	Total	C	N	O	0	0
			28	16	2	10		
5	H	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 6 is N-[(1R)-1-(naphthalen-1-yl)ethyl]-3-[3-(trifluoromethyl)phenyl]propan-1-amine (CCD ID: YP4) (formula: C₂₂H₂₂F₃N) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
6	A	1	Total	C	F	N	0
			26	22	3	1	
6	B	1	Total	C	F	N	0
			26	22	3	1	

- Molecule 7 is 1,2-DIOLEOYL-SN-GLYCERO-3-PHOSPHOCHOLINE (CCD ID: PCW) (formula: $C_{44}H_{85}NO_8P$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
7	A	1	Total	C	N	O	P	0
			54	44	1	8	1	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
7	B	1	Total	C	N	O	P	0
			54	44	1	8	1	

- Molecule 8 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				AltConf
8	A	1	Total 14	C 8	N 1	O 5	0
8	B	1	Total 14	C 8	N 1	O 5	0
8	B	1	Total 14	C 8	N 1	O 5	0

- Molecule 9 is CALCIUM ION (CCD ID: CA) (formula: Ca) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms		AltConf
9	A	2	Total	Ca	0
			2	2	
9	B	2	Total	Ca	0
			2	2	

- Molecule 10 is TRYPTOPHAN (CCD ID: TRP) (formula: $C_{11}H_{12}N_2O_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
10	A	1	Total	C	N	O	0
			15	11	2	2	
10	B	1	Total	C	N	O	0
			15	11	2	2	

- Molecule 11 is PHOSPHATE ION (CCD ID: PO4) (formula: O_4P) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
11	A	1	Total	O	P	0
			5	4	1	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			AltConf
11	B	1	Total	O	P	0
			5	4	1	

- Molecule 12 is SPERMINE (CCD ID: SPM) (formula: $C_{10}H_{26}N_4$).



Mol	Chain	Residues	Atoms			AltConf
12	A	1	Total	C	N	0
			14	10	4	
12	A	1	Total	C	N	0
			14	10	4	
12	B	1	Total	C	N	0
			14	10	4	
12	B	1	Total	C	N	0
			14	10	4	

- Molecule 13 is CHOLESTEROL (CCD ID: CLR) (formula: $C_{27}H_{46}O$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			AltConf
13	B	1	Total	C	O	0
			28	27	1	


- Molecule 14 is water.

Mol	Chain	Residues	Atoms		AltConf
14	B	1	Total	O	0
			1	1	


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Extracellular calcium-sensing receptor




• Molecule 1: Extracellular calcium-sensing receptor









- Molecule 2: Guanine nucleotide-binding protein G(i) subunit alpha-3



- Molecule 3: Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1



- Molecule 4: Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  100%

MAG1
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  50% 50%

MAG1
MAG2

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	262847	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	1500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	11.282	Depositor
Minimum map value	-0.451	Depositor
Average map value	0.051	Depositor
Map value standard deviation	0.156	Depositor
Recommended contour level	1.4	Depositor
Map size (Å)	416.496, 416.496, 416.496	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.8677, 0.8677, 0.8677	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CLR, PCW, CA, YP4, SPM, NAG, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.23	0/6748	0.48	8/9163 (0.1%)
1	B	0.21	0/6545	0.37	2/8889 (0.0%)
2	C	0.36	0/1800	0.64	3/2418 (0.1%)
3	D	0.14	0/2552	0.32	0/3468
4	E	0.09	0/414	0.23	0/562
All	All	0.23	0/18059	0.44	13/24500 (0.1%)

There are no bond length outliers.

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	866	ARG	N-CA-C	-14.73	95.26	113.23
1	A	869	ILE	N-CA-C	-8.44	104.47	112.83
1	A	862	PHE	CA-C-O	-8.13	111.37	121.78
2	C	234	LEU	CA-C-N	-8.01	111.41	122.95
2	C	234	LEU	C-N-CA	-8.01	111.41	122.95
1	B	541	ASN	CB-CG-ND2	-7.02	105.87	116.40
1	B	869	ILE	N-CA-C	-6.57	106.83	113.47
1	A	862	PHE	CA-CB-CG	6.16	119.96	113.80
2	C	288	PRO	CB-CA-C	-5.87	103.73	113.06
1	A	862	PHE	CB-CA-C	-5.55	100.48	110.36
1	A	864	PRO	CB-CA-C	-5.48	105.64	113.09
1	A	865	SER	CA-C-O	-5.38	115.31	121.40
1	A	858	TYR	CB-CA-C	-5.14	102.81	110.88

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6579	0	6424	55	0
1	B	6385	0	6221	40	0
2	C	1770	0	1734	22	0
3	D	2505	0	2371	29	0
4	E	408	0	391	3	0
5	F	28	0	25	0	0
5	G	28	0	25	0	0
5	H	28	0	25	0	0
6	A	26	0	0	0	0
6	B	26	0	0	0	0
7	A	54	0	84	5	0
7	B	54	0	84	4	0
8	A	14	0	13	0	0
8	B	28	0	26	0	0
9	A	2	0	0	0	0
9	B	2	0	0	0	0
10	A	15	0	9	0	0
10	B	15	0	9	2	0
11	A	5	0	0	0	0
11	B	5	0	0	1	0
12	A	28	0	52	3	0
12	B	28	0	52	2	0
13	B	28	0	46	3	0
14	B	1	0	0	0	0
All	All	18062	0	17591	144	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (144) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
12:A:909:SPM:HN11	12:B:1410:SPM:H111	1.46	0.79
1:B:87:LEU:O	1:B:432:GLN:NE2	2.23	0.72
1:A:719:TRP:CD1	2:C:351:CYS:HG	2.09	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:184:ILE:HD11	3:D:117:LEU:HD12	1.71	0.70
1:B:253:GLN:OE1	1:B:286:ARG:NH2	2.25	0.70
2:C:20:ASP:OD1	3:D:89:LYS:NZ	2.26	0.69
1:A:658:LEU:HD21	1:A:849:LEU:HB2	1.74	0.68
3:D:251:ARG:HG2	3:D:263:THR:HG22	1.75	0.67
1:B:211:THR:HB	1:B:223:ILE:HD11	1.77	0.67
3:D:29:THR:HG22	3:D:31:SER:H	1.59	0.66
1:B:168:ALA:O	10:B:1408:TRP:N	2.27	0.66
1:A:692:ILE:HG21	1:A:783:LEU:HB3	1.78	0.66
1:A:647:ASN:HD22	1:A:698:LYS:HG3	1.60	0.66
1:A:619:PHE:HB3	1:A:842:LEU:HD21	1.79	0.65
1:A:873:ARG:HG2	2:C:354:TYR:OH	1.96	0.64
1:A:642:ILE:HD11	1:A:867:ASN:HA	1.79	0.63
1:B:199:ASP:OD1	1:B:233:ARG:NH2	2.31	0.63
3:D:25:CYS:HB3	4:E:29:LYS:HA	1.81	0.63
1:A:715:HIS:HA	1:A:718:TRP:HB2	1.82	0.61
2:C:230:TYR:CD2	2:C:283:LEU:HD12	2.34	0.61
1:B:678:ARG:HG2	1:B:748:PRO:HD2	1.83	0.60
3:D:271:CYS:HB2	3:D:290:ASP:HB2	1.83	0.59
3:D:18:ILE:HD11	4:E:23:ALA:HA	1.85	0.58
3:D:49:ARG:NH1	3:D:85:TYR:O	2.36	0.58
1:B:69:ARG:NH2	11:B:1409:PO4:O2	2.36	0.58
1:A:238:ASP:OD2	1:A:262:SER:OG	2.21	0.57
3:D:331:SER:OG	3:D:333:ASP:OD1	2.20	0.57
7:A:902:PCW:H151	13:B:1401:CLR:H161	1.87	0.57
1:A:677:CYS:HA	1:A:680:ARG:HD3	1.87	0.57
1:A:705:VAL:HG11	2:C:348:LEU:HD23	1.87	0.57
1:A:877:ALA:HB1	1:A:883:VAL:CB	2.36	0.56
1:B:819:ILE:HG22	7:B:1403:PCW:H472	1.87	0.56
3:D:294:CYS:HB3	3:D:308:LEU:HB2	1.87	0.55
1:A:551:ARG:NH1	1:A:552:LYS:O	2.39	0.55
1:A:703:LEU:HD12	1:A:797:LEU:HD11	1.88	0.55
1:A:792:PHE:HB2	7:A:902:PCW:H332	1.88	0.55
1:B:69:ARG:NH1	1:B:407:PRO:O	2.39	0.55
3:D:290:ASP:HA	3:D:314:ARG:HG3	1.88	0.55
1:A:823:PRO:HB3	1:B:832:PHE:HB3	1.88	0.55
1:A:607:SER:HB3	1:A:610:GLU:HG3	1.89	0.54
3:D:230:ASN:ND2	3:D:246:ASP:OD1	2.35	0.54
1:B:528:ILE:O	1:B:535:ARG:NH1	2.40	0.54
1:A:331:ARG:NH2	1:A:409:ILE:O	2.42	0.53
1:A:548:ALA:O	1:A:574:SER:OG	2.27	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:553:GLY:N	1:B:564:GLU:O	2.43	0.52
1:A:335:LYS:HA	1:A:401:ILE:HD11	1.91	0.52
1:A:209:VAL:HG12	1:A:266:VAL:HB	1.92	0.52
1:A:456:GLU:OE1	1:A:458:TRP:NE1	2.43	0.51
1:B:696:LEU:HD23	1:B:702:VAL:HG11	1.91	0.51
2:C:23:LEU:HD21	3:D:80:ILE:HD11	1.91	0.51
2:C:275:GLU:OE1	2:C:279:LYS:NZ	2.44	0.51
1:A:610:GLU:OE2	1:A:831:LYS:NZ	2.42	0.50
1:B:696:LEU:HD12	1:B:787:CYS:HB2	1.94	0.50
1:B:822:ILE:HB	1:B:823:PRO:HD3	1.93	0.50
2:C:229:ASP:O	2:C:230:TYR:C	2.54	0.50
1:A:119:LYS:HD2	1:B:119:LYS:NZ	2.26	0.50
2:C:293:SER:C	2:C:295:THR:N	2.66	0.50
3:D:30:LEU:HD23	3:D:262:MET:HG3	1.93	0.49
2:C:283:LEU:HD11	2:C:303:ILE:HD11	1.94	0.49
1:A:61:ILE:HG13	1:A:62:ARG:N	2.28	0.48
1:A:227:ARG:O	1:A:231:GLU:HG2	2.13	0.48
1:A:719:TRP:CD1	2:C:351:CYS:SG	3.06	0.48
1:A:572:GLU:HG2	1:A:584:LYS:HA	1.96	0.48
1:A:816:ILE:HG12	7:A:902:PCW:H262	1.96	0.48
1:B:610:GLU:HG3	1:B:613:GLY:H	1.78	0.48
1:A:865:SER:C	1:A:867:ASN:N	2.63	0.48
12:A:909:SPM:H131	12:B:1410:SPM:H32	1.95	0.48
2:C:229:ASP:C	2:C:231:ASP:N	2.69	0.47
2:C:194:LEU:HD13	2:C:336:PHE:HE1	1.80	0.47
1:B:119:LYS:HE2	1:B:119:LYS:HB3	1.66	0.47
1:A:349:LYS:HG3	1:A:360:LEU:HD12	1.97	0.47
3:D:70:LEU:HB2	3:D:82:TRP:HB2	1.97	0.47
1:B:705:VAL:O	1:B:705:VAL:HG12	2.16	0.46
1:A:69:ARG:NH1	1:A:407:PRO:O	2.48	0.46
1:B:81:ILE:HG23	1:B:87:LEU:HD23	1.98	0.46
1:A:119:LYS:HB3	1:A:119:LYS:HE2	1.62	0.46
1:A:293:TRP:HB2	1:A:317:THR:HG23	1.97	0.46
1:B:215:ASP:OD1	1:B:220:ARG:NH1	2.39	0.46
7:A:902:PCW:H161	7:A:902:PCW:H19	1.58	0.46
1:A:633:VAL:HG11	1:A:857:ILE:HD12	1.97	0.46
1:A:692:ILE:HG23	1:A:787:CYS:SG	2.56	0.46
3:D:212:ASP:OD1	3:D:212:ASP:N	2.48	0.45
1:B:23:ASP:OD1	1:B:23:ASP:N	2.50	0.45
3:D:180:PHE:HE1	3:D:216:GLY:HA2	1.81	0.45
3:D:180:PHE:CE1	3:D:216:GLY:HA2	2.51	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:253:GLN:OE1	1:A:286:ARG:NH2	2.50	0.44
1:B:689:VAL:HG21	1:B:735:GLN:HG3	1.99	0.44
1:B:197:MET:HG3	1:B:320:PHE:HE2	1.81	0.44
2:C:269:ASN:OD1	2:C:270:LYS:N	2.50	0.44
2:C:291:THR:HG23	2:C:292:GLY:N	2.32	0.44
1:B:551:ARG:HD2	1:B:552:LYS:O	2.16	0.44
3:D:47:THR:HG21	3:D:337:LYS:HD3	2.00	0.44
1:B:61:ILE:HG22	1:B:62:ARG:HG3	2.00	0.44
3:D:340:ASN:ND2	4:E:59:ASN:OD1	2.50	0.44
1:A:224:GLU:OE2	1:A:227:ARG:NH2	2.35	0.44
1:A:862:PHE:O	1:A:863:LYS:C	2.61	0.44
1:B:644:LYS:HB3	1:B:644:LYS:HE3	1.73	0.44
3:D:276:VAL:HG13	3:D:285:LEU:HD11	1.98	0.44
3:D:49:ARG:HB2	3:D:338:ILE:HD13	1.99	0.44
1:B:793:LYS:HE2	1:B:793:LYS:HB3	1.88	0.43
2:C:271:LYS:HG2	2:C:325:CYS:HB3	2.00	0.43
1:A:22:PRO:O	1:A:25:ARG:NH2	2.37	0.43
1:A:759:GLU:OE1	1:A:759:GLU:N	2.48	0.43
3:D:64:GLY:HA2	3:D:105:TYR:CD2	2.53	0.43
2:C:183:GLY:O	2:C:184:ILE:C	2.62	0.43
3:D:22:ARG:O	3:D:259:GLN:NE2	2.52	0.43
1:A:641:PRO:HG2	1:A:868:THR:C	2.44	0.43
12:A:909:SPM:H121	12:A:909:SPM:H91	1.83	0.43
1:A:689:VAL:HG12	1:A:732:THR:HG22	2.00	0.43
1:A:212:ILE:HD11	1:A:259:ILE:HD11	2.00	0.43
1:A:539:PHE:CE1	1:A:541:ASN:HB2	2.54	0.43
3:D:37:ILE:HG13	3:D:38:ASP:H	1.84	0.43
1:A:51:LEU:HB2	1:B:462:LYS:HB2	2.01	0.42
1:A:677:CYS:HB3	1:A:765:CYS:HB3	1.91	0.42
2:C:192:LYS:NZ	2:C:333:GLN:HE22	2.17	0.42
1:B:253:GLN:O	1:B:257:GLU:HG2	2.20	0.42
1:B:757:GLU:HB3	1:B:760:ILE:HG12	2.01	0.42
1:A:759:GLU:HG2	1:A:760:ILE:HG12	2.01	0.42
7:B:1403:PCW:H82	7:B:1403:PCW:H41	1.84	0.42
1:B:684:PHE:CE1	1:B:841:ILE:HG12	2.55	0.42
3:D:211:TRP:CZ3	3:D:218:CYS:HB2	2.55	0.42
1:A:276:LEU:HG	1:A:280:ILE:HG12	2.02	0.41
1:B:806:PHE:HE1	13:B:1401:CLR:H72	1.85	0.41
1:B:823:PRO:HG3	7:B:1403:PCW:H412	2.01	0.41
1:B:868:THR:HA	1:B:873:ARG:CB	2.50	0.41
13:B:1401:CLR:H183	13:B:1401:CLR:H20	1.89	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:102:THR:HG21	3:D:148:CYS:HA	2.02	0.41
1:A:706:PHE:CE1	2:C:348:LEU:HD21	2.55	0.41
1:A:489:TYR:HB2	1:A:511:TYR:HB3	2.03	0.41
1:A:865:SER:O	1:A:866:ARG:HB2	2.20	0.41
1:B:677:CYS:HB3	1:B:765:CYS:HB3	1.83	0.41
2:C:291:THR:CG2	2:C:292:GLY:N	2.83	0.41
3:D:29:THR:HG22	3:D:31:SER:N	2.33	0.41
1:A:803:GLU:O	1:A:807:ILE:HG13	2.21	0.41
1:B:220:ARG:HB2	1:B:221:PRO:HD3	2.03	0.41
1:A:61:ILE:HG13	1:A:62:ARG:H	1.86	0.40
1:A:869:ILE:O	1:A:873:ARG:HG3	2.21	0.40
7:A:902:PCW:H41	7:A:902:PCW:H72	1.87	0.40
2:C:278:ILE:HD13	2:C:278:ILE:HA	1.98	0.40
1:B:209:VAL:HG12	1:B:266:VAL:HB	2.03	0.40
1:B:818:TRP:HB3	7:B:1403:PCW:H221	2.03	0.40
10:B:1408:TRP:N	10:B:1408:TRP:CD1	2.89	0.40
3:D:51:LEU:HB3	3:D:82:TRP:CZ3	2.57	0.40
1:B:480:ASP:OD1	1:B:484:ASP:N	2.45	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	829/886 (94%)	804 (97%)	25 (3%)	0	100	100
1	B	804/886 (91%)	778 (97%)	26 (3%)	0	100	100
2	C	219/354 (62%)	208 (95%)	11 (5%)	0	100	100
3	D	336/343 (98%)	317 (94%)	19 (6%)	0	100	100
4	E	55/71 (78%)	51 (93%)	4 (7%)	0	100	100
All	All	2243/2540 (88%)	2158 (96%)	85 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	703/766 (92%)	703 (100%)	0	100	100
1	B	687/766 (90%)	687 (100%)	0	100	100
2	C	188/310 (61%)	188 (100%)	0	100	100
3	D	255/284 (90%)	255 (100%)	0	100	100
4	E	38/58 (66%)	38 (100%)	0	100	100
All	All	1871/2184 (86%)	1871 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	27	GLN
1	A	72	GLN
1	A	164	GLN
1	A	344	HIS
1	A	429	HIS
1	A	476	GLN
1	B	344	HIS
1	B	429	HIS
1	B	432	GLN
1	B	493	ASN
2	C	256	ASN
2	C	333	GLN
3	D	340	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

6 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	NAG	F	1	1,5	14,14,15	0.29	0	17,19,21	0.57	0
5	NAG	F	2	5	14,14,15	0.20	0	17,19,21	0.44	0
5	NAG	G	1	1,5	14,14,15	0.33	0	17,19,21	0.39	0
5	NAG	G	2	5	14,14,15	0.21	0	17,19,21	0.44	0
5	NAG	H	1	1,5	14,14,15	0.53	0	17,19,21	1.95	4 (23%)
5	NAG	H	2	5	14,14,15	0.34	0	17,19,21	0.75	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	F	1	1,5	-	0/6/23/26	0/1/1/1
5	NAG	F	2	5	-	2/6/23/26	0/1/1/1
5	NAG	G	1	1,5	-	2/6/23/26	0/1/1/1
5	NAG	G	2	5	-	2/6/23/26	0/1/1/1
5	NAG	H	1	1,5	-	0/6/23/26	0/1/1/1
5	NAG	H	2	5	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	H	1	NAG	C1-O5-C5	5.69	119.81	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	H	1	NAG	O4-C4-C5	-2.61	102.90	109.32
5	H	1	NAG	O5-C1-C2	-2.58	107.31	111.29
5	H	1	NAG	C6-C5-C4	-2.26	107.47	113.02

There are no chirality outliers.


All (8) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	G	2	NAG	C4-C5-C6-O6
5	G	2	NAG	O5-C5-C6-O6
5	H	2	NAG	C8-C7-N2-C2
5	H	2	NAG	O7-C7-N2-C2
5	F	2	NAG	C4-C5-C6-O6
5	F	2	NAG	O5-C5-C6-O6
5	G	1	NAG	C4-C5-C6-O6
5	G	1	NAG	C1-C2-N2-C7


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.







5.6 Ligand geometry [i](#)

Of 20 ligands modelled in this entry, 4 are monoatomic - leaving 16 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
13	CLR	B	1401	-	31,31,31	0.61	0	48,48,48	1.04	4 (8%)
6	YP4	A	901	-	28,28,28	1.05	1 (3%)	39,39,39	1.05	3 (7%)
12	SPM	B	1410	-	13,13,13	0.36	0	12,12,12	0.92	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
12	SPM	A	909	-	13,13,13	0.41	0	12,12,12	1.06	0
7	PCW	A	902	-	53,53,53	1.52	8 (15%)	59,61,61	0.99	3 (5%)
8	NAG	B	1404	1	14,14,15	0.28	0	17,19,21	0.60	0
11	PO4	A	907	-	4,4,4	1.05	0	6,6,6	0.45	0
8	NAG	A	903	1	14,14,15	0.21	0	17,19,21	0.44	0
10	TRP	A	906	-	15,16,16	0.74	1 (6%)	18,22,22	0.76	1 (5%)
12	SPM	B	1411	-	13,13,13	0.51	0	12,12,12	0.63	0
6	YP4	B	1402	-	28,28,28	1.05	1 (3%)	39,39,39	1.04	2 (5%)
8	NAG	B	1405	1	14,14,15	0.25	0	17,19,21	0.54	0
7	PCW	B	1403	-	53,53,53	1.54	8 (15%)	59,61,61	0.97	3 (5%)
10	TRP	B	1408	-	15,16,16	0.75	1 (6%)	18,22,22	0.81	1 (5%)
11	PO4	B	1409	-	4,4,4	1.02	0	6,6,6	0.45	0
12	SPM	A	908	-	13,13,13	0.51	0	12,12,12	0.55	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
13	CLR	B	1401	-	-	6/10/68/68	0/4/4/4
6	YP4	A	901	-	-	9/17/17/17	0/3/3/3
12	SPM	B	1410	-	-	3/11/11/11	-
12	SPM	A	909	-	-	4/11/11/11	-
7	PCW	A	902	-	1/1/5/9	27/57/57/57	-
8	NAG	B	1404	1	-	2/6/23/26	0/1/1/1
8	NAG	A	903	1	-	2/6/23/26	0/1/1/1
10	TRP	A	906	-	-	2/8/8/8	0/2/2/2
12	SPM	B	1411	-	-	1/11/11/11	-
6	YP4	B	1402	-	-	8/17/17/17	0/3/3/3
8	NAG	B	1405	1	-	1/6/23/26	0/1/1/1
7	PCW	B	1403	-	-	26/57/57/57	-
10	TRP	B	1408	-	-	2/8/8/8	0/2/2/2
12	SPM	A	908	-	-	2/11/11/11	-

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	B	1403	PCW	O2-C31	5.31	1.49	1.34
7	A	902	PCW	O2-C31	5.15	1.48	1.34
7	B	1403	PCW	C32-C31	3.49	1.60	1.50
7	A	902	PCW	C32-C31	3.40	1.60	1.50
6	A	901	YP4	CG-CD1	-3.38	1.36	1.43
6	B	1402	YP4	CG-CD1	-3.34	1.36	1.43
7	B	1403	PCW	O3-C11	3.02	1.42	1.33
7	A	902	PCW	O3-C11	2.97	1.42	1.33
7	A	902	PCW	C1-C2	2.66	1.59	1.50
7	B	1403	PCW	C1-C2	2.65	1.59	1.50
7	B	1403	PCW	P-O3P	2.34	1.68	1.59
7	A	902	PCW	P-O3P	2.34	1.68	1.59
7	B	1403	PCW	C3-C2	2.33	1.58	1.50
10	A	906	TRP	OXT-C	-2.32	1.23	1.30
10	B	1408	TRP	OXT-C	-2.31	1.23	1.30
7	B	1403	PCW	C17-C18	2.25	1.61	1.52
7	A	902	PCW	C17-C18	2.24	1.61	1.52
7	A	902	PCW	C3-C2	2.19	1.57	1.50
7	B	1403	PCW	C17-C16	2.18	1.62	1.51
7	A	902	PCW	C17-C16	2.17	1.62	1.51

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	902	PCW	O2-C31-C32	3.91	119.93	111.48
7	B	1403	PCW	O2-C31-C32	3.89	119.89	111.48
7	B	1403	PCW	C18-C19-C20	3.76	153.01	124.83
7	A	902	PCW	C18-C19-C20	3.70	152.59	124.83
13	B	1401	CLR	C13-C17-C20	-3.18	114.58	119.50
6	A	901	YP4	CD2-CG-CB	-2.84	119.92	123.37
6	B	1402	YP4	CD2-CG-CB	-2.72	120.06	123.37
10	A	906	TRP	OXT-C-O	-2.69	117.97	124.08
10	B	1408	TRP	OXT-C-O	-2.69	117.99	124.08
7	A	902	PCW	O3-C11-C12	2.63	119.85	111.83
7	B	1403	PCW	O3-C11-C12	2.55	119.61	111.83
13	B	1401	CLR	C19-C10-C9	-2.40	108.96	111.66
13	B	1401	CLR	C11-C12-C13	-2.33	108.81	112.74
6	B	1402	YP4	C3-N-CA	-2.28	109.88	113.42
6	A	901	YP4	C3-N-CA	-2.26	109.90	113.42
13	B	1401	CLR	C11-C9-C10	-2.21	110.36	113.08
6	A	901	YP4	CB-CA-N	-2.19	108.13	112.41

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
7	A	902	PCW	C2

All (95) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	901	YP4	C1-CA-N-C3
6	A	901	YP4	CB-CA-N-C3
7	A	902	PCW	O4P-C4-C5-N
7	A	902	PCW	C1-O3P-P-O1P
7	A	902	PCW	C1-O3P-P-O2P
7	A	902	PCW	C1-O3P-P-O4P
12	A	909	SPM	C3-C4-N5-C6
13	B	1401	CLR	C13-C17-C20-C22
13	B	1401	CLR	C13-C17-C20-C21
7	A	902	PCW	C32-C31-O2-C2
12	A	909	SPM	C12-C11-N10-C9
6	A	901	YP4	N-C3-C4-C5
13	B	1401	CLR	C22-C23-C24-C25
7	B	1403	PCW	C31-C32-C33-C34
13	B	1401	CLR	C20-C22-C23-C24
7	B	1403	PCW	C32-C31-O2-C2
7	A	902	PCW	O31-C31-O2-C2
7	B	1403	PCW	O31-C31-O2-C2
7	B	1403	PCW	C12-C11-O3-C3
7	A	902	PCW	C11-C12-C13-C14
7	B	1403	PCW	C43-C44-C45-C46
7	B	1403	PCW	C44-C45-C46-C47
7	A	902	PCW	C22-C23-C24-C25
7	B	1403	PCW	C14-C15-C16-C17
7	B	1403	PCW	O11-C11-O3-C3
7	B	1403	PCW	C1-C2-C3-O3
7	B	1403	PCW	C23-C24-C25-C26
7	B	1403	PCW	C32-C33-C34-C35
7	A	902	PCW	C42-C43-C44-C45
7	B	1403	PCW	C12-C13-C14-C15
8	A	903	NAG	O5-C5-C6-O6
13	B	1401	CLR	C16-C17-C20-C21
8	B	1405	NAG	O5-C5-C6-O6
7	A	902	PCW	C12-C13-C14-C15
7	A	902	PCW	C34-C35-C36-C37
7	B	1403	PCW	C11-C12-C13-C14
7	B	1403	PCW	C35-C36-C37-C38
7	A	902	PCW	C41-C42-C43-C44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
13	B	1401	CLR	C16-C17-C20-C22
12	B	1410	SPM	C6-C7-C8-C9
6	B	1402	YP4	N-C3-C4-C5
7	A	902	PCW	C33-C34-C35-C36
7	A	902	PCW	O2-C2-C3-O3
12	B	1410	SPM	C7-C8-C9-N10
7	A	902	PCW	C16-C17-C18-C19
12	A	908	SPM	C7-C8-C9-N10
6	A	901	YP4	C1-CA-CB-CG
7	A	902	PCW	C2-C1-O3P-P
7	A	902	PCW	C32-C33-C34-C35
7	B	1403	PCW	C34-C35-C36-C37
7	A	902	PCW	O3P-C1-C2-C3
7	A	902	PCW	C44-C45-C46-C47
7	B	1403	PCW	C33-C34-C35-C36
12	A	909	SPM	N10-C11-C12-C13
7	B	1403	PCW	O4P-C4-C5-N
7	A	902	PCW	C24-C25-C26-C27
10	B	1408	TRP	O-C-CA-CB
7	B	1403	PCW	C25-C26-C27-C28
7	A	902	PCW	O3P-C1-C2-O2
7	B	1403	PCW	O2-C2-C3-O3
10	B	1408	TRP	OXT-C-CA-CB
7	B	1403	PCW	C4-O4P-P-O2P
8	B	1404	NAG	C3-C2-N2-C7
7	A	902	PCW	C25-C26-C27-C28
7	B	1403	PCW	C3-C2-O2-C31
6	B	1402	YP4	C1-CA-CB-CG
12	A	909	SPM	C8-C9-N10-C11
6	A	901	YP4	N-CA-CB-C14
12	A	908	SPM	C7-C6-N5-C4
7	A	902	PCW	C23-C24-C25-C26
10	A	906	TRP	CA-CB-CG-CD2
6	A	901	YP4	N-CA-CB-CG
6	B	1402	YP4	C4-C5-C6-C11
8	B	1404	NAG	C1-C2-N2-C7
6	B	1402	YP4	C4-C5-C6-C7
7	A	902	PCW	C1-C2-C3-O3
7	A	902	PCW	C37-C38-C39-C40
6	A	901	YP4	C1-CA-CB-C14
6	B	1402	YP4	C1-CA-CB-C14
6	A	901	YP4	C4-C5-C6-C11

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
7	B	1403	PCW	C37-C38-C39-C40
7	B	1403	PCW	C36-C37-C38-C39
10	A	906	TRP	CA-CB-CG-CD1
6	A	901	YP4	C4-C5-C6-C7
6	B	1402	YP4	N-CA-CB-CG
7	A	902	PCW	C17-C18-C19-C20
7	B	1403	PCW	C39-C40-C41-C42
7	B	1403	PCW	O3P-C1-C2-O2
6	B	1402	YP4	CB-CA-N-C3
6	B	1402	YP4	N-CA-CB-C14
8	A	903	NAG	C4-C5-C6-O6
12	B	1411	SPM	C11-C12-C13-N14
7	B	1403	PCW	C2-C1-O3P-P
12	B	1410	SPM	C12-C11-N10-C9
7	A	902	PCW	C21-C22-C23-C24


There are no ring outliers.


7 monomers are involved in 17 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
13	B	1401	CLR	3	0
12	B	1410	SPM	2	0
12	A	909	SPM	3	0
7	A	902	PCW	5	0
7	B	1403	PCW	4	0
10	B	1408	TRP	2	0
11	B	1409	PO4	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














Ligand PCW B 1403



Ligand TRP B 1408





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-40916. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 240



Y Index: 240




Z Index: 240


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 243



Y Index: 246



Z Index: 354


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 1.4. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 98 nm^3 ; this corresponds to an approximate mass of 88 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.323 Å⁻¹


8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-40916 and PDB model 8SZH. Per-residue inclusion information can be found in section [3](#) on page [11](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 1.4 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (1.4).

9.4 Atom inclusion [i](#)



At the recommended contour level, 85% of all backbone atoms, 82% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (1.4) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8210	0.5720
A	0.8340	0.5900
B	0.8190	0.5820
C	0.7420	0.5190
D	0.8820	0.5540
E	0.7220	0.4800
F	0.3930	0.5030
G	0.7140	0.5550
H	0.6430	0.4330

1.0

0.0

<0.0