



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 14, 2026 – 04:39 PM UTC

PDB ID : 3T08 / pdb_00003t08
Title : E. coli (LacZ) beta-galactosidase (S796A) IPTG complex
Authors : Jancewicz, L.J.; Wheatley, R.W.; Sutendra, G.; Lee, M.; Fraser, M.; Huber, R.E.
Deposited on : 2011-07-19
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1052	2% 89% 7%
1	B	1052	3% 90% 6%
1	C	1052	2% 90% 6%
1	D	1052	3% 89% 8%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	DMS	A	8001	-	-	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 36085 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-galactosidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	1015	Total	C	N	O	S	21	0	0
			8156	5159	1445	1514	38			
1	B	1015	Total	C	N	O	S	12	0	0
			8156	5159	1445	1514	38			
1	C	1015	Total	C	N	O	S	12	0	0
			8156	5159	1445	1514	38			
1	D	1015	Total	C	N	O	S	23	0	0
			8156	5159	1445	1514	38			

There are 152 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-28	MET	-	expression tag	UNP P00722
A	-27	GLY	-	expression tag	UNP P00722
A	-26	GLY	-	expression tag	UNP P00722
A	-25	SER	-	expression tag	UNP P00722
A	-24	HIS	-	expression tag	UNP P00722
A	-23	HIS	-	expression tag	UNP P00722
A	-22	HIS	-	expression tag	UNP P00722
A	-21	HIS	-	expression tag	UNP P00722
A	-20	HIS	-	expression tag	UNP P00722
A	-19	HIS	-	expression tag	UNP P00722
A	-18	GLY	-	expression tag	UNP P00722
A	-17	MET	-	expression tag	UNP P00722
A	-16	ALA	-	expression tag	UNP P00722
A	-15	SER	-	expression tag	UNP P00722
A	-14	MET	-	expression tag	UNP P00722
A	-13	THR	-	expression tag	UNP P00722
A	-12	GLY	-	expression tag	UNP P00722
A	-11	GLY	-	expression tag	UNP P00722
A	-10	GLN	-	expression tag	UNP P00722
A	-9	GLN	-	expression tag	UNP P00722
A	-8	MET	-	expression tag	UNP P00722

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	GLY	-	expression tag	UNP P00722
A	-6	ARG	-	expression tag	UNP P00722
A	-5	ASP	-	expression tag	UNP P00722
A	-4	LEU	-	expression tag	UNP P00722
A	-3	TYR	-	expression tag	UNP P00722
A	-2	ASP	-	expression tag	UNP P00722
A	-1	ASP	-	expression tag	UNP P00722
A	0	ASP	-	expression tag	UNP P00722
A	1	ASP	-	expression tag	UNP P00722
A	2	LYS	-	expression tag	UNP P00722
A	3	ASP	-	expression tag	UNP P00722
A	4	PRO	-	expression tag	UNP P00722
A	5	MET	-	expression tag	UNP P00722
A	6	ILE	-	expression tag	UNP P00722
A	7	ASP	-	expression tag	UNP P00722
A	8	PRO	-	expression tag	UNP P00722
A	796	ALA	SER	engineered mutation	UNP P00722
B	-28	MET	-	expression tag	UNP P00722
B	-27	GLY	-	expression tag	UNP P00722
B	-26	GLY	-	expression tag	UNP P00722
B	-25	SER	-	expression tag	UNP P00722
B	-24	HIS	-	expression tag	UNP P00722
B	-23	HIS	-	expression tag	UNP P00722
B	-22	HIS	-	expression tag	UNP P00722
B	-21	HIS	-	expression tag	UNP P00722
B	-20	HIS	-	expression tag	UNP P00722
B	-19	HIS	-	expression tag	UNP P00722
B	-18	GLY	-	expression tag	UNP P00722
B	-17	MET	-	expression tag	UNP P00722
B	-16	ALA	-	expression tag	UNP P00722
B	-15	SER	-	expression tag	UNP P00722
B	-14	MET	-	expression tag	UNP P00722
B	-13	THR	-	expression tag	UNP P00722
B	-12	GLY	-	expression tag	UNP P00722
B	-11	GLY	-	expression tag	UNP P00722
B	-10	GLN	-	expression tag	UNP P00722
B	-9	GLN	-	expression tag	UNP P00722
B	-8	MET	-	expression tag	UNP P00722
B	-7	GLY	-	expression tag	UNP P00722
B	-6	ARG	-	expression tag	UNP P00722
B	-5	ASP	-	expression tag	UNP P00722
B	-4	LEU	-	expression tag	UNP P00722

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-3	TYR	-	expression tag	UNP P00722
B	-2	ASP	-	expression tag	UNP P00722
B	-1	ASP	-	expression tag	UNP P00722
B	0	ASP	-	expression tag	UNP P00722
B	1	ASP	-	expression tag	UNP P00722
B	2	LYS	-	expression tag	UNP P00722
B	3	ASP	-	expression tag	UNP P00722
B	4	PRO	-	expression tag	UNP P00722
B	5	MET	-	expression tag	UNP P00722
B	6	ILE	-	expression tag	UNP P00722
B	7	ASP	-	expression tag	UNP P00722
B	8	PRO	-	expression tag	UNP P00722
B	796	ALA	SER	engineered mutation	UNP P00722
C	-28	MET	-	expression tag	UNP P00722
C	-27	GLY	-	expression tag	UNP P00722
C	-26	GLY	-	expression tag	UNP P00722
C	-25	SER	-	expression tag	UNP P00722
C	-24	HIS	-	expression tag	UNP P00722
C	-23	HIS	-	expression tag	UNP P00722
C	-22	HIS	-	expression tag	UNP P00722
C	-21	HIS	-	expression tag	UNP P00722
C	-20	HIS	-	expression tag	UNP P00722
C	-19	HIS	-	expression tag	UNP P00722
C	-18	GLY	-	expression tag	UNP P00722
C	-17	MET	-	expression tag	UNP P00722
C	-16	ALA	-	expression tag	UNP P00722
C	-15	SER	-	expression tag	UNP P00722
C	-14	MET	-	expression tag	UNP P00722
C	-13	THR	-	expression tag	UNP P00722
C	-12	GLY	-	expression tag	UNP P00722
C	-11	GLY	-	expression tag	UNP P00722
C	-10	GLN	-	expression tag	UNP P00722
C	-9	GLN	-	expression tag	UNP P00722
C	-8	MET	-	expression tag	UNP P00722
C	-7	GLY	-	expression tag	UNP P00722
C	-6	ARG	-	expression tag	UNP P00722
C	-5	ASP	-	expression tag	UNP P00722
C	-4	LEU	-	expression tag	UNP P00722
C	-3	TYR	-	expression tag	UNP P00722
C	-2	ASP	-	expression tag	UNP P00722
C	-1	ASP	-	expression tag	UNP P00722
C	0	ASP	-	expression tag	UNP P00722

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	1	ASP	-	expression tag	UNP P00722
C	2	LYS	-	expression tag	UNP P00722
C	3	ASP	-	expression tag	UNP P00722
C	4	PRO	-	expression tag	UNP P00722
C	5	MET	-	expression tag	UNP P00722
C	6	ILE	-	expression tag	UNP P00722
C	7	ASP	-	expression tag	UNP P00722
C	8	PRO	-	expression tag	UNP P00722
C	796	ALA	SER	engineered mutation	UNP P00722
D	-28	MET	-	expression tag	UNP P00722
D	-27	GLY	-	expression tag	UNP P00722
D	-26	GLY	-	expression tag	UNP P00722
D	-25	SER	-	expression tag	UNP P00722
D	-24	HIS	-	expression tag	UNP P00722
D	-23	HIS	-	expression tag	UNP P00722
D	-22	HIS	-	expression tag	UNP P00722
D	-21	HIS	-	expression tag	UNP P00722
D	-20	HIS	-	expression tag	UNP P00722
D	-19	HIS	-	expression tag	UNP P00722
D	-18	GLY	-	expression tag	UNP P00722
D	-17	MET	-	expression tag	UNP P00722
D	-16	ALA	-	expression tag	UNP P00722
D	-15	SER	-	expression tag	UNP P00722
D	-14	MET	-	expression tag	UNP P00722
D	-13	THR	-	expression tag	UNP P00722
D	-12	GLY	-	expression tag	UNP P00722
D	-11	GLY	-	expression tag	UNP P00722
D	-10	GLN	-	expression tag	UNP P00722
D	-9	GLN	-	expression tag	UNP P00722
D	-8	MET	-	expression tag	UNP P00722
D	-7	GLY	-	expression tag	UNP P00722
D	-6	ARG	-	expression tag	UNP P00722
D	-5	ASP	-	expression tag	UNP P00722
D	-4	LEU	-	expression tag	UNP P00722
D	-3	TYR	-	expression tag	UNP P00722
D	-2	ASP	-	expression tag	UNP P00722
D	-1	ASP	-	expression tag	UNP P00722
D	0	ASP	-	expression tag	UNP P00722
D	1	ASP	-	expression tag	UNP P00722
D	2	LYS	-	expression tag	UNP P00722
D	3	ASP	-	expression tag	UNP P00722
D	4	PRO	-	expression tag	UNP P00722

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	5	MET	-	expression tag	UNP P00722
D	6	ILE	-	expression tag	UNP P00722
D	7	ASP	-	expression tag	UNP P00722
D	8	PRO	-	expression tag	UNP P00722
D	796	ALA	SER	engineered mutation	UNP P00722


- Molecule 2 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Mg	0	0
			2	2		
2	B	3	Total	Mg	0	0
			3	3		
2	C	2	Total	Mg	0	0
			2	2		
2	D	2	Total	Mg	0	0
			2	2		

- Molecule 3 is SODIUM ION (CCD ID: NA) (formula: Na).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	3	Total	Na	0	0
			3	3		
3	B	3	Total	Na	0	0
			3	3		
3	C	4	Total	Na	0	0
			4	4		
3	D	3	Total	Na	0	0
			3	3		

- Molecule 4 is 1-methylethyl 1-thio-beta-D-galactopyranoside (CCD ID: IPT) (formula: C₉H₁₈O₅S).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	O	S	0	0
			15	9	5	1		
4	B	1	Total	C	O	S	0	0
			15	9	5	1		
4	C	1	Total	C	O	S	0	0
			15	9	5	1		
4	D	1	Total	C	O	S	0	0
			15	9	5	1		

- Molecule 5 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula: C_2H_6OS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	D	1	Total C O S 4 2 1 1	0	0
5	D	1	Total C O S 4 2 1 1	0	0
5	D	1	Total C O S 4 2 1 1	0	0
5	D	1	Total C O S 4 2 1 1	0	0
5	D	1	Total C O S 4 2 1 1	0	0
5	D	1	Total C O S 4 2 1 1	0	0
5	D	1	Total C O S 4 2 1 1	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	754	Total O 754 754	0	0
6	B	816	Total O 816 816	0	0
6	C	814	Total O 814 814	0	0
6	D	711	Total O 711 711	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Beta-galactosidase




• Molecule 1: Beta-galactosidase



• Molecule 1: Beta-galactosidase



• Molecule 1: Beta-galactosidase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	151.16Å 161.59Å 202.00Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	74.52 – 2.00 74.52 – 2.00	Depositor EDS
% Data completeness (in resolution range)	100.0 (74.52-2.00) 87.0 (74.52-2.00)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.24 (at 2.00Å)	Xtriage
Refinement program	REFMAC 5.5.0109, CNS	Depositor
R, R_{free}	0.175 , 0.223 0.179 , 0.226	Depositor DCC
R_{free} test set	4165 reflections (1.44%)	wwPDB-VP
Wilson B-factor (Å ²)	29.7	Xtriage
Anisotropy	0.095	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 40.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	36085	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 35.95 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.3883e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: DMS, NA, IPT, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.46	0/8398	0.70	0/11457
1	B	0.48	0/8398	0.70	0/11457
1	C	0.48	0/8398	0.70	0/11457
1	D	0.46	0/8398	0.70	0/11457
All	All	0.47	0/33592	0.70	0/45828

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8156	0	7753	48	0
1	B	8156	0	7753	32	0
1	C	8156	0	7753	32	0
1	D	8156	0	7753	41	0
2	A	2	0	0	0	0
2	B	3	0	0	0	0
2	C	2	0	0	0	0
2	D	2	0	0	0	0
3	A	3	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	3	0	0	0	0
3	C	4	0	0	0	0
3	D	3	0	0	0	0
4	A	15	0	17	0	0
4	B	15	0	17	0	0
4	C	15	0	17	0	0
4	D	15	0	17	0	0
5	A	80	0	120	4	0
5	B	72	0	108	2	0
5	C	76	0	114	3	0
5	D	56	0	84	2	0
6	A	754	0	0	4	0
6	B	816	0	0	1	0
6	C	814	0	0	0	0
6	D	711	0	0	0	0
All	All	36085	0	31506	152	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (152) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:379:MET:HE1	1:C:387:VAL:HB	1.68	0.75
1:A:331:GLY:H	5:A:8001:DMS:H13	1.53	0.72
1:A:749:ILE:HD12	1:A:834:VAL:HG11	1.73	0.71
1:B:749:ILE:HD12	1:B:834:VAL:HG11	1.72	0.70
1:B:245:GLN:HG2	1:B:288:ARG:HG2	1.73	0.70
1:B:379:MET:HE1	1:B:387:VAL:HB	1.76	0.68
1:A:377:LEU:HD22	1:A:708:TRP:HA	1.76	0.68
1:D:1023:LYS:O	1:D:1023:LYS:HG3	1.94	0.67
1:C:768:MET:HE1	1:C:1020:TRP:CZ2	2.33	0.64
1:D:508:GLU:OE2	5:D:8006:DMS:H21	1.98	0.63
1:D:887:GLN:NE2	1:D:980:GLU:O	2.32	0.62
1:A:864:MET:HE3	1:A:866:ILE:HD11	1.81	0.62
1:C:615:PRO:O	1:C:618:THR:HG22	1.99	0.62
1:D:379:MET:HE1	1:D:387:VAL:HB	1.81	0.62
1:D:427:THR:HG21	1:D:462:SER:HB3	1.82	0.61
1:C:377:LEU:HD22	1:C:708:TRP:HA	1.83	0.60
1:C:576:ILE:HG12	5:C:8009:DMS:C2	2.32	0.60
1:A:768:MET:HE1	1:A:1020:TRP:CZ2	2.37	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:88:SER:HA	1:D:366:VAL:HG21	1.84	0.59
1:A:351:ILE:HD13	1:A:534:ILE:HD13	1.85	0.57
1:A:887:GLN:NE2	1:A:980:GLU:O	2.36	0.57
1:C:887:GLN:NE2	1:C:980:GLU:O	2.38	0.57
1:B:127:PHE:HE2	1:B:184:LEU:HG	1.70	0.56
1:D:377:LEU:HD22	1:D:708:TRP:HA	1.86	0.56
1:A:451:PRO:HD3	5:A:8001:DMS:H11	1.88	0.55
1:B:127:PHE:CE2	1:B:184:LEU:HG	2.42	0.55
1:A:331:GLY:N	5:A:8001:DMS:H13	2.22	0.55
1:A:755:ARG:HB3	1:A:769:TRP:HE3	1.72	0.53
1:C:142:ILE:HG12	1:C:170:GLU:HG2	1.88	0.53
1:A:88:SER:HA	1:A:366:VAL:HG21	1.91	0.53
1:D:499:ILE:HG22	1:D:501:PRO:HD3	1.91	0.52
1:A:795:VAL:O	1:A:801:ILE:HD12	2.10	0.51
1:D:873:ALA:O	1:D:876:THR:HG22	2.11	0.51
1:D:749:ILE:HD11	1:D:836:ILE:HD11	1.92	0.51
1:C:245:GLN:HG2	1:C:288:ARG:HG2	1.92	0.51
1:B:131:GLU:OE2	1:B:179:ALA:HB2	2.11	0.51
1:D:92:MET:HA	1:D:92:MET:HE2	1.93	0.50
1:B:763:GLY:HA3	1:B:822:LEU:HD13	1.93	0.50
1:C:749:ILE:HD12	1:C:834:VAL:HG11	1.94	0.50
1:A:142:ILE:HG12	1:A:170:GLU:HG2	1.94	0.49
1:A:576:ILE:HD11	6:A:4547:HOH:O	2.10	0.49
1:A:749:ILE:HG13	1:A:858:ILE:HD12	1.94	0.49
1:C:863:GLN:HG2	1:C:1021:CYS:HB3	1.94	0.49
1:D:367:MET:HA	1:D:367:MET:HE2	1.94	0.49
1:A:225:PHE:HA	1:A:243:GLU:O	2.13	0.49
1:D:651:LEU:HD11	1:D:653:HIS:CE1	2.48	0.48
1:B:88:SER:HA	1:B:366:VAL:HG21	1.95	0.48
1:A:127:PHE:HE2	1:A:184:LEU:HG	1.79	0.48
1:C:619:GLU:HA	1:C:912:ALA:HB2	1.94	0.48
1:D:763:GLY:HA3	1:D:822:LEU:HD13	1.95	0.48
1:A:755:ARG:HB3	1:A:769:TRP:CE3	2.48	0.47
1:B:784:PHE:HA	1:B:881:ARG:O	2.14	0.47
1:D:772:ASP:OD1	1:D:772:ASP:N	2.48	0.47
1:B:390:SER:HB2	1:B:391:HIS:CE1	2.50	0.47
1:A:768:MET:HE1	1:A:1020:TRP:CH2	2.49	0.47
1:C:763:GLY:HA3	1:C:822:LEU:HD13	1.97	0.47
1:D:91:GLN:HG3	1:D:96:ASP:OD1	2.14	0.47
1:D:245:GLN:HG2	1:D:288:ARG:HG2	1.97	0.47
1:D:500:CYS:HA	1:D:534:ILE:O	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:887:GLN:NE2	1:B:980:GLU:O	2.48	0.47
1:D:749:ILE:HD12	1:D:834:VAL:HG11	1.97	0.47
1:C:873:ALA:O	1:C:876:THR:HG22	2.15	0.47
1:B:377:LEU:HD22	1:B:708:TRP:HA	1.97	0.47
1:D:890:GLN:HE21	1:D:892:ALA:HB2	1.79	0.47
1:D:788:PRO:HD2	1:D:968:MET:HG3	1.97	0.46
1:A:658:LEU:O	1:A:661:LYS:HE3	2.15	0.46
1:C:744:GLU:HG3	1:C:745:MET:HG2	1.97	0.46
1:A:431:ARG:HG3	6:A:4592:HOH:O	2.15	0.46
1:A:615:PRO:O	1:A:618:THR:HG22	2.15	0.46
1:C:305:ILE:HD11	1:C:645:ARG:HB3	1.96	0.46
1:D:373:VAL:O	1:D:377:LEU:HG	2.16	0.46
1:B:615:PRO:O	1:B:618:THR:HG22	2.14	0.46
1:C:788:PRO:HD2	1:C:968:MET:HG3	1.98	0.46
1:A:331:GLY:H	5:A:8001:DMS:C1	2.23	0.46
1:A:796:ALA:HA	1:A:801:ILE:HA	1.98	0.46
1:C:147:ASN:HA	1:C:148:SER:HA	1.60	0.45
1:A:890:GLN:HE21	1:A:892:ALA:HB2	1.81	0.45
1:C:533:LEU:C	1:C:533:LEU:HD23	2.42	0.45
1:B:749:ILE:HD11	1:B:836:ILE:HD11	1.99	0.45
1:A:427:THR:HG21	1:A:462:SER:HB3	1.98	0.45
1:B:622:HIS:ND1	1:B:625:GLN:OE1	2.47	0.45
1:A:708:TRP:CE3	1:A:709:SER:HB3	2.52	0.45
1:D:19:PRO:HD3	1:D:112:PRO:HB3	1.98	0.45
1:A:143:PHE:O	1:A:168:PRO:HA	2.17	0.45
1:A:561:ARG:HD3	1:B:525:SER:O	2.16	0.45
1:A:847:LYS:HZ1	1:A:875:ASP:CG	2.25	0.45
1:B:749:ILE:CD1	1:B:834:VAL:HG11	2.46	0.44
1:C:340:GLY:O	1:C:561:ARG:HG2	2.18	0.44
1:C:784:PHE:HA	1:C:881:ARG:O	2.18	0.44
1:C:200:GLN:HG2	1:C:391:HIS:HB2	1.98	0.44
1:D:147:ASN:HA	1:D:148:SER:HA	1.62	0.44
1:D:750:GLU:HG3	1:D:755:ARG:HG2	1.99	0.44
1:D:244:VAL:HG21	1:D:256:VAL:HG11	2.00	0.44
1:A:367:MET:HA	1:A:367:MET:HE2	1.99	0.44
1:B:907:PRO:HG2	1:B:990:HIS:O	2.18	0.44
1:D:615:PRO:O	1:D:618:THR:HG22	2.18	0.44
1:A:127:PHE:CE2	1:A:184:LEU:HG	2.53	0.43
1:D:708:TRP:CE3	1:D:709:SER:HB3	2.53	0.43
1:B:44:THR:OG1	1:B:46:ARG:HG3	2.18	0.43
1:B:147:ASN:HA	1:B:148:SER:HA	1.65	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:986:ILE:HG21	1:D:1018:LEU:HD21	2.00	0.43
1:A:301:TRP:CH2	1:A:452:SER:HA	2.54	0.43
1:B:991:MET:HE3	1:B:1003:VAL:HG21	2.01	0.43
1:A:458:LEU:HD11	1:A:472:TYR:HB2	2.00	0.43
1:A:774:LYS:HE3	6:A:4536:HOH:O	2.18	0.43
1:C:88:SER:HA	1:C:366:VAL:HG21	2.01	0.43
1:C:749:ILE:HD11	1:C:836:ILE:HD11	2.01	0.43
1:C:595:THR:HA	1:C:596:PRO:C	2.44	0.43
1:D:352:ARG:HG2	1:D:553:TRP:CH2	2.54	0.43
1:A:522:LYS:HA	1:B:559:TYR:CE2	2.54	0.42
1:A:549:PHE:CE2	1:A:620:ALA:HA	2.54	0.42
1:D:225:PHE:HA	1:D:243:GLU:O	2.20	0.42
1:B:696:LEU:HB2	1:B:722:LEU:HD11	2.00	0.42
1:D:127:PHE:CE2	1:D:184:LEU:HG	2.55	0.42
1:A:788:PRO:HD2	1:A:968:MET:HG3	2.01	0.42
1:D:830:LEU:HD12	1:D:833:ALA:HB3	2.00	0.42
1:A:854:LYS:HA	1:A:867:THR:O	2.20	0.42
1:B:500:CYS:HA	1:B:534:ILE:O	2.20	0.42
1:B:867:THR:HG23	1:B:1015:HIS:HE1	1.85	0.42
1:D:708:TRP:CZ2	5:D:8003:DMS:H23	2.55	0.42
1:B:50:GLN:HG3	5:B:8018:DMS:H21	2.00	0.42
5:B:8002:DMS:H13	6:B:4025:HOH:O	2.19	0.42
1:C:220:THR:HG22	1:C:315:LEU:HD21	2.02	0.42
1:D:143:PHE:O	1:D:168:PRO:HA	2.19	0.41
1:A:573:GLN:HB2	1:A:602:CYS:O	2.20	0.41
1:C:576:ILE:HG12	5:C:8009:DMS:H22	2.01	0.41
1:C:147:ASN:O	1:C:206:SER:HB2	2.19	0.41
1:D:890:GLN:HG3	1:D:891:VAL:N	2.35	0.41
1:A:595:THR:HA	1:A:596:PRO:C	2.46	0.41
1:A:928:PRO:HB2	1:A:973:ARG:HH11	1.85	0.41
1:D:524:LEU:HD11	1:D:562:LEU:HG	2.03	0.41
1:D:784:PHE:HA	1:D:881:ARG:O	2.20	0.41
1:A:390:SER:HA	1:A:391:HIS:HA	1.82	0.41
1:A:546:LEU:HA	6:A:4112:HOH:O	2.20	0.41
1:B:353:GLY:HA2	1:B:386:ALA:O	2.20	0.41
1:D:549:PHE:CE2	1:D:620:ALA:HA	2.56	0.41
1:A:369:GLU:HA	1:A:372:MET:HE3	2.03	0.41
1:A:619:GLU:HA	1:A:912:ALA:HB2	2.03	0.41
1:A:749:ILE:HD11	1:A:836:ILE:HD11	2.02	0.41
1:C:92:MET:HE2	1:C:92:MET:HA	2.02	0.41
1:B:354:VAL:HG12	1:B:379:MET:HE3	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:892:ALA:HB3	1:B:946:TYR:CE1	2.56	0.41
1:B:830:LEU:HD12	1:B:833:ALA:HB3	2.03	0.40
1:C:500:CYS:HA	1:C:534:ILE:O	2.21	0.40
1:C:390:SER:HA	1:C:391:HIS:HA	1.81	0.40
1:A:454:ILE:O	1:A:483:PRO:HD2	2.20	0.40
1:C:708:TRP:CZ2	5:C:8003:DMS:H23	2.56	0.40
1:D:526:LEU:O	1:D:527:PRO:C	2.64	0.40
1:B:390:SER:HA	1:B:391:HIS:HA	1.81	0.40
1:B:613:PRO:HB3	1:B:617:LEU:HD23	2.03	0.40
1:D:390:SER:HA	1:D:391:HIS:HA	1.87	0.40
1:C:653:HIS:CD2	1:C:701:VAL:HG21	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1013/1052 (96%)	983 (97%)	29 (3%)	1 (0%)	48	46
1	B	1013/1052 (96%)	979 (97%)	33 (3%)	1 (0%)	48	46
1	C	1013/1052 (96%)	978 (96%)	34 (3%)	1 (0%)	48	46
1	D	1013/1052 (96%)	979 (97%)	32 (3%)	2 (0%)	43	42
All	All	4052/4208 (96%)	3919 (97%)	128 (3%)	5 (0%)	48	46

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	798	ALA
1	D	798	ALA
1	A	798	ALA
1	B	798	ALA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	802	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	867/897 (97%)	857 (99%)	10 (1%)	63	70
1	B	867/897 (97%)	853 (98%)	14 (2%)	55	62
1	C	867/897 (97%)	859 (99%)	8 (1%)	70	78
1	D	867/897 (97%)	856 (99%)	11 (1%)	61	68
All	All	3468/3588 (97%)	3425 (99%)	43 (1%)	63	70

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	351	ILE
1	A	519	SER
1	A	546	LEU
1	A	663	LEU
1	A	672	VAL
1	A	681	GLU
1	A	772	ASP
1	A	801	ILE
1	A	956	GLN
1	A	1023	LYS
1	B	267	VAL
1	B	344	LEU
1	B	431	ARG
1	B	519	SER
1	B	546	LEU
1	B	663	LEU
1	B	672	VAL
1	B	687	GLN
1	B	772	ASP
1	B	819	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	876	THR
1	B	882	ILE
1	B	956	GLN
1	B	1023	LYS
1	C	262	GLN
1	C	344	LEU
1	C	519	SER
1	C	546	LEU
1	C	672	VAL
1	C	799	THR
1	C	956	GLN
1	C	1023	LYS
1	D	9	VAL
1	D	135	GLN
1	D	277	GLU
1	D	344	LEU
1	D	546	LEU
1	D	663	LEU
1	D	671	ASP
1	D	672	VAL
1	D	685	LEU
1	D	772	ASP
1	D	1023	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (36) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	50	GLN
1	A	128	ASN
1	A	445	GLN
1	A	628	GLN
1	A	718	GLN
1	A	945	ASN
1	A	950	GLN
1	A	977	HIS
1	B	49	GLN
1	B	50	GLN
1	B	128	ASN
1	B	266	GLN
1	B	445	GLN
1	B	485	GLN
1	B	624	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	628	GLN
1	B	634	GLN
1	B	646	HIS
1	B	702	GLN
1	B	844	HIS
1	C	445	GLN
1	C	485	GLN
1	C	614	HIS
1	C	624	GLN
1	C	634	GLN
1	C	653	HIS
1	C	704	ASN
1	C	885	ASN
1	C	945	ASN
1	C	950	GLN
1	C	977	HIS
1	C	1017	GLN
1	D	614	HIS
1	D	761	GLN
1	D	977	HIS
1	D	1022	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 97 ligands modelled in this entry, 22 are monoatomic - leaving 75 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	DMS	A	8007	-	3,3,3	2.72	1 (33%)	3,3,3	0.58	0
5	DMS	A	8016	-	3,3,3	2.70	1 (33%)	3,3,3	0.57	0
5	DMS	C	1024	-	3,3,3	2.74	1 (33%)	3,3,3	0.58	0
5	DMS	A	8008	-	3,3,3	2.74	1 (33%)	3,3,3	0.54	0
5	DMS	B	8019	-	3,3,3	2.73	1 (33%)	3,3,3	0.54	0
5	DMS	C	8012	-	3,3,3	2.74	1 (33%)	3,3,3	0.55	0
5	DMS	A	8014	-	3,3,3	2.72	1 (33%)	3,3,3	0.51	0
5	DMS	A	8001	-	3,3,3	2.71	1 (33%)	3,3,3	0.42	0
5	DMS	C	8004	-	3,3,3	2.73	1 (33%)	3,3,3	0.54	0
5	DMS	B	8005	-	3,3,3	2.67	1 (33%)	3,3,3	0.36	0
5	DMS	C	8017	-	3,3,3	2.74	1 (33%)	3,3,3	0.54	0
5	DMS	A	8017	-	3,3,3	2.72	1 (33%)	3,3,3	0.51	0
5	DMS	B	8009	-	3,3,3	2.72	1 (33%)	3,3,3	0.57	0
5	DMS	D	8010	-	3,3,3	2.72	1 (33%)	3,3,3	0.58	0
5	DMS	C	8002	-	3,3,3	2.69	1 (33%)	3,3,3	0.51	0
4	IPT	B	2001	3	15,15,15	0.71	0	18,21,21	0.90	0
5	DMS	B	8008	-	3,3,3	2.76	1 (33%)	3,3,3	0.52	0
5	DMS	C	8006	-	3,3,3	2.69	1 (33%)	3,3,3	0.50	0
5	DMS	D	8002	-	3,3,3	2.69	1 (33%)	3,3,3	0.65	0
5	DMS	D	8009	-	3,3,3	2.67	1 (33%)	3,3,3	0.53	0
4	IPT	C	2001	3	15,15,15	0.78	1 (6%)	18,21,21	0.78	0
5	DMS	D	8014	-	3,3,3	2.70	1 (33%)	3,3,3	0.52	0
5	DMS	B	8012	-	3,3,3	2.74	1 (33%)	3,3,3	0.55	0
5	DMS	C	8008	-	3,3,3	2.71	1 (33%)	3,3,3	0.48	0
5	DMS	A	8012	-	3,3,3	2.76	1 (33%)	3,3,3	0.52	0
5	DMS	C	8009	-	3,3,3	2.70	1 (33%)	3,3,3	0.48	0
5	DMS	A	8018	-	3,3,3	2.71	1 (33%)	3,3,3	0.50	0
5	DMS	B	8002	-	3,3,3	2.55	1 (33%)	3,3,3	0.69	0
5	DMS	B	8017	-	3,3,3	2.70	1 (33%)	3,3,3	0.57	0
5	DMS	A	8010	-	3,3,3	2.67	1 (33%)	3,3,3	0.47	0
5	DMS	D	8013	-	3,3,3	2.73	1 (33%)	3,3,3	0.59	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	DMS	B	8014	-	3,3,3	2.72	1 (33%)	3,3,3	0.51	0
5	DMS	A	8004	-	3,3,3	2.74	1 (33%)	3,3,3	0.52	0
4	IPT	D	2001	3	15,15,15	0.77	1 (6%)	18,21,21	0.81	0
5	DMS	B	8015	-	3,3,3	2.72	1 (33%)	3,3,3	0.53	0
5	DMS	C	8015	-	3,3,3	2.71	1 (33%)	3,3,3	0.43	0
5	DMS	D	8004	-	3,3,3	2.69	1 (33%)	3,3,3	0.61	0
5	DMS	C	8011	-	3,3,3	2.66	1 (33%)	3,3,3	0.42	0
5	DMS	C	8018	-	3,3,3	2.72	1 (33%)	3,3,3	0.40	0
5	DMS	B	8010	-	3,3,3	2.68	1 (33%)	3,3,3	0.41	0
5	DMS	A	8015	-	3,3,3	2.69	1 (33%)	3,3,3	0.44	0
5	DMS	B	8004	-	3,3,3	2.71	1 (33%)	3,3,3	0.47	0
5	DMS	A	8005	-	3,3,3	2.69	1 (33%)	3,3,3	0.53	0
5	DMS	A	8003	-	3,3,3	2.68	1 (33%)	3,3,3	0.50	0
5	DMS	A	8019	-	3,3,3	2.71	1 (33%)	3,3,3	0.49	0
5	DMS	A	8009	-	3,3,3	2.68	1 (33%)	3,3,3	0.55	0
5	DMS	A	8020	-	3,3,3	2.72	1 (33%)	3,3,3	0.61	0
5	DMS	A	8006	-	3,3,3	2.73	1 (33%)	3,3,3	0.49	0
5	DMS	B	8016	-	3,3,3	2.69	1 (33%)	3,3,3	0.58	0
5	DMS	D	8001	-	3,3,3	2.68	1 (33%)	3,3,3	0.52	0
5	DMS	D	8007	-	3,3,3	2.72	1 (33%)	3,3,3	0.48	0
5	DMS	C	8005	-	3,3,3	2.67	1 (33%)	3,3,3	0.42	0
5	DMS	D	8011	-	3,3,3	2.73	1 (33%)	3,3,3	0.52	0
4	IPT	A	2001	3	15,15,15	0.80	1 (6%)	18,21,21	0.59	0
5	DMS	C	8007	-	3,3,3	2.72	1 (33%)	3,3,3	0.62	0
5	DMS	A	8002	-	3,3,3	2.66	1 (33%)	3,3,3	0.49	0
5	DMS	C	8016	-	3,3,3	2.70	1 (33%)	3,3,3	0.48	0
5	DMS	B	8001	-	3,3,3	2.58	1 (33%)	3,3,3	0.48	0
5	DMS	B	8011	-	3,3,3	2.71	1 (33%)	3,3,3	0.56	0
5	DMS	B	8018	-	3,3,3	2.71	1 (33%)	3,3,3	0.46	0
5	DMS	C	8003	-	3,3,3	2.71	1 (33%)	3,3,3	0.48	0
5	DMS	A	8011	-	3,3,3	2.72	1 (33%)	3,3,3	0.51	0
5	DMS	C	8013	-	3,3,3	2.71	1 (33%)	3,3,3	0.51	0
5	DMS	D	8012	-	3,3,3	2.71	1 (33%)	3,3,3	0.47	0
5	DMS	A	8013	-	3,3,3	2.74	1 (33%)	3,3,3	0.60	0
5	DMS	C	8001	-	3,3,3	2.62	1 (33%)	3,3,3	0.50	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	DMS	D	8006	-	3,3,3	2.74	1 (33%)	3,3,3	0.53	0
5	DMS	C	8010	-	3,3,3	2.68	1 (33%)	3,3,3	0.46	0
5	DMS	B	8003	-	3,3,3	2.70	1 (33%)	3,3,3	0.49	0
5	DMS	D	8005	-	3,3,3	2.61	1 (33%)	3,3,3	0.40	0
5	DMS	D	8003	-	3,3,3	2.68	1 (33%)	3,3,3	0.41	0
5	DMS	B	8007	-	3,3,3	2.70	1 (33%)	3,3,3	0.55	0
5	DMS	C	8014	3	3,3,3	2.75	1 (33%)	3,3,3	0.57	0
5	DMS	B	8006	-	3,3,3	2.76	1 (33%)	3,3,3	0.57	0
5	DMS	D	8008	-	3,3,3	2.74	1 (33%)	3,3,3	0.49	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	IPT	A	2001	3	-	2/6/26/26	0/1/1/1
4	IPT	D	2001	3	-	1/6/26/26	0/1/1/1
4	IPT	C	2001	3	-	1/6/26/26	0/1/1/1
4	IPT	B	2001	3	-	1/6/26/26	0/1/1/1

All (74) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	8008	DMS	O-S	4.64	1.80	1.50
5	A	8012	DMS	O-S	4.63	1.80	1.50
5	B	8006	DMS	O-S	4.63	1.80	1.50
5	C	8014	DMS	O-S	4.62	1.80	1.50
5	A	8004	DMS	O-S	4.61	1.80	1.50
5	D	8008	DMS	O-S	4.61	1.80	1.50
5	A	8008	DMS	O-S	4.59	1.80	1.50
5	B	8012	DMS	O-S	4.59	1.80	1.50
5	C	1024	DMS	O-S	4.59	1.80	1.50
5	D	8006	DMS	O-S	4.59	1.80	1.50
5	C	8004	DMS	O-S	4.58	1.80	1.50
5	A	8006	DMS	O-S	4.58	1.80	1.50
5	A	8013	DMS	O-S	4.58	1.80	1.50
5	C	8012	DMS	O-S	4.58	1.80	1.50
5	C	8017	DMS	O-S	4.58	1.80	1.50
5	A	8001	DMS	O-S	4.58	1.80	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	D	8011	DMS	O-S	4.58	1.80	1.50
5	B	8019	DMS	O-S	4.57	1.80	1.50
5	A	8020	DMS	O-S	4.57	1.80	1.50
5	C	8003	DMS	O-S	4.57	1.80	1.50
5	D	8013	DMS	O-S	4.57	1.80	1.50
5	D	8010	DMS	O-S	4.57	1.80	1.50
5	B	8004	DMS	O-S	4.57	1.80	1.50
5	B	8018	DMS	O-S	4.57	1.80	1.50
5	C	8018	DMS	O-S	4.57	1.80	1.50
5	B	8014	DMS	O-S	4.56	1.80	1.50
5	A	8007	DMS	O-S	4.56	1.80	1.50
5	B	8015	DMS	O-S	4.56	1.80	1.50
5	A	8014	DMS	O-S	4.56	1.80	1.50
5	D	8007	DMS	O-S	4.56	1.80	1.50
5	A	8019	DMS	O-S	4.56	1.80	1.50
5	C	8013	DMS	O-S	4.55	1.80	1.50
5	C	8015	DMS	O-S	4.55	1.80	1.50
5	D	8012	DMS	O-S	4.55	1.80	1.50
5	A	8011	DMS	O-S	4.55	1.80	1.50
5	C	8007	DMS	O-S	4.55	1.80	1.50
5	C	8008	DMS	O-S	4.55	1.80	1.50
5	A	8015	DMS	O-S	4.55	1.80	1.50
5	A	8018	DMS	O-S	4.55	1.80	1.50
5	A	8017	DMS	O-S	4.55	1.80	1.50
5	B	8007	DMS	O-S	4.54	1.80	1.50
5	C	8009	DMS	O-S	4.54	1.80	1.50
5	B	8003	DMS	O-S	4.54	1.80	1.50
5	B	8009	DMS	O-S	4.54	1.80	1.50
5	D	8004	DMS	O-S	4.53	1.80	1.50
5	D	8014	DMS	O-S	4.53	1.80	1.50
5	C	8016	DMS	O-S	4.53	1.80	1.50
5	C	8002	DMS	O-S	4.53	1.80	1.50
5	B	8011	DMS	O-S	4.53	1.80	1.50
5	B	8016	DMS	O-S	4.52	1.80	1.50
5	A	8016	DMS	O-S	4.52	1.80	1.50
5	D	8002	DMS	O-S	4.52	1.80	1.50
5	B	8017	DMS	O-S	4.52	1.80	1.50
5	C	8006	DMS	O-S	4.51	1.80	1.50
5	A	8003	DMS	O-S	4.51	1.80	1.50
5	D	8003	DMS	O-S	4.51	1.80	1.50
5	A	8005	DMS	O-S	4.50	1.79	1.50
5	C	8010	DMS	O-S	4.50	1.79	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	8010	DMS	O-S	4.49	1.79	1.50
5	D	8001	DMS	O-S	4.49	1.79	1.50
5	A	8009	DMS	O-S	4.49	1.79	1.50
5	B	8005	DMS	O-S	4.48	1.79	1.50
5	A	8010	DMS	O-S	4.48	1.79	1.50
5	C	8005	DMS	O-S	4.48	1.79	1.50
5	A	8002	DMS	O-S	4.47	1.79	1.50
5	D	8009	DMS	O-S	4.47	1.79	1.50
5	C	8011	DMS	O-S	4.47	1.79	1.50
5	C	8001	DMS	O-S	4.40	1.79	1.50
5	D	8005	DMS	O-S	4.36	1.79	1.50
5	B	8001	DMS	O-S	4.33	1.78	1.50
5	B	8002	DMS	O-S	4.31	1.78	1.50
4	A	2001	IPT	C1-S1	-2.39	1.75	1.80
4	C	2001	IPT	C1-S1	-2.23	1.76	1.80
4	D	2001	IPT	C1-S1	-2.21	1.76	1.80

There are no bond angle outliers.

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	2001	IPT	O5-C5-C6-O6
4	C	2001	IPT	O5-C5-C6-O6
4	D	2001	IPT	O5-C5-C6-O6
4	B	2001	IPT	O5-C5-C6-O6
4	A	2001	IPT	C4-C5-C6-O6

There are no ring outliers.

7 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	8001	DMS	4	0
5	C	8009	DMS	2	0
5	B	8002	DMS	1	0
5	B	8018	DMS	1	0
5	C	8003	DMS	1	0
5	D	8006	DMS	1	0
5	D	8003	DMS	1	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1012/1052 (96%)	0.05	21 (2%) 63 63	24, 36, 58, 94	0
1	B	1013/1052 (96%)	0.03	27 (2%) 56 55	23, 35, 59, 96	0
1	C	1013/1052 (96%)	0.02	26 (2%) 57 56	24, 35, 61, 93	0
1	D	1012/1052 (96%)	0.15	28 (2%) 55 54	24, 38, 63, 95	0
All	All	4050/4208 (96%)	0.06	102 (2%) 58 58	23, 36, 60, 96	0

All (102) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	10	VAL	5.1
1	A	772	ASP	4.7
1	D	795	VAL	4.6
1	A	10	VAL	4.4
1	A	795	VAL	4.4
1	A	796	ALA	4.4
1	B	10	VAL	4.3
1	A	11	LEU	4.3
1	D	733	ALA	4.2
1	A	733	ALA	4.0
1	C	753	ASN	4.0
1	C	795	VAL	3.9
1	D	801	ILE	3.9
1	B	794	GLY	3.9
1	A	794	GLY	3.8
1	C	733	ALA	3.8
1	B	795	VAL	3.6
1	C	794	GLY	3.6
1	D	11	LEU	3.5
1	C	732	ALA	3.4
1	B	753	ASN	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	11	LEU	3.4
1	A	801	ILE	3.3
1	B	1023	LYS	3.3
1	D	794	GLY	3.3
1	C	730	LEU	3.3
1	C	9	VAL	3.2
1	D	737	ILE	3.1
1	B	750	GLU	3.1
1	B	770	ILE	3.1
1	C	796	ALA	3.1
1	B	9	VAL	3.1
1	D	9	VAL	3.1
1	D	739	HIS	3.0
1	C	1023	LYS	3.0
1	B	736	ALA	3.0
1	C	10	VAL	3.0
1	C	685	LEU	3.0
1	D	685	LEU	3.0
1	C	736	ALA	2.9
1	D	741	THR	2.9
1	C	686	PRO	2.9
1	D	686	PRO	2.9
1	C	663	LEU	2.9
1	A	689	GLU	2.9
1	B	732	ALA	2.9
1	D	653	HIS	2.9
1	C	688	PRO	2.8
1	D	796	ALA	2.8
1	A	686	PRO	2.8
1	B	755	ARG	2.8
1	C	737	ILE	2.7
1	B	796	ALA	2.7
1	C	11	LEU	2.7
1	D	76	CYS	2.7
1	B	731	PRO	2.7
1	D	743	SER	2.7
1	B	728	VAL	2.6
1	D	735	HIS	2.6
1	D	687	GLN	2.6
1	C	769	TRP	2.6
1	A	319	ASP	2.6
1	A	9	VAL	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	731	PRO	2.6
1	B	730	LEU	2.5
1	C	744	GLU	2.5
1	A	773	LYS	2.5
1	C	743	SER	2.5
1	A	735	HIS	2.5
1	B	774	LYS	2.5
1	D	663	LEU	2.5
1	D	655	MET	2.4
1	A	746	ASP	2.4
1	B	769	TRP	2.4
1	B	685	LEU	2.4
1	C	731	PRO	2.4
1	B	739	HIS	2.3
1	D	753	ASN	2.3
1	B	729	THR	2.3
1	B	688	PRO	2.2
1	C	655	MET	2.2
1	C	770	ILE	2.2
1	D	731	PRO	2.2
1	A	685	LEU	2.2
1	D	740	LEU	2.2
1	D	1018	LEU	2.2
1	A	761	GLN	2.2
1	A	730	LEU	2.2
1	D	128	ASN	2.1
1	B	76	CYS	2.1
1	C	659	ASP	2.1
1	D	633	GLY	2.1
1	A	1023	LYS	2.1
1	A	750	GLU	2.1
1	D	834	VAL	2.1
1	B	734	SER	2.1
1	D	831	ALA	2.1
1	B	772	ASP	2.0
1	B	890	GLN	2.0
1	C	12	GLN	2.0
1	B	699	ARG	2.0
1	C	773	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	DMS	D	8006	4/4	0.72	0.26	81,81,83,86	0
5	DMS	B	8009	4/4	0.73	0.22	70,72,73,76	0
5	DMS	A	8011	4/4	0.76	0.26	84,84,85,85	0
5	DMS	A	8006	4/4	0.78	0.28	107,107,107,108	0
5	DMS	A	8014	4/4	0.79	0.23	85,85,86,86	0
5	DMS	B	8015	4/4	0.80	0.24	82,83,84,86	0
5	DMS	B	8012	4/4	0.80	0.24	112,113,113,114	0
5	DMS	B	8019	4/4	0.82	0.22	87,88,88,91	0
5	DMS	C	8012	4/4	0.83	0.24	81,82,83,84	0
5	DMS	C	1024	4/4	0.83	0.24	85,85,87,88	0
5	DMS	A	8018	4/4	0.83	0.19	84,86,86,86	0
5	DMS	D	8014	4/4	0.83	0.24	79,79,80,80	0
5	DMS	B	8014	4/4	0.84	0.18	78,79,79,82	0
5	DMS	D	8013	4/4	0.84	0.23	75,75,76,77	0
5	DMS	A	8013	4/4	0.85	0.19	69,69,70,71	0
5	DMS	C	8017	4/4	0.86	0.19	73,73,74,77	0
5	DMS	B	8018	4/4	0.86	0.23	82,82,84,84	0
5	DMS	D	8011	4/4	0.87	0.22	74,74,75,77	0
5	DMS	B	8017	4/4	0.88	0.18	60,61,63,68	0
3	NA	D	3103	1/1	0.88	0.18	59,59,59,59	0
5	DMS	A	8008	4/4	0.89	0.17	65,66,68,68	0
5	DMS	C	8015	4/4	0.89	0.20	69,69,69,72	0
4	IPT	D	2001	15/15	0.89	0.13	39,47,51,52	0
5	DMS	A	8012	4/4	0.89	0.19	71,73,73,76	0
2	MG	B	3002	1/1	0.89	0.14	33,33,33,33	0
5	DMS	C	8004	4/4	0.89	0.18	68,68,69,73	0
5	DMS	A	8017	4/4	0.89	0.18	70,70,71,72	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	MG	A	3001	1/1	0.90	0.07	32,32,32,32	0
5	DMS	D	8004	4/4	0.90	0.15	60,63,63,64	0
4	IPT	A	2001	15/15	0.90	0.11	38,45,53,53	0
4	IPT	C	2001	15/15	0.90	0.13	36,45,47,52	0
5	DMS	B	8006	4/4	0.90	0.18	80,82,83,85	0
5	DMS	A	8015	4/4	0.91	0.15	57,62,63,64	0
5	DMS	A	8004	4/4	0.91	0.14	63,66,68,68	0
5	DMS	B	8007	4/4	0.91	0.18	60,60,60,62	0
3	NA	B	3103	1/1	0.91	0.11	59,59,59,59	0
5	DMS	D	8012	4/4	0.91	0.15	66,69,69,70	0
5	DMS	A	8020	4/4	0.91	0.17	77,78,78,79	0
5	DMS	C	8014	4/4	0.92	0.15	59,63,65,67	0
5	DMS	C	8006	4/4	0.92	0.19	84,86,86,86	0
5	DMS	A	8007	4/4	0.92	0.16	63,63,64,64	0
5	DMS	C	8018	4/4	0.92	0.15	71,74,76,76	0
3	NA	C	3103	1/1	0.92	0.10	48,48,48,48	0
5	DMS	B	8005	4/4	0.93	0.15	51,52,53,53	0
5	DMS	B	8016	4/4	0.93	0.13	46,48,48,50	0
5	DMS	A	8010	4/4	0.93	0.15	58,58,60,61	0
5	DMS	D	8008	4/4	0.93	0.15	67,67,69,69	0
5	DMS	C	8016	4/4	0.93	0.13	63,63,64,67	0
5	DMS	C	8009	4/4	0.93	0.13	51,52,52,54	0
5	DMS	A	8016	4/4	0.93	0.15	56,57,58,60	0
5	DMS	C	8008	4/4	0.94	0.12	60,62,62,62	0
5	DMS	B	8010	4/4	0.94	0.15	57,57,59,60	0
5	DMS	D	8002	4/4	0.94	0.15	42,46,48,48	0
5	DMS	A	8003	4/4	0.94	0.15	54,57,57,61	0
5	DMS	A	8019	4/4	0.94	0.13	90,90,90,90	0
5	DMS	C	8013	4/4	0.94	0.15	75,76,76,77	0
5	DMS	C	8002	4/4	0.94	0.13	41,44,45,46	0
2	MG	B	3007	1/1	0.94	0.05	56,56,56,56	0
3	NA	C	3104	1/1	0.94	0.12	48,48,48,48	0
5	DMS	B	8008	4/4	0.95	0.12	56,56,56,57	0
5	DMS	D	8003	4/4	0.95	0.12	58,59,59,59	0
5	DMS	B	8004	4/4	0.95	0.12	56,58,60,60	0
5	DMS	D	8005	4/4	0.95	0.12	45,47,49,50	0
4	IPT	B	2001	15/15	0.95	0.09	32,42,45,47	0
5	DMS	D	8007	4/4	0.95	0.11	59,61,61,62	0
5	DMS	B	8011	4/4	0.95	0.12	58,59,59,59	0
5	DMS	A	8001	4/4	0.95	0.12	34,46,46,49	0
5	DMS	C	8011	4/4	0.95	0.14	55,60,61,61	0
2	MG	B	3001	1/1	0.95	0.05	31,31,31,31	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NA	A	3102	1/1	0.96	0.06	31,31,31,31	0
5	DMS	C	8007	4/4	0.96	0.10	55,56,58,60	0
5	DMS	A	8005	4/4	0.96	0.11	52,54,55,57	0
2	MG	A	3002	1/1	0.96	0.08	36,36,36,36	0
5	DMS	C	8010	4/4	0.96	0.11	53,54,54,56	0
2	MG	C	3001	1/1	0.96	0.05	33,33,33,33	0
2	MG	C	3002	1/1	0.96	0.09	29,29,29,29	0
3	NA	D	3102	1/1	0.96	0.06	33,33,33,33	0
5	DMS	A	8002	4/4	0.96	0.12	43,46,48,50	0
5	DMS	D	8009	4/4	0.96	0.12	50,53,54,56	0
5	DMS	D	8010	4/4	0.96	0.12	51,53,55,55	0
2	MG	D	3001	1/1	0.96	0.04	35,35,35,35	0
5	DMS	C	8003	4/4	0.96	0.12	59,60,62,64	0
5	DMS	B	8003	4/4	0.96	0.12	59,60,62,62	0
5	DMS	C	8001	4/4	0.97	0.08	40,41,42,48	0
5	DMS	D	8001	4/4	0.97	0.09	41,45,47,50	0
3	NA	B	3102	1/1	0.97	0.05	31,31,31,31	0
5	DMS	B	8001	4/4	0.97	0.08	35,38,40,43	0
5	DMS	B	8002	4/4	0.97	0.10	41,41,42,43	0
5	DMS	C	8005	4/4	0.97	0.08	52,52,53,55	0
3	NA	A	3103	1/1	0.97	0.07	46,46,46,46	0
3	NA	C	3102	1/1	0.98	0.04	32,32,32,32	0
5	DMS	A	8009	4/4	0.98	0.08	42,45,45,47	0
3	NA	D	3101	1/1	0.98	0.05	37,37,37,37	0
3	NA	A	3101	1/1	0.98	0.04	33,33,33,33	0
2	MG	D	3002	1/1	0.99	0.10	36,36,36,36	0
3	NA	B	3101	1/1	0.99	0.06	28,28,28,28	0
3	NA	C	3101	1/1	0.99	0.07	29,29,29,29	0

6.5 Other polymers [i](#)

There are no such residues in this entry.