



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 07:33 AM UTC

PDB ID : 6T0F / pdb_00006t0f
Title : Crystal structure of CYP124 in complex with cholest-4-en-3-one
Authors : Bukhdruker, S.; Marin, E.; Varaksa, T.; Gilep, A.; Strushkevich, N.; Borshchevskiy, V.
Deposited on : 2019-10-03
Resolution : 1.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 1.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2563 (1.66-1.66)
Clashscore	190562	2662 (1.66-1.66)
Ramachandran outliers	187476	2621 (1.66-1.66)
Sidechain outliers	187428	2621 (1.66-1.66)
RSRZ outliers	180081	2564 (1.66-1.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	435	 88% 11% .
1	B	435	 88% 11% .
1	C	435	 90% 9% .
1	D	435	 90% 9% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	PGE	A	508[B]	-	-	X	-
6	PGE	C	506[A]	-	-	X	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 18282 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Methyl-branched lipid omega-hydroxylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	431	Total	C	N	O	S	0	42	0
			3792	2377	688	715	12			
1	B	430	Total	C	N	O	S	0	44	0
			3758	2351	680	713	14			
1	C	430	Total	C	N	O	S	0	39	0
			3699	2321	659	705	14			
1	D	431	Total	C	N	O	S	0	44	0
			3761	2357	683	708	13			

There are 32 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-6	MET	-	initiating methionine	UNP P9WPP3
A	-5	HIS	-	expression tag	UNP P9WPP3
A	-4	HIS	-	expression tag	UNP P9WPP3
A	-3	HIS	-	expression tag	UNP P9WPP3
A	-2	HIS	-	expression tag	UNP P9WPP3
A	-1	HIS	-	expression tag	UNP P9WPP3
A	0	HIS	-	expression tag	UNP P9WPP3
A	65	THR	ALA	engineered mutation	UNP P9WPP3
B	-6	MET	-	initiating methionine	UNP P9WPP3
B	-5	HIS	-	expression tag	UNP P9WPP3
B	-4	HIS	-	expression tag	UNP P9WPP3
B	-3	HIS	-	expression tag	UNP P9WPP3
B	-2	HIS	-	expression tag	UNP P9WPP3
B	-1	HIS	-	expression tag	UNP P9WPP3
B	0	HIS	-	expression tag	UNP P9WPP3
B	65	THR	ALA	engineered mutation	UNP P9WPP3
C	-6	MET	-	initiating methionine	UNP P9WPP3
C	-5	HIS	-	expression tag	UNP P9WPP3
C	-4	HIS	-	expression tag	UNP P9WPP3
C	-3	HIS	-	expression tag	UNP P9WPP3
C	-2	HIS	-	expression tag	UNP P9WPP3


Continued on next page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-1	HIS	-	expression tag	UNP P9WPP3
C	0	HIS	-	expression tag	UNP P9WPP3
C	65	THR	ALA	engineered mutation	UNP P9WPP3
D	-6	MET	-	initiating methionine	UNP P9WPP3
D	-5	HIS	-	expression tag	UNP P9WPP3
D	-4	HIS	-	expression tag	UNP P9WPP3
D	-3	HIS	-	expression tag	UNP P9WPP3
D	-2	HIS	-	expression tag	UNP P9WPP3
D	-1	HIS	-	expression tag	UNP P9WPP3
D	0	HIS	-	expression tag	UNP P9WPP3
D	65	THR	ALA	engineered mutation	UNP P9WPP3

- # HEM


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 86	C 68	Fe 2	N 8	O 8	0	1
2	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	D	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- 
- WORLD WIDE
PDB
PROTEIN DATA BANK




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			28	27	1		
3	B	1	Total	C	O	0	0
			28	27	1		
3	C	1	Total	C	O	0	0
			28	27	1		
3	D	1	Total	C	O	0	0
			28	27	1		

- Molecule 4 is 3[N-MORPHOLINO]PROPANE SULFONIC ACID (CCD ID: MPO) (formula: $C_7H_{15}NO_4S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	1
			26	14	2	8	2		
4	B	1	Total	C	N	O	S	0	1
			26	14	2	8	2		
4	C	1	Total	C	N	O	S	0	1
			13	7	1	4	1		
4	D	1	Total	C	N	O	S	0	1
			26	14	2	8	2		

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	C	1	Total	C	O	0	0
			6	3	3		
5	C	1	Total	C	O	0	0
			6	3	3		
5	D	1	Total	C	O	0	0
			6	3	3		
5	D	1	Total	C	O	0	1
			6	3	3		

- Molecule 6 is TRIETHYLENE GLYCOL (CCD ID: PGE) (formula: $C_6H_{14}O_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	1
			7	4	3		
6	B	1	Total	C	O	0	1
			7	4	3		
6	B	1	Total	C	O	0	1
			7	4	3		
6	C	1	Total	C	O	0	1
			10	6	4		
6	C	1	Total	C	O	0	1
			7	4	3		
6	D	1	Total	C	O	0	0
			10	6	4		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	640	Total 671	O 671	0	64
7	B	604	Total 644	O 644	0	60
7	C	638	Total 672	O 672	0	56
7	D	709	Total 747	O 747	0	78


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Methyl-branched lipid omega-hydroxylase




- Molecule 1: Methyl-branched lipid omega-hydroxylase



- Molecule 1: Methyl-branched lipid omega-hydroxylase



- Molecule 1: Methyl-branched lipid omega-hydroxylase





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	93.67Å 81.27Å 155.85Å 90.00° 107.29° 90.00°	Depositor
Resolution (Å)	29.75 – 1.65 29.75 – 1.65	Depositor EDS
% Data completeness (in resolution range)	99.5 (29.75-1.65) 99.4 (29.75-1.65)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.30 (at 1.65Å)	Xtriage
Refinement program	PHENIX 1.16_3549	Depositor
R, R_{free}	0.152 , 0.185 0.152 , 0.185	Depositor DCC
R_{free} test set	13346 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	21.9	Xtriage
Anisotropy	0.342	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 44.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.196 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.98	EDS
Total number of atoms	18282	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 64.95 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 7.6461e-06. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: K2B, GOL, MPO, PGE, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.50	0/3887	0.61	0/5289
1	B	0.50	0/3848	0.60	0/5236
1	C	0.53	0/3793	0.65	0/5162
1	D	0.54	0/3865	0.63	0/5259
All	All	0.52	0/15393	0.62	0/20946

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3792	0	3638	44	0
1	B	3758	0	3606	41	0
1	C	3699	0	3537	34	0
1	D	3761	0	3605	31	0
2	A	86	0	60	2	0
2	B	43	0	30	1	0
2	C	43	0	30	0	0
2	D	43	0	30	0	0
3	A	28	0	44	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	28	0	44	1	0
3	C	28	0	44	0	0
3	D	28	0	44	0	0
4	A	26	0	28	1	0
4	B	26	0	28	5	0
4	C	13	0	15	0	0
4	D	26	0	30	1	0
5	A	30	0	39	2	0
5	B	18	0	23	3	0
5	C	12	0	16	0	0
5	D	12	0	14	1	0
6	A	7	0	9	10	0
6	B	14	0	18	8	0
6	C	17	0	23	12	0
6	D	10	0	14	2	0
7	A	671	0	0	14	0
7	B	644	0	0	13	0
7	C	672	0	0	7	0
7	D	747	0	0	9	0
All	All	18282	0	14969	156	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (156) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:-1:HIS:HB2	5:A:505:GOL:H2	1.52	0.89
1:B:141:VAL:HG12	1:B:391[B]:VAL:HG21	1.56	0.88
6:C:506[A]:PGE:H42	7:C:1005:HOH:O	1.77	0.84
1:A:141:VAL:HG12	1:A:391[B]:VAL:HG11	1.61	0.82
1:D:141:VAL:HG12	1:D:391[B]:VAL:HG21	1.58	0.81
1:D:183:PRO:HG3	4:D:503[A]:MPO:H22	1.66	0.77
1:A:98:ASP:OD1	1:A:319[B]:ARG:NH2	2.17	0.76
2:A:501[B]:HEM:HBC2	2:A:501[B]:HEM:HHD	1.66	0.76
1:C:411[B]:ARG:NH2	7:C:601:HOH:O	2.21	0.74
5:B:506:GOL:H31	7:B:1070:HOH:O	1.89	0.73
1:C:37[A]:ASP:OD1	6:C:506[A]:PGE:H3	1.90	0.71
1:A:278:HIS:CE1	6:A:508[B]:PGE:H1	2.28	0.68
1:D:10[B]:ARG:HD2	1:D:285:ARG:HD3	1.76	0.68
1:C:1[B]:MET:HE1	1:D:303:THR:HA	1.77	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:98:ASP:OD1	1:B:319[A]:ARG:NH2	2.24	0.66
6:B:507[A]:PGE:H32	7:B:605:HOH:O	1.95	0.66
1:A:142:ARG:HA	1:A:391[B]:VAL:HG21	1.79	0.65
1:C:316:VAL:HG13	1:C:344[B]:CYS:SG	2.37	0.65
1:D:256:GLU:HG3	5:D:506[A]:GOL:H32	1.79	0.64
1:A:18[B]:GLU:OE2	7:A:601[B]:HOH:O	2.15	0.64
1:B:10[B]:ARG:NH1	7:B:1113[B]:HOH:O	2.31	0.64
1:D:98:ASP:OD1	1:D:319[B]:ARG:NH2	2.27	0.64
1:B:134:VAL:O	1:B:137:ILE:HG22	1.97	0.64
1:A:409:PRO:HG2	6:A:508[B]:PGE:H42	1.80	0.63
1:A:418:HIS:CD2	6:A:508[B]:PGE:H12	2.33	0.63
1:C:134:VAL:O	1:C:137:ILE:HG22	1.99	0.63
1:D:387[B]:ARG:N	1:D:387[B]:ARG:HD2	2.12	0.63
1:B:383[A]:ASN:ND2	7:B:604:HOH:O	2.32	0.63
1:B:10[B]:ARG:HD2	1:B:285[B]:ARG:HD3	1.79	0.62
1:C:326[B]:ILE:HG22	7:C:605:HOH:O	1.99	0.62
1:D:76[B]:ASP:OD1	1:D:329:ARG:NH2	2.33	0.61
1:C:113:LEU:HD11	6:C:507[A]:PGE:H5	1.81	0.61
1:C:285:ARG:HH12	6:C:506[A]:PGE:H52	1.66	0.61
1:C:229[B]:ASP:OD2	1:C:230:ARG:NH1	2.34	0.60
1:C:316:VAL:HA	1:C:344[B]:CYS:SG	2.41	0.59
1:A:144:ARG:NH2	7:A:604:HOH:O	2.27	0.59
1:D:383[B]:ASN:ND2	7:D:912[B]:HOH:O	2.25	0.58
1:B:222:TYR:CE2	4:B:503[B]:MPO:H52	2.38	0.58
6:A:508[B]:PGE:H32	7:A:621:HOH:O	2.05	0.57
1:C:1[B]:MET:HG3	1:D:364[B]:ASN:OD1	2.05	0.56
1:A:383[A]:ASN:ND2	7:A:611[A]:HOH:O	2.38	0.56
1:C:36[A]:ASP:HB2	6:C:506[A]:PGE:H5	1.87	0.56
1:D:4[B]:ASN:HB3	1:D:160[B]:GLN:OE1	2.06	0.56
1:D:142:ARG:HA	1:D:391[A]:VAL:HG11	1.88	0.56
1:A:278:HIS:CE1	6:A:508[B]:PGE:C1	2.89	0.56
1:C:142:ARG:HA	1:C:391:VAL:HG11	1.88	0.55
1:B:4[A]:ASN:O	7:B:601[A]:HOH:O	2.18	0.55
1:D:4[B]:ASN:OD1	1:D:5[B]:THR:N	2.32	0.55
1:A:158:ASP:HB2	7:A:1054[A]:HOH:O	2.08	0.54
1:A:159:ARG:NH1	7:A:605:HOH:O	2.31	0.54
1:A:189[B]:ARG:NH2	7:A:614[B]:HOH:O	2.39	0.54
1:C:285:ARG:HH12	6:C:506[A]:PGE:H6	1.72	0.54
1:B:229:ASP:OD2	4:B:503[B]:MPO:H32	2.08	0.54
1:B:332:LYS:NZ	7:B:612:HOH:O	2.40	0.54
1:B:189[B]:ARG:NH2	7:B:1029[B]:HOH:O	2.40	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:285:ARG:HH12	6:C:506[A]:PGE:C5	2.22	0.53
1:C:72:LEU:HD12	1:C:341[B]:LEU:CD2	2.38	0.53
1:C:29:LEU:HD22	1:C:60[A]:LEU:HD21	1.90	0.52
1:D:4[B]:ASN:HD22	1:D:160[B]:GLN:CD	2.16	0.52
1:A:134[B]:VAL:HG12	1:A:387[B]:ARG:HD2	1.93	0.51
1:B:48[B]:ARG:NH1	1:B:49:GLU:OE2	2.43	0.51
1:D:161:ALA:HB1	1:D:166[B]:GLU:HG3	1.93	0.51
1:D:171:LEU:HB3	1:D:172:PRO:HD3	1.91	0.51
1:C:29:LEU:HD22	1:C:60[B]:LEU:HD21	1.93	0.50
1:B:176[B]:ILE:HD12	1:B:265:VAL:HA	1.94	0.50
6:D:504:PGE:H32	7:D:667:HOH:O	2.11	0.50
1:B:35:ASP:HA	1:B:411[B]:ARG:CZ	2.41	0.50
1:B:171:LEU:HB3	1:B:172:PRO:HD3	1.94	0.49
1:C:1[A]:MET:HE2	7:D:1168:HOH:O	2.10	0.49
1:C:76[B]:ASP:OD1	1:C:329:ARG:NH2	2.43	0.49
1:D:134:VAL:HG12	1:D:387[A]:ARG:HD2	1.93	0.49
1:B:142:ARG:HA	1:B:391[A]:VAL:HG11	1.94	0.49
1:B:29:LEU:HD22	1:B:60[A]:LEU:HD21	1.94	0.49
1:A:4[B]:ASN:OD1	1:A:4[B]:ASN:N	2.44	0.49
1:A:142:ARG:HA	1:A:391[A]:VAL:HG11	1.94	0.49
1:C:383[A]:ASN:HB3	7:C:857[A]:HOH:O	2.12	0.49
1:A:130:THR:O	1:A:134[B]:VAL:HG23	2.13	0.49
1:A:212:PHE:CZ	3:A:502:K2B:H12C	2.48	0.49
1:A:390[B]:ARG:NH1	7:A:623[B]:HOH:O	2.46	0.48
1:A:76[B]:ASP:OD1	1:A:329:ARG:NH2	2.45	0.48
1:A:171:LEU:HB3	1:A:172:PRO:HD3	1.95	0.48
1:B:40:ASP:OD2	6:B:508[A]:PGE:H1	2.13	0.48
1:B:411[A]:ARG:HD2	6:B:507[A]:PGE:H12	1.94	0.48
1:B:278:HIS:HD2	7:B:1082[B]:HOH:O	1.95	0.48
6:A:508[B]:PGE:H4	7:A:633:HOH:O	2.12	0.48
1:A:36[B]:ASP:OD2	6:A:508[B]:PGE:H2	2.14	0.48
2:B:501:HEM:HBC2	2:B:501:HEM:HHD	1.96	0.47
1:C:285:ARG:NH1	6:C:506[A]:PGE:H6	2.28	0.47
1:A:278:HIS:HE1	6:A:508[B]:PGE:C1	2.27	0.47
1:C:359:PHE:CZ	1:C:361:LEU:HD21	2.49	0.47
1:D:189[B]:ARG:NH1	7:D:990[B]:HOH:O	2.36	0.47
1:A:10[A]:ARG:HG3	1:A:285:ARG:HD3	1.97	0.47
1:C:171:LEU:HB3	1:C:172:PRO:HD3	1.97	0.47
1:D:-2:HIS:HB2	7:D:1049[A]:HOH:O	2.15	0.47
1:D:29:LEU:HD22	1:D:60:LEU:HD21	1.96	0.47
1:B:9[B]:THR:HG22	7:B:731:HOH:O	2.13	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:183:PRO:HG3	4:B:503[B]:MPO:H21	1.97	0.46
1:D:288:GLU:H	1:D:288:GLU:CD	2.22	0.46
1:A:95:THR:O	1:A:319[A]:ARG:HD2	2.15	0.46
1:D:113:LEU:HD11	6:D:504:PGE:H2	1.98	0.46
1:B:418:HIS:NE2	6:B:507[A]:PGE:H1	2.29	0.46
1:A:4[B]:ASN:O	1:A:160[B]:GLN:NE2	2.49	0.46
1:C:198:LEU:HD23	1:C:198:LEU:HA	1.83	0.46
1:B:56:PRO:CD	5:B:504:GOL:H31	2.46	0.46
1:C:37[A]:ASP:OD1	6:C:506[A]:PGE:H1	2.15	0.46
1:C:285:ARG:HH12	6:C:506[A]:PGE:C6	2.29	0.46
1:B:222:TYR:CZ	4:B:503[B]:MPO:H52	2.50	0.46
1:C:37[A]:ASP:HA	6:C:506[A]:PGE:H3	1.97	0.45
1:D:87:ILE:HG21	1:D:326[A]:ILE:HG21	1.97	0.45
1:B:36[A]:ASP:HB2	6:B:508[A]:PGE:H3	1.98	0.45
1:A:359:PHE:CZ	1:A:361:LEU:HD21	2.52	0.45
1:B:411[A]:ARG:NH1	7:B:634:HOH:O	2.50	0.45
1:A:319[A]:ARG:HG2	1:A:320:ARG:N	2.31	0.45
1:C:48:ARG:NH1	7:C:629:HOH:O	2.49	0.45
1:B:36[A]:ASP:HB2	6:B:508[A]:PGE:H42	1.97	0.45
1:D:236[A]:ASP:HB3	7:D:992[A]:HOH:O	2.17	0.45
1:B:35:ASP:HA	1:B:411[B]:ARG:NH1	2.32	0.45
6:B:508[A]:PGE:H12	7:B:1046:HOH:O	2.15	0.44
1:C:40:ASP:OD2	6:C:506[A]:PGE:H32	2.17	0.44
1:A:222:TYR:CZ	4:A:503[A]:MPO:H62	2.53	0.44
1:A:409:PRO:HG2	7:A:968[A]:HOH:O	2.16	0.44
1:A:119[B]:GLN:HG3	7:A:685[B]:HOH:O	2.17	0.43
1:B:198:LEU:HD23	1:B:198:LEU:HA	1.90	0.43
1:A:175[B]:ILE:HG21	1:A:384:LEU:HD11	2.00	0.43
1:B:137:ILE:HD13	1:B:137:ILE:HG21	1.67	0.43
1:A:161:ALA:HB1	1:A:166[B]:GLU:HG3	2.01	0.43
1:B:48[B]:ARG:NH1	7:B:618:HOH:O	2.43	0.43
1:A:-2:HIS:HD2	7:A:831[A]:HOH:O	2.02	0.43
1:A:147:ARG:CZ	1:D:231[B]:ARG:HD2	2.48	0.43
1:B:56:PRO:HD2	5:B:504:GOL:H31	2.00	0.43
1:A:255[B]:ARG:NE	7:A:629[B]:HOH:O	2.52	0.43
1:B:411[A]:ARG:HD3	6:B:507[A]:PGE:H4	2.01	0.42
1:B:278:HIS:HD2	7:B:1082[A]:HOH:O	2.02	0.42
1:A:141:VAL:HG22	1:A:175[B]:ILE:HD13	2.01	0.42
1:B:7[B]:ILE:HD11	1:B:284:SER:HB3	2.01	0.42
1:C:233:ASN:HB2	7:C:682[A]:HOH:O	2.20	0.42
1:B:212:PHE:CZ	3:B:502:K2B:H12C	2.55	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:48[B]:ARG:NH1	7:D:605[B]:HOH:O	2.31	0.42
1:C:144:ARG:NH2	7:C:609:HOH:O	2.31	0.42
1:B:34:LEU:O	1:B:411[B]:ARG:NH1	2.50	0.42
1:A:166[A]:GLU:OE1	5:A:509:GOL:H2	2.19	0.41
1:D:158[B]:ASP:OD1	1:D:158[B]:ASP:N	2.53	0.41
1:D:387[B]:ARG:HD3	7:D:1025[B]:HOH:O	2.19	0.41
1:A:381:GLY:HA3	2:A:501[B]:HEM:C3C	2.56	0.41
1:C:354:ALA:O	1:C:355:ASP:C	2.62	0.41
1:D:378:PHE:O	1:D:379:CYS:C	2.64	0.41
1:D:6[B]:ALA:HB1	7:D:850:HOH:O	2.20	0.41
1:B:175:ILE:HG21	1:B:384:LEU:HD11	2.02	0.41
1:D:229[B]:ASP:OD1	1:D:230:ARG:NH1	2.53	0.41
1:B:183:PRO:HG3	4:B:503[A]:MPO:H12	2.03	0.41
1:B:378:PHE:O	1:B:379:CYS:C	2.64	0.41
1:A:409:PRO:CG	6:A:508[B]:PGE:H42	2.50	0.40
1:C:343:TYR:CE1	1:C:372:GLY:HA2	2.57	0.40
1:A:418:HIS:NE2	6:A:508[B]:PGE:H12	2.36	0.40
1:A:328[A]:LEU:HD12	1:A:333:MET:HE1	2.03	0.40
1:A:4[C]:ASN:ND2	7:A:641:HOH:O	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	475/435 (109%)	465 (98%)	10 (2%)	0	100	100
1	B	474/435 (109%)	461 (97%)	13 (3%)	0	100	100
1	C	468/435 (108%)	457 (98%)	11 (2%)	0	100	100
1	D	473/435 (109%)	458 (97%)	15 (3%)	0	100	100
All	All	1890/1740 (109%)	1841 (97%)	49 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	406/365 (111%)	401 (99%)	5 (1%)	63	45
1	B	402/365 (110%)	391 (97%)	11 (3%)	39	16
1	C	395/365 (108%)	388 (98%)	7 (2%)	51	30
1	D	403/365 (110%)	402 (100%)	1 (0%)	87	83
All	All	1606/1460 (110%)	1582 (98%)	24 (2%)	65	37

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	105[A]	GLU
1	A	105[B]	GLU
1	A	255[A]	ARG
1	A	255[B]	ARG
1	A	294	TRP
1	B	0	HIS
1	B	105[A]	GLU
1	B	105[B]	GLU
1	B	294	TRP
1	B	300[A]	LEU
1	B	300[B]	LEU
1	B	319[A]	ARG
1	B	319[B]	ARG
1	B	328	LEU
1	B	339[A]	VAL
1	B	339[B]	VAL
1	C	18	GLU
1	C	35[A]	ASP
1	C	35[B]	ASP
1	C	105[A]	GLU
1	C	105[B]	GLU
1	C	137	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	294	TRP
1	D	294	TRP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	155	ASN
1	A	233	ASN
1	A	278	HIS
1	B	119	GLN
1	B	192	HIS
1	C	155	ASN
1	C	160	GLN
1	C	192	HIS
1	C	278	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

34 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	GOL	A	505	-	5,5,5	0.98	0	5,5,5	1.03	0
5	GOL	A	509	-	5,5,5	0.99	0	5,5,5	1.14	0
2	HEM	A	501[A]	1	50,50,50	1.55	9 (18%)	67,82,82	1.45	11 (16%)
3	K2B	C	502	-	31,31,31	0.85	0	48,48,48	1.27	6 (12%)
2	HEM	D	501	1	50,50,50	1.57	10 (20%)	67,82,82	1.47	15 (22%)
2	HEM	C	501	1	50,50,50	1.64	8 (16%)	67,82,82	1.45	11 (16%)
6	PGE	B	507[A]	-	6,6,9	0.38	0	5,5,8	0.41	0
6	PGE	B	508[A]	-	6,6,9	0.25	0	5,5,8	0.51	0
6	PGE	C	506[A]	-	9,9,9	0.38	0	8,8,8	0.74	0
6	PGE	A	508[B]	-	6,6,9	0.39	0	5,5,8	0.62	0
5	GOL	A	506	-	5,5,5	1.16	0	5,5,5	0.94	0
6	PGE	D	504	-	9,9,9	0.37	0	8,8,8	0.20	0
2	HEM	A	501[B]	1	50,50,50	1.50	9 (18%)	67,82,82	1.47	13 (19%)
2	HEM	B	501	1	50,50,50	1.73	10 (20%)	67,82,82	1.54	13 (19%)
5	GOL	A	507	-	5,5,5	0.99	0	5,5,5	1.03	0
5	GOL	C	505	-	5,5,5	1.19	0	5,5,5	0.87	0
5	GOL	B	504	-	5,5,5	1.49	1 (20%)	5,5,5	1.15	1 (20%)
4	MPO	D	503[A]	-	13,13,13	2.40	2 (15%)	17,17,17	1.35	1 (5%)
5	GOL	D	505	-	5,5,5	1.61	1 (20%)	5,5,5	0.98	0
4	MPO	C	503[A]	-	13,13,13	2.31	2 (15%)	17,17,17	1.23	0
4	MPO	A	503[A]	-	13,13,13	2.78	2 (15%)	17,17,17	1.17	1 (5%)
4	MPO	B	503[A]	-	13,13,13	2.81	2 (15%)	17,17,17	1.55	6 (35%)
5	GOL	B	505	-	5,5,5	1.06	0	5,5,5	0.91	0
3	K2B	B	502	-	31,31,31	0.80	1 (3%)	48,48,48	1.27	7 (14%)
4	MPO	D	503[B]	-	13,13,13	2.43	2 (15%)	17,17,17	1.80	5 (29%)
5	GOL	A	504	-	5,5,5	1.63	1 (20%)	5,5,5	0.81	0
5	GOL	C	504	-	5,5,5	1.11	0	5,5,5	0.95	0
5	GOL	D	506[A]	-	5,5,5	1.05	0	5,5,5	1.10	0
4	MPO	A	503[B]	-	13,13,13	2.81	2 (15%)	17,17,17	1.78	5 (29%)
6	PGE	C	507[A]	-	6,6,9	0.47	0	5,5,8	0.75	0
3	K2B	A	502	-	31,31,31	0.93	0	48,48,48	1.15	4 (8%)
4	MPO	B	503[B]	-	13,13,13	2.76	2 (15%)	17,17,17	1.85	5 (29%)
3	K2B	D	502	-	31,31,31	0.91	0	48,48,48	1.26	6 (12%)
5	GOL	B	506	-	5,5,5	1.08	0	5,5,5	0.99	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	A	505	-	-	2/4/4/4	-
5	GOL	A	509	-	-	2/4/4/4	-
2	HEM	A	501[A]	1	-	0/14/54/54	-
3	K2B	C	502	-	-	4/10/68/68	0/4/4/4
2	HEM	D	501	1	-	0/14/54/54	-
2	HEM	C	501	1	-	0/14/54/54	-
6	PGE	B	507[A]	-	-	3/4/4/7	-
6	PGE	B	508[A]	-	-	2/4/4/7	-
6	PGE	C	506[A]	-	-	4/7/7/7	-
6	PGE	A	508[B]	-	-	3/4/4/7	-
5	GOL	A	506	-	-	2/4/4/4	-
6	PGE	D	504	-	-	3/7/7/7	-
2	HEM	A	501[B]	1	-	1/14/54/54	-
2	HEM	B	501	1	-	0/14/54/54	-
5	GOL	A	507	-	-	2/4/4/4	-
5	GOL	C	505	-	-	2/4/4/4	-
5	GOL	B	504	-	-	1/4/4/4	-
4	MPO	D	503[A]	-	-	6/7/15/15	0/1/1/1
5	GOL	D	505	-	-	4/4/4/4	-
4	MPO	C	503[A]	-	-	0/7/15/15	0/1/1/1
4	MPO	A	503[A]	-	-	0/7/15/15	0/1/1/1
4	MPO	B	503[A]	-	-	2/7/15/15	0/1/1/1
5	GOL	B	505	-	-	0/4/4/4	-
3	K2B	B	502	-	-	4/10/68/68	0/4/4/4
4	MPO	D	503[B]	-	-	1/7/15/15	0/1/1/1
5	GOL	A	504	-	-	0/4/4/4	-
5	GOL	C	504	-	-	2/4/4/4	-
5	GOL	D	506[A]	-	-	2/4/4/4	-
4	MPO	A	503[B]	-	-	0/7/15/15	0/1/1/1
6	PGE	C	507[A]	-	-	2/4/4/7	-
3	K2B	A	502	-	-	4/10/68/68	0/4/4/4
4	MPO	B	503[B]	-	-	4/7/15/15	0/1/1/1
3	K2B	D	502	-	-	4/10/68/68	0/4/4/4
5	GOL	B	506	-	-	4/4/4/4	-

All (64) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	503[B]	MPO	C1-S1	-7.45	1.67	1.77
4	D	503[B]	MPO	C1-S1	-7.41	1.67	1.77
4	B	503[A]	MPO	C1-S1	-7.40	1.67	1.77
4	A	503[A]	MPO	C1-S1	-7.27	1.67	1.77
4	D	503[A]	MPO	C1-S1	-7.25	1.67	1.77
4	B	503[B]	MPO	C1-S1	-7.19	1.67	1.77
4	C	503[A]	MPO	C1-S1	-6.91	1.67	1.77
4	A	503[B]	MPO	O1-S1	6.72	1.64	1.45
4	A	503[A]	MPO	O1-S1	6.71	1.64	1.45
4	B	503[B]	MPO	O1-S1	6.71	1.64	1.45
4	B	503[A]	MPO	O1-S1	6.70	1.64	1.45
2	C	501	HEM	FE-ND	5.77	2.12	1.94
2	A	501[A]	HEM	FE-ND	5.32	2.11	1.94
2	B	501	HEM	FE-NB	5.27	2.11	1.94
2	D	501	HEM	FE-NC	5.14	2.12	1.95
4	D	503[A]	MPO	O3-S1	4.51	1.64	1.47
4	D	503[B]	MPO	O3-S1	4.51	1.64	1.47
2	A	501[B]	HEM	FE-ND	4.51	2.08	1.94
4	C	503[A]	MPO	O3-S1	4.49	1.64	1.47
2	B	501	HEM	FE-NC	4.36	2.09	1.95
2	B	501	HEM	FE-ND	4.29	2.08	1.94
2	C	501	HEM	FE-NB	4.27	2.08	1.94
2	A	501[B]	HEM	FE-NC	3.92	2.08	1.95
2	A	501[A]	HEM	FE-NC	3.85	2.07	1.95
2	A	501[B]	HEM	FE-NB	3.62	2.06	1.94
2	D	501	HEM	FE-ND	3.56	2.05	1.94
2	D	501	HEM	CAB-C3B	3.52	1.56	1.47
2	A	501[A]	HEM	FE-NA	3.39	2.06	1.95
5	D	505	GOL	O2-C2	-3.35	1.33	1.43
2	C	501	HEM	CMB-C2B	3.34	1.57	1.50
2	D	501	HEM	FE-NB	3.29	2.05	1.94
5	A	504	GOL	O2-C2	-3.25	1.33	1.43
2	D	501	HEM	FE-NA	3.22	2.05	1.95
2	B	501	HEM	CAB-C3B	3.13	1.55	1.47
2	B	501	HEM	FE-NA	3.01	2.05	1.95
2	C	501	HEM	FE-NC	2.97	2.05	1.95
5	B	504	GOL	O2-C2	-2.96	1.34	1.43
2	A	501[B]	HEM	CAB-C3B	2.95	1.55	1.47
2	A	501[A]	HEM	CAB-C3B	2.93	1.55	1.47
2	C	501	HEM	CAB-C3B	2.91	1.55	1.47
2	B	501	HEM	CMB-C2B	2.89	1.56	1.50
2	A	501[A]	HEM	FE-NB	2.79	2.03	1.94
2	D	501	HEM	CMB-C2B	2.68	1.56	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	501	HEM	CMC-C2C	2.67	1.56	1.50
2	A	501[B]	HEM	FE-NA	2.63	2.03	1.95
2	A	501[A]	HEM	CAC-C3C	2.59	1.54	1.47
2	B	501	HEM	CMC-C2C	2.54	1.56	1.50
2	D	501	HEM	CAC-C3C	2.53	1.54	1.47
2	A	501[B]	HEM	CAC-C3C	2.48	1.54	1.47
2	D	501	HEM	CMD-C2D	2.48	1.55	1.50
2	B	501	HEM	CMD-C2D	2.38	1.55	1.50
2	A	501[A]	HEM	CMA-C3A	2.24	1.55	1.50
2	A	501[B]	HEM	CMA-C3A	2.20	1.55	1.50
2	D	501	HEM	CMC-C2C	2.20	1.55	1.50
2	A	501[B]	HEM	CMB-C2B	2.19	1.55	1.50
2	A	501[B]	HEM	CMD-C2D	2.18	1.55	1.50
2	B	501	HEM	CAA-C2A	2.17	1.56	1.51
2	A	501[A]	HEM	CMB-C2B	2.16	1.55	1.50
2	C	501	HEM	CAA-C2A	2.16	1.56	1.51
2	A	501[A]	HEM	CMD-C2D	2.15	1.55	1.50
2	B	501	HEM	CAC-C3C	2.11	1.53	1.47
3	B	502	K2B	C4-C3	2.07	1.50	1.45
2	C	501	HEM	CAC-C3C	2.04	1.52	1.47
2	D	501	HEM	C3C-C2C	-2.04	1.33	1.37

All (110) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501[B]	HEM	C4D-ND-C1D	4.23	110.22	105.21
2	A	501[A]	HEM	C4D-ND-C1D	4.18	110.16	105.21
4	D	503[B]	MPO	C5-C4-N1	4.16	116.44	110.12
4	B	503[B]	MPO	C5-C4-N1	4.07	116.31	110.12
2	B	501	HEM	C4D-ND-C1D	3.91	109.84	105.21
4	A	503[B]	MPO	C6-O4-C5	3.71	121.89	109.88
2	B	501	HEM	CHD-C1D-ND	3.71	128.41	124.42
2	C	501	HEM	C4D-ND-C1D	3.67	109.56	105.21
3	C	502	K2B	C22-C20-C17	3.56	117.72	110.33
3	A	502	K2B	C16-C17-C20	3.47	117.44	112.18
2	A	501[B]	HEM	C3D-C4D-ND	-3.47	106.36	110.17
2	A	501[A]	HEM	C2D-C1D-ND	-3.37	106.01	109.90
2	A	501[A]	HEM	C3D-C4D-ND	-3.34	106.51	110.17
2	A	501[B]	HEM	C2D-C1D-ND	-3.23	106.16	109.90
2	B	501	HEM	C2D-C1D-ND	-3.20	106.20	109.90
2	D	501	HEM	CHB-C1B-NB	3.15	128.26	124.37
2	B	501	HEM	C3D-C4D-ND	-3.09	106.78	110.17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	HEM	CHA-C4D-ND	3.09	128.18	124.37
4	D	503[A]	MPO	O3-S1-C1	3.07	112.00	106.00
2	B	501	HEM	CHC-C1C-NC	3.06	127.78	124.45
3	C	502	K2B	C7-C8-C9	-3.01	106.92	110.52
2	C	501	HEM	CHC-C1C-NC	3.00	127.72	124.45
4	B	503[B]	MPO	O4-C5-C4	3.00	118.22	111.77
2	C	501	HEM	CHB-C1B-NB	2.99	128.07	124.37
2	C	501	HEM	C3D-C4D-ND	-2.99	106.89	110.17
2	B	501	HEM	C1B-NB-C4B	2.89	108.63	105.21
3	D	502	K2B	C16-C17-C20	2.83	116.47	112.18
2	A	501[B]	HEM	C3B-C2B-C1B	2.83	108.54	106.41
4	D	503[B]	MPO	O4-C6-C7	-2.81	105.72	111.77
4	B	503[A]	MPO	C7-N1-C4	2.80	114.87	108.84
2	C	501	HEM	C1B-NB-C4B	2.75	108.47	105.21
2	D	501	HEM	CHD-C4C-C3C	2.75	129.84	125.21
4	A	503[B]	MPO	C5-C4-N1	-2.70	106.02	110.12
2	A	501[A]	HEM	C3B-C2B-C1B	2.69	108.43	106.41
2	A	501[B]	HEM	CHC-C1C-NC	2.64	127.33	124.45
3	B	502	K2B	C2-C3-C4	2.64	120.75	116.73
2	A	501[A]	HEM	CHA-C4D-ND	2.64	127.63	124.37
2	B	501	HEM	C1D-C2D-C3D	2.62	109.74	106.98
2	D	501	HEM	C4D-ND-C1D	2.62	108.31	105.21
4	A	503[B]	MPO	C2-C1-S1	-2.60	109.27	113.25
2	D	501	HEM	CHD-C1D-ND	2.59	127.21	124.42
3	B	502	K2B	C1-C2-C3	-2.58	106.34	111.60
2	D	501	HEM	C4A-C3A-C2A	2.55	109.73	106.82
3	D	502	K2B	C22-C20-C17	2.55	115.61	110.33
3	D	502	K2B	C1-C2-C3	-2.53	106.44	111.60
2	A	501[A]	HEM	C1D-C2D-C3D	2.51	109.62	106.98
2	A	501[A]	HEM	CHD-C1D-ND	2.51	127.12	124.42
2	C	501	HEM	CBD-CAD-C3D	-2.51	105.60	112.53
2	A	501[A]	HEM	CHC-C1C-NC	2.50	127.18	124.45
2	B	501	HEM	C4A-C3A-C2A	2.50	109.68	106.82
2	A	501[B]	HEM	CHD-C1D-ND	2.48	127.09	124.42
3	D	502	K2B	C11-C9-C8	2.47	115.22	111.78
2	A	501[B]	HEM	CBD-CAD-C3D	-2.47	105.72	112.53
2	D	501	HEM	CHA-C4D-ND	2.46	127.41	124.37
2	D	501	HEM	C4C-C3C-C2C	2.45	108.94	106.81
2	D	501	HEM	CHC-C1C-NC	2.45	127.12	124.45
3	A	502	K2B	C22-C20-C17	2.42	115.34	110.33
3	C	502	K2B	C12-C13-C14	2.40	110.83	107.25
2	D	501	HEM	C1B-NB-C4B	2.39	108.03	105.21

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	503[B]	MPO	O1-S1-C1	2.38	110.33	106.73
2	B	501	HEM	CHD-C4C-C3C	2.36	129.18	125.21
5	B	504	GOL	C3-C2-C1	-2.34	103.21	111.80
2	C	501	HEM	C3B-C2B-C1B	2.31	108.15	106.41
3	B	502	K2B	C22-C20-C17	2.31	115.12	110.33
2	D	501	HEM	CBD-CAD-C3D	-2.30	106.19	112.53
2	A	501[B]	HEM	CHA-C4D-ND	2.29	127.20	124.37
4	B	503[A]	MPO	O2-S1-C1	2.29	110.19	106.73
2	C	501	HEM	CBA-CAA-C2A	-2.29	106.21	112.53
2	A	501[B]	HEM	C1D-C2D-C3D	2.26	109.35	106.98
4	D	503[B]	MPO	O1-S1-C1	2.22	110.09	106.73
2	A	501[B]	HEM	C4C-C3C-C2C	2.22	108.74	106.81
3	D	502	K2B	C7-C6-C5	-2.20	107.89	111.93
4	A	503[A]	MPO	O2-S1-C1	2.20	110.05	106.73
4	D	503[B]	MPO	C7-N1-C4	2.19	113.56	108.84
2	C	501	HEM	C2D-C1D-ND	-2.19	107.37	109.90
2	D	501	HEM	C3B-C4B-NB	-2.18	107.90	109.47
4	B	503[B]	MPO	O2-S1-C1	2.18	110.02	106.73
2	A	501[B]	HEM	C2A-C1A-NA	-2.17	107.74	110.15
2	C	501	HEM	C4C-C3C-C2C	2.16	108.69	106.81
4	D	503[B]	MPO	O3-S1-C1	2.16	110.22	106.00
4	B	503[A]	MPO	C5-C4-N1	2.15	113.39	110.12
2	D	501	HEM	C1D-C2D-C3D	2.14	109.23	106.98
3	C	502	K2B	C21-C20-C17	-2.14	109.67	112.88
2	C	501	HEM	C1D-C2D-C3D	2.14	109.23	106.98
2	A	501[B]	HEM	CAC-C3C-C2C	-2.14	121.47	128.43
4	B	503[B]	MPO	C6-C7-N1	-2.13	106.88	110.12
4	B	503[A]	MPO	C6-C7-N1	2.12	113.35	110.12
3	D	502	K2B	C6-C5-C4	-2.12	117.48	120.86
2	B	501	HEM	CBA-CAA-C2A	-2.11	106.70	112.53
3	B	502	K2B	C11-C9-C10	-2.10	110.50	113.08
4	A	503[B]	MPO	O2-S1-C1	2.08	109.88	106.73
2	A	501[A]	HEM	C4C-C3C-C2C	2.08	108.62	106.81
3	C	502	K2B	C16-C17-C20	2.08	115.33	112.18
3	B	502	K2B	C16-C17-C20	2.08	115.32	112.18
2	A	501[B]	HEM	CAC-C3C-C4C	2.08	129.78	124.82
4	A	503[B]	MPO	C2-C3-N1	-2.07	108.10	113.93
2	B	501	HEM	C3B-C4B-NB	-2.07	107.98	109.47
3	A	502	K2B	C6-C7-C8	-2.07	108.02	111.64
2	D	501	HEM	CBC-CAC-C3C	-2.07	117.20	127.53
2	D	501	HEM	CHC-C4B-NB	2.07	126.65	124.42
4	B	503[A]	MPO	O4-C6-C7	-2.06	107.33	111.77

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	502	K2B	C1-C10-C5	2.06	112.29	108.74
2	A	501[A]	HEM	CHC-C4B-NB	2.03	126.61	124.42
2	A	501[A]	HEM	CAC-C3C-C2C	-2.03	121.83	128.43
2	D	501	HEM	C2B-C1B-NB	-2.02	107.52	109.84
2	B	501	HEM	C2A-C1A-NA	-2.02	107.92	110.15
3	C	502	K2B	C18-C13-C12	-2.01	107.64	110.61
4	B	503[A]	MPO	O1-S1-C1	2.01	109.77	106.73
3	A	502	K2B	C7-C8-C9	-2.01	108.11	110.52
3	B	502	K2B	C18-C13-C12	-2.01	107.64	110.61

There are no chirality outliers.

All (70) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	D	503[A]	MPO	C2-C1-S1-O1
4	D	503[A]	MPO	C2-C1-S1-O3
5	A	506	GOL	O1-C1-C2-C3
5	A	509	GOL	O1-C1-C2-C3
5	B	506	GOL	O1-C1-C2-O2
5	B	506	GOL	O1-C1-C2-C3
5	C	504	GOL	O1-C1-C2-C3
5	D	505	GOL	O1-C1-C2-C3
5	D	505	GOL	C1-C2-C3-O3
4	B	503[A]	MPO	C2-C3-N1-C4
4	B	503[B]	MPO	C2-C3-N1-C4
6	C	506[A]	PGE	C6-C5-O3-C4
5	A	505	GOL	O2-C2-C3-O3
5	A	507	GOL	O2-C2-C3-O3
6	D	504	PGE	O2-C3-C4-O3
3	C	502	K2B	C13-C17-C20-C22
4	B	503[A]	MPO	C2-C3-N1-C7
3	A	502	K2B	C13-C17-C20-C22
3	D	502	K2B	C13-C17-C20-C22
3	B	502	K2B	C13-C17-C20-C22
6	C	506[A]	PGE	O2-C3-C4-O3
6	B	507[A]	PGE	O1-C1-C2-O2
6	B	508[A]	PGE	O1-C1-C2-O2
3	C	502	K2B	C16-C17-C20-C21
3	A	502	K2B	C13-C17-C20-C21
3	A	502	K2B	C16-C17-C20-C21
3	D	502	K2B	C16-C17-C20-C21
3	B	502	K2B	C13-C17-C20-C21

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	C	502	K2B	C13-C17-C20-C21
3	D	502	K2B	C13-C17-C20-C21
4	B	503[B]	MPO	C1-C2-C3-N1
3	B	502	K2B	C16-C17-C20-C21
5	A	505	GOL	C1-C2-C3-O3
5	A	507	GOL	C1-C2-C3-O3
5	B	506	GOL	C1-C2-C3-O3
5	D	506[A]	GOL	O1-C1-C2-C3
6	D	504	PGE	O1-C1-C2-O2
5	A	506	GOL	O1-C1-C2-O2
5	A	509	GOL	O1-C1-C2-O2
5	D	505	GOL	O1-C1-C2-O2
6	B	508[A]	PGE	O2-C3-C4-O3
6	C	506[A]	PGE	O3-C5-C6-O4
6	C	507[A]	PGE	O3-C5-C6-O4
5	B	506	GOL	O2-C2-C3-O3
5	C	504	GOL	O1-C1-C2-O2
4	D	503[A]	MPO	C2-C1-S1-O2
6	C	507[A]	PGE	O2-C3-C4-O3
3	B	502	K2B	C16-C17-C20-C22
3	C	502	K2B	C16-C17-C20-C22
3	A	502	K2B	C16-C17-C20-C22
5	D	505	GOL	O2-C2-C3-O3
6	C	506[A]	PGE	O1-C1-C2-O2
4	D	503[A]	MPO	C1-C2-C3-N1
4	D	503[B]	MPO	C1-C2-C3-N1
5	C	505	GOL	C1-C2-C3-O3
6	B	507[A]	PGE	C1-C2-O2-C3
3	D	502	K2B	C16-C17-C20-C22
2	A	501[B]	HEM	C4C-C3C-CAC-CBC
6	D	504	PGE	C1-C2-O2-C3
6	A	508[B]	PGE	C4-C3-O2-C2
4	D	503[A]	MPO	C2-C3-N1-C4
6	A	508[B]	PGE	O2-C3-C4-O3
4	B	503[B]	MPO	C2-C1-S1-O2
6	A	508[B]	PGE	C1-C2-O2-C3
6	B	507[A]	PGE	C4-C3-O2-C2
5	C	505	GOL	O2-C2-C3-O3
5	D	506[A]	GOL	O1-C1-C2-O2
4	D	503[A]	MPO	C2-C3-N1-C7
4	B	503[B]	MPO	C2-C1-S1-O3
5	B	504	GOL	O2-C2-C3-O3


There are no ring outliers.

19 monomers are involved in 50 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	505	GOL	1	0
5	A	509	GOL	1	0
6	B	507[A]	PGE	4	0
6	B	508[A]	PGE	4	0
6	C	506[A]	PGE	11	0
6	A	508[B]	PGE	10	0
6	D	504	PGE	2	0
2	A	501[B]	HEM	2	0
2	B	501	HEM	1	0
5	B	504	GOL	2	0
4	D	503[A]	MPO	1	0
4	A	503[A]	MPO	1	0
4	B	503[A]	MPO	1	0
3	B	502	K2B	1	0
5	D	506[A]	GOL	1	0
6	C	507[A]	PGE	1	0
3	A	502	K2B	1	0
4	B	503[B]	MPO	4	0
5	B	506	GOL	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand HEM A 501 (A)




Ligand K2B C 502









Ligand HEM A 501 (B)




Ligand HEM B 501



Ligand K2B B 502





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	431/435 (99%)	-1.45	0 100 100	9, 24, 38, 90	42 (9%)
1	B	430/435 (98%)	-1.46	0 100 100	8, 24, 40, 89	45 (10%)
1	C	430/435 (98%)	-1.46	0 100 100	9, 22, 37, 83	40 (9%)
1	D	431/435 (99%)	-1.48	0 100 100	9, 22, 35, 88	44 (10%)
All	All	1722/1740 (98%)	-1.46	0 100 100	8, 23, 38, 90	171 (9%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	MPO	D	503[A]	13/13	0.97	0.09	52,53,57,57	13
4	MPO	D	503[B]	13/13	0.97	0.09	52,53,57,57	13
5	GOL	A	507	6/6	0.97	0.04	94,96,97,98	0
4	MPO	B	503[B]	13/13	0.98	0.06	38,40,43,44	13

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	MPO	C	503[A]	13/13	0.98	0.05	35,40,47,48	13
4	MPO	A	503[A]	13/13	0.98	0.05	38,40,47,47	13
4	MPO	A	503[B]	13/13	0.98	0.05	39,40,47,47	13
5	GOL	A	505	6/6	0.98	0.04	74,74,76,76	0
5	GOL	A	506	6/6	0.98	0.05	85,86,87,88	0
4	MPO	B	503[A]	13/13	0.98	0.06	38,40,44,44	13
5	GOL	B	505	6/6	0.98	0.04	80,81,81,81	0
5	GOL	B	506	6/6	0.98	0.08	71,76,78,80	0
5	GOL	C	505	6/6	0.98	0.06	76,78,78,78	0
6	PGE	B	508[A]	7/10	0.98	0.07	31,34,40,42	7
6	PGE	C	507[A]	7/10	0.98	0.05	30,33,35,36	7
6	PGE	D	504	10/10	0.98	0.05	43,63,68,69	0
5	GOL	B	504	6/6	0.99	0.04	36,50,55,57	0
5	GOL	D	505	6/6	0.99	0.03	37,51,55,59	0
5	GOL	D	506[A]	6/6	0.99	0.04	31,35,38,43	6
6	PGE	A	508[B]	7/10	0.99	0.04	25,30,40,43	7
6	PGE	B	507[A]	7/10	0.99	0.07	40,47,51,51	7
5	GOL	A	504	6/6	0.99	0.04	37,54,57,59	0
6	PGE	C	506[A]	10/10	0.99	0.05	21,32,35,37	10
5	GOL	A	509	6/6	0.99	0.05	67,69,69,69	0
5	GOL	C	504	6/6	0.99	0.04	64,70,71,71	0
3	K2B	C	502	28/28	1.00	0.02	16,18,22,23	0
3	K2B	D	502	28/28	1.00	0.02	14,18,20,21	0
2	HEM	A	501[A]	43/43	1.00	0.02	17,19,21,22	43
2	HEM	A	501[B]	43/43	1.00	0.02	17,19,21,23	43
2	HEM	B	501	43/43	1.00	0.02	15,18,20,22	0
2	HEM	C	501	43/43	1.00	0.02	14,17,19,21	0
2	HEM	D	501	43/43	1.00	0.02	14,17,19,22	0
3	K2B	A	502	28/28	1.00	0.02	15,18,21,22	0
3	K2B	B	502	28/28	1.00	0.02	17,19,24,27	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around K2B C 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around K2B D 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM A 501 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM A 501 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM C 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM D 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around K2B A 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around K2B B 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.