



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 05:08 AM UTC

PDB ID : 7T0D / pdb_00007t0d
Title : Cryptococcus neoformans protein farnesyltransferase in complex with FPP and inhibitor 2k
Authors : Wang, Y.; Shi, Y.; Beese, L.S.
Deposited on : 2021-11-29
Resolution : 1.91 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 1.91 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	349	
2	B	520	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	EDO	A	419	-	-	X	-
3	EDO	B	604	-	-	X	-

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 7363 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein farnesyltransferase/geranylgeranyltransferase type-1 subunit alpha.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	318	Total	C	N	O	S	0	1	0
			2653	1711	451	480	11			

There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-13	MET	-	expression tag	UNP J9VSJ6
A	-12	GLY	-	expression tag	UNP J9VSJ6
A	-11	SER	-	expression tag	UNP J9VSJ6
A	-10	SER	-	expression tag	UNP J9VSJ6
A	-9	HIS	-	expression tag	UNP J9VSJ6
A	-8	HIS	-	expression tag	UNP J9VSJ6
A	-7	HIS	-	expression tag	UNP J9VSJ6
A	-6	HIS	-	expression tag	UNP J9VSJ6
A	-5	HIS	-	expression tag	UNP J9VSJ6
A	-4	HIS	-	expression tag	UNP J9VSJ6
A	-3	SER	-	expression tag	UNP J9VSJ6
A	-2	GLN	-	expression tag	UNP J9VSJ6
A	-1	ASP	-	expression tag	UNP J9VSJ6
A	0	LEU	-	expression tag	UNP J9VSJ6

- Molecule 2 is a protein called Protein farnesyltransferase subunit beta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	486	Total	C	N	O	S	0	2	0
			3742	2372	651	704	15			

- Molecule 3 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0

Continued on next page...

Continued from previous page...


[illegible]

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	B	1	Total O S 5 4 1	0	1
4	B	1	Total O S 5 4 1	0	0

- Molecule 5 is (2R)-3-(cyclohexylamino)-2-hydroxypropane-1-sulfonic acid (CCD ID: 3FX) (formula: C₉H₁₉NO₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	B	1	Total C N O S 15 9 1 4 1	0	0
5	B	1	Total C N O S 15 9 1 4 1	0	0
5	B	1	Total C N O S 15 9 1 4 1	0	0

- Molecule 6 is (5S)-4-({1-[(4-bromophenyl)methyl]-1H-imidazol-5-yl}methyl)-5-propyl-1-[3-(trifluoromethoxy)phenyl]piperazin-2-one (CCD ID: XO7) (formula: C₂₅H₂₆BrF₃N₄O₂) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
6	B	1	Total	Br	C	F	N	O	0	1
			70	2	50	6	8	4		

- Molecule 7 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	B	1	Total	Zn	0	0
			1	1		

- Molecule 8 is FARNESYL DIPHOSPHATE (CCD ID: FPP) (formula: C₁₅H₂₈O₇P₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	B	1	Total	C	O	P	0	1
			24	15	7	2		

- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	187	Total	O	0	0
			187	187		
9	B	353	Total	O	0	0
			353	353		

4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	141.91Å 141.91Å 130.23Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	42.43 – 1.91 42.43 – 1.91	Depositor EDS
% Data completeness (in resolution range)	99.2 (42.43-1.91) 93.6 (42.43-1.91)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.91 (at 1.91Å)	Xtriage
Refinement program	PHENIX 1.14_3260	Depositor
R, R_{free}	0.173 , 0.195 0.175 , 0.199	Depositor DCC
R_{free} test set	5190 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	31.5	Xtriage
Anisotropy	0.543	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 41.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	7363	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.29% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FPP, ZN, XO7, 3FX, EDO, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.34	0/2737	0.50	2/3728 (0.1%)
2	B	0.45	2/3839 (0.1%)	0.56	1/5214 (0.0%)
All	All	0.41	2/6576 (0.0%)	0.53	3/8942 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	402	PRO	C-O	-6.40	1.16	1.23
2	B	499	PRO	C-O	-5.61	1.17	1.23

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	278	PRO	N-CA-C	-6.27	99.33	111.69
1	A	277	ASP	CA-CB-CG	-5.54	107.06	112.60
2	B	400	ASP	CA-CB-CG	5.24	117.84	112.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2653	0	2567	21	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	3742	0	3666	51	0
3	A	112	0	168	16	0
3	B	156	0	234	24	0
4	A	10	0	0	0	0
4	B	10	0	0	0	0
5	B	45	0	57	3	0
6	B	70	0	0	0	0
7	B	1	0	0	0	0
8	B	24	0	25	2	0
9	A	187	0	0	0	0
9	B	353	0	0	6	0
All	All	7363	0	6717	73	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (73) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:222:LYS:HE3	3:B:606:EDO:H22	1.49	0.94
1:A:324:GLY:H	3:A:419:EDO:H11	1.36	0.91
2:B:50:LEU:H	2:B:50:LEU:HD22	1.40	0.84
1:A:305:ASP:H	3:A:423:EDO:H21	1.47	0.80
2:B:255:GLU:HB3	2:B:256:PRO:HD2	1.64	0.78
2:B:50:LEU:HD22	2:B:50:LEU:N	2.01	0.76
1:A:145:TYR:H	3:A:402:EDO:H12	1.54	0.73
1:A:143:LYS:HD3	2:B:320:LYS:HD3	1.75	0.69
1:A:78:GLN:HE21	3:A:418:EDO:H12	1.57	0.69
2:B:496:THR:H	3:B:604:EDO:H11	1.56	0.68
2:B:317:ARG:HG3	2:B:320:LYS:HG3	1.77	0.66
2:B:50:LEU:H	2:B:50:LEU:CD2	2.08	0.64
2:B:443:LYS:HA	3:B:611:EDO:H22	1.80	0.64
2:B:295:ASN:ND2	9:B:703:HOH:O	2.31	0.64
2:B:255:GLU:HB3	2:B:256:PRO:CD	2.28	0.64
2:B:335:PRO:HG3	3:B:630:EDO:H21	1.79	0.63
2:B:444:GLY:H	3:B:611:EDO:H11	1.64	0.62
2:B:436:ARG:HD2	3:B:622:EDO:H12	1.80	0.61
2:B:401:LYS:HB2	2:B:402:PRO:HD2	1.84	0.60
1:A:78:GLN:HE21	3:A:418:EDO:C1	2.16	0.58
2:B:463:ARG:HD3	3:B:610:EDO:H21	1.85	0.58
1:A:321:MET:O	3:A:419:EDO:H12	2.03	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:4:GLU:HG3	2:B:5:PHE:CD2	2.39	0.57
1:A:324:GLY:H	3:A:419:EDO:C1	2.15	0.56
2:B:446:PRO:HD3	3:B:624:EDO:H21	1.88	0.56
2:B:401:LYS:HB2	2:B:402:PRO:CD	2.36	0.55
1:A:36:SER:HB3	3:A:422:EDO:H12	1.87	0.55
3:A:422:EDO:H21	2:B:82:VAL:HG11	1.90	0.54
1:A:145:TYR:H	3:A:402:EDO:C1	2.19	0.54
2:B:344:GLU:HG2	3:B:608:EDO:H22	1.90	0.53
1:A:117:LEU:HD21	3:B:633:EDO:H22	1.91	0.53
3:A:419:EDO:H21	2:B:375:PHE:C	2.35	0.52
2:B:413:ASN:OD1	3:B:639:EDO:H21	2.10	0.52
2:B:429:PRO:HD2	3:B:605:EDO:H21	1.92	0.51
2:B:77:LEU:HB3	2:B:81:PHE:CD2	2.46	0.50
1:A:145:TYR:N	3:A:402:EDO:H12	2.25	0.50
2:B:255:GLU:HA	3:B:616:EDO:H22	1.92	0.50
1:A:273:PRO:HA	3:A:424:EDO:H21	1.93	0.49
2:B:296:ALA:HB1	3:B:614:EDO:H22	1.94	0.49
2:B:496:THR:HB	3:B:604:EDO:H22	1.93	0.49
2:B:491:ASP:OD2	5:B:627:3FX:NAL	2.46	0.49
2:B:39:GLN:O	2:B:43:LEU:HG	2.13	0.48
2:B:444:GLY:HA3	3:B:641:EDO:H11	1.94	0.48
1:A:274:MET:HB2	3:A:424:EDO:H11	1.96	0.48
2:B:139:HIS:HB3	2:B:142:PRO:HD2	1.95	0.48
2:B:344:GLU:HG2	3:B:608:EDO:C2	2.44	0.48
1:A:9:MET:HA	1:A:12:ARG:HG3	1.96	0.48
2:B:496:THR:H	3:B:604:EDO:C1	2.26	0.47
2:B:89:PRO:HG2	2:B:142:PRO:HB3	1.96	0.47
2:B:159:THR:C	3:B:607:EDO:H21	2.38	0.47
1:A:87:LEU:HB2	1:A:89:LYS:HG2	1.96	0.47
2:B:181:ARG:HD3	9:B:835:HOH:O	2.14	0.47
2:B:295:ASN:HB3	3:B:621:EDO:H12	1.97	0.47
1:A:178:GLU:OE2	1:A:181:ARG:NH2	2.40	0.47
1:A:77:TRP:CZ2	1:A:111:VAL:HG22	2.51	0.45
2:B:57:ARG:NH1	9:B:718:HOH:O	2.47	0.45
2:B:63:LYS:NZ	9:B:717:HOH:O	2.47	0.45
2:B:374:ILE:HD12	2:B:374:ILE:HA	1.67	0.44
2:B:429:PRO:HD2	3:B:605:EDO:C2	2.48	0.44
1:A:12:ARG:NH1	3:A:410:EDO:O1	2.51	0.43
2:B:228:GLN:HG2	3:B:642:EDO:H11	2.00	0.43
2:B:496:THR:N	3:B:604:EDO:H11	2.29	0.43
2:B:94:TRP:HE1	3:B:639:EDO:C1	2.30	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:237:ALA:O	2:B:262[A]:MET:HG3	2.19	0.43
8:B:646[A]:FPP:O2B	8:B:646[A]:FPP:H11	2.19	0.43
1:A:143:LYS:CD	2:B:320:LYS:HD3	2.45	0.43
2:B:325:CYS:HB3	2:B:410:HIS:CD2	2.54	0.43
1:A:19:LYS:HB3	3:A:420:EDO:H22	2.01	0.42
5:B:627:3FX:HAJA	9:B:1005:HOH:O	2.20	0.42
2:B:468:ARG:NH2	9:B:728:HOH:O	2.52	0.41
2:B:139:HIS:CE1	2:B:188:VAL:HB	2.55	0.41
5:B:627:3FX:HAHA	5:B:627:3FX:HAJ	1.91	0.41
2:B:320:LYS:NZ	8:B:646[A]:FPP:O1B	2.50	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	315/349 (90%)	305 (97%)	10 (3%)	0	100	100
2	B	482/520 (93%)	474 (98%)	8 (2%)	0	100	100
All	All	797/869 (92%)	779 (98%)	18 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	288/316 (91%)	283 (98%)	5 (2%)	53	52
2	B	406/436 (93%)	396 (98%)	10 (2%)	42	37
All	All	694/752 (92%)	679 (98%)	15 (2%)	45	42

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	25	ASP
1	A	249	LEU
1	A	270	PHE
1	A	276	SER
1	A	277	ASP
2	B	4	GLU
2	B	22	ARG
2	B	50	LEU
2	B	51	VAL
2	B	52	SER
2	B	123	SER
2	B	310	GLU
2	B	320	LYS
2	B	374	ILE
2	B	519	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	78	GLN
1	A	168	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 78 ligands modelled in this entry, 1 is monoatomic - leaving 77 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	EDO	B	620	-	3,3,3	0.47	0	2,2,2	0.39	0
3	EDO	A	417	-	3,3,3	0.50	0	2,2,2	0.13	0
5	3FX	B	628	-	14,15,15	1.07	2 (14%)	16,20,20	1.76	3 (18%)
3	EDO	B	638	-	3,3,3	0.41	0	2,2,2	0.31	0
3	EDO	A	401	-	3,3,3	0.44	0	2,2,2	0.25	0
3	EDO	A	426	-	3,3,3	0.44	0	2,2,2	0.38	0
3	EDO	B	604	-	3,3,3	0.42	0	2,2,2	0.57	0
3	EDO	B	610	-	3,3,3	0.56	0	2,2,2	0.14	0
3	EDO	A	428	-	3,3,3	0.45	0	2,2,2	0.39	0
3	EDO	B	614	-	3,3,3	0.44	0	2,2,2	0.34	0
3	EDO	B	621	-	3,3,3	0.43	0	2,2,2	0.37	0
8	FPP	B	646[A]	-	22,23,23	1.45	2 (9%)	27,31,31	1.49	4 (14%)
3	EDO	A	409	-	3,3,3	0.42	0	2,2,2	0.44	0
3	EDO	B	624	-	3,3,3	0.44	0	2,2,2	0.35	0
3	EDO	B	630	-	3,3,3	0.38	0	2,2,2	0.57	0
3	EDO	B	619	-	3,3,3	0.47	0	2,2,2	0.37	0
4	SO4	B	647	-	4,4,4	0.22	0	6,6,6	0.12	0
3	EDO	A	420	-	3,3,3	0.36	0	2,2,2	0.54	0
3	EDO	A	415	-	3,3,3	0.41	0	2,2,2	0.23	0
3	EDO	B	622	-	3,3,3	0.43	0	2,2,2	0.37	0
3	EDO	B	642	-	3,3,3	0.37	0	2,2,2	0.46	0
3	EDO	A	424	-	3,3,3	0.43	0	2,2,2	0.30	0
3	EDO	A	414	-	3,3,3	0.42	0	2,2,2	0.39	0
3	EDO	A	403	-	3,3,3	0.45	0	2,2,2	0.36	0
3	EDO	B	637	-	3,3,3	0.51	0	2,2,2	0.11	0
3	EDO	A	412	-	3,3,3	0.42	0	2,2,2	0.29	0
3	EDO	A	423	-	3,3,3	0.47	0	2,2,2	0.27	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	EDO	A	422	-	3,3,3	0.48	0	2,2,2	0.23	0
3	EDO	B	611	-	3,3,3	0.42	0	2,2,2	0.38	0
3	EDO	A	402	-	3,3,3	0.33	0	2,2,2	0.45	0
3	EDO	B	625	-	3,3,3	0.52	0	2,2,2	0.14	0
3	EDO	B	615	-	3,3,3	0.49	0	2,2,2	0.26	0
3	EDO	B	639	-	3,3,3	0.28	0	2,2,2	0.63	0
4	SO4	A	430	-	4,4,4	0.25	0	6,6,6	0.16	0
3	EDO	B	634	-	3,3,3	0.50	0	2,2,2	0.45	0
3	EDO	B	618	-	3,3,3	0.45	0	2,2,2	0.35	0
3	EDO	B	608	-	3,3,3	0.42	0	2,2,2	0.35	0
3	EDO	B	612	-	3,3,3	0.45	0	2,2,2	0.32	0
4	SO4	B	645[B]	-	4,4,4	0.28	0	6,6,6	0.18	0
3	EDO	A	416	-	3,3,3	0.51	0	2,2,2	0.32	0
3	EDO	B	613	-	3,3,3	0.47	0	2,2,2	0.27	0
3	EDO	B	643	-	3,3,3	0.39	0	2,2,2	0.46	0
5	3FX	B	627	-	14,15,15	1.05	1 (7%)	16,20,20	2.12	3 (18%)
3	EDO	B	635	-	3,3,3	0.51	0	2,2,2	0.16	0
3	EDO	A	419	-	3,3,3	0.38	0	2,2,2	0.34	0
3	EDO	B	607	-	3,3,3	0.53	0	2,2,2	0.22	0
3	EDO	B	641	-	3,3,3	0.42	0	2,2,2	0.42	0
4	SO4	A	429	-	4,4,4	0.19	0	6,6,6	0.20	0
5	3FX	B	601	-	14,15,15	1.07	2 (14%)	16,20,20	1.58	4 (25%)
6	XO7	B	602[A]	7	38,38,38	2.62	12 (31%)	44,54,54	1.30	3 (6%)
3	EDO	B	609	-	3,3,3	0.42	0	2,2,2	0.42	0
3	EDO	A	418	-	3,3,3	0.48	0	2,2,2	0.15	0
3	EDO	B	633	-	3,3,3	0.30	0	2,2,2	0.64	0
3	EDO	B	640	-	3,3,3	0.36	0	2,2,2	0.32	0
3	EDO	B	617	-	3,3,3	0.47	0	2,2,2	0.35	0
3	EDO	A	408	-	3,3,3	0.43	0	2,2,2	0.51	0
3	EDO	A	406	-	3,3,3	0.43	0	2,2,2	0.43	0
3	EDO	B	606	-	3,3,3	0.50	0	2,2,2	0.32	0
3	EDO	B	636	-	3,3,3	0.38	0	2,2,2	0.54	0
3	EDO	B	605	-	3,3,3	0.38	0	2,2,2	0.39	0
3	EDO	B	603	-	3,3,3	0.62	0	2,2,2	0.11	0
3	EDO	B	632	-	3,3,3	0.43	0	2,2,2	0.29	0
3	EDO	B	629	-	3,3,3	0.50	0	2,2,2	0.37	0
3	EDO	A	413	-	3,3,3	0.43	0	2,2,2	0.69	0
3	EDO	B	644	-	3,3,3	0.42	0	2,2,2	0.36	0
3	EDO	A	405	-	3,3,3	0.47	0	2,2,2	0.46	0
3	EDO	A	427	-	3,3,3	0.47	0	2,2,2	0.24	0
3	EDO	A	411	-	3,3,3	0.51	0	2,2,2	0.20	0
3	EDO	A	404	-	3,3,3	0.34	0	2,2,2	0.59	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	EDO	A	407	-	3,3,3	0.41	0	2,2,2	0.27	0
6	XO7	B	602[B]	7	38,38,38	2.71	16 (42%)	44,54,54	1.28	3 (6%)
3	EDO	B	616	-	3,3,3	0.45	0	2,2,2	0.38	0
3	EDO	B	623	-	3,3,3	0.41	0	2,2,2	0.41	0
3	EDO	A	421	-	3,3,3	0.45	0	2,2,2	0.37	0
3	EDO	A	425	-	3,3,3	0.43	0	2,2,2	0.38	0
3	EDO	B	631	-	3,3,3	0.43	0	2,2,2	0.16	0
3	EDO	A	410	-	3,3,3	0.46	0	2,2,2	0.33	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	A	403	-	-	0/1/1/1	-
3	EDO	B	620	-	-	1/1/1/1	-
3	EDO	A	417	-	-	1/1/1/1	-
5	3FX	B	628	-	-	7/10/18/18	0/1/1/1
3	EDO	B	637	-	-	0/1/1/1	-
3	EDO	B	605	-	-	0/1/1/1	-
3	EDO	B	603	-	-	0/1/1/1	-
3	EDO	A	412	-	-	0/1/1/1	-
3	EDO	B	638	-	-	0/1/1/1	-
3	EDO	A	423	-	-	1/1/1/1	-
3	EDO	B	632	-	-	0/1/1/1	-
3	EDO	A	401	-	-	0/1/1/1	-
3	EDO	A	426	-	-	0/1/1/1	-
3	EDO	B	604	-	-	0/1/1/1	-
3	EDO	A	413	-	-	1/1/1/1	-
3	EDO	B	629	-	-	0/1/1/1	-
3	EDO	B	635	-	-	0/1/1/1	-
3	EDO	B	644	-	-	1/1/1/1	-
3	EDO	A	405	-	-	0/1/1/1	-
3	EDO	A	419	-	-	1/1/1/1	-
3	EDO	A	422	-	-	0/1/1/1	-
3	EDO	B	610	-	-	0/1/1/1	-
3	EDO	B	611	-	-	0/1/1/1	-
3	EDO	B	607	-	-	0/1/1/1	-
3	EDO	A	402	-	-	1/1/1/1	-
3	EDO	A	428	-	-	0/1/1/1	-
3	EDO	B	614	-	-	0/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	B	641	-	-	0/1/1/1	-
3	EDO	B	625	-	-	0/1/1/1	-
3	EDO	B	615	-	-	0/1/1/1	-
3	EDO	B	621	-	-	0/1/1/1	-
8	FPP	B	646[A]	-	-	3/25/25/25	-
3	EDO	A	427	-	-	0/1/1/1	-
3	EDO	B	639	-	-	1/1/1/1	-
3	EDO	A	411	-	-	0/1/1/1	-
3	EDO	A	404	-	-	0/1/1/1	-
3	EDO	A	407	-	-	1/1/1/1	-
3	EDO	B	618	-	-	0/1/1/1	-
3	EDO	B	634	-	-	0/1/1/1	-
3	EDO	A	409	-	-	1/1/1/1	-
6	XO7	B	602[B]	7	-	3/20/36/36	0/4/4/4
5	3FX	B	601	-	-	5/10/18/18	0/1/1/1
3	EDO	B	616	-	-	0/1/1/1	-
6	XO7	B	602[A]	7	-	4/20/36/36	0/4/4/4
3	EDO	B	624	-	-	1/1/1/1	-
3	EDO	B	630	-	-	0/1/1/1	-
3	EDO	B	609	-	-	0/1/1/1	-
3	EDO	B	619	-	-	0/1/1/1	-
3	EDO	B	623	-	-	0/1/1/1	-
3	EDO	B	636	-	-	0/1/1/1	-
3	EDO	A	420	-	-	0/1/1/1	-
3	EDO	A	415	-	-	1/1/1/1	-
3	EDO	B	608	-	-	0/1/1/1	-
3	EDO	B	622	-	-	0/1/1/1	-
3	EDO	A	418	-	-	0/1/1/1	-
3	EDO	B	633	-	-	0/1/1/1	-
3	EDO	B	640	-	-	1/1/1/1	-
3	EDO	B	642	-	-	0/1/1/1	-
3	EDO	B	612	-	-	0/1/1/1	-
3	EDO	B	617	-	-	1/1/1/1	-
3	EDO	A	421	-	-	1/1/1/1	-
3	EDO	A	408	-	-	0/1/1/1	-
3	EDO	A	406	-	-	1/1/1/1	-
3	EDO	A	416	-	-	1/1/1/1	-
3	EDO	A	425	-	-	1/1/1/1	-
3	EDO	B	613	-	-	0/1/1/1	-
3	EDO	B	631	-	-	0/1/1/1	-
3	EDO	B	606	-	-	1/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	B	643	-	-	1/1/1/1	-
3	EDO	A	410	-	-	1/1/1/1	-
5	3FX	B	627	-	-	4/10/18/18	0/1/1/1
3	EDO	A	424	-	-	1/1/1/1	-
3	EDO	A	414	-	-	0/1/1/1	-

All (35) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	B	602[B]	XO7	C22-N21	-7.15	1.30	1.47
6	B	602[A]	XO7	C22-N21	-6.99	1.30	1.47
6	B	602[B]	XO7	C18-N06	6.27	1.47	1.36
6	B	602[A]	XO7	C18-N06	6.10	1.47	1.36
6	B	602[B]	XO7	C20-N21	-5.31	1.35	1.47
6	B	602[A]	XO7	C20-N21	-5.31	1.35	1.47
6	B	602[A]	XO7	C20-C18	5.11	1.61	1.51
8	B	646[A]	FPP	PA-O3A	5.04	1.64	1.59
6	B	602[B]	XO7	C20-C18	4.94	1.60	1.51
6	B	602[A]	XO7	C23-N27	-4.79	1.32	1.38
6	B	602[A]	XO7	C04-N21	-4.45	1.40	1.48
6	B	602[B]	XO7	C23-N27	-4.25	1.33	1.38
6	B	602[B]	XO7	C04-N21	-4.17	1.41	1.48
6	B	602[A]	XO7	C22-C23	3.90	1.55	1.50
6	B	602[B]	XO7	C22-C23	3.68	1.54	1.50
6	B	602[B]	XO7	BR33-C32	3.26	1.96	1.90
6	B	602[B]	XO7	O19-C18	-3.06	1.16	1.23
6	B	602[B]	XO7	C24-C23	2.97	1.40	1.36
6	B	602[A]	XO7	C24-C23	2.75	1.40	1.36
6	B	602[B]	XO7	C24-N25	-2.74	1.32	1.37
6	B	602[A]	XO7	O19-C18	-2.70	1.17	1.23
6	B	602[A]	XO7	C24-N25	-2.63	1.33	1.37
6	B	602[A]	XO7	C07-N06	2.62	1.48	1.43
6	B	602[A]	XO7	C03-C04	2.52	1.62	1.52
6	B	602[B]	XO7	C07-N06	2.44	1.48	1.43
8	B	646[A]	FPP	O1-C1	-2.37	1.40	1.44
5	B	627	3FX	OAA-SAO	2.35	1.51	1.45
6	B	602[B]	XO7	C03-C04	2.34	1.61	1.52
5	B	601	3FX	OAD-SAO	2.33	1.51	1.45
5	B	628	3FX	OAD-SAO	2.30	1.51	1.45
5	B	628	3FX	OAA-SAO	2.30	1.51	1.45
5	B	601	3FX	OAA-SAO	2.26	1.51	1.45
6	B	602[B]	XO7	C05-C04	-2.22	1.48	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	B	602[B]	XO7	C31-C32	2.15	1.42	1.38
6	B	602[B]	XO7	C35-C34	2.05	1.42	1.38

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	627	3FX	OAA-SAO-CAK	6.35	116.23	106.76
8	B	646[A]	FPP	C1-C2-C3	-4.52	118.79	126.20
5	B	628	3FX	OAB-SAO-OAD	-4.37	100.46	111.40
5	B	627	3FX	OAD-SAO-OAA	-3.86	101.26	113.82
6	B	602[B]	XO7	C05-N06-C18	-3.80	116.74	122.27
5	B	628	3FX	OAD-SAO-CAK	3.79	112.41	106.76
6	B	602[A]	XO7	C05-N06-C18	-3.70	116.89	122.27
5	B	601	3FX	OAB-SAO-OAD	-3.68	102.20	111.40
5	B	628	3FX	OAA-SAO-CAK	2.91	111.09	106.76
5	B	627	3FX	OAD-SAO-CAK	2.90	111.09	106.76
6	B	602[B]	XO7	C24-N25-C26	2.82	108.94	105.24
8	B	646[A]	FPP	C6-C7-C8	-2.80	121.22	127.62
5	B	601	3FX	OAA-SAO-CAK	2.77	110.90	106.76
6	B	602[A]	XO7	C24-N25-C26	2.77	108.86	105.24
6	B	602[A]	XO7	C26-N27-C23	2.66	109.65	106.30
5	B	601	3FX	OAB-SAO-CAK	2.58	110.96	105.97
6	B	602[B]	XO7	C24-C23-N27	2.37	106.50	105.08
8	B	646[A]	FPP	C15-C13-C14	2.32	119.92	114.59
5	B	601	3FX	OAD-SAO-CAK	2.31	110.20	106.76
8	B	646[A]	FPP	C4-C3-C2	-2.14	118.12	123.63

There are no chirality outliers.

All (48) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	B	601	3FX	NAL-CAJ-CAM-OAC
5	B	601	3FX	NAL-CAJ-CAM-CAK
5	B	601	3FX	SAO-CAK-CAM-OAC
5	B	601	3FX	SAO-CAK-CAM-CAJ
5	B	627	3FX	CAM-CAK-SAO-OAB
5	B	628	3FX	NAL-CAJ-CAM-OAC
5	B	628	3FX	NAL-CAJ-CAM-CAK
5	B	628	3FX	CAM-CAK-SAO-OAA
5	B	628	3FX	CAM-CAK-SAO-OAD
6	B	602[A]	XO7	C02-C03-C04-C05
6	B	602[A]	XO7	C01-C02-C03-C04

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	A	402	EDO	O1-C1-C2-O2
3	A	407	EDO	O1-C1-C2-O2
3	B	639	EDO	O1-C1-C2-O2
5	B	628	3FX	CAI-CAN-NAL-CAJ
6	B	602[B]	XO7	C23-C22-N21-C20
3	A	406	EDO	O1-C1-C2-O2
3	A	416	EDO	O1-C1-C2-O2
3	A	421	EDO	O1-C1-C2-O2
3	A	423	EDO	O1-C1-C2-O2
3	B	606	EDO	O1-C1-C2-O2
8	B	646[A]	FPP	PB-O3A-PA-O1A
5	B	601	3FX	CAM-CAJ-NAL-CAN
5	B	628	3FX	CAM-CAK-SAO-OAB
5	B	627	3FX	SAO-CAK-CAM-OAC
5	B	627	3FX	CAM-CAK-SAO-OAD
3	A	419	EDO	O1-C1-C2-O2
3	B	624	EDO	O1-C1-C2-O2
5	B	627	3FX	NAL-CAJ-CAM-OAC
3	B	620	EDO	O1-C1-C2-O2
3	A	415	EDO	O1-C1-C2-O2
3	A	424	EDO	O1-C1-C2-O2
3	A	425	EDO	O1-C1-C2-O2
3	B	640	EDO	O1-C1-C2-O2
5	B	628	3FX	CAH-CAN-NAL-CAJ
8	B	646[A]	FPP	C10-C8-C9-C11
3	A	409	EDO	O1-C1-C2-O2
3	A	413	EDO	O1-C1-C2-O2
3	B	644	EDO	O1-C1-C2-O2
6	B	602[A]	XO7	C23-C22-N21-C20
8	B	646[A]	FPP	PB-O3A-PA-O2A
6	B	602[B]	XO7	C10-C11-O12-C13
3	A	410	EDO	O1-C1-C2-O2
3	A	417	EDO	O1-C1-C2-O2
3	B	643	EDO	O1-C1-C2-O2
6	B	602[B]	XO7	C17-C11-O12-C13
6	B	602[A]	XO7	C17-C11-O12-C13
3	B	617	EDO	O1-C1-C2-O2


There are no ring outliers.

27 monomers are involved in 45 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	604	EDO	4	0
3	B	610	EDO	1	0
3	B	614	EDO	1	0
3	B	621	EDO	1	0
8	B	646[A]	FPP	2	0
3	B	624	EDO	1	0
3	B	630	EDO	1	0
3	A	420	EDO	1	0
3	B	622	EDO	1	0
3	B	642	EDO	1	0
3	A	424	EDO	2	0
3	A	423	EDO	1	0
3	A	422	EDO	2	0
3	B	611	EDO	2	0
3	A	402	EDO	3	0
3	B	639	EDO	2	0
3	B	608	EDO	2	0
5	B	627	3FX	3	0
3	A	419	EDO	4	0
3	B	607	EDO	1	0
3	B	641	EDO	1	0
3	A	418	EDO	2	0
3	B	633	EDO	1	0
3	B	606	EDO	1	0
3	B	605	EDO	2	0
3	B	616	EDO	1	0
3	A	410	EDO	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	318/349 (91%)	0.51	20 (6%)	26 27	20, 42, 68, 113	1 (0%)
2	B	486/520 (93%)	0.13	23 (4%)	36 39	20, 34, 62, 99	2 (0%)
All	All	804/869 (92%)	0.28	43 (5%)	32 34	20, 38, 66, 113	3 (0%)

All (43) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	2	ALA	7.0
2	B	371	ILE	6.0
2	B	50	LEU	5.8
2	B	74	PHE	5.3
2	B	349	VAL	5.0
2	B	81	PHE	4.9
2	B	51	VAL	4.8
2	B	75	PHE	4.5
2	B	243	SER	4.2
1	A	139	LEU	3.9
2	B	72	SER	3.7
1	A	278	PRO	3.6
1	A	125[A]	GLN	3.5
2	B	52	SER	3.4
2	B	73	SER	3.4
1	A	271	GLY	3.2
1	A	270	PHE	3.2
1	A	277	ASP	3.2
2	B	3	THR	3.1
1	A	257	ALA	3.1
1	A	334	ALA	3.0
1	A	103	VAL	3.0
1	A	5	THR	2.8
2	B	348	LYS	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	109	TYR	2.8
2	B	49	ALA	2.8
2	B	393	GLY	2.7
2	B	77	LEU	2.7
2	B	4	GLU	2.6
2	B	54	HIS	2.6
1	A	272	PHE	2.4
2	B	519	GLU	2.3
1	A	87	LEU	2.3
2	B	255	GLU	2.3
1	A	105	ASN	2.3
2	B	76	GLN	2.2
2	B	481	GLU	2.2
1	A	25	ASP	2.2
1	A	140	PRO	2.2
1	A	253	LEU	2.2
1	A	255	TYR	2.1
1	A	275	PRO	2.1
1	A	106	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	EDO	B	615	4/4	0.50	0.25	65,74,75,76	0
3	EDO	A	424	4/4	0.58	0.18	68,69,71,79	0
3	EDO	B	616	4/4	0.61	0.19	69,77,77,78	0
3	EDO	B	617	4/4	0.70	0.25	65,70,72,74	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	EDO	A	423	4/4	0.75	0.15	70,71,73,74	0
3	EDO	B	610	4/4	0.76	0.19	54,55,56,63	0
3	EDO	A	417	4/4	0.77	0.22	67,70,70,71	0
5	3FX	B	601	15/15	0.77	0.16	46,69,119,121	0
3	EDO	A	425	4/4	0.78	0.16	64,64,66,73	0
3	EDO	B	624	4/4	0.78	0.16	61,65,66,67	0
3	EDO	B	611	4/4	0.78	0.21	55,60,66,66	0
3	EDO	A	426	4/4	0.79	0.22	65,66,67,68	0
3	EDO	B	608	4/4	0.79	0.19	50,54,55,61	0
4	SO4	A	429	5/5	0.79	0.22	100,104,108,115	0
3	EDO	A	418	4/4	0.79	0.19	47,53,56,65	0
3	EDO	A	414	4/4	0.80	0.19	54,60,61,63	0
3	EDO	A	420	4/4	0.80	0.17	55,60,66,71	0
3	EDO	B	620	4/4	0.80	0.16	72,74,77,79	0
3	EDO	A	427	4/4	0.81	0.16	65,69,70,75	0
3	EDO	A	422	4/4	0.81	0.21	56,56,62,63	0
3	EDO	B	613	4/4	0.81	0.19	57,59,65,65	0
3	EDO	B	619	4/4	0.81	0.19	62,68,70,78	0
3	EDO	A	421	4/4	0.82	0.15	51,57,61,66	0
3	EDO	B	642	4/4	0.82	0.19	48,49,49,66	0
3	EDO	B	609	4/4	0.82	0.17	54,54,62,63	0
3	EDO	B	622	4/4	0.82	0.17	60,60,61,64	0
6	XO7	B	602[A]	35/35	0.82	0.24	32,37,39,47	35
6	XO7	B	602[B]	35/35	0.82	0.24	33,37,40,45	35
3	EDO	A	406	4/4	0.83	0.18	57,60,61,64	0
3	EDO	A	404	4/4	0.83	0.18	46,50,51,54	0
4	SO4	B	647	5/5	0.83	0.17	110,111,115,123	0
3	EDO	A	402	4/4	0.84	0.18	42,43,47,63	0
3	EDO	B	621	4/4	0.84	0.21	68,72,73,74	0
3	EDO	B	625	4/4	0.84	0.20	54,55,57,57	0
3	EDO	B	618	4/4	0.85	0.21	49,52,54,57	0
4	SO4	A	430	5/5	0.85	0.14	105,107,107,108	0
3	EDO	B	604	4/4	0.85	0.18	49,50,56,60	0
3	EDO	A	415	4/4	0.86	0.16	41,44,51,56	0
3	EDO	B	606	4/4	0.86	0.16	36,47,47,49	0
3	EDO	B	603	4/4	0.87	0.16	39,42,42,47	0
3	EDO	B	612	4/4	0.87	0.14	57,59,65,70	0
3	EDO	B	641	4/4	0.88	0.16	52,59,63,74	0
3	EDO	B	633	4/4	0.88	0.23	37,51,52,54	0
8	FPP	B	646[A]	24/24	0.88	0.19	33,37,38,40	24
3	EDO	A	419	4/4	0.89	0.36	47,47,48,49	0
3	EDO	B	644	4/4	0.89	0.20	47,53,54,59	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	EDO	A	416	4/4	0.89	0.15	45,51,53,60	0
3	EDO	B	614	4/4	0.90	0.16	57,58,61,63	0
3	EDO	B	623	4/4	0.90	0.17	44,45,48,64	0
3	EDO	B	607	4/4	0.90	0.13	51,52,53,54	0
3	EDO	B	630	4/4	0.91	0.12	37,46,50,58	0
3	EDO	B	632	4/4	0.91	0.14	46,50,53,57	0
3	EDO	A	413	4/4	0.91	0.14	45,47,50,52	0
3	EDO	B	635	4/4	0.91	0.13	40,44,47,52	0
3	EDO	B	638	4/4	0.91	0.13	43,44,46,52	0
3	EDO	A	405	4/4	0.92	0.12	43,45,49,49	0
3	EDO	B	631	4/4	0.92	0.12	36,41,41,47	0
3	EDO	B	605	4/4	0.92	0.11	48,53,56,59	0
3	EDO	B	639	4/4	0.92	0.22	42,44,46,47	0
3	EDO	B	640	4/4	0.92	0.16	43,43,48,49	0
3	EDO	A	407	4/4	0.93	0.13	41,43,43,47	0
3	EDO	A	408	4/4	0.93	0.12	47,49,55,59	0
3	EDO	A	410	4/4	0.94	0.10	48,49,58,60	0
3	EDO	B	643	4/4	0.94	0.11	53,53,57,58	0
5	3FX	B	628	15/15	0.94	0.14	39,65,74,74	0
3	EDO	A	411	4/4	0.94	0.12	44,45,47,48	0
3	EDO	A	409	4/4	0.94	0.12	42,44,48,49	0
3	EDO	B	636	4/4	0.94	0.12	38,40,41,48	0
3	EDO	B	634	4/4	0.95	0.10	41,42,45,46	0
3	EDO	A	428	4/4	0.95	0.11	45,49,52,53	0
3	EDO	A	403	4/4	0.95	0.10	47,47,48,49	0
3	EDO	B	637	4/4	0.96	0.09	40,40,45,47	0
3	EDO	A	401	4/4	0.96	0.08	42,42,43,43	0
3	EDO	A	412	4/4	0.96	0.09	44,45,49,50	0
5	3FX	B	627	15/15	0.96	0.08	31,34,41,41	0
4	SO4	B	645[B]	5/5	0.97	0.07	34,35,36,37	5
3	EDO	B	629	4/4	0.98	0.06	32,33,34,35	0
7	ZN	B	626	1/1	1.00	0.04	33,33,33,33	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around XO7 B 602 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around XO7 B 602 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around FPP B 646 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.