



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 08:43 PM UTC

PDB ID : 1T10 / pdb_00001t10
Title : Phosphoglucose isomerase from Leishmania mexicana in complex with substrate D-fructose-6-phosphate
Authors : Cordeiro, A.T.; Thiemann, O.T.
Deposited on : 2004-04-14
Resolution : 2.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1596 (2.36-2.36)
Clashscore	190562	1663 (2.36-2.36)
Ramachandran outliers	187476	1646 (2.36-2.36)
Sidechain outliers	187428	1646 (2.36-2.36)
RSRZ outliers	180081	1598 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	605	5% 63% 24% • 8%

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 4551 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glucose-6-phosphate isomerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	556	4355	2756	758	819	22	0	0	0

- Molecule 2 is 6-O-phosphono-beta-D-fructofuranose (CCD ID: F6P) (formula: C₆H₁₃O₉P).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	O	P		
2	A	1	16	6	9	1	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	180	Total	O	0	0
			180	180		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Glucose-6-phosphate isomerase



4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, α , β , γ	85.13Å 85.13Å 350.09Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	74.53 – 2.35 73.72 – 2.35	Depositor EDS
% Data completeness (in resolution range)	99.9 (74.53-2.35) 99.9 (73.72-2.35)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.51 (at 2.34Å)	Xtriage
Refinement program	REFMAC 5.1.09	Depositor
R, R_{free}	0.220 , 0.260 0.226 , 0.209	Depositor DCC
R_{free} test set	1648 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	53.1	Xtriage
Anisotropy	0.245	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 56.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	4551	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.60% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: F6P

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.02	4/4447 (0.1%)	1.15	9/6020 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	409	MET	SD-CE	-18.66	1.32	1.79
1	A	176	MET	SD-CE	-11.22	1.51	1.79
1	A	242	VAL	CA-CB	5.91	1.62	1.54
1	A	504	MET	SD-CE	5.44	1.93	1.79

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	225	ASP	N-CA-C	6.14	121.50	111.37
1	A	297	ALA	N-CA-C	5.74	118.75	109.40
1	A	233	ASN	N-CA-C	5.54	118.95	110.20
1	A	466	ASN	N-CA-C	5.34	118.01	107.98
1	A	435	ALA	CA-C-N	5.28	126.19	120.44
1	A	435	ALA	C-N-CA	5.28	126.19	120.44
1	A	509	ILE	N-CA-C	-5.24	107.48	111.62
1	A	299	SER	N-CA-C	5.19	116.41	108.42
1	A	361	SER	N-CA-C	5.07	119.52	113.23

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	436	GLY	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4355	0	4274	139	0
2	A	16	0	11	2	0
3	A	180	0	0	43	0
All	All	4551	0	4285	141	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (141) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:454:ILE:HG21	3:A:1004:HOH:O	1.33	1.29
1:A:355:MET:SD	3:A:1062:HOH:O	1.95	1.22
1:A:409:MET:HE2	1:A:431:VAL:H	1.16	1.03
1:A:597:ASN:O	1:A:601:THR:HG23	1.57	1.02
1:A:199:ILE:HD13	1:A:338:LEU:HD13	1.46	0.97
1:A:198:ASN:CG	3:A:1124:HOH:O	2.08	0.96
1:A:96:ASN:HD22	1:A:97:PHE:H	1.16	0.94
1:A:233:ASN:HD21	1:A:238:HIS:H	1.19	0.86
1:A:198:ASN:ND2	3:A:1124:HOH:O	2.08	0.85
1:A:409:MET:CE	1:A:431:VAL:H	1.91	0.83
1:A:96:ASN:HD22	1:A:97:PHE:N	1.78	0.80
1:A:355:MET:HG3	3:A:1062:HOH:O	1.80	0.79
1:A:299:SER:HA	3:A:1132:HOH:O	1.82	0.79
1:A:125:ARG:NH2	1:A:362:THR:O	2.16	0.79
1:A:513:ILE:HB	1:A:514:PRO:HD3	1.65	0.77
1:A:247:ASN:O	1:A:251:THR:HG23	1.83	0.77
1:A:199:ILE:HD12	1:A:226:LEU:HD23	1.66	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:131:MET:HE3	3:A:1006:HOH:O	1.87	0.74
1:A:469:GLY:HA3	1:A:471:HIS:NE2	2.03	0.73
1:A:409:MET:HE2	1:A:431:VAL:N	1.99	0.73
1:A:437:THR:HA	3:A:1150:HOH:O	1.88	0.73
1:A:463:GLN:HE22	1:A:530:ASN:CG	1.97	0.72
1:A:246:VAL:HG21	3:A:1173:HOH:O	1.88	0.72
1:A:260:PHE:HE2	3:A:1176:HOH:O	1.74	0.71
1:A:204:ILE:HG12	1:A:205:GLY:N	2.04	0.70
1:A:463:GLN:HE22	1:A:530:ASN:ND2	1.90	0.68
1:A:173:LEU:HA	1:A:176:MET:HE3	1.76	0.68
1:A:297:ALA:HA	3:A:1176:HOH:O	1.93	0.67
1:A:258:LYS:HA	3:A:1132:HOH:O	1.94	0.67
1:A:355:MET:CG	3:A:1062:HOH:O	2.21	0.67
1:A:453:ILE:HD12	1:A:453:ILE:H	1.59	0.67
1:A:172:VAL:HG12	1:A:176:MET:HE2	1.76	0.66
1:A:267:THR:HG22	1:A:268:ASN:HD22	1.59	0.66
1:A:493:GLU:HG3	3:A:1171:HOH:O	1.94	0.66
1:A:209:LEU:HD23	1:A:406:GLN:HE21	1.62	0.65
1:A:262:THR:HG22	3:A:1161:HOH:O	1.94	0.65
1:A:255:ILE:O	3:A:1176:HOH:O	2.14	0.64
1:A:197:TYR:O	3:A:1124:HOH:O	2.15	0.64
1:A:203:GLY:HA3	3:A:1170:HOH:O	1.98	0.63
1:A:367:ASN:CG	1:A:370:MET:HG3	2.24	0.63
1:A:453:ILE:H	1:A:453:ILE:CD1	2.12	0.62
1:A:593:ASN:OD1	3:A:1138:HOH:O	2.16	0.61
1:A:454:ILE:O	1:A:454:ILE:HG13	2.00	0.61
1:A:308:PHE:CD1	3:A:1175:HOH:O	2.52	0.60
1:A:247:ASN:O	1:A:251:THR:CG2	2.50	0.60
1:A:240:ALA:O	1:A:244:LYS:HG2	2.02	0.60
1:A:347:GLU:OE2	1:A:535:ARG:HD2	2.00	0.59
1:A:320:ASP:HB2	3:A:1110:HOH:O	2.00	0.59
1:A:264:GLU:O	1:A:267:THR:HB	2.03	0.58
1:A:308:PHE:HD1	3:A:1175:HOH:O	1.85	0.58
1:A:588:HIS:H	1:A:593:ASN:HD21	1.52	0.57
1:A:116:VAL:HG12	1:A:371:MET:HE1	1.87	0.57
1:A:448:HIS:HE1	1:A:482:GLN:OE1	1.89	0.56
1:A:421:GLY:HA3	3:A:1009:HOH:O	2.05	0.56
1:A:454:ILE:CG2	3:A:1004:HOH:O	2.15	0.56
1:A:381:ASN:HD21	1:A:555:TRP:HE1	1.51	0.55
1:A:358:HIS:ND1	1:A:358:HIS:C	2.64	0.55
1:A:89:ILE:HG12	1:A:358:HIS:CD2	2.43	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:368:LEU:HB3	1:A:369:PRO:HD3	1.89	0.54
1:A:318:PHE:CE1	3:A:1132:HOH:O	2.54	0.53
1:A:437:THR:HG22	3:A:1168:HOH:O	2.08	0.52
1:A:194:LYS:NZ	1:A:249:GLU:OE2	2.38	0.52
1:A:356:ASP:OD1	1:A:546:HIS:HE1	1.92	0.51
1:A:199:ILE:CD1	1:A:226:LEU:HD23	2.40	0.51
1:A:192:THR:HG21	1:A:249:GLU:OE1	2.10	0.51
1:A:358:HIS:C	1:A:358:HIS:HD1	2.19	0.51
1:A:509:ILE:O	1:A:513:ILE:HG12	2.11	0.51
1:A:493:GLU:O	1:A:497:GLN:HG2	2.11	0.51
1:A:303:GLU:OE1	1:A:306:ARG:HD3	2.11	0.50
1:A:414:LYS:HE2	3:A:1010:HOH:O	2.11	0.50
1:A:199:ILE:HD12	1:A:226:LEU:CD2	2.37	0.50
1:A:259:THR:O	1:A:301:ASN:ND2	2.41	0.50
1:A:264:GLU:HB2	3:A:1161:HOH:O	2.11	0.50
1:A:184:ARG:HD2	1:A:338:LEU:O	2.12	0.50
1:A:147:HIS:HE1	3:A:1019:HOH:O	1.95	0.49
1:A:297:ALA:CA	3:A:1176:HOH:O	2.58	0.49
1:A:255:ILE:HB	3:A:1176:HOH:O	2.13	0.49
1:A:146:LEU:HB2	1:A:321:TRP:CE3	2.48	0.49
1:A:260:PHE:CD2	1:A:305:VAL:HG22	2.48	0.49
1:A:414:LYS:HE2	1:A:561:ASP:OD2	2.13	0.49
1:A:233:ASN:ND2	1:A:237:THR:OG1	2.46	0.49
1:A:350:THR:O	1:A:354:VAL:HG23	2.13	0.49
1:A:204:ILE:CG1	1:A:205:GLY:N	2.73	0.49
1:A:576:LEU:HB3	1:A:577:PRO:HD3	1.94	0.49
1:A:453:ILE:CD1	1:A:453:ILE:N	2.75	0.48
1:A:418:LYS:C	1:A:420:SER:H	2.21	0.48
1:A:385:SER:OG	1:A:453:ILE:HG12	2.13	0.48
1:A:576:LEU:HB3	1:A:577:PRO:CD	2.44	0.47
1:A:191:GLN:N	1:A:294:HIS:NE2	2.61	0.47
1:A:381:ASN:ND2	1:A:555:TRP:HE1	2.11	0.47
1:A:238:HIS:O	1:A:242:VAL:HG12	2.15	0.47
1:A:138:ASN:ND2	1:A:558:ASN:OD1	2.48	0.47
1:A:223:LYS:HG2	1:A:226:LEU:HD12	1.95	0.47
1:A:418:LYS:C	1:A:420:SER:N	2.72	0.47
1:A:136:ARG:HD2	1:A:142:ASN:ND2	2.31	0.46
2:A:1001:F6P:H4	3:A:1169:HOH:O	2.15	0.46
1:A:209:LEU:HD23	1:A:406:GLN:NE2	2.29	0.46
1:A:219:LYS:N	1:A:220:PRO:CD	2.79	0.46
1:A:463:GLN:NE2	1:A:530:ASN:ND2	2.62	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:358:HIS:CE1	1:A:368:LEU:H	2.35	0.45
1:A:210:GLY:HA3	1:A:328:VAL:HG13	1.97	0.45
1:A:273:ARG:HD2	3:A:1159:HOH:O	2.15	0.45
1:A:268:ASN:HD22	1:A:268:ASN:N	2.13	0.45
1:A:495:VAL:HG12	1:A:513:ILE:HD13	1.99	0.45
1:A:115:LEU:HB3	1:A:374:LEU:HG	1.99	0.45
1:A:358:HIS:HE1	1:A:367:ASN:HA	1.82	0.45
1:A:268:ASN:O	1:A:271:SER:HB2	2.17	0.45
1:A:264:GLU:HG2	3:A:1005:HOH:O	2.17	0.44
1:A:381:ASN:HD21	1:A:555:TRP:NE1	2.13	0.44
1:A:509:ILE:HG23	1:A:510:GLU:N	2.33	0.44
1:A:159:ILE:HD12	1:A:159:ILE:N	2.32	0.44
1:A:197:TYR:O	1:A:226:LEU:HA	2.17	0.44
1:A:233:ASN:ND2	1:A:238:HIS:H	2.01	0.44
1:A:98:LEU:HD23	1:A:99:PHE:N	2.33	0.43
1:A:248:LEU:CD2	1:A:248:LEU:N	2.81	0.43
1:A:603:ALA:O	1:A:604:HIS:C	2.60	0.43
1:A:580:LYS:HG3	1:A:583:ASN:HB2	1.99	0.43
2:A:1001:F6P:C4	3:A:1169:HOH:O	2.67	0.43
1:A:399:ARG:NH2	3:A:1098:HOH:O	2.51	0.43
1:A:438:ASN:HA	3:A:1168:HOH:O	2.17	0.43
1:A:437:THR:O	1:A:440:GLN:HB2	2.20	0.42
1:A:463:GLN:HE21	1:A:463:GLN:HB2	1.54	0.42
1:A:277:MET:HE3	1:A:291:VAL:HG23	2.00	0.42
1:A:120:GLU:OE2	1:A:364:THR:HG21	2.20	0.42
1:A:83:GLN:NE2	1:A:83:GLN:H	2.18	0.42
1:A:191:GLN:NE2	1:A:290:ALA:HA	2.34	0.41
1:A:497:GLN:NE2	3:A:1171:HOH:O	2.53	0.41
1:A:83:GLN:H	1:A:83:GLN:HE21	1.67	0.41
1:A:513:ILE:O	1:A:517:THR:HG23	2.20	0.41
1:A:513:ILE:HB	1:A:514:PRO:CD	2.42	0.41
1:A:541:ILE:N	1:A:541:ILE:HD13	2.34	0.41
1:A:211:PRO:O	1:A:215:THR:HG23	2.21	0.41
1:A:297:ALA:CB	3:A:1176:HOH:O	2.69	0.41
1:A:411:SER:O	1:A:414:LYS:NZ	2.48	0.41
1:A:439:GLY:N	3:A:1143:HOH:O	2.54	0.41
1:A:81:ARG:HA	3:A:1047:HOH:O	2.20	0.41
1:A:409:MET:HE3	1:A:431:VAL:HB	2.01	0.41
1:A:448:HIS:HD2	3:A:1061:HOH:O	2.02	0.41
1:A:97:PHE:O	1:A:529:VAL:HA	2.20	0.41
1:A:155:ASN:O	1:A:156:ARG:C	2.64	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:78:ASP:CG	3:A:1047:HOH:O	2.64	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	554/605 (92%)	528 (95%)	25 (4%)	1 (0%)	43 52

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	471	HIS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	470/514 (91%)	421 (90%)	49 (10%)	7 6

All (49) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	50	LEU
1	A	56	TRP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	64	GLU
1	A	78	ASP
1	A	83	GLN
1	A	91	LEU
1	A	125	ARG
1	A	139	SER
1	A	187	GLU
1	A	200	VAL
1	A	204	ILE
1	A	209	LEU
1	A	226	LEU
1	A	242	VAL
1	A	245	GLN
1	A	248	LEU
1	A	261	THR
1	A	266	LEU
1	A	267	THR
1	A	273	ARG
1	A	280	LEU
1	A	313	VAL
1	A	328	VAL
1	A	349	LEU
1	A	358	HIS
1	A	366	GLN
1	A	370	MET
1	A	372	LEU
1	A	374	LEU
1	A	399	ARG
1	A	414	LYS
1	A	430	ILE
1	A	453	ILE
1	A	454	ILE
1	A	463	GLN
1	A	464	THR
1	A	465	GLN
1	A	470	ASP
1	A	471	HIS
1	A	491	ASN
1	A	511	ASN
1	A	529	VAL
1	A	565	VAL
1	A	567	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	574	SER
1	A	576	LEU
1	A	584	ILE
1	A	586	SER
1	A	595	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (32) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	83	GLN
1	A	96	ASN
1	A	106	HIS
1	A	138	ASN
1	A	142	ASN
1	A	147	HIS
1	A	175	GLN
1	A	191	GLN
1	A	201	ASN
1	A	233	ASN
1	A	238	HIS
1	A	263	GLN
1	A	268	ASN
1	A	314	ASN
1	A	344	ASN
1	A	357	ASN
1	A	358	HIS
1	A	380	ASN
1	A	381	ASN
1	A	388	GLN
1	A	406	GLN
1	A	440	GLN
1	A	448	HIS
1	A	463	GLN
1	A	491	ASN
1	A	511	ASN
1	A	515	HIS
1	A	530	ASN
1	A	546	HIS
1	A	558	ASN
1	A	583	ASN
1	A	593	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	F6P	A	1001	-	15,16,16	0.86	1 (6%)	16,25,25	1.16	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	F6P	A	1001	-	-	4/9/28/28	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1001	F6P	O2-C2	2.55	1.45	1.40

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1001	F6P	O3P-P-O6	3.06	114.64	106.67

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	1001	F6P	C6-O6-P-O2P
2	A	1001	F6P	C6-O6-P-O3P
2	A	1001	F6P	C6-O6-P-O1P
2	A	1001	F6P	C5-C6-O6-P

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1001	F6P	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	556/605 (91%)	0.40	31 (5%) 30 35	22, 33, 54, 72	0

All (31) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	272	ALA	4.6
1	A	234	VAL	4.3
1	A	238	HIS	4.1
1	A	468	VAL	3.8
1	A	266	LEU	3.5
1	A	273	ARG	3.2
1	A	207	SER	3.1
1	A	299	SER	3.0
1	A	297	ALA	3.0
1	A	471	HIS	2.7
1	A	469	GLY	2.7
1	A	441	HIS	2.6
1	A	439	GLY	2.6
1	A	243	LEU	2.5
1	A	56	TRP	2.5
1	A	500	VAL	2.5
1	A	509	ILE	2.5
1	A	242	VAL	2.4
1	A	253	PHE	2.4
1	A	255	ILE	2.4
1	A	506	GLY	2.3
1	A	300	THR	2.3
1	A	277	MET	2.1
1	A	51	LEU	2.1
1	A	233	ASN	2.1
1	A	470	ASP	2.1
1	A	200	VAL	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	296	VAL	2.1
1	A	262	THR	2.0
1	A	236	GLY	2.0
1	A	467	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	F6P	A	1001	16/16	0.60	0.14	74,79,81,82	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers ⓘ

There are no such residues in this entry.