



wwPDB NMR Structure Validation Summary Report ⓘ

Mar 8, 2026 – 06:10 AM UTC

PDB ID : 5T1O / pdb_00005t1o
BMRB ID : 30159
Title : Solution-state NMR and SAXS structural ensemble of NPr (1-85) in complex with EIN-Ntr (170-424)
Authors : Strickland, M.; Stanley, A.M.; Wang, G.; Schwieters, C.D.; Buchanan, S.; Peterkofsky, A.; Tjandra, N.
Deposited on : 2016-08-19

This is a wwPDB NMR Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
wwPDB-RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
wwPDB-ShiftChecker : v1.2
BMRB Restraints Analysis : v1.2
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR, SOLUTION SCATTERING

The overall completeness of chemical shifts assignment is 29%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	229148	14424
Ramachandran outliers	224038	12848
Sidechain outliers	223484	12823

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	85	
2	B	256	

2 Ensemble composition and analysis

This entry contains 20 models. Model 8 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:1-A:85, B:170-B:187, B:202-B:311, B:322-B:397 (289)	0.86	8

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters and 2 single-model clusters were found.

Cluster number	Models
1	4, 5, 8, 9, 10, 11, 13, 14, 15, 16, 17, 20
2	1, 2, 3, 7
3	12, 19
Single-model clusters	6; 18

3 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 5287 atoms, of which 2646 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Phosphocarrier protein NPr.

Mol	Chain	Residues	Atoms						Trace
1	A	85	Total	C	H	N	O	S	0
			1298	402	653	108	130	5	

- Molecule 2 is a protein called Phosphoenolpyruvate-protein phosphotransferase PtsP.

Mol	Chain	Residues	Atoms						Trace
2	B	255	Total	C	H	N	O	S	0
			3989	1256	1993	354	383	3	

There are 2 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	169	GLY	-	expression tag	UNP P37177
B	356	GLN	HIS	engineered mutation	UNP P37177

4 Residue-property plots


4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Phosphocarrier protein NPr



- Molecule 2: Phosphoenolpyruvate-protein phosphotransferase PtsP




4.2 Residue scores for the representative (medoid) model from the NMR ensemble

The representative model is number 8. Colouring as in section 4.1 above.


- Molecule 1: Phosphocarrier protein NPr





● Molecule 2: Phosphoenolpyruvate-protein phosphotransferase PtsP

Chain B: 36% 35% 9% 20%



5 Refinement protocol and experimental data overview

The models were refined using the following method: *simulated annealing*.

Of the 200 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
X-PLOR NIH	refinement	2.37.7
ANALYSIS	structure solution	2.4.2
TopSpin	structure solution	3.0
Gaussian	structure solution	9
NMRPipe	structure solution	8.2
TALOS-N	structure solution	4.12

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	working_cs.cif
Number of chemical shift lists	2
Total number of shifts	1391
Number of shifts mapped to atoms	1391
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	29%

6 Model quality [i](#)

6.1 Standard geometry [i](#)

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	645	653	653	68±16
2	B	1587	1608	1607	131±13
All	All	44640	45220	45200	3908

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 43.

5 of 2057 unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:15:MET:HA	1:A:19:PRO:CD	1.27	1.56	18	1
1:A:15:MET:CA	1:A:19:PRO:HG2	1.27	1.60	18	1
1:A:10:THR:O	1:A:11:ASN:OD1	1.24	1.55	8	3
1:A:53:LEU:HD22	1:A:53:LEU:O	1.23	1.32	16	2
1:A:15:MET:HA	1:A:19:PRO:CG	1.20	1.67	18	1

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR

entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	83/85 (98%)	73±1 (88±1%)	8±1 (9±1%)	2±1 (3±1%)	5	39
2	B	203/256 (79%)	181±4 (89±2%)	17±4 (8±2%)	5±2 (2±1%)	7	44
All	All	5720/6820 (84%)	5078 (89%)	496 (9%)	146 (3%)	6	42

5 of 27 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	32	ALA	18
2	B	380	HIS	18
2	B	234	ALA	13
2	B	351	GLY	12
1	A	17	ALA	11

6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	68/68 (100%)	53±3 (78±4%)	15±3 (22±4%)	2	29
2	B	160/205 (78%)	126±5 (79±3%)	34±5 (21±3%)	3	30
All	All	4560/5460 (84%)	3573 (78%)	987 (22%)	3	30

5 of 197 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
2	B	291	LEU	15
1	A	80	ILE	14
2	B	203	LEU	14
1	A	48	SER	14
2	B	309	LEU	13

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.6 Ligand geometry [i](#)

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation [i](#)

The completeness of assignment taking into account all chemical shift lists is 29% for the well-defined parts and 30% for the entire structure.

7.1 Chemical shift list 1

File name: working_cs.cif

Chemical shift list name: *NPr_EIN_Complex.str*

7.1.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	197
Number of shifts mapped to atoms	197
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

7.1.2 Chemical shift referencing [i](#)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	51	0.61 ± 0.35	None needed (imprecise)
$^{13}\text{C}_\beta$	42	0.70 ± 0.08	Should be applied
$^{13}\text{C}'$	0	—	None (insufficient data)
^{15}N	52	0.18 ± 0.49	None needed (< 0.5 ppm)

7.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 5%, i.e. 197 atoms were assigned a chemical shift out of a possible 3966. 0 out of 58 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	155/1445 (11%)	52/587 (9%)	51/578 (9%)	52/280 (19%)
Sidechain	42/2323 (2%)	0/1518 (0%)	42/708 (6%)	0/97 (0%)

Continued on next page...

Continued from previous page...

	Total	¹ H	¹³ C	¹⁵ N
Aromatic	0/198 (0%)	0/99 (0%)	0/93 (0%)	0/6 (0%)
Overall	197/3966 (5%)	52/2204 (2%)	93/1379 (7%)	52/383 (14%)


7.1.4 Statistically unusual chemical shifts [i](#)

There are no statistically unusual chemical shifts.

7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition. If well-defined core and ill-defined regions are not identified then it is shown as gray bars.

Random coil index (RCI) for chain A:



7.2 Chemical shift list 2

File name: working_cs.cif

Chemical shift list name: *EIN_NPr_Complex.str*

7.2.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1194
Number of shifts mapped to atoms	1194
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

7.2.2 Chemical shift referencing [i](#)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	249	0.13 ± 0.07	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	229	1.10 ± 0.09	Should be checked
$^{13}\text{C}'$	250	-0.23 ± 0.09	None needed (< 0.5 ppm)
^{15}N	232	0.69 ± 0.17	Should be applied

7.2.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 24%, i.e. 962 atoms were assigned a chemical shift out of a possible 3966. 0 out of 58 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	778/1445 (54%)	188/587 (32%)	402/578 (70%)	188/280 (67%)
Sidechain	182/2323 (8%)	0/1518 (0%)	182/708 (26%)	0/97 (0%)
Aromatic	2/198 (1%)	1/99 (1%)	0/93 (0%)	1/6 (17%)
Overall	962/3966 (24%)	189/2204 (9%)	584/1379 (42%)	189/383 (49%)

7.2.4 Statistically unusual chemical shifts [i](#)


There are no statistically unusual chemical shifts.

7.2.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble

composition. If well-defined core and ill-defined regions are not identified then it is shown as gray bars.

Random coil index (RCI) for chain B:



8 NMR restraints analysis

8.1 Conformationally restricting restraints

The following table provides the summary of experimentally observed NMR restraints in different categories. Restraints are classified into different categories based on the sequence separation of the atoms involved.

Description	Value
Total distance restraints	988
Intra-residue ($ i-j =0$)	10
Sequential ($ i-j =1$)	314
Medium range ($ i-j >1$ and $ i-j <5$)	211
Long range ($ i-j \geq 5$)	84
Inter-chain	45
Hydrogen bond restraints	324
Disulfide bond restraints	0
Total dihedral-angle restraints	451
Number of unmapped restraints	0
Number of restraints per residue	4.2
Number of long range restraints per residue ¹	0.6

¹Long range hydrogen bonds and disulfide bonds are counted as long range restraints while calculating the number of long range restraints per residue

8.2 Residual restraint violations

This section provides the overview of the restraint violations analysis. The violations are binned as small, medium and large violations based on its absolute value. Average number of violations per model is calculated by dividing the total number of violations in each bin by the size of the ensemble.

8.2.1 Average number of distance violations per model

Distance violations less than 0.1 Å are not included in the calculation.

Bins (Å)	Average number of violations per model	Max (Å)
0.1-0.2 (Small)	54.0	0.2
0.2-0.5 (Medium)	65.5	0.5
>0.5 (Large)	25.4	8.67

8.2.2 Average number of dihedral-angle violations per model [i](#)

Dihedral-angle violations less than 1° are not included in the calculation.

Bins (°)	Average number of violations per model	Max (°)
1.0-10.0 (Small)	28.8	9.94
10.0-20.0 (Medium)	6.0	19.65
>20.0 (Large)	0.7	29.11

9 Distance violation analysis ⓘ


9.1 Summary of distance violations ⓘ

The following table shows the summary of distance violations in different restraint categories based on the sequence separation of the atoms involved. Each category is further sub-divided into three sub-categories based on the atoms involved. Violations less than 0.1 Å are not included in the statistics.

Restrains type	Count	% ¹	Violated ³			Consistently Violated ⁴		
			Count	% ²	% ¹	Count	% ²	% ¹
Intra-residue ($ i-j =0$)	10	1.0	8	80.0	0.8	0	0.0	0.0
Backbone-Backbone	0	0.0	0	0.0	0.0	0	0.0	0.0
Backbone-Sidechain	10	1.0	8	80.0	0.8	0	0.0	0.0
Sidechain-Sidechain	0	0.0	0	0.0	0.0	0	0.0	0.0
Sequential ($ i-j =1$)	314	31.8	99	31.5	10.0	14	4.5	1.4
Backbone-Backbone	314	31.8	99	31.5	10.0	14	4.5	1.4
Backbone-Sidechain	0	0.0	0	0.0	0.0	0	0.0	0.0
Sidechain-Sidechain	0	0.0	0	0.0	0.0	0	0.0	0.0
Medium range ($ i-j >1$ & $ i-j <5$)	211	21.4	80	37.9	8.1	9	4.3	0.9
Backbone-Backbone	211	21.4	80	37.9	8.1	9	4.3	0.9
Backbone-Sidechain	0	0.0	0	0.0	0.0	0	0.0	0.0
Sidechain-Sidechain	0	0.0	0	0.0	0.0	0	0.0	0.0
Long range ($ i-j \geq 5$)	84	8.5	49	58.3	5.0	1	1.2	0.1
Backbone-Backbone	83	8.4	48	57.8	4.9	1	1.2	0.1
Backbone-Sidechain	1	0.1	1	100.0	0.1	0	0.0	0.0
Sidechain-Sidechain	0	0.0	0	0.0	0.0	0	0.0	0.0
Inter-chain	45	4.6	31	68.9	3.1	12	26.7	1.2
Backbone-Backbone	45	4.6	31	68.9	3.1	12	26.7	1.2
Backbone-Sidechain	0	0.0	0	0.0	0.0	0	0.0	0.0
Sidechain-Sidechain	0	0.0	0	0.0	0.0	0	0.0	0.0
Hydrogen bond	324	32.8	153	47.2	15.5	0	0.0	0.0
Disulfide bond	0	0.0	0	0.0	0.0	0	0.0	0.0
Total	988	100.0	420	42.5	42.5	36	3.6	3.6
Backbone-Backbone	653	66.1	258	39.5	26.1	36	5.5	3.6
Backbone-Sidechain	271	27.4	108	39.9	10.9	0	0.0	0.0
Sidechain-Sidechain	64	6.5	54	84.4	5.5	0	0.0	0.0

¹ percentage calculated with respect to the total number of distance restraints, ² percentage calculated with respect to the number of restraints in a particular restraint category, ³ violated in at least one model, ⁴ violated in all the models

9.1.1 Bar chart : Distribution of distance restraints and violations [i](#)



Violated and consistently violated restraints are shown using different hatch patterns in their respective categories. The hydrogen bonds and disulfied bonds are counted in their appropriate category on the x-axis

9.2 Distance violation statistics for each model [i](#)

The following table provides the distance violation statistics for each model in the ensemble. Violations less than 0.1 Å are not included in the statistics.

Model ID	Number of violations						Mean (Å)	Max (Å)	SD ⁶ (Å)	Median (Å)
	IR ¹	SQ ²	MR ³	LR ⁴	IC ⁵	Total				
1	0	40	50	36	21	147	0.54	7.39	0.95	0.25
2	2	35	52	33	21	143	0.58	6.73	0.99	0.26
3	1	39	54	32	21	147	0.56	5.42	1.02	0.25
4	3	43	56	40	20	162	0.51	7.81	0.96	0.23
5	2	41	46	35	20	144	0.51	5.97	0.91	0.24
6	0	44	50	33	21	148	0.61	7.83	1.05	0.26
7	2	41	55	26	24	148	0.56	7.95	1.02	0.24
8	1	46	57	30	23	157	0.52	6.62	0.91	0.24
9	1	44	48	32	23	148	0.63	8.67	1.2	0.24
10	2	47	60	27	21	157	0.56	6.41	1.01	0.25

Continued on next page...


Continued from previous page...

Model ID	Number of violations						Mean (Å)	Max (Å)	SD ⁶ (Å)	Median (Å)
	IR ¹	SQ ²	MR ³	LR ⁴	IC ⁵	Total				
11	3	47	47	30	23	150	0.64	7.81	1.11	0.26
12	1	46	56	31	22	156	0.49	6.07	0.86	0.21
13	1	38	47	31	18	135	0.46	6.04	0.79	0.23
14	4	32	56	22	22	136	0.61	6.21	1.04	0.25
15	3	42	53	29	23	150	0.58	7.02	1.04	0.25
16	2	36	49	39	21	147	0.56	6.76	0.99	0.23
17	0	32	44	28	21	125	0.64	8.14	1.12	0.3
18	3	40	57	41	21	162	0.55	8.11	1.0	0.25
19	2	37	55	27	24	145	0.54	6.74	0.95	0.25
20	1	41	58	31	20	151	0.52	7.41	0.96	0.25

¹Intra-residue restraints, ²Sequential restraints, ³Medium range restraints, ⁴Long range restraints,

⁵Inter-chain restraints, ⁶Standard deviation

9.2.1 Bar graph : Distance Violation statistics for each model ⓘ



The mean(dot),median(x) and the standard deviation are shown in blue with respect to the y axis on the right

9.3 Distance violation statistics for the ensemble ⓘ


Violation analysis may find that some restraints are violated in few models and some are violated in most of models. The following table provides this information as number of violated restraints for a given fraction of the ensemble. In total, 397(IR:2, SQ:215, MR:131, LR:35, IC:14) restraints are not violated in the ensemble.

Number of violated restraints						Fraction of the ensemble	
IR ¹	SQ ²	MR ³	LR ⁴	IC ⁵	Total	Count ⁶	%
1	16	15	7	2	41	1	5.0
5	15	9	9	1	39	2	10.0
0	7	5	4	0	16	3	15.0
0	6	8	3	0	17	4	20.0
0	2	5	2	0	9	5	25.0
0	4	3	2	2	11	6	30.0
0	5	2	3	3	13	7	35.0
0	4	0	0	0	4	8	40.0
0	4	0	1	2	7	9	45.0
0	4	0	2	1	7	10	50.0
1	5	2	0	2	10	11	55.0
1	1	2	1	0	5	12	60.0
0	1	2	0	0	3	13	65.0
0	4	5	3	0	12	14	70.0
0	3	2	0	0	5	15	75.0
0	0	4	0	2	6	16	80.0
0	0	1	2	2	5	17	85.0
0	2	2	5	1	10	18	90.0
0	2	4	4	1	11	19	95.0
0	14	9	1	12	36	20	100.0

¹Intra-residue restraints, ²Sequential restraints, ³Medium range restraints, ⁴Long range restraints,

⁵Inter-chain restraints, ⁶ Number of models with violations


9.3.1 Bar graph : Distance violation statistics for the ensemble [i](#)



9.4 Most violated distance restraints in the ensemble [i](#)

9.4.1 Histogram : Distribution of mean distance violations [i](#)

The following histogram shows the distribution of the average value of the violation. The average is calculated for each restraint that is violated in more than one model over all the violated models in the ensemble



9.4.2 Table: Most violated distance restraints [i](#)

The following table provides the mean and the standard deviation of the violations for the 10 worst performing restraints, sorted by number of violated models and the mean violation value. The Key (restraint list ID, restraint ID) is the unique identifier for a given restraint. Rows with same key represent combinatorial or ambiguous restraints and are counted as a single restraint.

Key	Atom-1	Atom-2	Models ¹	Mean (Å)	SD ¹ (Å)	Median (Å)
(1,45)	2:290:B:TYR:HB2	1:61:A:ARG:H	20	7.06	0.87	6.89
(1,45)	2:290:B:TYR:HB2	1:61:A:ARG:HH12	20	7.06	0.87	6.89
(1,45)	2:290:B:TYR:H	1:61:A:ARG:HH12	20	7.06	0.87	6.89
(1,45)	2:290:B:TYR:H	1:61:A:ARG:HH22	20	7.06	0.87	6.89
(1,45)	2:290:B:TYR:H	1:61:A:ARG:HH21	20	7.06	0.87	6.89
(1,45)	2:290:B:TYR:HD2	1:61:A:ARG:HH11	20	7.06	0.87	6.89
(1,45)	2:290:B:TYR:HB3	1:61:A:ARG:H	20	7.06	0.87	6.89
(1,45)	2:290:B:TYR:HB2	1:61:A:ARG:HH11	20	7.06	0.87	6.89
(1,45)	2:290:B:TYR:HB3	1:61:A:ARG:HH11	20	7.06	0.87	6.89
(1,45)	2:290:B:TYR:HE1	1:61:A:ARG:H	20	7.06	0.87	6.89
(1,45)	2:290:B:TYR:HD2	1:61:A:ARG:HH12	20	7.06	0.87	6.89
(1,45)	2:290:B:TYR:HB3	1:61:A:ARG:HH12	20	7.06	0.87	6.89
(1,14)	1:47:A:ASN:O	2:257:B:GLU:OE2	20	4.62	0.51	4.44
(1,14)	1:47:A:ASN:O	2:257:B:GLU:HG2	20	4.62	0.51	4.44
(1,14)	1:47:A:ASN:O	2:257:B:GLU:HG3	20	4.62	0.51	4.44
(1,14)	1:47:A:ASN:O	2:257:B:GLU:H	20	4.62	0.51	4.44

Continued on next page...

Continued from previous page...

Key	Atom-1	Atom-2	Models ¹	Mean (Å)	SD ¹ (Å)	Median (Å)
(1,14)	1:47:A:ASN:HD22	2:257:B:GLU:H	20	4.62	0.51	4.44
(1,14)	1:53:A:LEU:HD22	2:257:B:GLU:OE2	20	4.62	0.51	4.44
(1,14)	1:47:A:ASN:O	2:257:B:GLU:HB2	20	4.62	0.51	4.44
(1,14)	1:47:A:ASN:HD22	2:257:B:GLU:HG2	20	4.62	0.51	4.44
(1,12)	1:47:A:ASN:HD22	2:255:B:ARG:HH11	20	4.25	0.61	4.44
(1,12)	1:47:A:ASN:O	2:255:B:ARG:H	20	4.25	0.61	4.44
(1,12)	1:47:A:ASN:HD21	2:255:B:ARG:H	20	4.25	0.61	4.44
(1,12)	1:47:A:ASN:HD22	2:255:B:ARG:H	20	4.25	0.61	4.44
(1,12)	1:47:A:ASN:OD1	2:255:B:ARG:H	20	4.25	0.61	4.44
(1,12)	1:47:A:ASN:HD22	2:255:B:ARG:HH22	20	4.25	0.61	4.44
(1,12)	1:47:A:ASN:O	2:255:B:ARG:HE	20	4.25	0.61	4.44
(1,12)	1:47:A:ASN:HD21	2:255:B:ARG:HG2	20	4.25	0.61	4.44
(1,12)	1:47:A:ASN:HD22	2:255:B:ARG:HD3	20	4.25	0.61	4.44
(1,12)	1:47:A:ASN:HD22	2:255:B:ARG:HH12	20	4.25	0.61	4.44
(1,12)	1:47:A:ASN:OD1	2:255:B:ARG:HH22	20	4.25	0.61	4.44
(1,30)	2:290:B:TYR:HB2	1:11:A:ASN:OD1	20	3.39	1.15	3.62
(1,30)	2:290:B:TYR:HH	1:11:A:ASN:HB3	20	3.39	1.15	3.62
(1,30)	2:290:B:TYR:HB3	1:11:A:ASN:O	20	3.39	1.15	3.62
(1,30)	2:290:B:TYR:HD1	1:11:A:ASN:O	20	3.39	1.15	3.62
(1,30)	2:290:B:TYR:HD1	1:11:A:ASN:HD22	20	3.39	1.15	3.62
(1,30)	2:290:B:TYR:HB2	1:11:A:ASN:O	20	3.39	1.15	3.62
(1,30)	2:290:B:TYR:HD2	1:11:A:ASN:O	20	3.39	1.15	3.62
(1,30)	2:290:B:TYR:HE1	1:11:A:ASN:O	20	3.39	1.15	3.62
(1,30)	2:290:B:TYR:H	1:11:A:ASN:HD22	20	3.39	1.15	3.62
(1,30)	2:290:B:TYR:HE1	1:11:A:ASN:HD22	20	3.39	1.15	3.62
(1,30)	2:290:B:TYR:HB2	1:11:A:ASN:HD22	20	3.39	1.15	3.62
(1,8)	1:47:A:ASN:HD22	2:250:B:SER:O	20	3.34	0.79	3.36
(1,8)	1:47:A:ASN:O	2:250:B:SER:O	20	3.34	0.79	3.36
(1,8)	1:47:A:ASN:HA	2:250:B:SER:HG	20	3.34	0.79	3.36
(1,8)	1:47:A:ASN:O	2:250:B:SER:HG	20	3.34	0.79	3.36
(1,8)	1:21:A:MET:HE2	2:250:B:SER:HG	20	3.34	0.79	3.36
(1,8)	1:47:A:ASN:HD21	2:250:B:SER:O	20	3.34	0.79	3.36
(1,8)	1:47:A:ASN:OD1	2:250:B:SER:O	20	3.34	0.79	3.36
(1,8)	1:21:A:MET:HE1	2:250:B:SER:HG	20	3.34	0.79	3.36
(1,41)	2:290:B:TYR:HB3	1:54:A:MET:N	20	3.3	1.23	3.18
(1,41)	2:290:B:TYR:HB2	1:54:A:MET:N	20	3.3	1.23	3.18
(1,41)	2:279:B:PHE:HE2	1:54:A:MET:HE1	20	3.3	1.23	3.18
(1,41)	2:279:B:PHE:HD2	1:54:A:MET:H	20	3.3	1.23	3.18
(1,41)	2:290:B:TYR:HD2	1:54:A:MET:N	20	3.3	1.23	3.18
(1,13)	1:47:A:ASN:HD21	2:256:B:ARG:HG2	20	2.82	1.35	2.77
(1,13)	1:47:A:ASN:HD22	2:256:B:ARG:HH22	20	2.82	1.35	2.77
(1,13)	1:47:A:ASN:O	2:256:B:ARG:HB2	20	2.82	1.35	2.77

Continued on next page...

Continued from previous page...


Key	Atom-1	Atom-2	Models ¹	Mean (Å)	SD ¹ (Å)	Median (Å)
(1,13)	1:47:A:ASN:O	2:256:B:ARG:HH11	20	2.82	1.35	2.77
(1,13)	1:47:A:ASN:O	2:256:B:ARG:HB3	20	2.82	1.35	2.77
(1,13)	1:47:A:ASN:HD22	2:256:B:ARG:HB3	20	2.82	1.35	2.77
(1,13)	1:47:A:ASN:OD1	2:256:B:ARG:HG3	20	2.82	1.35	2.77
(1,13)	1:47:A:ASN:OD1	2:256:B:ARG:HB3	20	2.82	1.35	2.77
(1,13)	1:47:A:ASN:O	2:256:B:ARG:HH12	20	2.82	1.35	2.77
(1,13)	1:47:A:ASN:O	2:256:B:ARG:HD3	20	2.82	1.35	2.77
(1,13)	1:47:A:ASN:O	2:256:B:ARG:HH22	20	2.82	1.35	2.77
(1,13)	1:47:A:ASN:HD22	2:256:B:ARG:HH11	20	2.82	1.35	2.77
(1,13)	1:47:A:ASN:HD22	2:256:B:ARG:HG3	20	2.82	1.35	2.77
(1,16)	1:53:A:LEU:HD11	2:281:B:GLU:O	20	2.71	0.71	2.86
(1,16)	1:53:A:LEU:HD13	2:281:B:GLU:O	20	2.71	0.71	2.86
(1,16)	1:53:A:LEU:HD22	2:281:B:GLU:O	20	2.71	0.71	2.86
(1,16)	1:53:A:LEU:HD23	2:281:B:GLU:O	20	2.71	0.71	2.86
(1,16)	1:53:A:LEU:HD21	2:281:B:GLU:O	20	2.71	0.71	2.86
(1,16)	1:53:A:LEU:HD12	2:281:B:GLU:O	20	2.71	0.71	2.86
(1,16)	1:53:A:LEU:HG	2:281:B:GLU:O	20	2.71	0.71	2.86
(1,16)	1:54:A:MET:HE2	2:281:B:GLU:O	20	2.71	0.71	2.86
(1,1)	1:16:A:HIS:HD2	2:356:B:GLN:HA	20	2.2	0.99	2.42
(1,1)	1:16:A:HIS:HE2	2:356:B:GLN:HB3	20	2.2	0.99	2.42
(1,1)	1:16:A:HIS:HE1	2:356:B:GLN:HB3	20	2.2	0.99	2.42
(1,1)	1:16:A:HIS:HD2	2:356:B:GLN:HB3	20	2.2	0.99	2.42
(1,1)	1:16:A:HIS:HE1	2:356:B:GLN:OE1	20	2.2	0.99	2.42
(1,1)	1:16:A:HIS:HE2	2:356:B:GLN:OE1	20	2.2	0.99	2.42
(1,1)	1:16:A:HIS:HB3	2:356:B:GLN:OE1	20	2.2	0.99	2.42
(1,1)	1:16:A:HIS:HE2	2:356:B:GLN:HG2	20	2.2	0.99	2.42
(1,1)	1:16:A:HIS:HE1	2:356:B:GLN:HE21	20	2.2	0.99	2.42
(1,1)	1:16:A:HIS:HB3	2:356:B:GLN:HB3	20	2.2	0.99	2.42
(1,1)	1:16:A:HIS:HE2	2:356:B:GLN:HB2	20	2.2	0.99	2.42
(1,2)	2:356:B:GLN:HA	1:16:A:HIS:HD2	20	2.2	0.99	2.42

¹Number of violated models, ²Standard deviation

9.5 All violated distance restraints [i](#)

9.5.1 Histogram : Distribution of distance violations [i](#)

The following histogram shows the distribution of the absolute value of the violation for all violated restraints in the ensemble.



9.5.2 Table : All distance violations [i](#)

The following table provides the 10 worst performing restraints, sorted by the violation value. The Key (restraint list ID, restraint ID) is the unique identifier for a given restraint. Rows with same key represent combinatorial or ambiguous restraints and are counted as a single restraint.

Key	Atom-1	Atom-2	Model ID	Violation (Å)
(1,45)	2:290:B:TYR:HB3	1:61:A:ARG:H	9	8.67
(1,45)	2:290:B:TYR:HB3	1:61:A:ARG:H	17	8.14
(1,45)	2:290:B:TYR:HB3	1:61:A:ARG:H	18	8.11
(1,45)	2:290:B:TYR:HB2	1:61:A:ARG:H	7	7.95
(1,45)	2:290:B:TYR:H	1:61:A:ARG:HH21	6	7.83
(1,45)	2:290:B:TYR:HB2	1:61:A:ARG:H	4	7.81
(1,45)	2:290:B:TYR:HB3	1:61:A:ARG:HH11	11	7.81
(1,45)	2:290:B:TYR:HB3	1:61:A:ARG:H	20	7.41
(1,45)	2:290:B:TYR:HB2	1:61:A:ARG:H	1	7.39
(1,45)	2:290:B:TYR:HB3	1:61:A:ARG:HH12	15	7.02

10 Dihedral-angle violation analysis [i](#)


10.1 Summary of dihedral-angle violations [i](#)

The following table provides the summary of dihedral-angle violations in different dihedral-angle types. Violations less than 1° are not included in the calculation.

Angle type	Count	% ¹	Violated ³			Consistently Violated ⁴		
			Count	% ²	% ¹	Count	% ²	% ¹
PSI	224	49.7	90	40.2	20.0	0	0.0	0.0
PHI	227	50.3	88	38.8	19.5	1	0.4	0.2
Total	451	100.0	178	39.5	39.5	1	0.2	0.2

¹ percentage calculated with respect to total number of dihedral-angle restraints, ² percentage calculated with respect to number of restraints in a particular dihedral-angle type, ³ violated in at least one model, ⁴ violated in all the models

10.1.1 Bar chart : Distribution of dihedral-angles and violations [i](#)




Violated and consistently violated restraints are shown using different hatch patterns in their respective categories

10.2 Dihedral-angle violation statistics for each model

The following table provides the dihedral-angle violation statistics for each model in the ensemble. Violations less than 1° are not included in the statistics.

Model ID	Number of violations			Mean (°)	Max (°)	SD (°)	Median (°)
	PSI	PHI	Total				
1	21	15	36	6.33	26.18	5.74	4.16
2	22	12	34	6.56	19.65	5.12	4.88
3	23	18	41	6.73	21.08	4.87	5.09
4	15	16	31	6.52	21.34	4.99	5.2
5	16	12	28	6.28	16.4	4.44	5.02
6	20	18	38	5.32	29.11	5.0	4.24
7	22	16	38	7.52	18.72	4.66	7.36
8	17	18	35	5.99	24.93	6.13	3.3
9	18	18	36	6.86	16.67	4.31	5.94
10	16	18	34	5.71	17.25	4.21	4.32
11	19	22	41	6.03	23.01	4.63	4.31
12	19	14	33	6.46	17.77	3.7	6.09
13	16	15	31	6.96	20.58	5.14	5.6
14	18	19	37	4.59	11.55	3.01	3.33
15	20	18	38	5.38	19.44	4.12	3.92
16	19	16	35	7.28	22.49	5.97	5.63
17	23	19	42	6.18	20.9	4.68	4.68
18	17	20	37	5.92	17.45	4.01	4.57
19	14	21	35	5.17	10.93	2.91	4.66
20	15	14	29	7.37	25.37	5.8	6.03

10.2.1 Bar graph : Dihedral violation statistics for each model [i](#)



The mean(dot),median(x) and the standard deviation are shown in blue with respect to the y axis on the right

10.3 Dihedral-angle violation statistics for the ensemble [i](#)

Violation analysis may find that some restraints are violated in very few models and some are violated in most of models. The following table provides this information as number of violated restraints for a given fraction of ensemble.

Number of violated restraints			Fraction of the ensemble	
PSI	PHI	Total	Count ¹	%
28	31	59	1	5.0
19	19	38	2	10.0
8	8	16	3	15.0
7	9	16	4	20.0
5	5	10	5	25.0
5	0	5	6	30.0
3	2	5	7	35.0
3	0	3	8	40.0
3	5	8	9	45.0
2	2	4	10	50.0
0	1	1	11	55.0


Continued on next page...

Continued from previous page...

Number of violated restraints			Fraction of the ensemble	
PSI	PHI	Total	Count ¹	%
1	0	1	12	60.0
2	1	3	13	65.0
0	1	1	14	70.0
0	0	0	15	75.0
2	3	5	16	80.0
1	0	1	17	85.0
1	0	1	18	90.0
0	0	0	19	95.0
0	1	1	20	100.0

¹ Number of models with violations

10.3.1 Bar graph : Dihedral-angle Violation statistics for the ensemble ⓘ




10.4 Most violated dihedral-angle restraints in the ensemble ⓘ

10.4.1 Histogram : Distribution of mean dihedral-angle violations ⓘ

The following histogram shows the distribution of the average value of the violation. The average is calculated for each restraint that is violated in more than one model over all the violated models

in the ensemble



10.4.2 Table: Most violated dihedral-angle restraints [i](#)

The following table provides the mean and the standard deviation of the violations for the 10 worst performing restraints, sorted by number of violated models and the mean violation value. The Key (restraint list ID, restraint ID) is the unique identifier for a given restraint.


Key	Atom-1	Atom-2	Atom-3	Atom-4	Models ¹	Mean	SD ²	Median
(1,401)	2:203:B:LEU:C	2:204:B:ASP:N	2:204:B:ASP:CA	2:204:B:ASP:C	20	8.49	3.2	8.6
(1,445)	2:396:B:ASP:N	2:396:B:ASP:CA	2:396:B:ASP:C	2:397:B:PRO:N	18	17.43	4.81	17.55
(1,232)	2:326:B:VAL:N	2:326:B:VAL:CA	2:326:B:VAL:C	2:327:B:ALA:N	17	11.58	4.31	11.55
(1,444)	2:395:B:VAL:C	2:396:B:ASP:N	2:396:B:ASP:CA	2:396:B:ASP:C	16	18.06	3.7	18.24
(1,326)	2:387:B:ASP:N	2:387:B:ASP:CA	2:387:B:ASP:C	2:388:B:GLY:N	16	7.76	3.31	7.52
(1,325)	2:386:B:VAL:C	2:387:B:ASP:N	2:387:B:ASP:CA	2:387:B:ASP:C	16	5.96	3.44	5.2
(1,65)	2:218:B:GLU:C	2:219:B:ALA:N	2:219:B:ALA:CA	2:219:B:ALA:C	16	5.09	2.72	5.23
(1,310)	2:372:B:ALA:N	2:372:B:ALA:CA	2:372:B:ALA:C	2:373:B:ASP:N	16	4.78	1.89	5.01
(1,333)	2:390:B:ARG:C	2:391:B:GLY:N	2:391:B:GLY:CA	2:391:B:GLY:C	14	7.68	4.33	6.82
(1,334)	2:391:B:GLY:N	2:391:B:GLY:CA	2:391:B:GLY:C	2:392:B:GLU:N	13	7.18	3.87	8.34

¹ Number of violated models, ²Standard deviation, All angle values are in degree (°)

10.5 All violated dihedral-angle restraints [i](#)

10.5.1 Histogram : Distribution of violations [i](#)

The following histogram shows the distribution of the absolute value of the violation for all violated restraints in the ensemble.



10.5.2 Table: All violated dihedral-angle restraints [i](#)

The following table provides the list of violations for the 10 worst performing restraints, sorted by the violation value. The Key (restraint list ID, restraint ID) is the unique identifier for a given restraint.

Key	Atom-1	Atom-2	Atom-3	Atom-4	Model ID	Violation (°)
(1,411)	2:233:B:GLY:C	2:234:B:ALA:N	2:234:B:ALA:CA	2:234:B:ALA:C	6	29.11
(1,269)	2:344:B:VAL:C	2:345:B:GLY:N	2:345:B:GLY:CA	2:345:B:GLY:C	1	26.18
(1,445)	2:396:B:ASP:N	2:396:B:ASP:CA	2:396:B:ASP:C	2:397:B:PRO:N	20	25.37
(1,444)	2:395:B:VAL:C	2:396:B:ASP:N	2:396:B:ASP:CA	2:396:B:ASP:C	8	24.93
(1,445)	2:396:B:ASP:N	2:396:B:ASP:CA	2:396:B:ASP:C	2:397:B:PRO:N	8	23.2
(1,444)	2:395:B:VAL:C	2:396:B:ASP:N	2:396:B:ASP:CA	2:396:B:ASP:C	20	23.04
(1,444)	2:395:B:VAL:C	2:396:B:ASP:N	2:396:B:ASP:CA	2:396:B:ASP:C	11	23.01
(1,445)	2:396:B:ASP:N	2:396:B:ASP:CA	2:396:B:ASP:C	2:397:B:PRO:N	16	22.49
(1,299)	2:365:B:GLY:C	2:366:B:ILE:N	2:366:B:ILE:CA	2:366:B:ILE:C	16	21.65
(1,445)	2:396:B:ASP:N	2:396:B:ASP:CA	2:396:B:ASP:C	2:397:B:PRO:N	4	21.34