



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 05:38 PM UTC

PDB ID : 7T2V / pdb_00007t2v
Title : SARS CoV2 Mpro C145S mutant
Authors : Mathews, I.I.; Hameedi, M.A.; Wakatsuki, S.
Deposited on : 2021-12-06
Resolution : 2.47 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.47 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7589 (2.50-2.46)
Clashscore	190562	8295 (2.50-2.46)
Ramachandran outliers	187476	8164 (2.50-2.46)
Sidechain outliers	187428	8166 (2.50-2.46)
RSRZ outliers	180081	7593 (2.50-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	319	
1	B	319	
1	C	319	
1	D	319	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 9471 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 3C-Like Protease.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	306	Total	C	N	O	S	0	0	0
			2361	1495	400	445	21			
1	B	305	Total	C	N	O	S	0	0	0
			2345	1487	395	442	21			
1	C	305	Total	C	N	O	S	0	0	0
			2354	1491	399	443	21			
1	D	306	Total	C	N	O	S	0	0	0
			2365	1498	401	445	21			

There are 52 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-12	MET	-	initiating methionine	UNP P0DTD1
A	-11	HIS	-	expression tag	UNP P0DTD1
A	-10	HIS	-	expression tag	UNP P0DTD1
A	-9	HIS	-	expression tag	UNP P0DTD1
A	-8	HIS	-	expression tag	UNP P0DTD1
A	-7	HIS	-	expression tag	UNP P0DTD1
A	-6	HIS	-	expression tag	UNP P0DTD1
A	-5	GLU	-	expression tag	UNP P0DTD1
A	-4	ASN	-	expression tag	UNP P0DTD1
A	-3	LEU	-	expression tag	UNP P0DTD1
A	-2	TYR	-	expression tag	UNP P0DTD1
A	-1	PHE	-	expression tag	UNP P0DTD1
A	145	SER	CYS	engineered mutation	UNP P0DTD1
B	-12	MET	-	initiating methionine	UNP P0DTD1
B	-11	HIS	-	expression tag	UNP P0DTD1
B	-10	HIS	-	expression tag	UNP P0DTD1
B	-9	HIS	-	expression tag	UNP P0DTD1
B	-8	HIS	-	expression tag	UNP P0DTD1
B	-7	HIS	-	expression tag	UNP P0DTD1
B	-6	HIS	-	expression tag	UNP P0DTD1
B	-5	GLU	-	expression tag	UNP P0DTD1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-4	ASN	-	expression tag	UNP P0DTD1
B	-3	LEU	-	expression tag	UNP P0DTD1
B	-2	TYR	-	expression tag	UNP P0DTD1
B	-1	PHE	-	expression tag	UNP P0DTD1
B	145	SER	CYS	engineered mutation	UNP P0DTD1
C	-12	MET	-	initiating methionine	UNP P0DTD1
C	-11	HIS	-	expression tag	UNP P0DTD1
C	-10	HIS	-	expression tag	UNP P0DTD1
C	-9	HIS	-	expression tag	UNP P0DTD1
C	-8	HIS	-	expression tag	UNP P0DTD1
C	-7	HIS	-	expression tag	UNP P0DTD1
C	-6	HIS	-	expression tag	UNP P0DTD1
C	-5	GLU	-	expression tag	UNP P0DTD1
C	-4	ASN	-	expression tag	UNP P0DTD1
C	-3	LEU	-	expression tag	UNP P0DTD1
C	-2	TYR	-	expression tag	UNP P0DTD1
C	-1	PHE	-	expression tag	UNP P0DTD1
C	145	SER	CYS	engineered mutation	UNP P0DTD1
D	-12	MET	-	initiating methionine	UNP P0DTD1
D	-11	HIS	-	expression tag	UNP P0DTD1
D	-10	HIS	-	expression tag	UNP P0DTD1
D	-9	HIS	-	expression tag	UNP P0DTD1
D	-8	HIS	-	expression tag	UNP P0DTD1
D	-7	HIS	-	expression tag	UNP P0DTD1
D	-6	HIS	-	expression tag	UNP P0DTD1
D	-5	GLU	-	expression tag	UNP P0DTD1
D	-4	ASN	-	expression tag	UNP P0DTD1
D	-3	LEU	-	expression tag	UNP P0DTD1
D	-2	TYR	-	expression tag	UNP P0DTD1
D	-1	PHE	-	expression tag	UNP P0DTD1
D	145	SER	CYS	engineered mutation	UNP P0DTD1


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	10	Total O 10 10	0	0
2	B	9	Total O 9 9	0	0
2	C	10	Total O 10 10	0	0
2	D	17	Total O 17 17	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: 3C-Like Protease




• Molecule 1: 3C-Like Protease




• Molecule 1: 3C-Like Protease



• Molecule 1: 3C-Like Protease





4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	61.59Å 67.51Å 77.65Å 102.11° 89.30° 106.41°	Depositor
Resolution (Å)	38.05 – 2.47 38.05 – 2.47	Depositor EDS
% Data completeness (in resolution range)	96.9 (38.05-2.47) 96.9 (38.05-2.47)	Depositor EDS
R_{merge}	0.18	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.88 (at 2.48Å)	Xtriage
Refinement program	REFMAC 5.8.0349	Depositor
R, R_{free}	0.196 , 0.237 0.202 , 0.240	Depositor DCC
R_{free} test set	2037 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	44.5	Xtriage
Anisotropy	0.037	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 27.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9471	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.17% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.55	2/2414 (0.1%)	0.89	0/3281
1	B	0.56	0/2398	0.85	0/3262
1	C	0.55	0/2407	0.89	0/3273
1	D	0.56	0/2418	0.88	0/3285
All	All	0.56	2/9637 (0.0%)	0.88	0/13101

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3
1	B	0	1
1	C	0	3
1	D	0	6
All	All	0	13

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	172	HIS	CE1-NE2	5.16	1.37	1.32
1	A	80	HIS	CE1-NE2	5.04	1.37	1.32

There are no bond angle outliers.

There are no chirality outliers.

All (13) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	222	ARG	Sidechain
1	A	298	ARG	Sidechain
1	A	4	ARG	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	B	279	ARG	Sidechain
1	C	222	ARG	Sidechain
1	C	4	ARG	Sidechain
1	C	76	ARG	Sidechain
1	D	188	ARG	Sidechain
1	D	279	ARG	Sidechain
1	D	4	ARG	Sidechain
1	D	48	ASP	Peptide
1	D	60	ARG	Sidechain
1	D	76	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2361	0	2299	28	0
1	B	2345	0	2280	18	0
1	C	2354	0	2295	34	0
1	D	2365	0	2310	24	0
2	A	10	0	0	0	0
2	B	9	0	0	0	0
2	C	10	0	0	0	0
2	D	17	0	0	0	0
All	All	9471	0	9184	95	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (95) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:166:GLU:OE2	1:D:1:SER:HB3	1.85	0.76
1:A:41:HIS:HB2	1:A:49:MET:HE1	1.70	0.72
1:A:269:LYS:O	1:A:273:GLN:HG3	1.96	0.65
1:C:109:GLY:HA2	1:C:200:ILE:HD13	1.79	0.65
1:D:113:SER:O	1:D:149:GLY:HA2	1.99	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:285:ALA:HB3	1:B:285:ALA:HB3	1.81	0.62
1:D:86:VAL:HG13	1:D:179:GLY:HA2	1.80	0.62
1:D:46:SER:HA	1:D:49:MET:HE2	1.83	0.61
1:B:17:MET:HE2	1:B:117:CYS:SG	2.40	0.60
1:A:40:ARG:HH11	1:A:82:MET:HE3	1.67	0.60
1:D:233:VAL:HG11	1:D:269:LYS:HG3	1.84	0.59
1:A:86:VAL:HG13	1:A:179:GLY:HA2	1.84	0.58
1:D:115:LEU:HD11	1:D:122:PRO:HB3	1.85	0.58
1:C:58:LEU:HD11	1:C:80:HIS:HD2	1.69	0.57
1:C:127:GLN:HE21	1:C:127:GLN:HA	1.70	0.56
1:A:40:ARG:HH11	1:A:82:MET:CE	2.19	0.54
1:B:44:CYS:SG	1:B:54:TYR:CE1	3.00	0.54
1:C:222:ARG:HG2	1:C:222:ARG:HH11	1.73	0.54
1:D:52:PRO:HG2	1:D:54:TYR:CE2	2.43	0.54
1:C:86:VAL:HG13	1:C:179:GLY:HA2	1.90	0.53
1:A:113:SER:O	1:A:149:GLY:HA2	2.09	0.53
1:B:115:LEU:HD11	1:B:122:PRO:HB3	1.90	0.52
1:D:4:ARG:O	1:D:299:GLN:NE2	2.41	0.51
1:B:22:CYS:SG	1:B:61:LYS:HE3	2.51	0.50
1:C:58:LEU:HD11	1:C:80:HIS:CD2	2.46	0.50
1:B:227:LEU:O	1:B:231:ASN:ND2	2.43	0.50
1:B:102:LYS:HE2	1:B:156:CYS:SG	2.52	0.50
1:D:186:VAL:HG23	1:D:188:ARG:HG2	1.94	0.50
1:C:295:ASP:OD1	1:C:298:ARG:NH1	2.45	0.49
1:C:140:PHE:HB3	1:C:144:SER:OG	2.12	0.49
1:C:127:GLN:HA	1:C:127:GLN:NE2	2.28	0.49
1:C:202:VAL:HG21	1:C:249:ILE:HD11	1.93	0.49
1:B:37:TYR:HA	1:B:87:LEU:O	2.12	0.49
1:D:109:GLY:HA2	1:D:200:ILE:HD13	1.95	0.49
1:B:102:LYS:HG2	1:B:156:CYS:SG	2.53	0.49
1:A:41:HIS:HB2	1:A:49:MET:CE	2.41	0.49
1:A:167:LEU:HD12	1:A:171:VAL:HG23	1.95	0.48
1:C:224:THR:HG22	1:C:225:THR:H	1.78	0.48
1:D:40:ARG:O	1:D:43:ILE:HG12	2.14	0.47
1:C:49:MET:O	1:C:49:MET:HG3	2.13	0.47
1:A:92:ASP:OD1	1:A:92:ASP:C	2.56	0.47
1:C:169:THR:HG23	1:C:171:VAL:HG22	1.95	0.47
1:B:167:LEU:HD11	1:B:185:PHE:CE1	2.50	0.47
1:C:56:ASP:O	1:C:59:ILE:HG22	2.15	0.47
1:D:45:THR:O	1:D:47:GLU:N	2.45	0.47
1:A:254:SER:OG	1:A:259:ILE:O	2.31	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:239:TYR:CZ	1:B:272:LEU:HD21	2.49	0.46
1:A:245:ASP:OD1	1:A:245:ASP:N	2.47	0.46
1:C:285:ALA:HB3	1:D:285:ALA:HB3	1.97	0.46
1:C:74:GLN:HE21	1:C:76:ARG:NH1	2.14	0.46
1:A:95:ASN:HB3	1:A:98:THR:OG1	2.16	0.45
1:D:7:ALA:HA	1:D:127:GLN:NE2	2.31	0.45
1:C:297:VAL:O	1:C:301:SER:OG	2.24	0.45
1:A:45:THR:HB	1:A:47:GLU:OE2	2.16	0.45
1:D:276:MET:CE	1:D:281:ILE:HG13	2.48	0.44
1:C:199:THR:HG21	1:C:239:TYR:CZ	2.52	0.44
1:D:52:PRO:HG2	1:D:54:TYR:CZ	2.53	0.44
1:C:113:SER:OG	1:C:127:GLN:NE2	2.47	0.44
1:C:189:GLN:O	1:C:190:THR:HG23	2.18	0.44
1:D:45:THR:C	1:D:47:GLU:H	2.25	0.44
1:C:105:ARG:NH1	1:C:176:ASP:OD2	2.45	0.44
1:C:141:LEU:HD11	1:D:299:GLN:O	2.17	0.44
1:B:164:HIS:CD2	1:B:175:THR:HG23	2.53	0.44
1:C:208:LEU:HB3	1:C:264:MET:HE1	2.00	0.44
1:C:209:TYR:CZ	1:C:264:MET:HG3	2.53	0.44
1:D:118:TYR:CE1	1:D:144:SER:HB3	2.52	0.43
1:B:44:CYS:HG	1:B:54:TYR:HE1	1.65	0.43
1:C:31:TRP:CE2	1:C:95:ASN:HB2	2.53	0.43
1:C:118:TYR:CE1	1:C:144:SER:HB3	2.53	0.43
1:B:31:TRP:CD2	1:B:95:ASN:HB2	2.53	0.43
1:B:280:THR:HA	1:B:284:SER:O	2.19	0.43
1:A:40:ARG:NH1	1:A:82:MET:CE	2.83	0.42
1:A:262:LEU:HD23	1:A:262:LEU:HA	1.91	0.42
1:A:243:THR:O	1:A:246:HIS:N	2.49	0.42
1:A:105:ARG:NH1	1:A:176:ASP:OD2	2.49	0.42
1:A:305:PHE:H	1:D:189:GLN:NE2	2.17	0.42
1:B:111:THR:HG22	1:B:129:ALA:HB2	2.01	0.42
1:A:276:MET:HE3	1:A:276:MET:HB3	1.90	0.42
1:C:126:TYR:CD1	1:D:6:MET:HE2	2.55	0.42
1:D:33:ASP:O	1:D:94:ALA:HA	2.19	0.42
1:A:305:PHE:H	1:D:189:GLN:HE21	1.68	0.42
1:C:52:PRO:HG2	1:C:54:TYR:CE2	2.54	0.42
1:A:94:ALA:O	1:A:96:PRO:HD3	2.20	0.41
1:C:127:GLN:HE21	1:C:127:GLN:CA	2.31	0.41
1:A:165:MET:HE2	1:A:181:PHE:CE2	2.56	0.41
1:C:113:SER:O	1:C:149:GLY:HA2	2.20	0.41
1:B:59:ILE:C	1:B:61:LYS:H	2.28	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:9:PRO:CG	1:D:122:PRO:HB2	2.51	0.41
1:C:276:MET:HE3	1:C:281:ILE:HD12	2.02	0.41
1:A:102:LYS:HG2	1:A:156:CYS:SG	2.60	0.41
1:A:58:LEU:HD13	1:A:87:LEU:HD21	2.03	0.41
1:A:139:SER:HB2	1:B:4:ARG:HG2	2.03	0.41
1:A:31:TRP:O	1:A:95:ASN:ND2	2.44	0.40
1:A:40:ARG:NH1	1:A:82:MET:HE3	2.33	0.40
1:C:281:ILE:O	1:C:282:LEU:C	2.65	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	304/319 (95%)	286 (94%)	17 (6%)	1 (0%)	36	53
1	B	303/319 (95%)	283 (93%)	18 (6%)	2 (1%)	18	32
1	C	303/319 (95%)	287 (95%)	14 (5%)	2 (1%)	18	32
1	D	304/319 (95%)	291 (96%)	12 (4%)	1 (0%)	36	53
All	All	1214/1276 (95%)	1147 (94%)	61 (5%)	6 (0%)	24	40

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	46	SER
1	A	238	ASN
1	B	223	PHE
1	D	154	TYR
1	B	154	TYR
1	C	154	TYR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	261/276 (95%)	252 (97%)	9 (3%)	32	57
1	B	259/276 (94%)	254 (98%)	5 (2%)	50	73
1	C	261/276 (95%)	253 (97%)	8 (3%)	35	60
1	D	262/276 (95%)	257 (98%)	5 (2%)	50	73
All	All	1043/1104 (94%)	1016 (97%)	27 (3%)	40	65

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	43	ILE
1	A	67	LEU
1	A	82	MET
1	A	104	VAL
1	A	190	THR
1	A	224	THR
1	A	245	ASP
1	A	301	SER
1	A	304	THR
1	B	57	LEU
1	B	59	ILE
1	B	128	CYS
1	B	188	ARG
1	B	196	THR
1	C	88	LYS
1	C	93	THR
1	C	128	CYS
1	C	145	SER
1	C	165	MET
1	C	224	THR
1	C	232	LEU
1	C	264	MET
1	D	107	GLN
1	D	224	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	235	MET
1	D	279	ARG
1	D	304	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	19	GLN
1	A	41	HIS
1	A	53	ASN
1	A	64	HIS
1	A	119	ASN
1	A	238	ASN
1	B	110	GLN
1	B	142	ASN
1	C	74	GLN
1	C	84	ASN
1	C	107	GLN
1	C	127	GLN
1	C	142	ASN
1	C	164	HIS
1	D	19	GLN
1	D	41	HIS
1	D	83	GLN
1	D	119	ASN
1	D	127	GLN
1	D	151	ASN
1	D	180	ASN
1	D	238	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	306/319 (95%)	0.08	1 (0%) 90 88	27, 47, 77, 95	0
1	B	305/319 (95%)	0.12	3 (0%) 79 77	27, 51, 87, 147	0
1	C	305/319 (95%)	0.10	4 (1%) 75 72	29, 50, 93, 110	0
1	D	306/319 (95%)	-0.21	2 (0%) 84 82	25, 39, 62, 102	0
All	All	1222/1276 (95%)	0.02	10 (0%) 82 80	25, 46, 85, 147	0

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	59	ILE	3.4
1	C	49	MET	3.3
1	D	50	LEU	3.2
1	B	50	LEU	3.0
1	B	49	MET	2.7
1	C	50	LEU	2.5
1	C	154	TYR	2.5
1	A	227	LEU	2.3
1	D	45	THR	2.2
1	C	230	PHE	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.