



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 25, 2026 – 10:37 AM EDT

PDB ID : 3T3M / pdb_00003t3m
Title : A Novel High Affinity Integrin α IIb β 3 Receptor Antagonist That Unexpectedly Displaces Mg^{2+} from the β 3 MIDAS
Authors : Zhu, J.; Zhu, J.; Springer, T.A.
Deposited on : 2011-07-25
Resolution : 2.60 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	457	% 89%10%.
1	C	457	% 89%9%..
2	B	472	4% 84%14%..
2	D	472	3% 84%15%.
3	E	221	25% 72%24%.

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	H	221	
4	F	214	
4	L	214	
5	G	5	
6	I	2	
6	K	2	
7	J	4	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
10	SO4	A	458	-	-	X	-

2 Entry composition

There are 13 unique types of molecules in this entry. The entry contains 21909 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Integrin alpha-IIb.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	454	Total	C	N	O	S	0	5	0
			3504	2229	602	665	8			
1	C	453	Total	C	N	O	S	0	2	0
			3484	2214	600	662	8			

- Molecule 2 is a protein called Integrin beta-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	466	Total	C	N	O	S	4	2	0
			3601	2243	615	710	33			
2	D	471	Total	C	N	O	S	3	1	0
			3634	2265	620	715	34			

- Molecule 3 is a protein called Monoclonal antibody 10E5 heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	E	214	Total	C	N	O	S	0	0	0
			1631	1035	264	326	6			
3	H	216	Total	C	N	O	S	0	0	0
			1642	1041	266	329	6			

- Molecule 4 is a protein called Monoclonal antibody 10E5 light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	F	214	Total	C	N	O	S	0	0	0
			1637	1019	268	341	9			
4	L	214	Total	C	N	O	S	0	0	0
			1637	1019	268	341	9			

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	G	5	Total	C	N	O	0	0	0
			61	34	2	25			

- Molecule 6 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
6	I	2	Total	C	N	O	0	0	0
			28	16	2	10			
6	K	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 7 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
7	J	4	Total	C	N	O	0	0	0
			50	28	2	20			

- Molecule 8 is CALCIUM ION (CCD ID: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	4	Total	Ca	0	0
			4	4		
8	B	2	Total	Ca	0	0
			2	2		
8	C	4	Total	Ca	0	0
			4	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	D	2	Total	Ca	0	0
			2	2		

- Molecule 9 is N-{3-[5-oxo-7-(piperazin-1-yl)-5H-[1,3,4]thiadiazolo[3,2-a]pyrimidin-2-yl]phenyl}glycinamide (CCD ID: RC2) (formula: C₁₇H₁₉N₇O₂S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
9	A	1	Total	C	N	O	S	0	0
			27	17	7	2	1		
9	C	1	Total	C	N	O	S	0	0
			27	17	7	2	1		

- Molecule 10 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	A	1	Total	O	S	0	0
			5	4	1		
10	A	1	Total	O	S	0	0
			5	4	1		
10	A	1	Total	O	S	0	0
			5	4	1		
10	L	1	Total	O	S	0	0
			5	4	1		

- Molecule 11 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
11	B	1	Total	C	N	O	0	0
			14	8	1	5		
11	D	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 12 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	B	1	Total	Cl	0	0
			1	1		
12	C	1	Total	Cl	0	0
			1	1		
12	D	1	Total	Cl	0	0
			1	1		


- Molecule 13 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
13	A	310	Total	O	0	0
			310	310		
13	B	174	Total	O	0	0
			174	174		
13	C	188	Total	O	0	0
			188	188		
13	D	110	Total	O	0	0
			110	110		
13	E	8	Total	O	0	0
			8	8		
13	F	8	Total	O	0	0
			8	8		
13	H	29	Total	O	0	0
			29	29		
13	L	28	Total	O	0	0
			28	28		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Integrin alpha-IIb




• Molecule 1: Integrin alpha-IIb




• Molecule 2: Integrin beta-3




• Molecule 2: Integrin beta-3




• Molecule 3: Monoclonal antibody 10E5 heavy chain




• Molecule 3: Monoclonal antibody 10E5 heavy chain




• Molecule 4: Monoclonal antibody 10E5 light chain



• Molecule 4: Monoclonal antibody 10E5 light chain



- Molecule 5: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	261.15Å 145.33Å 104.68Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	59.69 – 2.60 59.69 – 2.60	Depositor EDS
% Data completeness (in resolution range)	96.5 (59.69-2.60) 96.5 (59.69-2.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.26 (at 2.61Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7.1_743)	Depositor
R, R_{free}	0.179 , 0.222 0.173 , 0.219	Depositor DCC
R_{free} test set	1022 reflections (0.86%)	wwPDB-VP
Wilson B-factor (Å ²)	34.5	Xtriage
Anisotropy	0.000	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 66.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	21909	wwPDB-VP
Average B, all atoms (Å ²)	64.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.20% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, CA, CL, RC2, BMA, MAN, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.34	0/3616	0.69	5/4929 (0.1%)
1	C	0.30	0/3587	0.67	0/4888
2	B	0.32	0/3674	0.67	1/4982 (0.0%)
2	D	0.30	0/3706	0.66	0/5026
3	E	0.27	0/1673	0.63	0/2290
3	H	0.27	0/1684	0.65	0/2305
4	F	0.26	0/1673	0.60	0/2269
4	L	0.27	0/1673	0.64	0/2269
All	All	0.30	0/21286	0.66	6/28958 (0.0%)

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	39	ALA	CA-C-N	6.25	125.95	119.82
1	A	39	ALA	C-N-CA	6.25	125.95	119.82
2	B	79	GLN	N-CA-C	-5.18	107.13	112.93
1	A	118	LYS	CB-CA-C	-5.11	110.28	117.23
1	A	310	ALA	CA-C-N	5.02	124.74	119.82
1	A	310	ALA	C-N-CA	5.02	124.74	119.82

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3504	0	3351	28	0
1	C	3484	0	3320	32	0
2	B	3601	0	3525	40	0
2	D	3634	0	3551	47	0
3	E	1631	0	1590	41	0
3	H	1642	0	1600	38	0
4	F	1637	0	1553	32	0
4	L	1637	0	1553	16	0
5	G	61	0	52	0	0
6	I	28	0	25	0	0
6	K	28	0	25	1	0
7	J	50	0	43	0	0
8	A	4	0	0	0	0
8	B	2	0	0	0	0
8	C	4	0	0	0	0
8	D	2	0	0	0	0
9	A	27	0	19	3	0
9	C	27	0	19	3	0
10	A	15	0	0	3	0
10	L	5	0	0	1	0
11	B	14	0	13	1	0
11	D	14	0	13	0	0
12	B	1	0	0	1	0
12	C	1	0	0	0	0
12	D	1	0	0	1	0
13	A	310	0	0	7	0
13	B	174	0	0	1	0
13	C	188	0	0	0	0
13	D	110	0	0	5	0
13	E	8	0	0	0	0
13	F	8	0	0	1	0
13	H	29	0	0	1	0
13	L	28	0	0	0	0
All	All	21909	0	20252	271	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (271) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:C:5000:RC2:H12	12:D:473:CL:CL	2.25	0.73
3:H:193:THR:O	3:H:197:GLN:HG2	1.96	0.65
3:H:12:VAL:HG21	3:H:86:LEU:HD13	1.78	0.65
3:H:194:TRP:CG	3:H:195:PRO:HA	2.34	0.62
2:B:42:GLU:N	2:B:42:GLU:OE1	2.32	0.61
4:L:157:ASN:ND2	10:L:215:SO4:O3	2.32	0.60
1:A:262:TRP:HB3	2:B:317:LEU:HD13	1.83	0.60
1:A:15[B]:ASN:ND2	13:A:672:HOH:O	2.34	0.60
1:A:122:ALA:O	1:A:123:GLU:HB2	2.02	0.59
2:B:77:SER:O	2:B:78:SER:OG	2.19	0.59
1:C:122:ALA:O	1:C:123:GLU:HB2	2.01	0.59
2:D:449:ASN:HB2	2:D:452:ASN:HB2	1.83	0.59
3:H:213:ASP:OD1	3:H:213:ASP:N	2.35	0.59
3:E:98:ARG:HG3	3:E:108:TYR:HB2	1.84	0.58
3:E:125:PRO:HA	3:E:151:TYR:HB3	1.86	0.58
2:D:450:ASN:O	2:D:450:ASN:ND2	2.37	0.57
1:A:15[B]:ASN:ND2	13:A:717:HOH:O	2.38	0.57
1:C:192:LEU:HD13	9:C:5000:RC2:H01	1.87	0.56
1:C:317:ARG:HB2	1:C:321:LYS:HB2	1.88	0.55
4:F:185:GLU:HA	4:F:188:ARG:HG3	1.87	0.55
3:H:125:PRO:HB2	3:H:148:VAL:HG13	1.88	0.55
1:C:215:HIS:CE1	3:E:32:THR:HG22	2.42	0.55
3:E:202:ASN:ND2	3:E:213:ASP:OD2	2.40	0.55
1:C:194:LEU:C	1:C:194:LEU:HD12	2.32	0.54
2:D:418:PRO:HB2	2:D:421:PHE:CD1	2.43	0.54
10:A:458:SO4:O2	13:A:756:HOH:O	2.19	0.54
1:C:278[A]:HIS:CD2	1:C:339:ALA:HB1	2.43	0.54
2:B:178:TYR:CG	2:B:179:ASP:N	2.76	0.53
2:D:257:ALA:O	2:D:258:LEU:HB2	2.06	0.53
3:H:193:THR:HG23	3:H:197:GLN:HG3	1.91	0.53
4:F:124:GLN:OE1	4:F:131:SER:N	2.42	0.53
2:D:176:PRO:HB2	2:D:214:ARG:HB3	1.89	0.52
3:E:30:LYS:HG3	3:E:54:ALA:HA	1.90	0.52
2:B:442:GLU:HB2	2:B:455:PHE:HB3	1.92	0.52
3:H:3:GLN:C	3:H:4:LEU:HD12	2.34	0.52
2:D:182:THR:OG1	2:D:183:THR:N	2.43	0.52
3:H:125:PRO:HB3	3:H:151:TYR:HB3	1.91	0.52
9:A:5000:RC2:H12	12:B:473:CL:CL	2.48	0.51
4:F:13:VAL:HG11	4:F:19:VAL:HG11	1.93	0.51
2:D:76:ASP:HB3	2:D:79:GLN:HG3	1.92	0.51
1:A:380:TYR:O	13:A:749:HOH:O	2.19	0.51
2:D:139:ALA:HB2	2:D:200:VAL:HG11	1.91	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:376:ASN:HB2	2:D:378:GLU:HG2	1.91	0.51
3:H:5:GLN:OE1	3:H:5:GLN:N	2.43	0.51
4:L:182:THR:O	4:L:183:LYS:C	2.53	0.51
2:D:4:ILE:O	2:D:8:ARG:HG2	2.11	0.51
2:D:178:TYR:CG	2:D:179:ASP:N	2.79	0.51
1:C:2:ASN:OD1	1:C:2:ASN:N	2.43	0.51
3:E:194:TRP:CG	3:E:195:PRO:HA	2.46	0.50
2:D:365:GLU:OE2	2:D:412:LYS:NZ	2.44	0.50
2:D:126:ASP:OD2	13:D:760:HOH:O	2.19	0.50
2:B:99:ASN:O	11:B:3099:NAG:H82	2.11	0.50
1:C:432:TYR:CZ	1:C:452:PRO:HA	2.46	0.50
2:D:158:ASP:HB3	2:D:187:MET:CE	2.42	0.50
2:D:218:ALA:HB3	2:D:219:PRO:HD3	1.92	0.50
2:D:184:CYS:HB2	2:D:212:VAL:O	2.12	0.50
3:E:161:ASN:HB2	3:E:164:SER:CB	2.42	0.50
4:F:136:LEU:N	4:F:136:LEU:HD12	2.27	0.50
2:D:449:ASN:CB	2:D:452:ASN:HB2	2.42	0.49
3:E:177:GLN:N	3:E:180:LEU:O	2.39	0.49
4:L:136:LEU:N	4:L:136:LEU:HD12	2.27	0.49
4:F:186:TYR:CE2	4:F:211:ARG:HG3	2.47	0.49
2:B:184:CYS:HB2	2:B:212:VAL:O	2.12	0.49
2:D:76:ASP:HB3	2:D:79:GLN:CG	2.43	0.49
3:E:161:ASN:HB2	3:E:164:SER:HB2	1.93	0.49
2:D:14:GLN:HB2	2:D:438:GLN:HE22	1.78	0.49
2:D:303:ASN:ND2	13:D:613:HOH:O	2.45	0.49
2:B:39:ASP:OD1	2:B:40:LEU:N	2.45	0.49
4:F:159:VAL:HG22	4:F:179:LEU:HD13	1.95	0.49
3:H:4:LEU:HD12	3:H:4:LEU:N	2.28	0.49
3:H:55:ASN:CG	3:H:57:TYR:HD2	2.20	0.49
2:D:400:GLU:HB2	6:K:1:NAG:H83	1.95	0.49
1:C:61:GLU:CD	1:C:61:GLU:H	2.21	0.49
1:A:27:LYS:HG2	1:A:33:VAL:HG22	1.95	0.49
1:C:132:LEU:HD12	1:C:132:LEU:N	2.28	0.49
1:C:46:SER:O	1:C:47:GLN:HB2	2.12	0.48
2:B:177:CYS:SG	2:B:180:MET:CE	3.01	0.48
2:D:77:SER:HB2	2:D:241:ASP:CG	2.37	0.48
2:B:31:LEU:CD2	2:B:37:ARG:HG2	2.43	0.48
4:L:54:LEU:HD21	4:L:60:SER:HA	1.95	0.48
4:F:15:LEU:HD23	4:F:16:GLY:N	2.28	0.48
2:B:120:LEU:HD12	2:B:155:ALA:HB1	1.96	0.48
1:C:368:ARG:HD3	1:C:432:TYR:CE2	2.49	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:F:4:MET:HE3	4:F:23:CYS:SG	2.54	0.48
3:H:158:LEU:C	3:H:158:LEU:HD23	2.39	0.48
3:E:178:SER:O	3:E:179:ASP:HB2	2.13	0.47
3:E:183:LEU:HD23	3:E:184:SER:N	2.29	0.47
1:C:258:PRO:HB3	1:C:288:TYR:CD1	2.49	0.47
2:D:223:PHE:CZ	2:D:254:THR:HG21	2.48	0.47
3:H:177:GLN:N	3:H:180:LEU:O	2.41	0.47
2:D:168:SER:HA	2:D:169:PRO:C	2.39	0.47
3:E:147:LEU:HD21	3:E:149:LYS:HG3	1.97	0.47
4:F:43:SER:OG	4:F:44:PHE:N	2.47	0.47
1:A:258:PRO:HA	1:A:289:PHE:O	2.14	0.47
2:D:150:ARG:NH1	13:D:522:HOH:O	2.47	0.47
3:E:154:GLU:OE1	3:E:155:PRO:HA	2.15	0.47
2:B:93:ARG:HB2	2:B:94:PRO:HD2	1.95	0.47
1:C:423:GLY:O	1:C:424:ALA:HB3	2.14	0.47
2:D:177:CYS:HB3	2:D:182:THR:HG23	1.96	0.46
3:E:24:ALA:HB1	3:E:27:PHE:CZ	2.50	0.46
2:B:409:GLU:HB2	2:B:412:LYS:HE3	1.97	0.46
2:D:93:ARG:HB2	2:D:94:PRO:HD2	1.97	0.46
2:B:169:PRO:HB2	2:B:170:PRO:HD2	1.96	0.46
3:E:141:SER:HA	3:E:190:THR:HA	1.96	0.46
2:B:177:CYS:SG	2:B:180:MET:HE2	2.56	0.46
2:D:310:VAL:HB	2:D:314:VAL:HG23	1.98	0.46
4:F:145:ASN:O	4:F:196:ALA:HA	2.15	0.46
1:A:28:ASP:OD2	1:A:32:ARG:HB3	2.16	0.46
3:E:198:SER:C	3:E:199:ILE:HD12	2.40	0.46
1:C:303:ARG:NH1	1:C:335:ARG:HG2	2.30	0.46
2:D:103:GLN:HG2	2:D:396:SER:HB3	1.97	0.46
2:D:109:ASP:OD1	2:D:147:SER:OG	2.33	0.46
3:H:154:GLU:HB3	3:H:155:PRO:HA	1.96	0.46
1:C:122:ALA:O	1:C:123:GLU:CB	2.64	0.46
3:E:67:LYS:NZ	3:E:85:SER:O	2.48	0.46
3:E:160:TRP:O	3:E:164:SER:N	2.44	0.45
4:F:35:TRP:CZ3	4:F:88:CYS:HB3	2.51	0.45
3:H:12:VAL:HG21	3:H:86:LEU:CD1	2.46	0.45
4:L:123:GLU:H	4:L:123:GLU:CD	2.25	0.45
2:B:202:ARG:NH2	2:B:206:GLU:OE2	2.50	0.45
2:B:257:ALA:O	2:B:258:LEU:HB2	2.17	0.45
4:F:107:LYS:HD2	4:F:140:TYR:OH	2.16	0.45
4:F:185:GLU:O	4:F:188:ARG:HB2	2.16	0.45
3:H:67:LYS:HE2	3:H:84:SER:O	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:A:5000:RC2:N	13:A:648:HOH:O	2.36	0.45
2:D:306:LEU:HB3	2:D:328:THR:HG22	1.99	0.45
4:F:136:LEU:HD23	4:F:144:ILE:HD11	1.97	0.45
4:F:150:ILE:HG13	4:F:155:ARG:HD2	1.98	0.45
2:B:435:CYS:HB2	2:B:438:GLN:HG3	1.99	0.45
1:A:45:PRO:C	1:A:47:GLN:H	2.25	0.44
3:H:165:LEU:HD21	3:H:187:VAL:HG21	2.00	0.44
3:E:127:VAL:HA	3:E:148:VAL:HG22	2.00	0.44
3:H:61:ASP:OD1	13:H:805:HOH:O	2.21	0.44
4:L:13:VAL:HG11	4:L:19:VAL:HG11	1.99	0.44
4:L:125:LEU:C	4:L:127:SER:H	2.25	0.44
4:L:186:TYR:CE2	4:L:211:ARG:HD3	2.51	0.44
2:B:76:ASP:N	2:B:76:ASP:OD2	2.50	0.44
3:E:149:LYS:CG	3:E:182:THR:HG23	2.47	0.44
3:H:132:PRO:HD3	3:H:144:LEU:HD23	1.98	0.44
4:L:135:PHE:C	4:L:136:LEU:HD12	2.42	0.44
2:B:365:GLU:CD	2:B:365:GLU:H	2.24	0.44
9:C:5000:RC2:H09	9:C:5000:RC2:H07	1.77	0.44
3:E:132:PRO:HD3	3:E:144:LEU:CD2	2.48	0.44
3:E:149:LYS:HG2	3:E:182:THR:HG23	2.00	0.44
1:A:3:LEU:O	1:A:5:PRO:HD3	2.17	0.44
1:A:113:TRP:O	1:A:124:LYS:HA	2.18	0.44
2:B:168:SER:HA	2:B:169:PRO:C	2.43	0.44
2:D:365:GLU:CD	2:D:365:GLU:H	2.24	0.44
2:B:52:GLU:N	2:B:52:GLU:OE1	2.45	0.44
1:A:132:LEU:N	1:A:132:LEU:HD12	2.33	0.44
4:F:193:THR:HG22	4:F:195:GLU:HG3	2.00	0.44
3:H:161:ASN:HB2	3:H:164:SER:HB3	1.99	0.44
2:B:159:LYS:HE2	2:B:289:TYR:CE1	2.53	0.44
1:C:215:HIS:CE1	3:E:103:TYR:CE1	3.06	0.43
1:C:285:MET:SD	2:D:320:ASN:HB3	2.57	0.43
3:E:183:LEU:HD23	3:E:183:LEU:C	2.43	0.43
3:H:43:GLN:OE1	3:H:43:GLN:N	2.49	0.43
4:L:167:ASP:HB3	4:L:170:ASP:OD1	2.18	0.43
1:C:285:MET:HE1	2:D:317:LEU:HD12	1.99	0.43
1:C:390:LEU:N	1:C:390:LEU:HD12	2.33	0.43
2:D:158:ASP:O	2:D:189:GLY:HA2	2.18	0.43
1:A:285:MET:O	1:A:286:ALA:HB3	2.18	0.43
1:C:294:ALA:HB3	1:C:307:LEU:HB2	2.00	0.43
3:E:43:GLN:N	3:E:43:GLN:OE1	2.50	0.43
2:B:32:PRO:HB2	2:B:35:SER:OG	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:187:MET:CE	2:B:215:ASN:HB3	2.47	0.43
2:D:129[B]:TRP:NE1	13:D:740:HOH:O	2.52	0.43
2:D:187:MET:HE3	2:D:215:ASN:HB3	2.00	0.43
3:H:172:PHE:CD1	4:L:164:THR:HG23	2.53	0.43
1:A:411:PHE:HB3	1:A:412:PRO:CD	2.48	0.43
1:C:87:PHE:HB2	1:C:112:HIS:HB2	2.01	0.43
3:E:151:TYR:CZ	3:E:181:TYR:HB2	2.54	0.43
3:H:20:LEU:HD22	3:H:113:THR:HG21	1.99	0.43
3:H:142:VAL:HG11	3:H:194:TRP:HB3	2.01	0.43
2:B:220:GLU:OE1	2:B:220:GLU:HA	2.18	0.43
3:H:122:THR:HA	3:H:152:PHE:O	2.18	0.43
1:A:113:TRP:CZ3	1:A:147:ARG:HD3	2.53	0.43
2:B:22:MET:HE2	2:B:40:LEU:CD2	2.49	0.43
1:C:379:PRO:HA	1:C:417:PHE:O	2.19	0.43
4:L:91:TYR:HB2	4:L:96:TYR:CZ	2.54	0.43
2:B:209:LYS:NZ	13:B:479:HOH:O	2.50	0.43
2:B:357:LEU:HD11	2:B:397:PHE:CD2	2.54	0.43
3:E:10:GLU:C	3:E:11:LEU:HD12	2.43	0.43
3:H:162:SER:N	3:H:202:ASN:OD1	2.49	0.43
1:A:90:ARG:NH2	13:A:818:HOH:O	2.46	0.42
2:B:6:THR:HG22	2:B:36:PRO:HB2	2.00	0.42
2:D:203:PHE:CE2	2:D:207:VAL:HG21	2.54	0.42
3:E:99:PRO:HB2	3:E:102:ASP:O	2.20	0.42
3:E:147:LEU:C	3:E:147:LEU:HD23	2.43	0.42
3:H:2:VAL:HG13	3:H:27:PHE:CE1	2.54	0.42
3:E:125:PRO:HD2	3:E:210:THR:HG21	2.00	0.42
4:F:64:GLY:O	13:F:601:HOH:O	2.21	0.42
4:F:167:ASP:OD1	4:F:169:LYS:HB3	2.18	0.42
4:F:198:HIS:CE1	4:F:200:THR:HG23	2.54	0.42
3:H:142:VAL:HG22	3:H:143:THR:N	2.34	0.42
1:A:426:ASP:OD2	1:A:429:ASP:HA	2.19	0.42
1:C:307:LEU:HD21	1:C:330:LEU:HD13	2.00	0.42
4:F:189:HIS:HB2	4:F:192:TYR:OH	2.20	0.42
4:F:206:VAL:HG12	4:F:207:LYS:N	2.34	0.42
2:D:42:GLU:H	2:D:42:GLU:CD	2.27	0.42
4:F:21:ILE:O	4:F:72:SER:HA	2.19	0.42
2:B:409:GLU:HB2	2:B:412:LYS:CE	2.50	0.42
1:C:271:ASP:OD2	1:C:271:ASP:C	2.63	0.42
1:C:395:GLN:NE2	1:C:397:GLU:HB2	2.35	0.42
2:D:122:TYR:CE2	2:D:180:MET:HE1	2.55	0.42
2:B:185:LEU:HG	2:B:211:SER:OG	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:F:115:VAL:HG12	4:F:207:LYS:HG3	2.02	0.42
4:F:181:LEU:HD13	4:F:185:GLU:CD	2.45	0.42
4:L:91:TYR:HB2	4:L:96:TYR:CE1	2.53	0.42
2:D:10:VAL:HA	2:D:15:GLN:NE2	2.33	0.42
3:E:199:ILE:HD12	3:E:199:ILE:N	2.34	0.42
4:F:149:LYS:HG2	4:F:154:GLU:HA	2.00	0.42
10:A:459:SO4:O3	13:A:662:HOH:O	2.22	0.42
2:B:95:ASP:HA	2:B:403:VAL:O	2.20	0.42
1:C:285:MET:O	1:C:286:ALA:HB3	2.20	0.42
3:E:131:ALA:HB3	3:E:219:ARG:HG3	2.01	0.42
3:H:161:ASN:CB	3:H:164:SER:HB3	2.50	0.42
1:A:279:ARG:NH1	10:A:458:SO4:O2	2.52	0.42
3:H:204:ALA:HB1	3:H:211:LYS:HG2	2.01	0.42
1:A:303:ARG:CZ	1:A:335:ARG:HG3	2.50	0.41
1:A:421:LEU:CD2	1:A:437:VAL:HG22	2.50	0.41
2:B:17:LEU:HD13	2:B:57:PRO:HG2	2.02	0.41
2:D:108:GLU:HG2	2:D:391:ILE:HG22	2.02	0.41
1:C:46:SER:O	1:C:47:GLN:CB	2.68	0.41
1:C:3:LEU:O	1:C:5:PRO:HD3	2.20	0.41
3:H:99:PRO:HB2	3:H:102:ASP:O	2.20	0.41
4:L:112:ALA:HA	4:L:113:PRO:HD3	1.90	0.41
1:A:194:LEU:HD12	1:A:194:LEU:C	2.44	0.41
2:B:21:PRO:HA	2:B:93:ARG:NE	2.35	0.41
1:C:235:TRP:CZ2	1:C:270:LEU:HD11	2.55	0.41
1:C:390:LEU:HG	1:C:406:VAL:HG22	2.01	0.41
3:H:12:VAL:O	3:H:117:VAL:HA	2.20	0.41
3:H:144:LEU:HD13	3:H:216:ILE:HG21	2.02	0.41
3:H:183:LEU:HD23	3:H:184:SER:N	2.35	0.41
4:L:79:ASP:OD1	4:L:80:SER:N	2.47	0.41
1:A:271:ASP:C	1:A:271:ASP:OD2	2.63	0.41
1:A:282:GLY:HA2	1:A:289:PHE:CG	2.55	0.41
4:F:108:ARG:NH1	4:F:109:ALA:O	2.52	0.41
1:A:171:PHE:CG	1:A:186:PRO:HG3	2.56	0.41
2:B:375:LEU:HB2	2:B:378:GLU:OE1	2.21	0.41
3:E:128:TYR:CE1	4:F:124:GLN:HA	2.56	0.41
3:E:158:LEU:HD23	3:E:158:LEU:C	2.46	0.41
2:D:129[B]:TRP:CD1	13:D:740:HOH:O	2.74	0.41
4:L:4:MET:HE3	4:L:23:CYS:SG	2.60	0.41
2:D:249:THR:HG22	2:D:309:ALA:HB3	2.03	0.41
3:E:172:PHE:CD1	4:F:164:THR:HG23	2.56	0.41
3:E:173:PRO:HD3	4:F:164:THR:HG22	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:H:169:VAL:HG12	3:H:170:HIS:N	2.34	0.41
1:A:270:LEU:HD23	1:A:276:ARG:HA	2.01	0.41
2:D:232:CYS:O	2:D:236:ILE:HG12	2.21	0.41
3:H:204:ALA:CB	3:H:211:LYS:HG2	2.51	0.41
3:H:212:VAL:HG12	3:H:213:ASP:N	2.36	0.41
9:A:5000:RC2:H09	9:A:5000:RC2:H07	1.84	0.40
2:B:379:VAL:O	2:B:381:PRO:HD3	2.21	0.40
3:E:55:ASN:CG	3:E:57:TYR:HD2	2.30	0.40
3:E:151:TYR:CZ	3:E:181:TYR:CB	3.03	0.40
3:H:91:THR:HG23	3:H:116:THR:HA	2.03	0.40
1:A:122:ALA:O	1:A:123:GLU:CB	2.68	0.40
2:D:341:LEU:HD23	2:D:341:LEU:C	2.47	0.40
2:D:435:CYS:HB2	2:D:438:GLN:HG3	2.02	0.40
4:F:48:ILE:CD1	4:F:54:LEU:HD23	2.51	0.40
1:A:377:ALA:HB2	1:A:421:LEU:HD11	2.03	0.40
3:E:2:VAL:HG11	3:E:108:TYR:CD2	2.55	0.40
4:F:149:LYS:HB2	4:F:193:THR:HB	2.04	0.40
1:A:213:LEU:HD23	1:A:213:LEU:HA	1.97	0.40
2:B:3:ASN:ND2	2:B:5:CYS:SG	2.94	0.40
2:B:371:ASN:HB2	2:B:398:SER:HB3	2.03	0.40
1:C:181:LEU:O	1:C:197:GLN:HA	2.22	0.40
3:E:97:VAL:HA	3:E:108:TYR:O	2.21	0.40
3:E:128:TYR:CD1	4:F:124:GLN:HB2	2.57	0.40
2:B:218:ALA:N	2:B:219:PRO:HD2	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	457/457 (100%)	441 (96%)	15 (3%)	1 (0%)	43 66

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	453/457 (99%)	432 (95%)	20 (4%)	1 (0%)	43	66
2	B	466/472 (99%)	434 (93%)	30 (6%)	2 (0%)	30	51
2	D	470/472 (100%)	448 (95%)	21 (4%)	1 (0%)	43	66
3	E	210/221 (95%)	183 (87%)	26 (12%)	1 (0%)	24	46
3	H	212/221 (96%)	198 (93%)	14 (7%)	0	100	100
4	F	212/214 (99%)	190 (90%)	21 (10%)	1 (0%)	24	46
4	L	212/214 (99%)	200 (94%)	12 (6%)	0	100	100
All	All	2692/2728 (99%)	2526 (94%)	159 (6%)	7 (0%)	36	58

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	33	LEU
1	C	123	GLU
2	D	374	CYS
3	E	164	SER
1	A	123	GLU
2	B	375	LEU
4	F	212	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	367/364 (101%)	360 (98%)	7 (2%)	50	75
1	C	363/364 (100%)	357 (98%)	6 (2%)	53	78
2	B	414/417 (99%)	407 (98%)	7 (2%)	53	78
2	D	417/417 (100%)	414 (99%)	3 (1%)	76	89
3	E	186/190 (98%)	186 (100%)	0	100	100
3	H	187/190 (98%)	184 (98%)	3 (2%)	55	79
4	F	188/188 (100%)	188 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	L	188/188 (100%)	188 (100%)	0	100	100
All	All	2310/2318 (100%)	2284 (99%)	26 (1%)	65	84

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	23	LEU
1	A	166	TYR
1	A	195	LEU
1	A	267	VAL
1	A	270	LEU
1	A	272	SER
1	A	288	TYR
2	B	76	ASP
2	B	77	SER
2	B	202	ARG
2	B	262	LEU
2	B	411	GLU
2	B	417	LYS
2	B	462	CYS
1	C	2	ASN
1	C	15	ASN
1	C	23	LEU
1	C	61	GLU
1	C	166	TYR
1	C	288	TYR
2	D	215	ASN
2	D	303	ASN
2	D	365	GLU
3	H	67	LYS
3	H	197	GLN
3	H	213	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	78	ASN
1	A	85	GLN
1	A	197	GLN
1	A	338	HIS
2	B	141	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	301	GLN
2	B	305	ASN
2	B	444	ASN
2	B	446	HIS
1	C	197	GLN
1	C	388	GLN
2	D	15	GLN
2	D	82	GLN
2	D	342	GLN
2	D	438	GLN
3	E	202	ASN
4	L	124	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

13 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	NAG	G	1	5,2	14,14,15	0.54	0	17,19,21	0.67	0
5	NAG	G	2	5	14,14,15	0.65	0	17,19,21	0.78	0
5	BMA	G	3	5	11,11,12	0.67	0	15,15,17	0.56	0
5	MAN	G	4	5	11,11,12	0.60	0	15,15,17	0.79	0
5	MAN	G	5	5	11,11,12	0.53	0	15,15,17	0.85	1 (6%)
6	NAG	I	1	2,6	14,14,15	0.58	0	17,19,21	0.67	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	NAG	I	2	6	14,14,15	0.54	0	17,19,21	0.58	0
7	NAG	J	1	7,2	14,14,15	0.52	0	17,19,21	0.64	0
7	NAG	J	2	7	14,14,15	0.60	0	17,19,21	0.72	0
7	BMA	J	3	7	11,11,12	0.69	0	15,15,17	1.04	1 (6%)
7	MAN	J	4	7	11,11,12	0.62	0	15,15,17	0.70	0
6	NAG	K	1	2,6	14,14,15	0.62	0	17,19,21	0.95	0
6	NAG	K	2	6	14,14,15	0.52	0	17,19,21	0.59	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	G	1	5,2	-	0/6/23/26	0/1/1/1
5	NAG	G	2	5	-	0/6/23/26	0/1/1/1
5	BMA	G	3	5	-	0/2/19/22	0/1/1/1
5	MAN	G	4	5	-	0/2/19/22	0/1/1/1
5	MAN	G	5	5	-	2/2/19/22	0/1/1/1
6	NAG	I	1	2,6	-	0/6/23/26	0/1/1/1
6	NAG	I	2	6	-	1/6/23/26	0/1/1/1
7	NAG	J	1	7,2	-	2/6/23/26	0/1/1/1
7	NAG	J	2	7	-	2/6/23/26	0/1/1/1
7	BMA	J	3	7	-	0/2/19/22	0/1/1/1
7	MAN	J	4	7	-	0/2/19/22	0/1/1/1
6	NAG	K	1	2,6	-	0/6/23/26	0/1/1/1
6	NAG	K	2	6	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	J	3	BMA	C1-C2-C3	3.04	114.07	109.64
5	G	5	MAN	C1-O5-C5	2.47	115.50	112.19

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	J	2	NAG	O7-C7-N2-C2

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
7	J	2	NAG	C8-C7-N2-C2
5	G	5	MAN	O5-C5-C6-O6
5	G	5	MAN	C4-C5-C6-O6
7	J	1	NAG	C8-C7-N2-C2
6	I	2	NAG	O5-C5-C6-O6
7	J	1	NAG	O7-C7-N2-C2


There are no ring outliers.


1 monomer is involved in 1 short contact:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	K	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









5.6 Ligand geometry [i](#)

Of 23 ligands modelled in this entry, 15 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
10	SO4	A	459	-	4,4,4	0.22	0	6,6,6	0.07	0
11	NAG	D	3099	2	14,14,15	0.51	0	17,19,21	0.54	0
9	RC2	A	5000	-	29,30,30	0.80	1 (3%)	38,42,42	2.85	12 (31%)
10	SO4	A	460	-	4,4,4	0.25	0	6,6,6	0.14	0
10	SO4	A	458	-	4,4,4	0.23	0	6,6,6	0.09	0
10	SO4	L	215	-	4,4,4	0.23	0	6,6,6	0.09	0
11	NAG	B	3099	2	14,14,15	0.52	0	17,19,21	0.80	1 (5%)
9	RC2	C	5000	-	29,30,30	0.78	0	38,42,42	2.90	12 (31%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	NAG	D	3099	2	-	0/6/23/26	0/1/1/1
11	NAG	B	3099	2	-	0/6/23/26	0/1/1/1
9	RC2	C	5000	-	-	0/14/22/22	0/4/4/4
9	RC2	A	5000	-	-	0/14/22/22	0/4/4/4

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	A	5000	RC2	C16-N03	2.01	1.41	1.37

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	C	5000	RC2	C07-C16-N05	-9.82	116.25	122.86
9	A	5000	RC2	C07-C16-N05	-9.60	116.40	122.86
9	C	5000	RC2	C10-C08-N06	6.42	131.45	122.33
9	A	5000	RC2	N04-C03-N05	-6.03	120.50	125.80
9	C	5000	RC2	N04-C03-N05	-5.79	120.71	125.80
9	A	5000	RC2	C03-N05-C16	5.72	125.22	114.33
9	C	5000	RC2	C03-N05-C16	5.67	125.14	114.33
9	A	5000	RC2	C10-C08-N06	5.30	129.86	122.33
9	C	5000	RC2	C10-C08-S	-5.09	111.81	122.09
9	C	5000	RC2	C07-C04-N04	4.10	118.55	111.77
9	A	5000	RC2	C10-C08-S	-4.06	113.89	122.09
9	A	5000	RC2	C08-N06-N04	3.96	112.71	108.11
9	A	5000	RC2	C07-C04-N04	3.94	118.29	111.77
9	A	5000	RC2	C09-N03-C05	3.43	119.68	112.68
9	C	5000	RC2	C08-N06-N04	3.39	112.05	108.11
9	A	5000	RC2	S-C03-N04	3.13	112.61	109.45
9	C	5000	RC2	C09-N03-C05	3.10	119.00	112.68
9	C	5000	RC2	S-C03-N04	3.01	112.49	109.45
9	A	5000	RC2	C11-C10-C08	2.49	124.53	120.75
11	B	3099	NAG	C1-O5-C5	2.42	115.43	112.19
9	A	5000	RC2	S-C03-N05	2.23	126.90	122.30
9	C	5000	RC2	S-C03-N05	2.19	126.81	122.30
9	C	5000	RC2	C04-N04-N06	2.18	127.93	123.58
9	C	5000	RC2	C12-C-N01	-2.09	110.76	114.32
9	A	5000	RC2	C04-N04-N06	2.06	127.69	123.58

There are no chirality outliers.


There are no torsion outliers.


There are no ring outliers.

6 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	A	459	SO4	1	0
9	A	5000	RC2	3	0
10	A	458	SO4	2	0
10	L	215	SO4	1	0
11	B	3099	NAG	1	0
9	C	5000	RC2	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	454/457 (99%)	-0.82	4 (0%) 81 78	12, 29, 56, 122	5 (1%)
1	C	453/457 (99%)	-0.46	4 (0%) 81 78	23, 44, 75, 107	2 (0%)
2	B	466/472 (98%)	-0.10	20 (4%) 40 34	14, 53, 129, 195	3 (0%)
2	D	471/472 (99%)	-0.00	14 (2%) 52 47	22, 59, 115, 165	2 (0%)
3	E	214/221 (96%)	1.37	55 (25%) 1 1	54, 113, 181, 205	0
3	H	216/221 (97%)	0.45	11 (5%) 33 28	31, 82, 140, 152	0
4	F	214/214 (100%)	0.93	35 (16%) 4 3	56, 106, 173, 210	1 (0%)
4	L	214/214 (100%)	0.10	3 (1%) 73 69	39, 69, 101, 163	1 (0%)
All	All	2702/2728 (99%)	-0.01	146 (5%) 31 26	12, 57, 145, 210	14 (0%)

All (146) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	E	165	LEU	5.4
3	E	133	VAL	4.9
3	E	147	LEU	4.5
3	E	144	LEU	4.5
1	C	1	LEU	4.4
2	B	36	PRO	4.3
3	E	216	ILE	4.3
3	E	130	LEU	4.3
2	B	33	LEU	4.2
4	F	125	LEU	4.2
3	E	128	TYR	4.0
4	F	126	THR	3.9
3	E	212	VAL	3.9
3	E	145	GLY	3.7
4	F	130	ALA	3.6
3	E	176	LEU	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	375	LEU	3.6
3	H	168	GLY	3.6
3	E	132	PRO	3.6
4	F	122	SER	3.6
3	E	215	LYS	3.5
4	F	115	VAL	3.4
3	E	131	ALA	3.4
3	E	129	PRO	3.4
4	F	181	LEU	3.3
2	D	77	SER	3.3
4	F	197	THR	3.2
2	D	404	ARG	3.2
4	F	179	LEU	3.2
3	E	146	CYS	3.1
3	E	183	LEU	3.0
4	F	136	LEU	3.0
3	E	127	VAL	3.0
3	E	160	TRP	3.0
4	F	142	LYS	3.0
4	F	186	TYR	3.0
3	H	177	GLN	2.9
2	D	9	GLY	2.9
3	E	219	ARG	2.9
2	D	450	ASN	2.9
3	E	199	ILE	2.9
4	F	117	ILE	2.9
3	E	195	PRO	2.9
2	B	466	TRP	2.9
3	E	201	CYS	2.9
4	F	182	THR	2.9
3	E	159	THR	2.8
3	E	190	THR	2.8
1	A	454	VAL	2.8
3	E	214	LYS	2.8
4	F	190	ASN	2.8
3	E	194	TRP	2.8
4	F	116	SER	2.8
2	B	375	LEU	2.8
4	F	152	GLY	2.7
3	E	121	LYS	2.7
2	D	129[A]	TRP	2.7
3	E	192	SER	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	339	ALA	2.7
4	F	119	PRO	2.7
2	D	181	LYS	2.7
2	D	471	CYS	2.7
3	E	169	VAL	2.7
3	E	187	VAL	2.7
2	B	34	GLY	2.7
3	E	189	VAL	2.7
4	F	132	VAL	2.7
3	E	198	SER	2.6
3	E	134	CYS	2.6
2	B	234	GLU	2.6
1	A	337	PRO	2.6
2	D	2	PRO	2.6
4	F	129	GLY	2.6
2	B	10	VAL	2.6
3	E	164	SER	2.5
3	H	167	SER	2.5
4	F	169	LYS	2.5
3	E	142	VAL	2.5
3	E	143	THR	2.5
3	E	200	THR	2.5
3	E	207	ALA	2.5
4	F	205	ILE	2.5
4	F	134	CYS	2.4
3	H	133	VAL	2.4
2	B	446	HIS	2.4
2	B	78	SER	2.4
4	F	133	VAL	2.4
4	F	159	VAL	2.4
3	E	180	LEU	2.4
3	E	163	GLY	2.4
3	H	142	VAL	2.3
3	E	174	ALA	2.3
4	F	118	PHE	2.3
2	B	11	SER	2.3
4	F	214	CYS	2.3
2	D	387	MET	2.3
3	E	161	ASN	2.3
3	E	11	LEU	2.3
3	E	188	THR	2.3
3	H	138	THR	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	77	SER	2.3
4	L	143	ASP	2.3
4	F	160	LEU	2.3
3	E	182	THR	2.2
2	B	2	PRO	2.2
4	F	177	SER	2.2
3	H	134	CYS	2.2
4	L	212	ASN	2.2
4	F	212	ASN	2.2
2	D	33	LEU	2.2
3	E	158	LEU	2.2
3	E	167	SER	2.2
1	C	453	VAL	2.2
4	F	178	THR	2.2
4	F	180	THR	2.2
2	B	462	CYS	2.2
3	E	206	PRO	2.2
1	C	340	LEU	2.2
4	F	146	VAL	2.2
1	C	339	ALA	2.1
2	B	463	GLY	2.1
2	D	234	GLU	2.1
4	L	169	LYS	2.1
3	E	140	SER	2.1
4	F	153	SER	2.1
2	B	52	GLU	2.1
3	H	1	GLU	2.1
2	B	404	ARG	2.1
2	D	466	TRP	2.1
1	A	45	PRO	2.1
3	H	189	VAL	2.1
4	F	144	ILE	2.1
3	E	184	SER	2.1
3	H	178	SER	2.1
4	F	174	SER	2.1
2	B	456	GLU	2.1
3	E	157	THR	2.1
2	B	44	LEU	2.1
2	D	75	GLY	2.1
2	B	4	ILE	2.1
3	E	162	SER	2.0
3	E	204	ALA	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	E	217	GLU	2.0
2	B	433	CYS	2.0
3	H	212	VAL	2.0
3	E	65	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	NAG	G	1	14/15	-	-	24,40,58,63	0
5	NAG	G	2	14/15	-	-	62,79,91,108	0
5	BMA	G	3	11/12	-	-	96,133,156,157	0
5	MAN	G	4	11/12	-	-	98,114,138,141	0
5	MAN	G	5	11/12	-	-	113,116,119,124	0
7	NAG	J	2	14/15	0.78	0.13	61,93,108,125	0
6	NAG	K	2	14/15	0.81	0.15	109,137,144,147	0
6	NAG	I	2	14/15	0.87	0.13	112,120,132,135	0
7	NAG	J	1	14/15	0.91	0.12	35,51,68,72	0
6	NAG	K	1	14/15	0.96	0.08	71,107,127,130	0
6	NAG	I	1	14/15	0.96	0.07	82,102,113,119	0
7	BMA	J	3	11/12	-	-	126,132,141,144	0
7	MAN	J	4	11/12	-	-	122,136,141,141	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain I:


$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain K:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
11	NAG	B	3099	14/15	0.79	0.13	96,117,124,132	0
11	NAG	D	3099	14/15	0.79	0.15	87,100,110,111	0
10	SO4	L	215	5/5	0.87	0.16	40,62,67,69	5
10	SO4	A	458	5/5	0.89	0.19	31,55,67,82	5
10	SO4	A	459	5/5	0.93	0.11	74,78,85,93	0
10	SO4	A	460	5/5	0.95	0.15	37,39,52,65	5
9	RC2	C	5000	27/27	0.95	0.08	26,44,60,61	0
12	CL	C	458	1/1	0.96	0.08	74,74,74,74	0
9	RC2	A	5000	27/27	0.97	0.06	15,34,50,62	0
8	CA	C	2004	1/1	0.98	0.04	67,67,67,67	0
8	CA	C	2005	1/1	0.99	0.03	48,48,48,48	0
8	CA	C	2006	1/1	0.99	0.03	45,45,45,45	0


Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
8	CA	C	2007	1/1	0.99	0.03	44,44,44,44	0
8	CA	A	2005	1/1	0.99	0.02	33,33,33,33	0
8	CA	A	2007	1/1	0.99	0.02	27,27,27,27	0
12	CL	B	473	1/1	0.99	0.03	30,30,30,30	0
8	CA	A	2004	1/1	0.99	0.03	33,33,33,33	0
12	CL	D	473	1/1	0.99	0.06	42,42,42,42	0
8	CA	B	2003	1/1	1.00	0.06	24,24,24,24	0
8	CA	A	2006	1/1	1.00	0.02	24,24,24,24	0
8	CA	D	2002	1/1	1.00	0.02	42,42,42,42	0
8	CA	D	2003	1/1	1.00	0.02	33,33,33,33	0
8	CA	B	2002	1/1	1.00	0.02	30,30,30,30	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.