



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 02:34 PM UTC

PDB ID : 3T3R / pdb_00003t3r
Title : Human Cytochrome P450 2A6 in complex with Pilocarpine
Authors : DeVore, N.M.; Scott, E.E.
Deposited on : 2011-07-25
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	476	4% 79% 16% ..
1	B	476	81% 15% ..
1	C	476	82% 14% ..
1	D	476	4% 79% 16% ..

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 15489 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome P450 2A6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	463	Total	C	N	O	S	6	2	0
			3761	2415	651	677	18			
1	B	463	Total	C	N	O	S	0	1	0
			3755	2411	650	676	18			
1	C	463	Total	C	N	O	S	0	3	0
			3767	2419	652	678	18			
1	D	464	Total	C	N	O	S	0	0	0
			3757	2412	650	677	18			

There are 44 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	23	MET	-	expression tag	UNP P11509
A	24	ALA	-	expression tag	UNP P11509
A	25	LYS	-	expression tag	UNP P11509
A	26	LYS	-	expression tag	UNP P11509
A	27	THR	-	expression tag	UNP P11509
A	28	SER	-	expression tag	UNP P11509
A	392	TYR	PHE	SEE REMARK 999	UNP P11509
A	495	HIS	-	expression tag	UNP P11509
A	496	HIS	-	expression tag	UNP P11509
A	497	HIS	-	expression tag	UNP P11509
A	498	HIS	-	expression tag	UNP P11509
B	23	MET	-	expression tag	UNP P11509
B	24	ALA	-	expression tag	UNP P11509
B	25	LYS	-	expression tag	UNP P11509
B	26	LYS	-	expression tag	UNP P11509
B	27	THR	-	expression tag	UNP P11509
B	28	SER	-	expression tag	UNP P11509
B	392	TYR	PHE	SEE REMARK 999	UNP P11509
B	495	HIS	-	expression tag	UNP P11509
B	496	HIS	-	expression tag	UNP P11509
B	497	HIS	-	expression tag	UNP P11509


Continued on next page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	498	HIS	-	expression tag	UNP P11509
C	23	MET	-	expression tag	UNP P11509
C	24	ALA	-	expression tag	UNP P11509
C	25	LYS	-	expression tag	UNP P11509
C	26	LYS	-	expression tag	UNP P11509
C	27	THR	-	expression tag	UNP P11509
C	28	SER	-	expression tag	UNP P11509
C	392	TYR	PHE	SEE REMARK 999	UNP P11509
C	495	HIS	-	expression tag	UNP P11509
C	496	HIS	-	expression tag	UNP P11509
C	497	HIS	-	expression tag	UNP P11509
C	498	HIS	-	expression tag	UNP P11509
D	23	MET	-	expression tag	UNP P11509
D	24	ALA	-	expression tag	UNP P11509
D	25	LYS	-	expression tag	UNP P11509
D	26	LYS	-	expression tag	UNP P11509
D	27	THR	-	expression tag	UNP P11509
D	28	SER	-	expression tag	UNP P11509
D	392	TYR	PHE	SEE REMARK 999	UNP P11509
D	495	HIS	-	expression tag	UNP P11509
D	496	HIS	-	expression tag	UNP P11509
D	497	HIS	-	expression tag	UNP P11509
D	498	HIS	-	expression tag	UNP P11509

- # HEM

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	
			43	34	1	4	4	
2	B	1	Total	C	Fe	N	O	
			43	34	1	4	4	
2	C	1	Total	C	Fe	N	O	
			43	34	1	4	4	
2	D	1	Total	C	Fe	N	O	
			43	34	1	4	4	

- Molecule 3 is (3S,4R)-3-ethyl-4-[(1-methyl-1H-imidazol-5-yl)methyl]dihydrofuran-2(3H)-one (CCD ID: 9PL) (formula: C₁₁H₁₆N₂O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O		
			15	11	2	2		
3	B	1	Total	C	N	O		
			15	11	2	2		
3	C	1	Total	C	N	O		
			15	11	2	2		
3	D	1	Total	C	N	O		
			15	11	2	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	57	Total	O		
			57	57	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	56	Total 56	O 56	0	0
4	C	66	Total 66	O 66	0	0
4	D	38	Total 38	O 38	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Cytochrome P450 2A6



• Molecule 1: Cytochrome P450 2A6





• Molecule 1: Cytochrome P450 2A6





● Molecule 1: Cytochrome P450 2A6



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	70.34Å 158.00Å 104.45Å 90.00° 92.10° 90.00°	Depositor
Resolution (Å)	79.00 – 2.40 79.00 – 2.40	Depositor EDS
% Data completeness (in resolution range)	96.3 (79.00-2.40) 96.3 (79.00-2.40)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.11 (at 2.40Å)	Xtriage
Refinement program	REFMAC 5.5.0072	Depositor
R, R_{free}	0.199 , 0.260 0.203 , 0.252	Depositor DCC
R_{free} test set	4277 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	34.5	Xtriage
Anisotropy	0.106	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 31.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.027 for h,-k,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	15489	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.53% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 9PL, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.67	0/3858	0.97	3/5196 (0.1%)
1	B	0.68	0/3849	0.96	1/5184 (0.0%)
1	C	0.68	0/3867	0.97	3/5208 (0.1%)
1	D	0.65	0/3849	0.97	5/5185 (0.1%)
All	All	0.67	0/15423	0.97	12/20773 (0.1%)

There are no bond length outliers.

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	66	GLY	CA-C-N	6.08	126.60	120.04
1	C	66	GLY	C-N-CA	6.08	126.60	120.04
1	A	492	LEU	CA-C-N	6.04	126.38	119.92
1	A	492	LEU	C-N-CA	6.04	126.38	119.92
1	B	116	VAL	N-CA-C	5.75	116.48	110.62
1	A	116	VAL	N-CA-C	5.64	116.29	110.36
1	C	304	GLU	N-CA-C	5.41	117.26	111.36
1	D	232	GLY	CA-C-N	5.36	125.69	119.47
1	D	232	GLY	C-N-CA	5.36	125.69	119.47
1	D	304	GLU	N-CA-C	5.31	116.87	111.14
1	D	227	MET	N-CA-C	5.24	116.99	111.28
1	D	54	MET	N-CA-C	5.02	116.75	111.28

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3761	0	3752	63	0
1	B	3755	0	3744	56	0
1	C	3767	0	3760	54	0
1	D	3757	0	3738	60	0
2	A	43	0	30	4	0
2	B	43	0	30	2	0
2	C	43	0	30	6	0
2	D	43	0	30	4	0
3	A	15	0	16	2	0
3	B	15	0	16	0	0
3	C	15	0	16	4	0
3	D	15	0	16	4	0
4	A	57	0	0	2	0
4	B	56	0	0	2	0
4	C	66	0	0	1	0
4	D	38	0	0	2	0
All	All	15489	0	15178	237	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (237) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:318:MET:HE1	1:D:489:MET:HB2	1.18	1.15
1:C:318:MET:CE	1:C:489:MET:HE3	1.78	1.13
1:A:318:MET:HE1	1:A:489:MET:HB2	1.22	1.11
1:D:208:ILE:HD11	1:D:240:LEU:HB2	1.34	1.08
1:A:318:MET:HE3	1:A:489:MET:HE3	1.39	1.04
1:B:450:PHE:O	1:B:454:THR:HG23	1.59	1.03
1:C:318:MET:HE1	1:C:489:MET:HE3	1.35	1.02
1:B:318:MET:CE	1:B:489:MET:HE3	1.89	1.01
1:B:318:MET:HE3	1:B:489:MET:HE3	1.44	0.99
1:B:148[B]:ARG:HA	1:B:148[B]:ARG:HH11	1.27	0.95
1:A:64[A]:ARG:HH11	1:A:64[A]:ARG:CG	1.80	0.94

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:318:MET:HE3	1:B:462:LEU:HB3	1.47	0.94
1:C:161:ARG:HG2	1:C:161:ARG:HH11	1.30	0.93
1:A:254:HIS:O	1:A:258:THR:HG22	1.70	0.92
1:B:318:MET:HE1	1:B:489:MET:HB2	1.49	0.92
1:A:318:MET:CE	1:A:489:MET:HE3	2.02	0.88
1:C:204:MET:O	1:C:208:ILE:HG12	1.74	0.88
1:A:64[A]:ARG:HH11	1:A:64[A]:ARG:HG2	1.40	0.86
1:A:77:ARG:HG2	1:A:77:ARG:HH11	1.39	0.86
1:C:318:MET:HE3	1:C:489:MET:HE3	1.59	0.83
1:C:352:MET:HE3	1:C:454:THR:HG22	1.61	0.82
1:D:318:MET:HE3	1:D:489:MET:HE3	1.62	0.82
1:C:318:MET:HE3	1:C:462:LEU:HB3	1.62	0.81
1:B:205:MET:HE2	1:B:300:ILE:HA	1.61	0.80
1:A:236:GLN:HG2	4:A:545:HOH:O	1.82	0.79
1:D:172:PHE:CE2	1:D:176:ARG:HD3	2.18	0.79
1:C:318:MET:CE	1:C:462:LEU:HB3	2.13	0.78
1:B:254:HIS:O	1:B:258:THR:HG22	1.83	0.78
1:B:318:MET:HE1	1:B:489:MET:HE3	1.67	0.76
1:C:318:MET:HE1	1:C:489:MET:HB2	1.69	0.74
1:D:318:MET:CE	1:D:489:MET:HE3	2.16	0.74
1:B:148[B]:ARG:HH11	1:B:148[B]:ARG:CA	1.99	0.74
1:A:148:ARG:HD3	1:A:184:SER:OG	1.88	0.74
1:B:148[B]:ARG:HA	1:B:148[B]:ARG:NH1	2.03	0.73
1:D:64:ARG:CG	1:D:64:ARG:HH11	2.04	0.71
1:D:208:ILE:CD1	1:D:240:LEU:HB2	2.17	0.71
1:B:204:MET:O	1:B:208:ILE:HG12	1.90	0.71
1:D:74:GLY:H	1:D:222:MET:HE2	1.56	0.70
2:C:500:HEM:HBB2	2:C:500:HEM:HMB2	1.74	0.68
1:D:172:PHE:CZ	1:D:176:ARG:HD3	2.29	0.68
1:A:412:ASN:OD1	1:A:414:GLN:HB2	1.93	0.68
1:B:101:ARG:HD2	1:B:117:VAL:O	1.94	0.68
1:A:352:MET:HE3	1:A:454:THR:HG22	1.76	0.67
1:C:208:ILE:HD11	1:C:240:LEU:HB2	1.76	0.66
1:A:77:ARG:HH11	1:A:77:ARG:CG	2.07	0.66
1:B:60:LYS:HE2	4:B:552:HOH:O	1.95	0.66
1:B:418:ASN:HB3	1:B:420:LYS:H	1.61	0.65
1:C:318:MET:CE	1:C:489:MET:CE	2.68	0.65
1:A:208:ILE:CD1	1:A:240:LEU:HB2	2.27	0.65
1:C:302:GLY:HA2	2:C:500:HEM:HMC2	1.80	0.64
1:A:101:ARG:HD2	1:A:117:VAL:O	1.96	0.63
1:C:462:LEU:HD22	1:C:489:MET:HE1	1.79	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:324:GLU:HG3	1:A:457:MET:HE1	1.81	0.63
1:B:208:ILE:HD12	1:B:241:LEU:HG	1.81	0.63
1:A:204:MET:O	1:A:208:ILE:HG12	1.99	0.62
2:B:500:HEM:HBB2	2:B:500:HEM:HMB1	1.81	0.62
1:D:57:SER:O	1:D:61:ILE:HG23	2.00	0.62
1:A:64[A]:ARG:HH11	1:A:64[A]:ARG:HG3	1.64	0.61
1:C:433:SER:HB3	2:C:500:HEM:HBA1	1.81	0.61
1:C:32:LYS:HB3	1:C:384:PHE:HB3	1.82	0.61
1:C:358:GLU:HG3	1:C:411:PHE:CE1	2.36	0.61
1:D:433:SER:HB3	2:D:500:HEM:HBA1	1.81	0.61
1:C:318:MET:HE3	1:C:489:MET:CE	2.28	0.61
1:C:418:ASN:HD22	1:C:422:GLN:HB2	1.66	0.60
1:B:258:THR:HG23	1:B:265:ARG:HH22	1.65	0.60
1:D:61:ILE:HD11	1:D:69:PHE:CD1	2.36	0.60
1:A:107:PHE:CD1	3:A:501:9PL:H14A	2.37	0.59
1:B:148[B]:ARG:HH12	1:B:151:GLU:HB3	1.65	0.59
1:A:453:PHE:O	1:A:457:MET:HG2	2.02	0.59
1:B:318:MET:CE	1:B:462:LEU:HB3	2.26	0.59
1:D:318:MET:HE1	1:D:489:MET:CB	2.12	0.59
1:A:76:ARG:NH2	1:A:103:GLU:HG2	2.17	0.59
1:C:148:ARG:HD3	1:C:184:SER:CB	2.32	0.58
1:C:208:ILE:CD1	1:C:240:LEU:HB2	2.32	0.58
1:A:64[A]:ARG:HG2	1:A:64[A]:ARG:NH1	2.14	0.58
1:C:161:ARG:HH11	1:C:161:ARG:CG	2.10	0.58
1:D:305:THR:OG1	3:D:501:9PL:H2	2.04	0.57
1:D:33:LEU:HD12	1:D:384:PHE:O	2.05	0.57
1:B:352:MET:HE3	1:B:454:THR:HB	1.86	0.57
1:A:463:LYS:HG2	4:D:508:HOH:O	2.04	0.57
1:A:461:ARG:NH1	1:A:493:PRO:O	2.38	0.56
1:A:468:PRO:HA	1:A:471:ILE:HD12	1.88	0.56
1:B:101:ARG:CD	1:B:117:VAL:O	2.52	0.56
1:D:248:ILE:HD12	1:D:295:THR:HG22	1.86	0.56
1:D:239:GLN:NE2	4:D:518:HOH:O	2.38	0.56
1:A:77:ARG:HG2	1:A:77:ARG:NH1	2.14	0.56
1:B:305:THR:HG21	1:B:366:ILE:HD11	1.86	0.56
1:C:161:ARG:HG2	1:C:161:ARG:NH1	2.10	0.55
1:C:101:ARG:CD	1:C:117:VAL:O	2.55	0.55
1:C:302:GLY:HA2	2:C:500:HEM:CMC	2.36	0.55
1:A:361:ARG:HA	1:A:399:LEU:HD22	1.89	0.55
1:B:60:LYS:CE	4:B:552:HOH:O	2.55	0.55
1:A:375:LYS:HD2	4:A:527:HOH:O	2.07	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:305:THR:CG2	1:B:366:ILE:HD11	2.37	0.54
1:A:101:ARG:CD	1:A:117:VAL:O	2.55	0.54
1:C:463:LYS:HB3	1:C:490:SER:HB2	1.89	0.54
1:A:418:ASN:HB3	1:A:420:LYS:H	1.72	0.54
1:B:163:THR:HG21	1:B:168:ILE:HD13	1.89	0.54
1:D:64:ARG:HH11	1:D:64:ARG:HG2	1.73	0.53
1:D:318:MET:HE3	1:D:462:LEU:HB3	1.89	0.53
1:B:354:ALA:HB2	1:B:417:LEU:HD13	1.90	0.53
1:D:254:HIS:O	1:D:258:THR:HG22	2.08	0.53
1:C:450:PHE:O	1:C:454:THR:HG23	2.09	0.53
1:D:305:THR:HG1	3:D:501:9PL:H2	1.74	0.53
1:B:420:LYS:NZ	1:D:125:LYS:HE3	2.23	0.53
1:B:453:PHE:O	1:B:457:MET:HG2	2.09	0.53
1:C:318:MET:HE1	1:C:489:MET:CE	2.25	0.53
1:D:252:VAL:O	1:D:256:GLN:HG2	2.09	0.53
1:A:439:CYS:HB2	2:A:500:HEM:NA	2.23	0.53
1:B:442:GLU:O	1:B:446:ARG:HG2	2.10	0.52
1:D:182:ILE:HA	1:D:185:ILE:HD12	1.92	0.52
1:A:208:ILE:HD11	1:A:240:LEU:HB2	1.91	0.52
1:A:257:ARG:CG	1:A:257:ARG:HH11	2.23	0.51
1:A:418:ASN:HB2	1:A:422:GLN:H	1.74	0.51
1:D:301:GLY:HA2	3:D:501:9PL:H6A	1.92	0.51
3:C:501:9PL:C7	3:C:501:9PL:H14B	2.41	0.51
1:B:409:GLN:CD	1:B:409:GLN:H	2.19	0.50
2:C:500:HEM:HBB2	2:C:500:HEM:CMB	2.41	0.50
1:D:182:ILE:HD13	2:D:500:HEM:HBC1	1.94	0.50
1:A:358:GLU:HG3	1:A:411:PHE:CE1	2.47	0.50
1:C:175:SER:HB3	1:C:307:SER:OG	2.12	0.50
1:B:450:PHE:O	1:B:454:THR:CG2	2.47	0.50
1:C:148:ARG:HD3	1:C:184:SER:HB3	1.94	0.50
1:D:305:THR:CG2	1:D:366:ILE:HD11	2.42	0.50
1:A:258:THR:HG23	1:A:265:ARG:HH22	1.77	0.49
1:C:271:PHE:HB3	1:C:291:LEU:HD13	1.93	0.49
1:A:332:ASP:OD1	1:A:337:LYS:HE3	2.12	0.49
1:D:305:THR:HG21	1:D:366:ILE:HD11	1.95	0.49
1:B:89:GLU:O	1:B:93:ASP:HB2	2.13	0.49
1:C:305:THR:HG23	3:C:501:9PL:H6A	1.94	0.49
1:C:343:PHE:CE1	1:C:447:MET:HA	2.48	0.49
1:A:208:ILE:HD13	1:A:240:LEU:HB2	1.94	0.48
1:C:318:MET:HE2	1:C:462:LEU:HB3	1.90	0.48
1:B:420:LYS:HZ1	1:D:125:LYS:HE3	1.78	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:208:ILE:HD11	1:C:240:LEU:CB	2.42	0.48
1:D:64:ARG:CG	1:D:64:ARG:NH1	2.70	0.48
1:D:101:ARG:HD2	1:D:117:VAL:O	2.14	0.48
1:D:179:SER:HB2	1:D:303:THR:HG23	1.96	0.48
1:B:344:GLU:HB2	1:D:280:LYS:HD3	1.95	0.48
1:A:174:LEU:HD11	1:A:314:PHE:HE1	1.79	0.48
1:A:302:GLY:HA2	2:A:500:HEM:HMC2	1.95	0.48
1:A:324:GLU:HG2	1:A:328:HIS:CE1	2.49	0.48
1:C:253:GLU:HA	1:C:256:GLN:HE21	1.78	0.48
1:D:311:ARG:NH1	1:D:484:PRO:HG2	2.29	0.48
1:A:101:ARG:NH2	2:A:500:HEM:O2A	2.40	0.48
1:A:107:PHE:CG	3:A:501:9PL:H14A	2.49	0.47
1:C:153:ALA:O	1:C:157:ILE:HG12	2.13	0.47
1:B:318:MET:HE3	1:B:489:MET:CE	2.30	0.47
1:D:271:PHE:CE2	1:D:291:LEU:HB2	2.50	0.47
1:B:209:PHE:CD1	1:B:304:GLU:HG2	2.49	0.47
1:B:32:LYS:O	1:B:384:PHE:N	2.32	0.47
1:C:244:LEU:HB3	1:C:296:LEU:HD11	1.95	0.47
1:D:64:ARG:HG2	1:D:64:ARG:NH1	2.30	0.47
1:D:126:GLN:HG3	1:D:286:PHE:CE2	2.49	0.47
1:D:33:LEU:HD11	1:D:386:PRO:HD3	1.97	0.47
1:B:257:ARG:O	1:B:257:ARG:HG2	2.15	0.47
1:D:84:HIS:CE1	1:D:88:ARG:HE	2.31	0.47
1:D:318:MET:HE2	1:D:463:LYS:C	2.40	0.46
1:A:64[A]:ARG:CG	1:A:64[A]:ARG:NH1	2.52	0.46
1:B:148[B]:ARG:HH21	1:B:190:ARG:HD2	1.79	0.46
1:B:414:GLN:HA	1:B:417:LEU:HB2	1.97	0.46
1:B:117:VAL:HG22	2:B:500:HEM:HAD1	1.98	0.46
1:D:64:ARG:HH11	1:D:64:ARG:HG3	1.76	0.46
1:C:208:ILE:HD12	1:C:241:LEU:HG	1.98	0.46
1:C:182:ILE:O	1:C:186:VAL:HG22	2.17	0.45
1:D:101:ARG:CD	1:D:117:VAL:O	2.64	0.45
1:C:209:PHE:CD1	1:C:304:GLU:HG2	2.50	0.45
1:D:208:ILE:HD11	1:D:240:LEU:CB	2.24	0.45
1:A:163:THR:HB	1:A:166:ALA:HB3	1.98	0.45
1:A:271:PHE:CD2	1:A:291:LEU:HB2	2.52	0.45
1:C:358:GLU:HG3	1:C:411:PHE:CD1	2.51	0.45
2:D:500:HEM:HBC2	2:D:500:HEM:HMC2	1.98	0.45
1:A:173:PHE:HA	1:A:176:ARG:HH21	1.81	0.45
1:A:318:MET:HE3	1:A:462:LEU:HB3	1.98	0.45
1:A:54:MET:HG3	1:A:218:GLN:OE1	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:342:LYS:HG3	1:B:344:GLU:HG2	1.99	0.45
1:D:62:SER:HB3	1:D:69:PHE:CE2	2.51	0.45
1:A:450:PHE:O	1:A:454:THR:HG23	2.17	0.44
1:D:305:THR:HG22	1:D:365:VAL:HG11	1.99	0.44
1:C:254:HIS:O	1:C:258:THR:HG22	2.17	0.44
1:D:306:VAL:HG23	2:D:500:HEM:HAB	1.99	0.44
1:B:64:ARG:HH11	1:B:64:ARG:CG	2.30	0.44
1:C:59:MET:HE1	1:C:82:CYS:SG	2.57	0.44
1:C:101:ARG:HD2	1:C:117:VAL:O	2.17	0.44
1:B:172:PHE:O	1:B:176:ARG:HG3	2.17	0.44
1:D:271:PHE:CG	1:D:291:LEU:HD13	2.53	0.44
1:B:152:GLU:HG3	1:B:177:THR:HG23	1.99	0.44
1:A:191:PHE:HZ	1:A:247:PHE:HZ	1.64	0.44
1:A:257:ARG:HH11	1:A:257:ARG:HG2	1.82	0.44
1:B:109:TRP:CH2	1:B:238:PHE:HB3	2.53	0.44
1:C:54:MET:HG3	1:C:218:GLN:OE1	2.18	0.44
1:D:32:LYS:HB3	1:D:384:PHE:HB3	1.99	0.43
1:D:391:VAL:O	1:D:393:PRO:HD3	2.17	0.43
1:B:46:TYR:HA	1:B:222:MET:HE1	2.01	0.43
1:C:107:PHE:CE1	3:C:501:9PL:H14A	2.53	0.43
1:C:433:SER:CB	2:C:500:HEM:HBA1	2.46	0.43
1:A:126:GLN:HG3	1:A:286:PHE:HE2	1.84	0.43
1:B:468:PRO:HA	1:B:471:ILE:HD12	2.00	0.43
1:C:476:LYS:HD3	4:C:508:HOH:O	2.18	0.43
1:C:280:LYS:HA	1:C:280:LYS:HD2	1.83	0.43
1:C:343:PHE:O	1:C:346:ARG:HB3	2.19	0.43
1:B:50:ASN:OD1	1:B:50:ASN:C	2.62	0.43
1:D:135:LEU:HG	1:D:140:VAL:HG21	2.00	0.43
1:D:467:SER:O	1:D:468:PRO:C	2.61	0.42
1:C:332:ASP:OD2	1:C:494:ARG:NH2	2.53	0.42
1:D:327:VAL:O	1:D:331:ILE:HG13	2.19	0.42
3:C:501:9PL:H14B	3:C:501:9PL:H7A	2.02	0.42
1:D:368:MET:HG2	1:D:394:MET:SD	2.60	0.42
1:D:352:MET:HG2	1:D:454:THR:HG22	2.01	0.42
1:A:205:MET:HE3	1:A:299:PHE:CE2	2.54	0.42
1:D:301:GLY:HA2	3:D:501:9PL:C6	2.49	0.42
1:B:101:ARG:HG2	1:B:118:PHE:HA	2.02	0.42
1:B:315:LEU:HD13	1:B:487:TYR:CD2	2.55	0.42
1:C:101:ARG:HD3	1:C:117:VAL:O	2.20	0.41
1:A:358:GLU:HG3	1:A:411:PHE:CD1	2.55	0.41
2:A:500:HEM:HBB2	2:A:500:HEM:HMB1	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:205:MET:CE	1:A:299:PHE:CE2	3.04	0.41
1:A:208:ILE:HD11	1:A:240:LEU:CB	2.50	0.41
1:A:186:VAL:HA	1:A:267:PHE:HB3	2.02	0.41
1:C:326:LYS:HD2	1:C:351:TYR:CZ	2.56	0.41
1:D:148:ARG:HE	1:D:148:ARG:HB2	1.61	0.41
1:A:126:GLN:HG3	1:A:286:PHE:CE2	2.56	0.41
1:B:76:ARG:CZ	1:B:103:GLU:HG3	2.51	0.41
1:B:153:ALA:O	1:B:157:ILE:HG12	2.20	0.41
1:B:103:GLU:HG2	1:B:390:GLU:OE2	2.21	0.41
1:A:318:MET:HE2	1:A:463:LYS:N	2.36	0.41
1:A:432:PHE:HB3	1:A:439:CYS:HB3	2.03	0.41
1:B:181:VAL:O	1:B:184:SER:HB2	2.21	0.41
1:A:318:MET:HE1	1:A:489:MET:HE3	1.96	0.41
1:D:172:PHE:O	1:D:176:ARG:CG	2.69	0.41
1:D:356:ILE:HG12	1:D:453:PHE:CD1	2.55	0.41
1:B:258:THR:HG23	1:B:265:ARG:HH12	1.87	0.40
1:A:208:ILE:HD12	1:A:241:LEU:HG	2.03	0.40
1:C:146:GLU:O	1:C:150:GLN:HG3	2.21	0.40
1:A:205:MET:CE	1:A:299:PHE:CD2	3.04	0.40
1:D:314:PHE:HB3	1:D:489:MET:HE1	2.03	0.40
1:D:354:ALA:HB2	1:D:417:LEU:HD13	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	463/476 (97%)	446 (96%)	17 (4%)	0	100	100
1	B	462/476 (97%)	449 (97%)	13 (3%)	0	100	100
1	C	464/476 (98%)	442 (95%)	19 (4%)	3 (1%)	21	32
1	D	462/476 (97%)	447 (97%)	14 (3%)	1 (0%)	43	58

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	1851/1904 (97%)	1784 (96%)	63 (3%)	4 (0%)	43 58

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	418	ASN
1	C	338	ASN
1	D	468	PRO
1	C	415	HIS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	413/422 (98%)	384 (93%)	29 (7%)	14 24
1	B	412/422 (98%)	396 (96%)	16 (4%)	28 48
1	C	414/422 (98%)	400 (97%)	14 (3%)	32 54
1	D	412/422 (98%)	384 (93%)	28 (7%)	14 25
All	All	1651/1688 (98%)	1564 (95%)	87 (5%)	21 36

All (87) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	64[A]	ARG
1	A	64[B]	ARG
1	A	77	ARG
1	A	101	ARG
1	A	126	GLN
1	A	135	LEU
1	A	145	ILE
1	A	167	ASN
1	A	168	ILE
1	A	174	LEU
1	A	184	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	208	ILE
1	A	210	GLN
1	A	234	GLN
1	A	236	GLN
1	A	245	GLU
1	A	257	ARG
1	A	258	THR
1	A	279	GLU
1	A	280	LYS
1	A	305	THR
1	A	312	TYR
1	A	316	LEU
1	A	322	GLU
1	A	379	LYS
1	A	409	GLN
1	A	417	LEU
1	A	463	LYS
1	A	483	ILE
1	B	64	ARG
1	B	135	LEU
1	B	167	ASN
1	B	174	LEU
1	B	208	ILE
1	B	210	GLN
1	B	250	LYS
1	B	257	ARG
1	B	307	SER
1	B	316	LEU
1	B	375	LYS
1	B	379	LYS
1	B	417	LEU
1	B	419	GLU
1	B	454	THR
1	B	476	LYS
1	C	129	ARG
1	C	135	LEU
1	C	161	ARG
1	C	167	ASN
1	C	174	LEU
1	C	210	GLN
1	C	215	SER
1	C	234	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	245	GLU
1	C	326	LYS
1	C	348	LYS
1	C	375	LYS
1	C	382	ASP
1	C	417	LEU
1	D	61	ILE
1	D	64	ARG
1	D	125	LYS
1	D	135	LEU
1	D	143	ARG
1	D	148	ARG
1	D	174	LEU
1	D	175	SER
1	D	176	ARG
1	D	206	LEU
1	D	210	GLN
1	D	215	SER
1	D	236	GLN
1	D	260	ASP
1	D	262	ASN
1	D	278	GLU
1	D	305	THR
1	D	307	SER
1	D	346	ARG
1	D	366	ILE
1	D	417	LEU
1	D	419	GLU
1	D	462	LEU
1	D	463	LYS
1	D	464	SER
1	D	483	ILE
1	D	490	SER
1	D	495	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	56	ASN
1	A	126	GLN
1	A	167	ASN
1	A	229	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	254	HIS
1	A	328	HIS
1	A	409	GLN
1	A	414	GLN
1	A	458	GLN
1	A	466	GLN
1	B	56	ASN
1	B	72	HIS
1	B	167	ASN
1	B	256	GLN
1	B	262	ASN
1	B	297	ASN
1	B	438	ASN
1	B	477	HIS
1	C	256	GLN
1	C	418	ASN
1	D	72	HIS
1	D	84	HIS
1	D	256	GLN
1	D	297	ASN
1	D	320	HIS
1	D	340	GLN
1	D	477	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	HEM	A	500	1,3	50,50,50	2.02	10 (20%)	67,82,82	1.46	7 (10%)
3	9PL	C	501	2	16,16,16	1.48	1 (6%)	14,22,22	2.50	4 (28%)
2	HEM	B	500	1,3	50,50,50	1.92	10 (20%)	67,82,82	1.27	3 (4%)
2	HEM	D	500	1,3	50,50,50	1.90	9 (18%)	67,82,82	1.21	4 (5%)
3	9PL	B	501	2	16,16,16	1.54	2 (12%)	14,22,22	2.75	5 (35%)
3	9PL	A	501	2	16,16,16	1.59	2 (12%)	14,22,22	2.61	6 (42%)
2	HEM	C	500	1,3	50,50,50	2.14	11 (22%)	67,82,82	1.43	10 (14%)
3	9PL	D	501	2	16,16,16	1.48	1 (6%)	14,22,22	2.45	4 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	500	1,3	-	4/14/54/54	-
3	9PL	C	501	2	-	0/6/19/19	0/2/2/2
2	HEM	B	500	1,3	-	4/14/54/54	-
2	HEM	D	500	1,3	-	2/14/54/54	-
3	9PL	B	501	2	-	1/6/19/19	0/2/2/2
3	9PL	A	501	2	-	2/6/19/19	0/2/2/2
2	HEM	C	500	1,3	-	4/14/54/54	-
3	9PL	D	501	2	-	2/6/19/19	0/2/2/2

All (46) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	500	HEM	C3D-C2D	8.27	1.54	1.36
2	A	500	HEM	C3D-C2D	8.04	1.54	1.36
2	B	500	HEM	C3D-C2D	7.79	1.53	1.36
2	D	500	HEM	C3D-C2D	7.56	1.53	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	500	HEM	FE-ND	6.16	2.13	1.94
2	D	500	HEM	FE-ND	5.68	2.12	1.94
2	A	500	HEM	FE-ND	5.61	2.12	1.94
2	C	500	HEM	FE-NC	5.09	2.12	1.95
2	A	500	HEM	FE-NB	4.85	2.09	1.94
3	A	501	9PL	O10-C11	4.57	1.44	1.35
2	B	500	HEM	FE-ND	4.50	2.08	1.94
3	D	501	9PL	O10-C11	4.41	1.44	1.35
3	B	501	9PL	O10-C11	4.33	1.44	1.35
3	C	501	9PL	O10-C11	4.17	1.44	1.35
2	B	500	HEM	FE-NB	3.97	2.07	1.94
2	C	500	HEM	FE-NB	3.91	2.06	1.94
2	D	500	HEM	FE-NC	3.90	2.08	1.95
2	A	500	HEM	FE-NC	3.67	2.07	1.95
2	B	500	HEM	CAB-C3B	3.44	1.56	1.47
2	B	500	HEM	FE-NC	3.35	2.06	1.95
2	C	500	HEM	CAC-C3C	3.30	1.56	1.47
2	D	500	HEM	CAB-C3B	3.18	1.55	1.47
2	D	500	HEM	CAC-C3C	3.17	1.55	1.47
2	C	500	HEM	CAB-C3B	3.16	1.55	1.47
2	A	500	HEM	CAB-C3B	3.14	1.55	1.47
2	A	500	HEM	CAC-C3C	3.09	1.55	1.47
2	B	500	HEM	CAC-C3C	2.90	1.55	1.47
2	C	500	HEM	FE-NA	2.69	2.04	1.95
2	A	500	HEM	FE-NA	2.52	2.03	1.95
2	C	500	HEM	CMD-C2D	2.46	1.55	1.50
2	D	500	HEM	CMB-C2B	2.45	1.55	1.50
2	A	500	HEM	CMC-C2C	2.42	1.55	1.50
2	B	500	HEM	CMC-C2C	2.35	1.55	1.50
2	D	500	HEM	CMC-C2C	2.35	1.55	1.50
2	C	500	HEM	CMB-C2B	2.27	1.55	1.50
2	D	500	HEM	FE-NB	2.19	2.01	1.94
2	A	500	HEM	CMD-C2D	2.19	1.55	1.50
2	C	500	HEM	CMC-C2C	2.17	1.55	1.50
2	B	500	HEM	CMB-C2B	2.16	1.55	1.50
2	B	500	HEM	CMA-C3A	2.13	1.55	1.50
3	A	501	9PL	C12-C11	-2.13	1.48	1.51
2	D	500	HEM	CMD-C2D	2.12	1.55	1.50
2	C	500	HEM	CMA-C3A	2.09	1.55	1.50
3	B	501	9PL	C5-N1	-2.08	1.34	1.38
2	B	500	HEM	FE-NA	2.05	2.01	1.95
2	A	500	HEM	CMA-C3A	2.01	1.54	1.50

All (43) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	501	9PL	N1-C2-N3	-6.60	109.01	112.94
3	C	501	9PL	N1-C2-N3	-6.56	109.04	112.94
2	A	500	HEM	C4D-ND-C1D	6.51	112.92	105.21
3	A	501	9PL	N1-C2-N3	-6.30	109.19	112.94
3	D	501	9PL	N1-C2-N3	-6.03	109.35	112.94
3	B	501	9PL	C9-C8-C12	5.95	110.66	101.42
2	B	500	HEM	C4D-ND-C1D	5.88	112.17	105.21
2	C	500	HEM	C4D-ND-C1D	5.84	112.13	105.21
3	D	501	9PL	C9-C8-C12	4.90	109.02	101.42
3	C	501	9PL	C9-C8-C12	4.86	108.97	101.42
2	D	500	HEM	C4D-ND-C1D	4.81	110.90	105.21
3	A	501	9PL	C9-C8-C12	4.73	108.77	101.42
2	C	500	HEM	C1B-NB-C4B	3.26	109.06	105.21
2	A	500	HEM	C1B-NB-C4B	3.05	108.82	105.21
2	A	500	HEM	C2A-C1A-NA	-3.02	106.81	110.15
3	A	501	9PL	O15-C11-C12	-2.78	124.99	128.81
3	A	501	9PL	C8-C12-C11	-2.63	98.32	102.49
2	D	500	HEM	C1D-C2D-C3D	-2.59	104.25	106.98
3	B	501	9PL	C8-C12-C11	-2.55	98.44	102.49
3	B	501	9PL	C4-N3-C2	2.46	108.45	105.24
3	C	501	9PL	C4-N3-C2	2.43	108.42	105.24
2	C	500	HEM	C3B-C4B-NB	-2.41	107.73	109.47
3	D	501	9PL	O15-C11-C12	-2.35	125.58	128.81
2	A	500	HEM	C4A-NA-C1A	2.35	109.65	105.82
2	C	500	HEM	O2A-CGA-CBA	2.35	121.42	114.00
2	A	500	HEM	C3D-C4D-ND	-2.34	107.61	110.17
2	B	500	HEM	O2A-CGA-CBA	2.29	121.22	114.00
2	D	500	HEM	CHD-C4C-NC	2.24	126.89	124.45
2	A	500	HEM	CHD-C1D-ND	2.21	126.81	124.42
2	C	500	HEM	CAD-C3D-C4D	2.21	128.55	124.70
2	D	500	HEM	C1B-NB-C4B	2.20	107.81	105.21
3	B	501	9PL	O15-C11-C12	-2.19	125.80	128.81
2	C	500	HEM	C3B-C2B-C1B	2.16	108.03	106.41
3	D	501	9PL	C4-N3-C2	2.16	108.07	105.24
3	A	501	9PL	O10-C11-O15	2.14	123.71	121.43
2	C	500	HEM	C2B-C1B-NB	-2.14	107.38	109.84
2	B	500	HEM	CMD-C2D-C1D	2.14	128.38	125.03
2	C	500	HEM	C4C-NC-C1C	2.11	109.25	105.82
3	A	501	9PL	C4-N3-C2	2.10	107.99	105.24
3	C	501	9PL	C8-C12-C11	-2.10	99.16	102.49
2	C	500	HEM	C2A-C1A-NA	-2.09	107.84	110.15
2	C	500	HEM	C4A-NA-C1A	2.08	109.21	105.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	500	HEM	C2B-C1B-NB	-2.02	107.51	109.84

There are no chirality outliers.

All (19) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	500	HEM	C2C-C3C-CAC-CBC
2	B	500	HEM	C4C-C3C-CAC-CBC
3	A	501	9PL	C8-C12-C13-C14
3	A	501	9PL	C11-C12-C13-C14
3	D	501	9PL	C8-C12-C13-C14
2	C	500	HEM	C2C-C3C-CAC-CBC
2	C	500	HEM	C4C-C3C-CAC-CBC
2	A	500	HEM	CAD-CBD-CGD-O1D
2	B	500	HEM	CAA-CBA-CGA-O1A
2	C	500	HEM	CAD-CBD-CGD-O1D
2	B	500	HEM	CAA-CBA-CGA-O2A
2	A	500	HEM	CAD-CBD-CGD-O2D
2	D	500	HEM	CAA-CBA-CGA-O1A
3	B	501	9PL	C5-C7-C8-C9
2	C	500	HEM	CAD-CBD-CGD-O2D
3	D	501	9PL	C11-C12-C13-C14
2	A	500	HEM	CAA-CBA-CGA-O1A
2	D	500	HEM	CAA-CBA-CGA-O2A
2	A	500	HEM	CAA-CBA-CGA-O2A


There are no ring outliers.


7 monomers are involved in 26 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	500	HEM	4	0
3	C	501	9PL	4	0
2	B	500	HEM	2	0
2	D	500	HEM	4	0
3	A	501	9PL	2	0
2	C	500	HEM	6	0
3	D	501	9PL	4	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will

also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	463/476 (97%)	-0.02	4 (0%) 81 78	14, 29, 47, 52	2 (0%)
1	B	463/476 (97%)	-0.10	4 (0%) 81 78	14, 28, 42, 50	1 (0%)
1	C	463/476 (97%)	-0.10	4 (0%) 81 78	12, 29, 47, 56	3 (0%)
1	D	464/476 (97%)	0.29	18 (3%) 43 39	18, 35, 52, 64	0
All	All	1853/1904 (97%)	0.02	30 (1%) 70 66	12, 30, 47, 64	6 (0%)

All (30) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	193	TYR	6.2
1	D	495	HIS	3.7
1	A	340	GLN	3.2
1	D	260	ASP	3.0
1	D	477	HIS	3.0
1	D	176	ARG	2.8
1	B	60	LYS	2.8
1	D	173	PHE	2.8
1	B	338	ASN	2.7
1	C	141	GLY	2.5
1	D	478	VAL	2.5
1	C	338	ASN	2.5
1	D	148	ARG	2.4
1	D	263	SER	2.4
1	D	195	ASP	2.3
1	D	382	ASP	2.3
1	D	194	LYS	2.3
1	D	53	GLN	2.3
1	B	382	ASP	2.3
1	D	196	LYS	2.3
1	D	189	ASP	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	261	PRO	2.2
1	A	257	ARG	2.1
1	C	406	SER	2.1
1	D	473	VAL	2.1
1	A	280	LYS	2.1
1	D	469	LYS	2.1
1	B	406	SER	2.0
1	A	382	ASP	2.0
1	C	254	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	9PL	C	501	15/15	0.92	0.09	28,29,30,30	0
3	9PL	A	501	15/15	0.93	0.11	35,37,39,40	0
3	9PL	D	501	15/15	0.93	0.11	31,33,34,34	0
3	9PL	B	501	15/15	0.95	0.10	32,35,36,37	0
2	HEM	A	500	43/43	0.98	0.05	16,20,22,23	0
2	HEM	B	500	43/43	0.98	0.06	12,19,20,23	0
2	HEM	C	500	43/43	0.98	0.07	16,21,22,24	0
2	HEM	D	500	43/43	0.98	0.06	16,20,22,24	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around HEM A 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM B 500:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM C 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.