



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 02:12 PM UTC

PDB ID : 7T33 / pdb_00007t33
Title : The structure of Haemophilus influenzae Rd KW20 nitroreductase complexed with nicotinic acid
Authors : Wanniarachchi, T.N.; Bruner, S.D.
Deposited on : 2021-12-06
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	233	
1	B	233	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 3646 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative NAD(P)H nitroreductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	219	Total	C	N	O	S	0	0	0
			1758	1113	299	334	12			
1	B	219	Total	C	N	O	S	0	0	0
			1758	1113	299	334	12			

There are 26 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	221	LYS	-	expression tag	UNP Q57431
A	222	LEU	-	expression tag	UNP Q57431
A	223	ALA	-	expression tag	UNP Q57431
A	224	ALA	-	expression tag	UNP Q57431
A	225	ALA	-	expression tag	UNP Q57431
A	226	LEU	-	expression tag	UNP Q57431
A	227	GLU	-	expression tag	UNP Q57431
A	228	HIS	-	expression tag	UNP Q57431
A	229	HIS	-	expression tag	UNP Q57431
A	230	HIS	-	expression tag	UNP Q57431
A	231	HIS	-	expression tag	UNP Q57431
A	232	HIS	-	expression tag	UNP Q57431
A	233	HIS	-	expression tag	UNP Q57431
B	221	LYS	-	expression tag	UNP Q57431
B	222	LEU	-	expression tag	UNP Q57431
B	223	ALA	-	expression tag	UNP Q57431
B	224	ALA	-	expression tag	UNP Q57431
B	225	ALA	-	expression tag	UNP Q57431
B	226	LEU	-	expression tag	UNP Q57431
B	227	GLU	-	expression tag	UNP Q57431
B	228	HIS	-	expression tag	UNP Q57431
B	229	HIS	-	expression tag	UNP Q57431
B	230	HIS	-	expression tag	UNP Q57431
B	231	HIS	-	expression tag	UNP Q57431
B	232	HIS	-	expression tag	UNP Q57431

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	233	HIS	-	expression tag	UNP Q57431

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is FLAVIN MONONUCLEOTIDE (CCD ID: FMN) (formula: C₁₇H₂₁N₄O₉P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
3	B	1	Total	C	N	O	P	0	0
			31	17	4	9	1		

- Molecule 4 is NICOTINIC ACID (CCD ID: NIO) (formula: $C_6H_5NO_2$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			9	6	1	2		
4	B	1	Total	C	N	O	0	0
			9	6	1	2		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	22	Total	O	0	0
			22	22		
5	B	18	Total	O	0	0
			18	18		

- Molecule 1: Putative NAD(P)H nitroreductase



4 Data and refinement statistics

Property	Value	Source
Space group	P 31	Depositor
Cell constants a, b, c, α , β , γ	57.08Å 57.08Å 121.46Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	49.45 – 2.30 49.44 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.1 (49.45-2.30) 99.1 (49.44-2.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.44 (at 2.29Å)	Xtriage
Refinement program	PHENIX 1.14_3260	Depositor
R, R_{free}	0.187 , 0.221 0.190 , 0.225	Depositor DCC
R_{free} test set	1021 reflections (5.20%)	wwPDB-VP
Wilson B-factor (Å ²)	49.7	Xtriage
Anisotropy	0.047	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 34.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.000 for -h,-k,l 0.043 for h,-h-k,-l 0.021 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	3646	wwPDB-VP
Average B, all atoms (Å ²)	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.44% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FMN, SO4, NIO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.94	5/1793 (0.3%)	0.89	1/2416 (0.0%)
1	B	0.77	2/1793 (0.1%)	0.76	1/2416 (0.0%)
All	All	0.86	7/3586 (0.2%)	0.83	2/4832 (0.0%)

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	51	PRO	C-O	-7.24	1.14	1.24
1	A	165	PRO	C-O	-7.11	1.15	1.23
1	A	67	LYS	C-O	-5.83	1.18	1.24
1	B	54	PHE	C-O	-5.22	1.18	1.24
1	A	24	PRO	C-O	-5.19	1.17	1.24
1	A	68	PRO	C-O	-5.05	1.17	1.24
1	A	191	VAL	C-O	-5.01	1.18	1.24

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	201	SER	N-CA-C	-5.72	105.97	113.12
1	B	167	GLU	N-CA-C	-5.03	107.13	114.12

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1758	0	1736	35	0
1	B	1758	0	1738	18	0
2	A	10	0	0	1	0
3	A	31	0	18	1	0
3	B	31	0	18	2	0
4	A	9	0	4	0	0
4	B	9	0	4	0	0
5	A	22	0	0	0	0
5	B	18	0	0	0	0
All	All	3646	0	3518	47	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (47) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:76:GLN:NE2	1:A:196:THR:OG1	1.60	1.31
1:A:76:GLN:HE22	1:A:164:CYS:HB3	1.42	0.85
1:B:73:MET:HG3	1:B:166:ILE:HG21	1.64	0.78
1:A:22:TYR:CE1	1:A:76:GLN:HG3	2.31	0.66
1:A:165:PRO:HG2	3:A:502:FMN:C9	2.27	0.63
1:B:81:SER:OG	1:B:82:HIS:ND1	2.31	0.60
1:A:5:THR:HG23	1:A:7:GLU:H	1.70	0.56
1:A:67:LYS:NZ	1:A:78:ASP:CG	2.63	0.56
1:A:108:LEU:HG	1:A:112:GLN:HB3	1.88	0.56
1:A:67:LYS:HZ2	1:A:78:ASP:CG	2.15	0.54
1:A:89:LYS:HD3	1:A:98:PHE:CD1	2.42	0.54
1:A:129:LYS:HE3	1:B:172:ASP:OD2	2.08	0.54
1:A:51:PRO:HB2	1:A:141:CYS:HB3	1.90	0.53
1:B:55:LEU:HD12	1:B:178:LEU:HD13	1.90	0.53
1:B:16:ARG:O	1:B:207:LYS:NZ	2.41	0.53
1:A:89:LYS:HE2	1:A:188:GLU:O	2.08	0.53
1:A:22:TYR:HE1	1:A:76:GLN:HG3	1.73	0.53
1:A:162:ASP:OD2	1:A:200:ARG:HG2	2.08	0.53
1:B:165:PRO:HG2	3:B:402:FMN:C9	2.41	0.50
1:A:58:GLN:OE1	1:A:63:ARG:NH2	2.45	0.50
1:B:69:PHE:HB3	1:B:173:LYS:HE3	1.92	0.50
1:A:76:GLN:HG2	1:A:196:THR:HG21	1.93	0.50
1:A:114:GLN:O	1:A:118:THR:HG23	2.13	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:5:THR:HG23	1:A:8:GLN:H	1.77	0.48
1:A:76:GLN:NE2	1:A:164:CYS:HB3	2.21	0.48
1:A:22:TYR:CD1	1:A:76:GLN:HG3	2.49	0.47
1:A:170:HIS:CE1	1:A:172:ASP:HB2	2.50	0.47
2:A:501:SO4:O2	1:B:41:ARG:NH2	2.48	0.46
1:A:24:PRO:HB3	1:A:79:ASN:OD1	2.16	0.45
1:A:15:GLN:OE1	1:B:2:THR:HG23	2.17	0.45
1:A:129:LYS:CE	1:B:172:ASP:OD2	2.65	0.45
1:A:65:LYS:O	1:A:68:PRO:HD2	2.18	0.44
1:B:66:MET:HE2	1:B:178:LEU:HD21	1.99	0.44
1:A:176:GLU:O	1:A:180:GLU:HG3	2.20	0.42
1:A:6:ARG:HD3	1:B:32:ASP:OD1	2.20	0.42
1:A:200:ARG:NE	1:A:204:ILE:HD11	2.35	0.42
1:B:17:SER:HB3	1:B:204:ILE:HG22	2.01	0.42
1:A:41:ARG:HD2	1:B:210:LYS:O	2.21	0.41
1:B:94:TYR:C	1:B:94:TYR:CD1	2.98	0.41
1:B:167:GLU:HG3	3:B:402:FMN:H6	2.03	0.41
1:A:2:THR:HG23	1:B:15:GLN:OE1	2.20	0.41
1:A:12:LEU:HD12	1:A:12:LEU:O	2.21	0.41
1:A:5:THR:HG22	1:A:8:GLN:CG	2.51	0.40
1:B:141:CYS:O	1:B:145:THR:HG23	2.20	0.40
1:A:200:ARG:CD	1:A:204:ILE:HG13	2.52	0.40
1:A:200:ARG:HD2	1:A:204:ILE:HG13	2.04	0.40
1:A:19:THR:OG1	1:A:162:ASP:HB3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	217/233 (93%)	210 (97%)	7 (3%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	217/233 (93%)	209 (96%)	8 (4%)	0	100	100
All	All	434/466 (93%)	419 (96%)	15 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	192/203 (95%)	187 (97%)	5 (3%)	40	59
1	B	192/203 (95%)	190 (99%)	2 (1%)	68	82
All	All	384/406 (95%)	377 (98%)	7 (2%)	51	70

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16	ARG
1	A	53	LYS
1	A	74	ILE
1	A	173	LYS
1	A	202	ARG
1	B	74	ILE
1	B	111	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	75	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	FMN	A	502	-	33,33,33	3.58	23 (69%)	48,50,50	1.74	13 (27%)
4	NIO	B	401	-	9,9,9	2.18	3 (33%)	11,11,11	1.44	3 (27%)
2	SO4	A	504	-	4,4,4	0.67	0	6,6,6	0.15	0
4	NIO	A	503	-	9,9,9	2.15	3 (33%)	11,11,11	1.38	2 (18%)
2	SO4	A	501	-	4,4,4	0.68	0	6,6,6	0.19	0
3	FMN	B	402	-	33,33,33	3.67	23 (69%)	48,50,50	1.88	14 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NIO	A	503	-	-	0/4/4/4	0/1/1/1
4	NIO	B	401	-	-	0/4/4/4	0/1/1/1
3	FMN	B	402	-	-	2/18/18/18	0/3/3/3
3	FMN	A	502	-	-	1/18/18/18	0/3/3/3

All (52) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	502	FMN	C8M-C8	-8.72	1.34	1.51
3	B	402	FMN	C7M-C7	-8.49	1.35	1.51
3	B	402	FMN	C8M-C8	-8.32	1.35	1.51
3	A	502	FMN	P-O5'	-7.97	1.35	1.60
3	A	502	FMN	C7M-C7	-7.87	1.36	1.51
3	B	402	FMN	P-O5'	-7.05	1.38	1.60
3	B	402	FMN	P-O3P	-5.42	1.34	1.54
3	B	402	FMN	P-O2P	-5.16	1.35	1.54
3	B	402	FMN	P-O1P	-5.09	1.34	1.50
3	A	502	FMN	P-O2P	-4.94	1.36	1.54
3	B	402	FMN	C9A-N10	-4.81	1.32	1.41
3	B	402	FMN	C5A-N5	-4.71	1.30	1.39
4	B	401	NIO	C2-C6	-4.67	1.39	1.49
3	A	502	FMN	P-O3P	-4.61	1.37	1.54
3	A	502	FMN	P-O1P	-4.52	1.36	1.50
3	A	502	FMN	C9A-N10	-4.41	1.33	1.41
4	A	503	NIO	C2-C6	-4.24	1.40	1.49
3	B	402	FMN	C4-N3	-4.13	1.31	1.38
3	A	502	FMN	C5A-N5	-4.07	1.32	1.39
3	A	502	FMN	C4-N3	-4.03	1.31	1.38
4	A	503	NIO	C1-N	3.45	1.41	1.34
3	B	402	FMN	O2'-C2'	-3.43	1.36	1.43
3	B	402	FMN	C6-C7	-3.24	1.35	1.39
3	B	402	FMN	C9A-C5A	-3.20	1.36	1.41
3	A	502	FMN	O3'-C3'	-3.19	1.35	1.43
4	B	401	NIO	C1-N	3.18	1.41	1.34
3	B	402	FMN	C9-C9A	-3.15	1.34	1.39
3	A	502	FMN	C6-C5A	-2.82	1.35	1.40
3	A	502	FMN	C9-C8	-2.80	1.35	1.39
3	A	502	FMN	C9A-C5A	-2.67	1.37	1.41
3	B	402	FMN	C4A-C10	-2.67	1.36	1.44
3	B	402	FMN	O2-C2	-2.66	1.19	1.24
3	B	402	FMN	C6-C5A	-2.63	1.36	1.40
4	A	503	NIO	C5-N	2.62	1.41	1.33
4	B	401	NIO	C5-N	2.61	1.41	1.33
3	A	502	FMN	O2'-C2'	-2.61	1.37	1.43
3	A	502	FMN	C2-N3	-2.59	1.33	1.39
3	B	402	FMN	C2-N3	-2.52	1.33	1.39
3	A	502	FMN	C4A-C10	-2.44	1.37	1.44
3	A	502	FMN	C6-C7	-2.41	1.36	1.39
3	B	402	FMN	O4'-C4'	-2.40	1.38	1.43
3	B	402	FMN	C8-C7	-2.38	1.35	1.40
3	A	502	FMN	C9-C9A	-2.30	1.35	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	402	FMN	O4-C4	-2.24	1.19	1.23
3	A	502	FMN	O5'-C5'	-2.22	1.36	1.44
3	B	402	FMN	C4A-C4	-2.20	1.36	1.44
3	B	402	FMN	C10-N10	-2.16	1.32	1.37
3	B	402	FMN	O3'-C3'	-2.16	1.37	1.43
3	A	502	FMN	O4-C4	-2.15	1.19	1.23
3	A	502	FMN	C4'-C3'	-2.15	1.49	1.53
3	A	502	FMN	O2-C2	-2.14	1.20	1.24
3	A	502	FMN	C8-C7	-2.09	1.35	1.40

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	402	FMN	O3P-P-O5'	-4.95	93.77	106.67
3	A	502	FMN	C4A-C10-N10	3.98	122.18	116.48
3	A	502	FMN	C4-N3-C2	-3.93	118.66	125.64
3	B	402	FMN	C4-N3-C2	-3.56	119.31	125.64
3	A	502	FMN	O3'-C3'-C4'	-3.38	101.25	108.93
3	A	502	FMN	C10-C4A-N5	-3.34	117.99	124.81
3	B	402	FMN	C4A-C10-N10	3.30	121.21	116.48
3	B	402	FMN	C5A-C9A-N10	3.10	120.77	117.97
3	A	502	FMN	O4-C4-N3	-3.09	114.31	120.11
3	B	402	FMN	O5'-C5'-C4'	3.07	117.55	109.36
3	A	502	FMN	C4-C4A-N5	3.04	122.41	118.21
3	B	402	FMN	C4A-C10-N1	-3.02	117.19	124.59
3	B	402	FMN	C9A-C5A-N5	-2.97	119.30	122.45
3	B	402	FMN	C10-C4A-N5	-2.94	118.80	124.81
3	B	402	FMN	C6-C5A-C9A	2.77	122.85	119.05
3	A	502	FMN	C4A-C4-N3	2.75	120.25	113.25
3	A	502	FMN	O5'-C5'-C4'	2.73	116.66	109.36
3	A	502	FMN	C4A-C10-N1	-2.65	118.09	124.59
3	B	402	FMN	C4A-C4-N3	2.63	119.95	113.25
4	A	503	NIO	C2-C1-N	-2.36	119.99	123.50
4	B	401	NIO	C2-C1-N	-2.34	120.02	123.50
4	B	401	NIO	C3-C2-C1	2.26	120.14	117.61
3	B	402	FMN	C4-C4A-C10	2.23	120.76	116.93
4	A	503	NIO	O2-C6-C2	2.19	120.46	114.84
4	B	401	NIO	O2-C6-C2	2.18	120.43	114.84
3	A	502	FMN	O2'-C2'-C3'	2.18	114.34	109.25
3	B	402	FMN	C9A-N10-C10	-2.10	117.56	120.75
3	A	502	FMN	C9A-C5A-N5	-2.09	120.24	122.45
3	A	502	FMN	C9A-N10-C10	-2.08	117.58	120.75

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	502	FMN	O3'-C3'-C2'	-2.06	104.26	108.93
3	B	402	FMN	C4'-C3'-C2'	2.05	116.97	113.57
3	B	402	FMN	O3P-P-O2P	2.04	115.45	107.80

There are no chirality outliers.

All (3) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	502	FMN	C2'-C1'-N10-C10
3	B	402	FMN	C2'-C1'-N10-C10
3	B	402	FMN	C4'-C5'-O5'-P

There are no ring outliers.


3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	502	FMN	1	0
2	A	501	SO4	1	0
3	B	402	FMN	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand NIO B 401



Ligand NIO A 503





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	219/233 (93%)	0.04	1 (0%) 87 87	35, 54, 74, 82	0
1	B	219/233 (93%)	0.01	2 (0%) 81 82	37, 54, 70, 81	0
All	All	438/466 (93%)	0.03	3 (0%) 84 85	35, 54, 73, 82	0

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	109	ASN	3.7
1	B	2	THR	2.2
1	A	26	LYS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SO4	A	501	5/5	0.70	0.10	82,84,95,103	0
2	SO4	A	504	5/5	0.79	0.09	76,79,86,96	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	FMN	A	502	31/31	0.92	0.08	43,55,63,68	0
4	NIO	A	503	9/9	0.93	0.08	47,51,53,53	0
4	NIO	B	401	9/9	0.93	0.09	57,62,66,66	0
3	FMN	B	402	31/31	0.95	0.06	38,45,50,57	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around FMN A 502:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NIO A 503:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around NIO B 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.