



wwPDB EM Validation Summary Report ⓘ

Mar 9, 2026 – 01:51 AM UTC

PDB ID : 7T3K / pdb_00007t3k
EMDB ID : EMD-25661
Title : Cryo-EM structure of Csy-AcrIF24 dimer
Authors : Mukherjee, I.A.; Chang, L.
Deposited on : 2021-12-08
Resolution : 3.50 Å (reported)
Based on initial model : 7JZW

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.









Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	13950 (3.00 - 4.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	434	
1	a	434	
2	B	327	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	b	327	
3	C	187	
3	c	187	
4	D	360	
4	E	360	
4	F	360	
4	G	360	
4	H	360	
4	I	360	
4	d	360	
4	e	360	
4	f	360	
4	g	360	
4	h	360	
4	i	360	
5	J	228	
5	K	228	
6	M	61	
6	m	61	

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 50620 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CRISPR-associated protein Csy1.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	427	Total	C	N	O	S	0	0
			3145	1982	593	567	3		
1	a	427	Total	C	N	O	S	0	0
			3145	1982	593	567	3		

- Molecule 2 is a protein called CRISPR type I-F/YPEST-associated protein Csy2.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	306	Total	C	N	O	S	0	0
			2411	1529	445	432	5		
2	b	306	Total	C	N	O	S	0	0
			2411	1529	445	432	5		

- Molecule 3 is a protein called CRISPR-associated endonuclease Cas6/Csy4.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	187	Total	C	N	O	S	1	0
			1448	922	264	257	5		
3	c	187	Total	C	N	O	S	1	0
			1448	922	264	257	5		

- Molecule 4 is a protein called CRISPR type I-F/YPEST-associated protein Csy3.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	298	Total	C	N	O	S	0	0
			2307	1453	415	437	2		
4	E	335	Total	C	N	O	S	0	0
			2592	1626	471	493	2		
4	F	335	Total	C	N	O	S	0	0
			2592	1626	471	493	2		
4	G	335	Total	C	N	O	S	0	0
			2592	1626	471	493	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
4	H	335	Total	C	N	O	S	0	0
			2592	1626	471	493	2		
4	I	335	Total	C	N	O	S	0	0
			2592	1626	471	493	2		
4	d	298	Total	C	N	O	S	0	0
			2307	1453	415	437	2		
4	e	335	Total	C	N	O	S	0	0
			2592	1626	471	493	2		
4	f	335	Total	C	N	O	S	0	0
			2592	1626	471	493	2		
4	g	335	Total	C	N	O	S	0	0
			2592	1626	471	493	2		
4	h	335	Total	C	N	O	S	0	0
			2592	1626	471	493	2		
4	i	335	Total	C	N	O	S	0	0
			2592	1626	471	493	2		

There are 228 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	2	MET	-	initiating methionine	UNP A0A444M080
D	3	LYS	-	expression tag	UNP A0A444M080
D	4	SER	-	expression tag	UNP A0A444M080
D	5	SER	-	expression tag	UNP A0A444M080
D	6	HIS	-	expression tag	UNP A0A444M080
D	7	HIS	-	expression tag	UNP A0A444M080
D	8	HIS	-	expression tag	UNP A0A444M080
D	9	HIS	-	expression tag	UNP A0A444M080
D	10	HIS	-	expression tag	UNP A0A444M080
D	11	HIS	-	expression tag	UNP A0A444M080
D	12	GLU	-	expression tag	UNP A0A444M080
D	13	ASN	-	expression tag	UNP A0A444M080
D	14	LEU	-	expression tag	UNP A0A444M080
D	15	TYR	-	expression tag	UNP A0A444M080
D	16	PHE	-	expression tag	UNP A0A444M080
D	17	GLN	-	expression tag	UNP A0A444M080
D	18	SER	-	expression tag	UNP A0A444M080
D	19	ASN	-	expression tag	UNP A0A444M080
D	20	ALA	-	expression tag	UNP A0A444M080
E	2	MET	-	initiating methionine	UNP A0A444M080
E	3	LYS	-	expression tag	UNP A0A444M080
E	4	SER	-	expression tag	UNP A0A444M080
E	5	SER	-	expression tag	UNP A0A444M080

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	6	HIS	-	expression tag	UNP A0A444M080
E	7	HIS	-	expression tag	UNP A0A444M080
E	8	HIS	-	expression tag	UNP A0A444M080
E	9	HIS	-	expression tag	UNP A0A444M080
E	10	HIS	-	expression tag	UNP A0A444M080
E	11	HIS	-	expression tag	UNP A0A444M080
E	12	GLU	-	expression tag	UNP A0A444M080
E	13	ASN	-	expression tag	UNP A0A444M080
E	14	LEU	-	expression tag	UNP A0A444M080
E	15	TYR	-	expression tag	UNP A0A444M080
E	16	PHE	-	expression tag	UNP A0A444M080
E	17	GLN	-	expression tag	UNP A0A444M080
E	18	SER	-	expression tag	UNP A0A444M080
E	19	ASN	-	expression tag	UNP A0A444M080
E	20	ALA	-	expression tag	UNP A0A444M080
F	2	MET	-	initiating methionine	UNP A0A444M080
F	3	LYS	-	expression tag	UNP A0A444M080
F	4	SER	-	expression tag	UNP A0A444M080
F	5	SER	-	expression tag	UNP A0A444M080
F	6	HIS	-	expression tag	UNP A0A444M080
F	7	HIS	-	expression tag	UNP A0A444M080
F	8	HIS	-	expression tag	UNP A0A444M080
F	9	HIS	-	expression tag	UNP A0A444M080
F	10	HIS	-	expression tag	UNP A0A444M080
F	11	HIS	-	expression tag	UNP A0A444M080
F	12	GLU	-	expression tag	UNP A0A444M080
F	13	ASN	-	expression tag	UNP A0A444M080
F	14	LEU	-	expression tag	UNP A0A444M080
F	15	TYR	-	expression tag	UNP A0A444M080
F	16	PHE	-	expression tag	UNP A0A444M080
F	17	GLN	-	expression tag	UNP A0A444M080
F	18	SER	-	expression tag	UNP A0A444M080
F	19	ASN	-	expression tag	UNP A0A444M080
F	20	ALA	-	expression tag	UNP A0A444M080
G	2	MET	-	initiating methionine	UNP A0A444M080
G	3	LYS	-	expression tag	UNP A0A444M080
G	4	SER	-	expression tag	UNP A0A444M080
G	5	SER	-	expression tag	UNP A0A444M080
G	6	HIS	-	expression tag	UNP A0A444M080
G	7	HIS	-	expression tag	UNP A0A444M080
G	8	HIS	-	expression tag	UNP A0A444M080
G	9	HIS	-	expression tag	UNP A0A444M080

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	10	HIS	-	expression tag	UNP A0A444M080
G	11	HIS	-	expression tag	UNP A0A444M080
G	12	GLU	-	expression tag	UNP A0A444M080
G	13	ASN	-	expression tag	UNP A0A444M080
G	14	LEU	-	expression tag	UNP A0A444M080
G	15	TYR	-	expression tag	UNP A0A444M080
G	16	PHE	-	expression tag	UNP A0A444M080
G	17	GLN	-	expression tag	UNP A0A444M080
G	18	SER	-	expression tag	UNP A0A444M080
G	19	ASN	-	expression tag	UNP A0A444M080
G	20	ALA	-	expression tag	UNP A0A444M080
H	2	MET	-	initiating methionine	UNP A0A444M080
H	3	LYS	-	expression tag	UNP A0A444M080
H	4	SER	-	expression tag	UNP A0A444M080
H	5	SER	-	expression tag	UNP A0A444M080
H	6	HIS	-	expression tag	UNP A0A444M080
H	7	HIS	-	expression tag	UNP A0A444M080
H	8	HIS	-	expression tag	UNP A0A444M080
H	9	HIS	-	expression tag	UNP A0A444M080
H	10	HIS	-	expression tag	UNP A0A444M080
H	11	HIS	-	expression tag	UNP A0A444M080
H	12	GLU	-	expression tag	UNP A0A444M080
H	13	ASN	-	expression tag	UNP A0A444M080
H	14	LEU	-	expression tag	UNP A0A444M080
H	15	TYR	-	expression tag	UNP A0A444M080
H	16	PHE	-	expression tag	UNP A0A444M080
H	17	GLN	-	expression tag	UNP A0A444M080
H	18	SER	-	expression tag	UNP A0A444M080
H	19	ASN	-	expression tag	UNP A0A444M080
H	20	ALA	-	expression tag	UNP A0A444M080
I	2	MET	-	initiating methionine	UNP A0A444M080
I	3	LYS	-	expression tag	UNP A0A444M080
I	4	SER	-	expression tag	UNP A0A444M080
I	5	SER	-	expression tag	UNP A0A444M080
I	6	HIS	-	expression tag	UNP A0A444M080
I	7	HIS	-	expression tag	UNP A0A444M080
I	8	HIS	-	expression tag	UNP A0A444M080
I	9	HIS	-	expression tag	UNP A0A444M080
I	10	HIS	-	expression tag	UNP A0A444M080
I	11	HIS	-	expression tag	UNP A0A444M080
I	12	GLU	-	expression tag	UNP A0A444M080
I	13	ASN	-	expression tag	UNP A0A444M080

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
I	14	LEU	-	expression tag	UNP A0A444M080
I	15	TYR	-	expression tag	UNP A0A444M080
I	16	PHE	-	expression tag	UNP A0A444M080
I	17	GLN	-	expression tag	UNP A0A444M080
I	18	SER	-	expression tag	UNP A0A444M080
I	19	ASN	-	expression tag	UNP A0A444M080
I	20	ALA	-	expression tag	UNP A0A444M080
d	2	MET	-	initiating methionine	UNP A0A444M080
d	3	LYS	-	expression tag	UNP A0A444M080
d	4	SER	-	expression tag	UNP A0A444M080
d	5	SER	-	expression tag	UNP A0A444M080
d	6	HIS	-	expression tag	UNP A0A444M080
d	7	HIS	-	expression tag	UNP A0A444M080
d	8	HIS	-	expression tag	UNP A0A444M080
d	9	HIS	-	expression tag	UNP A0A444M080
d	10	HIS	-	expression tag	UNP A0A444M080
d	11	HIS	-	expression tag	UNP A0A444M080
d	12	GLU	-	expression tag	UNP A0A444M080
d	13	ASN	-	expression tag	UNP A0A444M080
d	14	LEU	-	expression tag	UNP A0A444M080
d	15	TYR	-	expression tag	UNP A0A444M080
d	16	PHE	-	expression tag	UNP A0A444M080
d	17	GLN	-	expression tag	UNP A0A444M080
d	18	SER	-	expression tag	UNP A0A444M080
d	19	ASN	-	expression tag	UNP A0A444M080
d	20	ALA	-	expression tag	UNP A0A444M080
e	2	MET	-	initiating methionine	UNP A0A444M080
e	3	LYS	-	expression tag	UNP A0A444M080
e	4	SER	-	expression tag	UNP A0A444M080
e	5	SER	-	expression tag	UNP A0A444M080
e	6	HIS	-	expression tag	UNP A0A444M080
e	7	HIS	-	expression tag	UNP A0A444M080
e	8	HIS	-	expression tag	UNP A0A444M080
e	9	HIS	-	expression tag	UNP A0A444M080
e	10	HIS	-	expression tag	UNP A0A444M080
e	11	HIS	-	expression tag	UNP A0A444M080
e	12	GLU	-	expression tag	UNP A0A444M080
e	13	ASN	-	expression tag	UNP A0A444M080
e	14	LEU	-	expression tag	UNP A0A444M080
e	15	TYR	-	expression tag	UNP A0A444M080
e	16	PHE	-	expression tag	UNP A0A444M080
e	17	GLN	-	expression tag	UNP A0A444M080

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
e	18	SER	-	expression tag	UNP A0A444M080
e	19	ASN	-	expression tag	UNP A0A444M080
e	20	ALA	-	expression tag	UNP A0A444M080
f	2	MET	-	initiating methionine	UNP A0A444M080
f	3	LYS	-	expression tag	UNP A0A444M080
f	4	SER	-	expression tag	UNP A0A444M080
f	5	SER	-	expression tag	UNP A0A444M080
f	6	HIS	-	expression tag	UNP A0A444M080
f	7	HIS	-	expression tag	UNP A0A444M080
f	8	HIS	-	expression tag	UNP A0A444M080
f	9	HIS	-	expression tag	UNP A0A444M080
f	10	HIS	-	expression tag	UNP A0A444M080
f	11	HIS	-	expression tag	UNP A0A444M080
f	12	GLU	-	expression tag	UNP A0A444M080
f	13	ASN	-	expression tag	UNP A0A444M080
f	14	LEU	-	expression tag	UNP A0A444M080
f	15	TYR	-	expression tag	UNP A0A444M080
f	16	PHE	-	expression tag	UNP A0A444M080
f	17	GLN	-	expression tag	UNP A0A444M080
f	18	SER	-	expression tag	UNP A0A444M080
f	19	ASN	-	expression tag	UNP A0A444M080
f	20	ALA	-	expression tag	UNP A0A444M080
g	2	MET	-	initiating methionine	UNP A0A444M080
g	3	LYS	-	expression tag	UNP A0A444M080
g	4	SER	-	expression tag	UNP A0A444M080
g	5	SER	-	expression tag	UNP A0A444M080
g	6	HIS	-	expression tag	UNP A0A444M080
g	7	HIS	-	expression tag	UNP A0A444M080
g	8	HIS	-	expression tag	UNP A0A444M080
g	9	HIS	-	expression tag	UNP A0A444M080
g	10	HIS	-	expression tag	UNP A0A444M080
g	11	HIS	-	expression tag	UNP A0A444M080
g	12	GLU	-	expression tag	UNP A0A444M080
g	13	ASN	-	expression tag	UNP A0A444M080
g	14	LEU	-	expression tag	UNP A0A444M080
g	15	TYR	-	expression tag	UNP A0A444M080
g	16	PHE	-	expression tag	UNP A0A444M080
g	17	GLN	-	expression tag	UNP A0A444M080
g	18	SER	-	expression tag	UNP A0A444M080
g	19	ASN	-	expression tag	UNP A0A444M080
g	20	ALA	-	expression tag	UNP A0A444M080
h	2	MET	-	initiating methionine	UNP A0A444M080

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
h	3	LYS	-	expression tag	UNP A0A444M080
h	4	SER	-	expression tag	UNP A0A444M080
h	5	SER	-	expression tag	UNP A0A444M080
h	6	HIS	-	expression tag	UNP A0A444M080
h	7	HIS	-	expression tag	UNP A0A444M080
h	8	HIS	-	expression tag	UNP A0A444M080
h	9	HIS	-	expression tag	UNP A0A444M080
h	10	HIS	-	expression tag	UNP A0A444M080
h	11	HIS	-	expression tag	UNP A0A444M080
h	12	GLU	-	expression tag	UNP A0A444M080
h	13	ASN	-	expression tag	UNP A0A444M080
h	14	LEU	-	expression tag	UNP A0A444M080
h	15	TYR	-	expression tag	UNP A0A444M080
h	16	PHE	-	expression tag	UNP A0A444M080
h	17	GLN	-	expression tag	UNP A0A444M080
h	18	SER	-	expression tag	UNP A0A444M080
h	19	ASN	-	expression tag	UNP A0A444M080
h	20	ALA	-	expression tag	UNP A0A444M080
i	2	MET	-	initiating methionine	UNP A0A444M080
i	3	LYS	-	expression tag	UNP A0A444M080
i	4	SER	-	expression tag	UNP A0A444M080
i	5	SER	-	expression tag	UNP A0A444M080
i	6	HIS	-	expression tag	UNP A0A444M080
i	7	HIS	-	expression tag	UNP A0A444M080
i	8	HIS	-	expression tag	UNP A0A444M080
i	9	HIS	-	expression tag	UNP A0A444M080
i	10	HIS	-	expression tag	UNP A0A444M080
i	11	HIS	-	expression tag	UNP A0A444M080
i	12	GLU	-	expression tag	UNP A0A444M080
i	13	ASN	-	expression tag	UNP A0A444M080
i	14	LEU	-	expression tag	UNP A0A444M080
i	15	TYR	-	expression tag	UNP A0A444M080
i	16	PHE	-	expression tag	UNP A0A444M080
i	17	GLN	-	expression tag	UNP A0A444M080
i	18	SER	-	expression tag	UNP A0A444M080
i	19	ASN	-	expression tag	UNP A0A444M080
i	20	ALA	-	expression tag	UNP A0A444M080

- Molecule 5 is a protein called AcrIF24.

Mol	Chain	Residues	Atoms				AltConf	Trace
5	J	228	Total	C	N	O	S	
			1766	1129	309	324	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
5	K	228	Total	C	N	O	S	0	0
			1766	1129	309	324	4		


- Molecule 6 is a RNA chain called RNA (61-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
6	M	61	Total	C	N	O	P	0	0
			1273	569	223	421	60		
6	m	61	Total	C	N	O	P	0	0
			1273	569	223	421	60		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: CRISPR-associated protein Csy1



- Molecule 1: CRISPR-associated protein Csy1




- Molecule 2: CRISPR type I-F/YPEST-associated protein Csy2




- Molecule 2: CRISPR type I-F/YPEST-associated protein Csy2

Chain b:  75% 18% 6%




• Molecule 3: CRISPR-associated endonuclease Cas6/Csy4

Chain C:  80% 19%




• Molecule 3: CRISPR-associated endonuclease Cas6/Csy4

Chain c:  58% 81% 19%



• Molecule 4: CRISPR type I-F/YPEST-associated protein Csy3


Chain D:  70% 12% 17%






- Molecule 4: CRISPR type I-F/YPEST-associated protein Csy3

Chain E: 79% 14% 7%




- Molecule 4: CRISPR type I-F/YPEST-associated protein Csy3

Chain F: 78% 15% 7%



- Molecule 4: CRISPR type I-F/YPEST-associated protein Csy3

Chain G: 76% 17% 7%



- Molecule 4: CRISPR type I-F/YPEST-associated protein Csy3


Chain H: 79% 14% 7%







- Molecule 4: CRISPR type I-F/YPEST-associated protein Csy3

Chain I: 79% 14% 7%



- Molecule 4: CRISPR type I-F/YPEST-associated protein Csy3

Chain d: 69% 13% 17%




- Molecule 4: CRISPR type I-F/YPEST-associated protein Csy3

Chain e: 79% 14% 7%





- Molecule 4: CRISPR type I-F/YPEST-associated protein Csy3



Chain f: 80% 13% 7%





- Molecule 4: CRISPR type I-F/YPEST-associated protein Csy3




- Molecule 4: CRISPR type I-F/YPEST-associated protein Csy3



- Molecule 4: CRISPR type I-F/YPEST-associated protein Csy3




- Molecule 5: AcrIF24





• Molecule 5: AcrIF24

Chain K: 60% 39%



• Molecule 6: RNA (61-MER)

Chain M: 44% 43% 13%



• Molecule 6: RNA (61-MER)

Chain m: 23% 44% 43% 13%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	58133	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	54	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	1.250	Depositor
Minimum map value	-0.343	Depositor
Average map value	0.010	Depositor
Map value standard deviation	0.055	Depositor
Recommended contour level	0.1	Depositor
Map size ($\text{\AA}$)	294.0, 294.0, 294.0	wwPDB
Map dimensions	280, 280, 280	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	1.05, 1.05, 1.05	Depositor

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.19	0/3218	0.46	0/4389
1	a	0.19	0/3218	0.46	0/4389
2	B	0.18	0/2471	0.42	0/3365
2	b	0.18	0/2471	0.42	0/3365
3	C	0.16	0/1490	0.37	0/2024
3	c	0.16	0/1490	0.37	0/2024
4	D	0.18	0/2350	0.47	0/3190
4	E	0.19	0/2639	0.47	0/3579
4	F	0.17	0/2639	0.42	0/3579
4	G	0.18	0/2639	0.43	0/3579
4	H	0.17	0/2639	0.41	0/3579
4	I	0.17	0/2639	0.39	0/3579
4	d	0.18	0/2350	0.46	0/3190
4	e	0.19	0/2639	0.47	0/3579
4	f	0.17	0/2639	0.42	0/3579
4	g	0.18	0/2639	0.43	0/3579
4	h	0.17	0/2639	0.41	0/3579
4	i	0.17	0/2639	0.40	0/3579
5	J	0.15	0/1817	0.38	0/2484
5	K	0.28	0/1817	0.61	0/2484
6	M	0.16	0/1421	0.37	0/2211
6	m	0.17	0/1421	0.37	0/2211
All	All	0.18	0/51924	0.43	0/71116

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3145	0	2874	30	0
1	a	3145	0	2874	32	0
2	B	2411	0	2408	42	0
2	b	2411	0	2408	45	0
3	C	1448	0	1394	24	0
3	c	1448	0	1394	24	0
4	D	2307	0	2275	31	0
4	E	2592	0	2581	32	0
4	F	2592	0	2581	36	0
4	G	2592	0	2581	37	0
4	H	2592	0	2581	34	0
4	I	2592	0	2581	33	0
4	d	2307	0	2275	36	0
4	e	2592	0	2581	50	0
4	f	2592	0	2581	32	0
4	g	2592	0	2581	51	0
4	h	2592	0	2581	36	0
4	i	2592	0	2581	38	0
5	J	1766	0	1732	28	0
5	K	1766	0	1732	126	0
6	M	1273	0	646	24	0
6	m	1273	0	646	26	0
All	All	50620	0	48468	707	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 707 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:K:119:LEU:HD21	4:g:91:GLN:OE1	1.40	1.18
5:K:119:LEU:HD21	4:g:91:GLN:CD	1.79	1.05
5:K:32:TYR:HB3	5:K:37:MET:HE3	1.42	1.00
5:K:110:TRP:CZ3	4:e:26:SER:HB3	1.97	0.99
5:K:119:LEU:CD2	4:g:91:GLN:OE1	2.22	0.88

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	425/434 (98%)	401 (94%)	24 (6%)	0	100	100
1	a	425/434 (98%)	402 (95%)	23 (5%)	0	100	100
2	B	302/327 (92%)	286 (95%)	16 (5%)	0	100	100
2	b	302/327 (92%)	286 (95%)	16 (5%)	0	100	100
3	C	186/187 (100%)	181 (97%)	5 (3%)	0	100	100
3	c	186/187 (100%)	181 (97%)	5 (3%)	0	100	100
4	D	292/360 (81%)	276 (94%)	16 (6%)	0	100	100
4	E	333/360 (92%)	313 (94%)	20 (6%)	0	100	100
4	F	333/360 (92%)	309 (93%)	24 (7%)	0	100	100
4	G	333/360 (92%)	319 (96%)	14 (4%)	0	100	100
4	H	333/360 (92%)	317 (95%)	16 (5%)	0	100	100
4	I	333/360 (92%)	322 (97%)	11 (3%)	0	100	100
4	d	292/360 (81%)	276 (94%)	16 (6%)	0	100	100
4	e	333/360 (92%)	313 (94%)	20 (6%)	0	100	100
4	f	333/360 (92%)	309 (93%)	24 (7%)	0	100	100
4	g	333/360 (92%)	319 (96%)	14 (4%)	0	100	100
4	h	333/360 (92%)	317 (95%)	16 (5%)	0	100	100
4	i	333/360 (92%)	322 (97%)	11 (3%)	0	100	100
5	J	226/228 (99%)	218 (96%)	8 (4%)	0	100	100
5	K	226/228 (99%)	216 (96%)	9 (4%)	1 (0%)	30	62
All	All	6192/6672 (93%)	5883 (95%)	308 (5%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
5	K	117	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	279/365 (76%)	277 (99%)	2 (1%)	76	78
1	a	279/365 (76%)	277 (99%)	2 (1%)	76	78
2	B	255/270 (94%)	254 (100%)	1 (0%)	84	81
2	b	255/270 (94%)	254 (100%)	1 (0%)	84	81
3	C	146/160 (91%)	145 (99%)	1 (1%)	76	78
3	c	146/160 (91%)	145 (99%)	1 (1%)	76	78
4	D	234/290 (81%)	232 (99%)	2 (1%)	70	76
4	E	266/290 (92%)	266 (100%)	0	100	100
4	F	266/290 (92%)	265 (100%)	1 (0%)	84	81
4	G	266/290 (92%)	264 (99%)	2 (1%)	73	77
4	H	266/290 (92%)	266 (100%)	0	100	100
4	I	266/290 (92%)	266 (100%)	0	100	100
4	d	234/290 (81%)	232 (99%)	2 (1%)	70	76
4	e	266/290 (92%)	266 (100%)	0	100	100
4	f	266/290 (92%)	265 (100%)	1 (0%)	84	81
4	g	266/290 (92%)	264 (99%)	2 (1%)	73	77
4	h	266/290 (92%)	266 (100%)	0	100	100
4	i	266/290 (92%)	266 (100%)	0	100	100
5	J	182/182 (100%)	179 (98%)	3 (2%)	55	70
5	K	182/182 (100%)	178 (98%)	4 (2%)	45	65
All	All	4852/5434 (89%)	4827 (100%)	25 (0%)	78	80

5 of 25 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
5	K	126	ASN
1	a	422	LEU
4	g	82	ASP
1	a	324	GLN
2	b	59	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 68 such sidechains are listed below:

Mol	Chain	Res	Type
4	g	183	HIS
4	h	163	ASN
4	i	146	ASN
4	G	183	HIS
4	G	163	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
6	M	59/61 (96%)	25 (42%)	1 (1%)
6	m	59/61 (96%)	25 (42%)	0
All	All	118/122 (96%)	50 (42%)	1 (0%)

5 of 50 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
6	M	3	A
6	M	6	A
6	M	9	U
6	M	10	U
6	M	14	G

All (1) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
6	M	16	C

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-25661. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 140



Y Index: 140




Z Index: 140


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 148



Y Index: 163




Z Index: 123


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views

This section was not generated.


6.6 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 845 nm³; this corresponds to an approximate mass of 763 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.286 Å⁻¹


8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-25661 and PDB model 7T3K. Per-residue inclusion information can be found in section [3](#) on page [12](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.1 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.1).

9.4 Atom inclusion ⓘ



At the recommended contour level, 97% of all backbone atoms, 92% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9170	 0.3110
A	 0.9340	 0.2900
B	 0.9600	 0.4050
C	 0.8910	 0.1380
D	 0.9230	 0.2450
E	 0.9270	 0.3580
F	 0.9590	 0.4130
G	 0.9620	 0.4270
H	 0.9760	 0.4460
I	 0.9770	 0.4370
J	 0.9610	 0.4230
K	 0.9490	 0.3440
M	 0.9820	 0.3330
a	 0.9050	 0.2220
b	 0.9230	 0.2610
c	 0.3780	 0.1080
d	 0.8940	 0.1670
e	 0.8870	 0.2260
f	 0.9140	 0.2870
g	 0.9460	 0.3070
h	 0.9520	 0.3240
i	 0.9400	 0.2890
m	 0.7560	 0.2550

