



wwPDB EM Validation Summary Report ⓘ

Mar 28, 2026 – 04:36 PM UTC

PDB ID : 8T3B / pdb_00008t3b
EMDB ID : EMD-40998
Title : Hypomethylated yeast 80S bound with Taura syndrome virus (TSV) internal ribosome entry site (IRES), eEF2, GDP, and sordarin, Structure I
Authors : Zhao, Y.; Li, H.
Deposited on : 2023-06-07
Resolution : 3.08 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.08 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	14000 (2.58 - 3.58)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	BA	252	22% 38% 44% 18%
2	BB	255	25% 43% 41% 16%
3	BC	254	7% 48% 37% 15%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	BE	261	
5	BG	236	
6	BH	190	
7	BI	200	
8	BJ	197	
9	BL	156	
10	BN	151	
11	BO	137	
12	BV	87	
13	BW	130	
14	BX	145	
15	BY	135	
16	Ba	119	
17	Bb	82	
18	Be	63	
19	BD	240	
20	BF	225	
21	BK	105	
22	BP	142	
23	BQ	143	
24	BR	136	
25	BS	146	
26	BT	144	
27	BU	121	
28	BZ	108	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	Bc	67	
30	Bd	56	
31	Bg	319	
32	Bf	152	
33	BM	143	
34	B5	1798	
35	AA	254	
36	AB	387	
37	AC	362	
38	A1	3360	
39	A3	121	
40	A4	158	
41	AD	297	
42	AE	176	
43	AF	244	
44	AG	256	
45	AH	191	
46	AI	222	
47	AJ	174	
48	AL	199	
49	AM	138	
50	AN	204	
51	AO	199	
52	AP	184	
53	AQ	186	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
54	AR	189	
55	AS	178	
56	AT	160	
57	AU	121	
58	AV	137	
59	AW	155	
60	AX	142	
61	AY	127	
62	AZ	136	
63	Aa	149	
64	Ab	59	
65	Ac	105	
66	Ad	113	
67	Ae	130	
68	Af	107	
69	Ag	121	
70	Ah	120	
71	Ai	100	
72	Aj	88	
73	Ak	78	
74	Al	51	
75	Am	128	
76	An	25	
77	Ao	106	
78	Ap	92	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
79	E	217	
80	DC	842	
81	EC	202	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
85	SO1	DC	903	X	-	-	-

2 Entry composition

There are 85 unique types of molecules in this entry. The entry contains 212418 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 40S ribosomal protein S0-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	BA	206	Total	C	N	O	S	0	0
			1612	1034	285	291	2		

- Molecule 2 is a protein called RPS1A isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	BB	214	Total	C	N	O	S	0	0
			1709	1084	310	311	4		

- Molecule 3 is a protein called RPS2 isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	BC	217	Total	C	N	O	S	0	0
			1635	1047	289	297	2		

- Molecule 4 is a protein called 40S ribosomal protein S4-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	BE	260	Total	C	N	O	S	0	0
			2068	1316	389	360	3		

- Molecule 5 is a protein called 40S ribosomal protein S6-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	BG	226	Total	C	N	O	S	0	0
			1820	1142	350	325	3		

- Molecule 6 is a protein called 40S ribosomal protein S7-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
6	BH	184	Total	C	N	O	0	0
			1481	951	265	265		

- Molecule 7 is a protein called 40S ribosomal protein S8-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	BI	188	Total	C	N	O	S	0	0
			1489	925	298	264	2		

- Molecule 8 is a protein called 40S ribosomal protein S9-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	BJ	185	Total	C	N	O	S	0	0
			1494	943	289	261	1		

- Molecule 9 is a protein called 40S ribosomal protein S11-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	BL	155	Total	C	N	O	S	0	0
			1244	798	235	208	3		

- Molecule 10 is a protein called 40S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	BN	150	Total	C	N	O	S	0	0
			1192	759	224	207	2		

- Molecule 11 is a protein called 40S ribosomal protein S14-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	BO	127	Total	C	N	O	S	0	0
			941	578	186	174	3		

- Molecule 12 is a protein called 40S ribosomal protein S21-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	BV	87	Total	C	N	O	S	0	0
			684	420	125	137	2		

- Molecule 13 is a protein called RPS22A isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	BW	129	Total	C	N	O	S	0	0
			1021	650	188	180	3		

- Molecule 14 is a protein called 40S ribosomal protein S23-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	BX	144	Total	C	N	O	S	0	0
			1121	708	220	191	2		

- Molecule 15 is a protein called 40S ribosomal protein S24-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	BY	134	Total	C	N	O	S	0	0
			1073	676	208	189			

- Molecule 16 is a protein called RPS26B isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	Ba	97	Total	C	N	O	S	0	0
			769	475	160	129	5		

- Molecule 17 is a protein called 40S ribosomal protein S27-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	Bb	81	Total	C	N	O	S	0	0
			610	382	110	113	5		

- Molecule 18 is a protein called 40S ribosomal protein S30-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	Be	56	Total	C	N	O	S	0	0
			444	279	91	73	1		

- Molecule 19 is a protein called RPS3 isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	BD	223	Total	C	N	O	S	0	0
			1734	1101	313	314	6		

- Molecule 20 is a protein called Rps5p.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	BF	206	Total	C	N	O	S	0	0
			1609	1007	300	299	3		

- Molecule 21 is a protein called 40S ribosomal protein S10-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	BK	96	Total	C	N	O	S	0	0
			817	529	133	153	2		

- Molecule 22 is a protein called RPS15 isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	BP	124	Total	C	N	O	S	0	0
			991	631	187	166	7		

- Molecule 23 is a protein called 40S ribosomal protein S16-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
23	BQ	141	Total	C	N	O	0	0
			1105	708	203	194		

- Molecule 24 is a protein called 40S ribosomal protein S17-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	BR	121	Total	C	N	O	S	0	0
			948	596	179	171	2		

- Molecule 25 is a protein called 40S ribosomal protein S18-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	BS	145	Total	C	N	O	S	0	0
			1192	743	237	210	2		

- Molecule 26 is a protein called 40S ribosomal protein S19-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	BT	141	Total	C	N	O	S	0	0
			1095	685	206	202	2		

- Molecule 27 is a protein called RPS20 isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	BU	107	Total	C	N	O	S	0	0
			855	539	156	159	1		

- Molecule 28 is a protein called RPS25A isoform 1.

Mol	Chain	Residues	Atoms				AltConf	Trace
28	BZ	71	Total	C	N	O	0	0
			574	366	108	100		

- Molecule 29 is a protein called RPS28A isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	Bc	63	Total	C	N	O	S	0	0
			497	306	99	91	1		

- Molecule 30 is a protein called RPS29A isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	Bd	53	Total	C	N	O	S	0	0
			442	274	92	72	4		

- Molecule 31 is a protein called Guanine nucleotide-binding protein subunit beta-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	Bg	312	Total	C	N	O	S	0	0
			2401	1522	410	461	8		

- Molecule 32 is a protein called Ubiquitin-40S ribosomal protein S31.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	Bf	75	Total	C	N	O	S	0	0
			605	386	116	99	4		

- Molecule 33 is a protein called 40S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	BM	124	Total	C	N	O	S	0	0
			935	587	165	181	2		

- Molecule 34 is a RNA chain called 18S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	B5	1757	Total	C	N	O	P	1	0
			37463	16754	6635	12317	1757		

- Molecule 35 is a protein called 60S ribosomal protein L2-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	AA	247	Total	C	N	O	S	0	0
			1878	1170	381	326	1		

- Molecule 36 is a protein called 60S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	AB	386	Total	C	N	O	S	0	0
			3081	1956	584	533	8		

- Molecule 37 is a protein called RPL4A isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	AC	361	Total	C	N	O	S	0	0
			2748	1729	522	494	3		

- Molecule 38 is a RNA chain called 25S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	A1	3216	Total	C	N	O	P	0	0
			68786	30729	12387	22454	3216		

- Molecule 39 is a RNA chain called 5s rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	A3	121	Total	C	N	O	P	0	0
			2579	1152	461	845	121		

- Molecule 40 is a RNA chain called 5.8 S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	A4	158	Total	C	N	O	P	0	0
			3353	1500	586	1109	158		

- Molecule 41 is a protein called RPL5 isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	AD	292	Total	C	N	O	S	0	0
			2341	1478	408	453	2		

- Molecule 42 is a protein called 60S ribosomal protein L6-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	AE	167	Total	C	N	O	S	0	0
			1303	840	234	228	1		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AE	120	LYS	ASN	conflict	UNP Q02326

- Molecule 43 is a protein called 60S ribosomal protein L7-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	AF	222	Total	C	N	O	S	0	0
			1784	1151	324	308	1		

- Molecule 44 is a protein called 60S ribosomal protein L8-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	AG	230	Total	C	N	O	S	0	0
			1798	1149	323	323	3		

- Molecule 45 is a protein called 60S ribosomal protein L9-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	AH	190	Total	C	N	O	S	0	0
			1510	957	273	276	4		

- Molecule 46 is a protein called 60S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	AI	222	Total	C	N	O	S	0	0
			1804	1147	339	310	8		

- Molecule 47 is a protein called RPL11A isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	AJ	169	Total	C	N	O	S	0	0
			1353	847	253	249	4		

- Molecule 48 is a protein called 60S ribosomal protein L13-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
48	AL	193	Total	C	N	O		
			1543	962	315	266	0	0

- Molecule 49 is a protein called 60S ribosomal protein L14-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	AM	136	Total	C	N	O	S		
			1053	675	199	177	2	0	0

- Molecule 50 is a protein called 60S ribosomal protein L15-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	AN	203	Total	C	N	O	S		
			1720	1077	361	281	1	0	0

- Molecule 51 is a protein called 60S ribosomal protein L16-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	AO	197	Total	C	N	O	S		
			1555	1003	289	262	1	197	0

- Molecule 52 is a protein called 60S ribosomal protein L17-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
52	AP	175	Total	C	N	O		
			1388	862	277	249	0	0

- Molecule 53 is a protein called 60S ribosomal protein L18-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	AQ	185	Total	C	N	O	S		
			1441	908	290	241	2	0	0

- Molecule 54 is a protein called 60S ribosomal protein L19-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
54	AR	188	Total	C	N	O		
			1521	935	326	260	0	0

- Molecule 55 is a protein called 60S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	AS	172	Total	C	N	O	S	0	0
			1445	930	267	244	4		

- Molecule 56 is a protein called 60S ribosomal protein L21-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	AT	159	Total	C	N	O	S	0	0
			1276	805	246	221	4		

- Molecule 57 is a protein called 60S ribosomal protein L22-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	AU	100	Total	C	N	O	S	0	0
			796	516	131	149			

- Molecule 58 is a protein called 60S ribosomal protein L23-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	AV	136	Total	C	N	O	S	0	0
			1003	628	189	179	7		

- Molecule 59 is a protein called RPL24A isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	AW	63	Total	C	N	O	S	0	0
			521	336	102	82	1		

- Molecule 60 is a protein called 60S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
60	AX	121	Total	C	N	O	S	0	0
			968	623	170	173	2		

- Molecule 61 is a protein called 60S ribosomal protein L26-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
61	AY	126	Total	C	N	O	S	0	0
			993	625	192	176			

- Molecule 62 is a protein called 60S ribosomal protein L27-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
62	AZ	135	Total	C	N	O	0	0
			1092	710	202	180		

- Molecule 63 is a protein called 60S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
63	Aa	148	Total	C	N	O	S	0	0
			1173	749	231	190	3		

- Molecule 64 is a protein called RPL29 isoform 1.

Mol	Chain	Residues	Atoms				AltConf	Trace
64	Ab	58	Total	C	N	O	0	0
			462	289	100	73		

- Molecule 65 is a protein called 60S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
65	Ac	97	Total	C	N	O	S	0	0
			743	479	124	139	1		

- Molecule 66 is a protein called 60S ribosomal protein L31-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
66	Ad	109	Total	C	N	O	S	0	0
			890	565	168	156	1		

- Molecule 67 is a protein called RPL32 isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
67	Ae	127	Total	C	N	O	S	0	0
			1020	647	205	167	1		

- Molecule 68 is a protein called 60S ribosomal protein L33-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
68	Af	106	Total	C	N	O	S	0	0
			850	540	165	144	1		

- Molecule 69 is a protein called 60S ribosomal protein L34-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
69	Ag	112	Total	C	N	O	S	0	0
			880	545	179	152	4		

- Molecule 70 is a protein called 60S ribosomal protein L35-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
70	Ah	119	Total	C	N	O	S	0	0
			969	615	186	167	1		

- Molecule 71 is a protein called 60S ribosomal protein L36-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
71	Ai	99	Total	C	N	O	S	0	0
			771	481	156	132	2		

- Molecule 72 is a protein called 60S ribosomal protein L37-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
72	Aj	87	Total	C	N	O	S	0	0
			681	414	148	114	5		

- Molecule 73 is a protein called RPL38 isoform 1.

Mol	Chain	Residues	Atoms				AltConf	Trace
73	Ak	77	Total	C	N	O	0	0
			612	391	115	106		

- Molecule 74 is a protein called 60S ribosomal protein L39.

Mol	Chain	Residues	Atoms					AltConf	Trace
74	Al	50	Total	C	N	O	S	0	0
			436	272	97	65	2		

- Molecule 75 is a protein called Ubiquitin-60S ribosomal protein L40.

Mol	Chain	Residues	Atoms					AltConf	Trace
75	Am	52	Total	C	N	O	S	0	0
			417	259	86	67	5		

- Molecule 76 is a protein called 60S ribosomal protein L41-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
76	An	25	Total	C	N	O	S	0	0
			233	142	63	27	1		

- Molecule 77 is a protein called 60S ribosomal protein L42-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
77	Ao	105	Total	C	N	O	S	0	0
			847	534	170	138	5		

- Molecule 78 is a protein called 60S ribosomal protein L43-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
78	Ap	91	Total	C	N	O	S	0	0
			694	429	138	121	6		

- Molecule 79 is a protein called RPL1A isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
79	E	217	Total	C	N	O	S	0	0
			1718	1097	299	312	10		

- Molecule 80 is a protein called Elongation factor 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
80	DC	824	Total	C	N	O	S	0	0
			6419	4085	1096	1208	30		


- Molecule 81 is a RNA chain called TSV IRES.

Mol	Chain	Residues	Atoms					AltConf	Trace
81	EC	200	Total	C	N	O	P	0	0
			4235	1891	751	1393	200		

- Molecule 82 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
82	Ao	1	Total	Zn	0
			1	1	

- Molecule 83 is GUANOSINE-5'-DIPHOSPHATE (CCD ID: GDP) (formula: C₁₀H₁₅N₅O₁₁P₂).




Mol	Chain	Residues	Atoms					AltConf
83	DC	1	Total	C	N	O	P	0
			28	10	5	11	2	

- Molecule 84 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	AltConf
84	DC	1	Total Mg 1 1	0

- Molecule 85 is [1R-(1.ALPHA.,3A.BETA.,4.BETA.,4A.BETA.,7.BETA.,7A.ALPHA.,8A.BETA.)]8A-[(6-DEOXY-4-O-METHYL-BETA-D-ALTROPYRANOSYLOXY)METHYL]-4-FORMYL-4,4A,5,6,7,7A,8,8A-OCTAHYDRO-7-METHYL-3-(1-METHYLETHYL)-1,4-METHANO-S-INDACENE-3A(1H)-CARBOXYLIC ACID (CCD ID: SO1) (formula: $C_{27}H_{42}O_8$).




Mol	Chain	Residues	Atoms			AltConf
85	DC	1	Total	C	O	0
			35	27	8	

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 40S ribosomal protein S0-A




• Molecule 2: RPS1A isoform 1




• Molecule 3: RPS2 isoform 1

Chain BC: 




• Molecule 4: 40S ribosomal protein S4-A


Chain BE: 




• Molecule 5: 40S ribosomal protein S6-A

Chain BG: 






• Molecule 6: 40S ribosomal protein S7-A




• Molecule 7: 40S ribosomal protein S8-A




• Molecule 8: 40S ribosomal protein S9-A




• Molecule 9: 40S ribosomal protein S11-A




• Molecule 10: 40S ribosomal protein S13



• Molecule 11: 40S ribosomal protein S14-A




• Molecule 12: 40S ribosomal protein S21-A





- Molecule 13: RPS22A isoform 1

Chain BW: 




- Molecule 14: 40S ribosomal protein S23-A

Chain BX: 




- Molecule 15: 40S ribosomal protein S24-A

Chain BY: 




- Molecule 16: RPS26B isoform 1


Chain Ba: 




- Molecule 17: 40S ribosomal protein S27-A




- Molecule 18: 40S ribosomal protein S30-A



- Molecule 19: RPS3 isoform 1




- Molecule 20: Rps5p








• Molecule 25: 40S ribosomal protein S18-A



• Molecule 26: 40S ribosomal protein S19-A




• Molecule 27: RPS20 isoform 1




• Molecule 28: RPS25A isoform 1







• Molecule 29: RPS28A isoform 1





• Molecule 30: RPS29A isoform 1





• Molecule 31: Guanine nucleotide-binding protein subunit beta-like protein




• Molecule 32: Ubiquitin-40S ribosomal protein S31





• Molecule 33: 40S ribosomal protein S12




• Molecule 34: 18S rRNA









• Molecule 35: 60S ribosomal protein L2-A




• Molecule 36: 60S ribosomal protein L3




• Molecule 37: RPL4A isoform 1




• Molecule 38: 25S rRNA








A3077	A3078	A3079	A3080	G3083	G3084	G3085	A3086	A3087	G3088	G3089	A3090	A3091	G3092	G3093	A3094	G3095	G3096	G3097	G3101	U3104	U3105	A3106	G3107	G3108	G3109	G3110	G3111	G3112	A3113	A3114	G3115	U3119	G3120	U3121	A3122	A3123	G3124	U3125	U3126	A3127	G3128	A3129	A3130	U3131	G3132	G3133	U3134	U3135	U3136	U3137	U3138	A3139	G3140	A3141	A3142	A3143	A3144	A3145	A3146	A3147	A3148	A3149	A3150	A3151	A3152	U3153	U3154	G3155	G3156	G3157	A3158	U3159	G3160	G3161	U3162	G3163	A3164	A3165	A3166	A3167	A3168	A3169	U3170	G3171	G3172	G3173	G3174	G3175	G3176	G3177	G3178	G3179	G3180	G3181	U3182	U3183	U3184	U3185	U3186	U3187	U3188	U3189	U3190	U3191	G3192	G3193	G3194	G3195	G3196	U3197	U3198	U3199	U3200	U3201	U3202	U3203	U3204	U3205	G3206	A3207	A3208	U3209	A3210	A3211	A3212	A3213	A3214	A3215	G3216	U3217	G3218	A3219	A3220	G3221	A3222	A3223	A3224	A3225	A3226	A3227	A3228	A3229	A3230	A3231	A3232	A3233	A3234	A3235	A3236	A3237	U3238	U3239	A3240	A3241	A3242	A3243	A3244	A3245	G3246	G3247	G3248	G3249	G3250	G3251	G3252	G3253	G3254	G3255	G3256	G3257	U3258	A3259	U3260	G3261	A3262	G3263	U3264	G3265	U3266	U3267	U3268	U3269	U3270	U3271	U3272	U3273	U3274	U3275	U3276	U3277	U3278	U3279	A3280	A3281	U3282	G3283	G3284	G3285	U3286	G3287	G3288	U3289	U3290	U3291	U3292	U3293	U3294	U3295	U3296	U3297	U3298	U3299	A3300	A3301	C3002	G3003	C3004	A3005	A3006	U3007	G3008	G3009	G3010	G3011	A3012	A3013	U3014	G3015	A3016	A3017	G3018	A3019	G3020	A3021	G3022	U3023	G3024	G3025	A3026	G3027	A3028	G3029	G3030	G3031	A3032	A3033	A3034	U3035	U3036	U3037	U3038	G3039	G3040	G3041	G3042	G3043	G3044	G3045	A3046	U3047	A3048	A3049	U3050	U3051	G3052	G3053	U3054	U3055	U3056	G3057	G3058	G3059	G3060	G3061	G3062	G3063	G3064	G3065	U3066	G3067	U3068	G3069	A3070	U3071	G3072	A3073	G3074	G3075	C3076	G3077	G3078	G3079	G3080	G3081	G3082	G3083	G3084	G3085	G3086	G3087	G3088	G3089	G3090	G3091	G3092	G3093	G3094	G3095	G3096	G3097	G3098	G3099	G3100	G3101	G3102	G3103	G3104	G3105	G3106	G3107	G3108	G3109	G3110	G3111	G3112	G3113	G3114	G3115	G3116	G3117	G3118	G3119	G3120	G3121	G3122	G3123	G3124	G3125	G3126	G3127	G3128	G3129	G3130	G3131	G3132	G3133	G3134	G3135	G3136	G3137	G3138	G3139	G3140	G3141	G3142	G3143	G3144	G3145	G3146	G3147	G3148	G3149	G3150	G3151	G3152	G3153	G3154	G3155	G3156	G3157	G3158	G3159	G3160	G3161	G3162	G3163	G3164	G3165	G3166	G3167	G3168	G3169	G3170	G3171	G3172	G3173	G3174	G3175	G3176	G3177	G3178	G3179	G3180	G3181	G3182	G3183	G3184	G3185	G3186	G3187	G3188	G3189	G3190	G3191	G3192	G3193	G3194	G3195	G3196	G3197	G3198	G3199	G3200	G3201	G3202	G3203	G3204	G3205	G3206	G3207	G3208	G3209	G3210	G3211	G3212	G3213	G3214	G3215	G3216	G3217	G3218	G3219	G3220	G3221	G3222	G3223	G3224	G3225	G3226	G3227	G3228	G3229	G3230	G3231	G3232	G3233	G3234	G3235	G3236	G3237	G3238	G3239	G3240	G3241	G3242	G3243	G3244	G3245	G3246	G3247	G3248	G3249	G3250	G3251	G3252	G3253	G3254	G3255	G3256	G3257	G3258	G3259	G3260	G3261	G3262	G3263	G3264	G3265	G3266	G3267	G3268	G3269	G3270	G3271	G3272	G3273	G3274	G3275	G3276	G3277	G3278	G3279	G3280	G3281	G3282	G3283	G3284	G3285	G3286	G3287	G3288	G3289	G3290	G3291	G3292	G3293	G3294	G3295	G3296	G3297	G3298	G3299	G3300	G3301	G3302	G3303	G3304	G3305	G3306	G3307	G3308	G3309	G3310	G3311	G3312	G3313	G3314	G3315	G3316	G3317	G3318	G3319	G3320	G3321	G3322	G3323	G3324	G3325	G3326	G3327	G3328	G3329	G3330	G3331	G3332	G3333	G3334	G3335	G3336	G3337	G3338	G3339	G3340	G3341	G3342	G3343	G3344	G3345	G3346	G3347	G3348	G3349	G3350	G3351	G3352	G3353	G3354	G3355	G3356	G3357	G3358	G3359	G3360	G3361	G3362	G3363	G3364	G3365	G3366	G3367	G3368	G3369	G3370	G3371	G3372	G3373	G3374	G3375	G3376	G3377	G3378	G3379	G3380	G3381	G3382	G3383	G3384	G3385	G3386	G3387	G3388	G3389	G3390	G3391	G3392	G3393	G3394	G3395	G3396	G3397	G3398	G3399	G3400	G3401	G3402	G3403	G3404	G3405	G3406	G3407	G3408	G3409	G3410	G3411	G3412	G3413	G3414	G3415	G3416	G3417	G3418	G3419	G3420	G3421	G3422	G3423	G3424	G3425	G3426	G3427	G3428	G3429	G3430	G3431	G3432	G3433	G3434	G3435	G3436	G3437	G3438	G3439	G3440	G3441	G3442	G3443	G3444	G3445	G3446	G3447	G3448	G3449	G3450	G3451	G3452	G3453	G3454	G3455	G3456	G3457	G3458	G3459	G3460	G3461	G3462	G3463	G3464	G3465	G3466	G3467	G3468	G3469	G3470	G3471	G3472	G3473	G3474	G3475	G3476	G3477	G3478	G3479	G3480	G3481	G3482	G3483	G3484	G3485	G3486	G3487	G3488	G3489	G3490	G3491	G3492	G3493	G3494	G3495	G3496	G3497	G3498	G3499	G3500	G3501	G3502	G3503	G3504	G3505	G3506	G3507	G3508	G3509	G3510	G3511	G3512	G3513	G3514	G3515	G3516	G3517	G3518	G3519	G3520	G3521	G3522	G3523	G3524	G3525	G3526	G3527	G3528	G3529	G3530	G3531	G3532	G3533	G3534	G3535	G3536	G3537	G3538	G3539	G3540	G3541	G3542	G3543	G3544	G3545	G3546	G3547	G3548	G3549	G3550	G3551	G3552	G3553	G3554	G3555	G3556	G3557	G3558	G3559	G3560	G3561	G3562	G3563	G3564	G3565	G3566	G3567	G3568	G3569	G3570	G3571	G3572	G3573	G3574	G3575	G3576	G3577	G3578	G3579	G3580	G3581	G3582	G3583	G3584	G3585	G3586	G3587	G3588	G3589	G3590	G3591	G3592	G3593	G3594	G3595	G3596	G3597	G3598	G3599	G3600	G3601	G3602	G3603	G3604	G3605	G3606	G3607	G3608	G3609	G3610	G3611	G3612	G3613	G3614	G3615	G3616	G3617	G3618	G3619	G3620	G3621	G3622	G3623	G3624	G3625	G3626	G3627	G3628	G3629	G3630	G3631	G3632	G3633	G3634	G3635	G3636	G3637	G3638	G3639	G3640	G3641	G3642	G3643	G3644	G3645	G3646	G3647	G3648	G3649	G3650	G3651	G3652	G3653	G3654	G3655	G3656	G3657	G3658	G3659	G3660	G3661	G3662	G3663	G3664	G3665	G3666	G3667	G3668	G3669	G3670	G3671	G3672	G3673	G3674	G3675	G3676	G3677	G3678	G3679	G3680	G3681	G3682	G3683	G3684	G3685	G3686	G3687	G3688	G3689	G3690	G3691	G3692	G3693	G3694	G3695	G3696	G3697	G3698	G3699	G3700	G3701	G3702	G3703	G3704	G3705	G3706	G3707	G3708	G3709	G3710	G3711	G3712	G3713	G3714	G3715	G3716	G3717	G3718	G3719	G3720	G3721	G3722	G3723	G3724	G3725	G3726	G3727	G3728	G3729	G3730	G3731	G3732	G3733	G3734	G3735	G3736	G3737	G3738	G3739	G3740	G3741	G3742	G3743	G3744	G3745	G3746	G3747	G3748	G3749	G3750	G3751	G3752	G3753	G3754	G3755	G3756	G3757	G3758	G3759	G3760	G3761	G3762	G3763	G3764	G3765	G3766	G3767	G3768	G3769	G3770	G3771	G3772	G3773	G3774	G3775	G3776	G3777	G3778	G3779	G3780	G3781	G3782	G3783	G3784	G3785	G3786	G3787	G3788	G3789	G3790	G3791	G3792	G3793	G3794	G3795	G3796	G3797	G3798	G3799	G3800	G3801	G3802	G3803	G3804	G3805	G3806	G3807	G3808	G3809	G3810	G3811	G3812	G3813	G3814	G3815	G3816	G3817	G3818	G3819	G3820	G3821	G3822	G3823	G3824	G3825	G3826	G3827	G3828	G3829	G3830	G3831	G3832	G3833	G3834	G3835	G3836	G3837	G3838	G3839	G3840	G3841	G3842	G3843	G3844	G3845	G3846	G3847	G3848	G3849	G3850	G3851	G3852	G3853	G3854	G3855	G3856	G3857	G3858	G3859	G3860	G3861	G3862	G3863	G3864	G3865	G3866	G3867	G3868	G3869	G3870	G3871	G3872	G3873	G3874	G3875	G3876	G3877	G3878	G3879	G3880	G3881	G3882	G3883	G3884	G3885	G3886	G3887	G3888	G3889	G3890	G3891	G3892	G3893	G3894	G3895	G3896	G3897	G3898	G3899	G3900	G3901	G3902	G3903	G3904	G3905	G3906	G3907	G3908	G3909	G3910	G3911	G3912	G3913	G3914	G3915	G3916	G3917	G3918	G3919	G3920	G3921	G3922	G3923	G3924	G3925	G3926	G3927	G3928	G3929	G3930	G3931	G3932	G3933	G3934	G3935	G3936	G3937	G3938	G3939	G3940	G3941	G3942	G3943	G3944	G3945	G3946	G3947	G3948	G3949	G3950	G3951	G3952	G3953	G3954	G3955	G3956	G3957	G3958	G3959	G3960	G3961	G3962	G3963	G3964	G3965	G3966	G3967	G3968	G3969	G3970	G3971	G3972	G3973	G3974	G3975	G3976	G3977	G3978	G3979	G3980	G3981	G3982	G3983	G3984	G3985	G3986	G3987	G3988	G3989	G3990	G3991	G3992	G3993	G3994	G3995	G3996	G3997	G3998	G3999	G4000	G4001	G4002	G4003	G4004	G4005	G4006	G4007	G4008	G4009	G4010	G4011	G4012	G4013	G4014	G4015	G4016	G4017	G4018	G4019	G4020	G4021	G4022	G4023	G4024	G4025	G4026	G4027	G4028	G4029	G4030	G4031	G4032	G4033	G4034	G4035	G4036	G4037	G4038	G4039	G4040	G4041	G4042	G4043	G4044	G4045	G4046	G4047	G4048	G4049	G4050	G4051	G4052	G4053	G4054	G4055	G4056	G4057	G4058	G4059	G4060	G4061	G4062	G4063	G4064	G4065	G4066	G4067	G4068	G4069	G4070	G4071	G4072	G4073	G4074	G4075	G4076	G4077	G4078	G4079	G4080	G4081	G4082	G4083	G4084	G4085	G4086	G4087	G4088	G4089	G4090	G4091	G4092	G4093	G4094	G4095	G4096	G4097	G4098	G4099	G4100	G4101	G4102	G4103	G4104	G4105	G4106	G4107	G4108	G4109	G4110	G4111	G4112	G4113	G4114	G4115	G4116	G4117	G4118	G4119	G4120	G4121	G4122	G4123	G4124	G4125	G4126	G4127	G4128	G4129	G4130	G4131	G4132	G4133	G4134	G4135	G4136	G4137
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------




• Molecule 39: 5s rRNA

Chain A3: 35% 51% 14%




• Molecule 40: 5.8 S rRNA


Chain A4: 25% 62% 13%




• Molecule 41: RPL5 isoform 1

Chain AD: 8% 63% 36%







• Molecule 42: 60S ribosomal protein L6-A



• Molecule 43: 60S ribosomal protein L7-A




• Molecule 44: 60S ribosomal protein L8-A




- Molecule 45: 60S ribosomal protein L9-A

Chain AH: 




- Molecule 46: 60S ribosomal protein L10

Chain AI: 




- Molecule 47: RPL11A isoform 1

Chain AJ: 




- Molecule 48: 60S ribosomal protein L13-A

Chain AL: 




- Molecule 49: 60S ribosomal protein L14-A

Chain AM: 62% 36%




- Molecule 50: 60S ribosomal protein L15-A

Chain AN: 59% 40%




- Molecule 51: 60S ribosomal protein L16-A

Chain AO: 63% 36%





- Molecule 52: 60S ribosomal protein L17-A


Chain AP: 67% 28% 5%




- Molecule 53: 60S ribosomal protein L18-A



- Molecule 54: 60S ribosomal protein L19-A




- Molecule 55: 60S ribosomal protein L20




- Molecule 56: 60S ribosomal protein L21-A







• Molecule 57: 60S ribosomal protein L22-A



• Molecule 58: 60S ribosomal protein L23-A




• Molecule 59: RPL24A isoform 1




• Molecule 60: 60S ribosomal protein L25






- Molecule 61: 60S ribosomal protein L26-A

Chain AY: 64% 35%




- Molecule 62: 60S ribosomal protein L27-A

Chain AZ: 56% 43%




- Molecule 63: 60S ribosomal protein L28

Chain Aa: 64% 36%



- Molecule 64: RPL29 isoform 1

Chain Ab: 14% 71% 27%




- Molecule 65: 60S ribosomal protein L30


Chain Ac: 14% 63% 30% 8%



- Molecule 66: 60S ribosomal protein L31-A




- Molecule 67: RPL32 isoform 1




- Molecule 68: 60S ribosomal protein L33-A




- Molecule 69: 60S ribosomal protein L34-A






- Molecule 70: 60S ribosomal protein L35-A




- Molecule 71: 60S ribosomal protein L36-A



- Molecule 72: 60S ribosomal protein L37-A




- Molecule 73: RPL38 isoform 1




- Molecule 74: 60S ribosomal protein L39




- Molecule 75: Ubiquitin-60S ribosomal protein L40






• Molecule 76: 60S ribosomal protein L41-A

Chain An: 44% 56%




• Molecule 77: 60S ribosomal protein L42-A

Chain Ao: 16% 68% 31%




• Molecule 78: 60S ribosomal protein L43-A

Chain Ap: 12% 68% 30%




• Molecule 79: RPL1A isoform 1


Chain E: 67% 65% 35%



- Molecule 80: Elongation factor 2



- Molecule 81: TSV IRES



C6939	C6878	C6818	A6758
U6940	U6879	C6819	A6759
U6941	C6880	C6820	A6760
A6942	U6881	U6821	C6761
A6943	C6882	U6822	U6762
U6944	A6883	U6823	C6763
U6945	C6884	C6824	C6764
A6946	C6885	A6825	A6765
A6947	A6886	U6826	U6766
U6948	C6887	C6827	C6767
C6950	A6888	C6828	U6768
C6951	C6889	A6829	A6769
U6952	A6890	C6830	U6770
A6953	C6891	U6831	U6771
U6954	U6892	C6832	C6772
U6955	C6893	C6833	C6773
A6956	C6894	U6834	U6774
A6957	C6895	U6835	U6775
C	C6897	U6836	A6776
C	U6898	C6837	C6777
	C6899	C6838	C6778
	A6900	U6839	C6779
	C6901	A6840	A6780
	U6902	U6841	U6781
	U6903	U6842	C6782
	U6904	U6843	C6783
	C6905	A6844	C6784
	C6906	C6845	C6785
	C6907	C6846	A6786
	C6908	C6847	U6787
	A6909	U6848	C6788
	A6910	A6849	C6789
	A6911	C6850	A6790
	C6912	C6851	A6791
	U6913	C6852	A6792
	A6914	C6853	A6793
	C6915	U6854	C6794
	A6916	A6855	U6795
	C6917	C6856	C6796
		C6857	U6797
		A6858	C6798
	C6920	U6859	C6799
	C6921	A6860	C6800
	C6922	C6861	A6901
	C6923	C6862	A6902
	C6924	C6863	A6903
	U6925	A6864	C6904
	U6926	C6865	C6905
	U6927	C6866	U6906
	C6928	C6867	A6907
	C6929	C6868	A6908
	C6930	A6870	U6909
	U6931	A6871	C6910
	C6932	A6872	C6911
	C6933	A6873	C6912
	U6934	A6874	C6814
	C6935	C6875	A6815
	C6936	A6876	A6816
	C6937	C6877	A6817
	A6938		

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	77938	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	2.034	Depositor
Minimum map value	-0.985	Depositor
Average map value	0.006	Depositor
Map value standard deviation	0.100	Depositor
Recommended contour level	0.3	Depositor
Map size (Å)	423.99997, 423.99997, 423.99997	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.06, 1.06, 1.06	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: OMU, 1MA, G7M, UR3, ZN, B8N, 5MC, GDP, HIC, 4AC, PSU, DDE, MG, MA6, OMG, SO1

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	BA	0.18	0/1653	0.39	0/2261
2	BB	0.18	0/1735	0.38	0/2335
3	BC	0.55	2/1665 (0.1%)	0.85	4/2263 (0.2%)
4	BE	0.16	0/2109	0.39	0/2839
5	BG	0.14	0/1844	0.33	0/2464
6	BH	0.14	0/1506	0.36	0/2028
7	BI	0.19	0/1514	0.43	0/2021
8	BJ	0.17	0/1519	0.43	0/2035
9	BL	0.19	0/1272	0.38	0/1712
10	BN	0.18	0/1215	0.34	0/1638
11	BO	0.19	0/952	0.42	0/1279
12	BV	0.20	0/693	0.40	0/935
13	BW	0.20	0/1038	0.38	0/1395
14	BX	0.21	0/1139	0.37	0/1518
15	BY	0.13	0/1087	0.31	0/1449
16	Ba	0.74	3/782 (0.4%)	1.33	8/1047 (0.8%)
17	Bb	0.14	0/620	0.37	0/838
18	Be	0.14	0/451	0.37	0/600
19	BD	0.18	0/1759	0.44	0/2368
20	BF	0.15	0/1629	0.38	0/2202
21	BK	0.19	0/837	0.45	0/1131
22	BP	0.20	0/1012	0.44	0/1356
23	BQ	0.16	0/1125	0.35	0/1510
24	BR	0.15	0/957	0.32	0/1283
25	BS	0.15	0/1211	0.38	0/1628
26	BT	0.15	0/1113	0.38	0/1494
27	BU	0.25	0/865	0.50	0/1169
28	BZ	0.17	0/582	0.43	0/782
29	Bc	0.14	0/499	0.37	0/670
30	Bd	0.19	0/452	0.44	0/600
31	Bg	0.14	0/2454	0.35	0/3340
32	Bf	0.12	0/616	0.32	0/817

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	BM	0.14	0/943	0.45	2/1274 (0.2%)
34	B5	0.20	0/41450	0.31	0/64582
35	AA	0.28	0/1912	0.35	0/2569
36	AB	0.27	0/3139	0.39	0/4219
37	AC	0.25	0/2800	0.36	0/3790
38	A1	0.28	0/76161	0.30	0/118749
39	A3	0.26	0/2861	0.28	0/4457
40	A4	0.29	0/3724	0.29	0/5798
41	AD	0.20	0/2390	0.33	0/3225
42	AE	0.24	0/1324	0.42	1/1782 (0.1%)
43	AF	0.27	0/1821	0.35	0/2451
44	AG	0.21	0/1830	0.36	0/2469
45	AH	0.26	0/1531	0.45	0/2062
46	AI	0.25	0/1843	0.41	0/2471
47	AJ	0.19	0/1374	0.43	0/1842
48	AL	0.24	0/1568	0.33	0/2106
49	AM	0.24	0/1068	0.35	0/1438
50	AN	0.30	0/1757	0.36	0/2354
51	AO	0.27	0/1585	0.34	0/2128
52	AP	0.26	0/1410	0.36	0/1893
53	AQ	0.26	0/1465	0.38	0/1965
54	AR	0.23	0/1538	0.38	0/2050
55	AS	0.28	0/1481	0.40	0/1990
56	AT	0.26	0/1300	0.35	0/1743
57	AU	0.21	0/812	0.42	0/1099
58	AV	0.24	0/1018	0.37	0/1369
59	AW	0.23	0/533	0.35	0/707
60	AX	0.24	0/983	0.36	0/1325
61	AY	0.25	0/1004	0.35	0/1341
62	AZ	0.21	0/1118	0.37	0/1497
63	Aa	0.28	0/1204	0.36	0/1612
64	Ab	0.21	0/473	0.36	0/629
65	Ac	0.25	0/751	0.37	0/1008
66	Ad	0.24	0/904	0.30	0/1213
67	Ae	0.25	0/1041	0.33	0/1394
68	Af	0.31	0/868	0.39	0/1168
69	Ag	0.26	0/890	0.40	0/1189
70	Ah	0.21	0/978	0.36	0/1301
71	Ai	0.21	0/778	0.39	0/1034
72	Aj	0.29	0/696	0.33	0/923
73	Ak	0.18	0/618	0.34	0/826
74	Al	0.31	0/443	0.44	0/588
75	Am	0.23	0/423	0.38	0/562

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
76	An	0.25	0/234	0.43	0/300
77	Ao	0.21	0/860	0.32	0/1136
78	Ap	0.26	0/701	0.41	0/934
79	E	0.12	0/1745	0.33	0/2342
80	DC	0.19	0/6521	0.40	0/8830
81	EC	0.16	0/4733	0.35	0/7369
All	All	0.25	5/226509 (0.0%)	0.35	15/332110 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
11	BO	0	1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	BC	85	PRO	CB-CG	16.33	2.31	1.49
16	Ba	2	PRO	CB-CG	-12.06	0.89	1.49
3	BC	85	PRO	CG-CD	-11.99	1.09	1.50
16	Ba	60	PRO	CG-CD	-10.06	1.16	1.50
16	Ba	60	PRO	CB-CG	-8.32	1.08	1.49

The worst 5 of 15 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	BC	85	PRO	CB-CG-CD	-24.20	28.66	106.10
3	BC	85	PRO	CA-N-CD	-22.18	80.95	112.00
16	Ba	60	PRO	N-CD-CG	-20.37	72.65	103.20
16	Ba	60	PRO	CA-CB-CG	-18.94	68.51	104.50
16	Ba	2	PRO	CA-CB-CG	-16.59	72.99	104.50

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
11	BO	103	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	BA	1612	0	1623	83	0
2	BB	1709	0	1784	83	0
3	BC	1635	0	1723	90	0
4	BE	2068	0	2154	126	0
5	BG	1820	0	1918	100	0
6	BH	1481	0	1572	69	0
7	BI	1489	0	1525	115	0
8	BJ	1494	0	1573	96	0
9	BL	1244	0	1314	74	0
10	BN	1192	0	1255	61	0
11	BO	941	0	979	71	0
12	BV	684	0	672	45	0
13	BW	1021	0	1060	55	0
14	BX	1121	0	1196	72	0
15	BY	1073	0	1132	60	0
16	Ba	769	0	818	35	0
17	Bb	610	0	633	39	0
18	Be	444	0	491	23	0
19	BD	1734	0	1817	106	0
20	BF	1609	0	1675	95	0
21	BK	817	0	804	57	0
22	BP	991	0	1035	84	0
23	BQ	1105	0	1166	67	0
24	BR	948	0	990	39	0
25	BS	1192	0	1222	74	0
26	BT	1095	0	1114	66	0
27	BU	855	0	915	71	0
28	BZ	574	0	616	46	0
29	Bc	497	0	535	42	0
30	Bd	442	0	429	38	0
31	Bg	2401	0	2356	119	0
32	Bf	605	0	654	27	0
33	BM	935	0	975	48	0
34	B5	37463	0	18838	1481	0
35	AA	1878	0	1946	83	0
36	AB	3081	0	3162	137	0
37	AC	2748	0	2859	101	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
38	A1	68786	0	34575	1817	0
39	A3	2579	0	1304	81	0
40	A4	3353	0	1695	110	0
41	AD	2341	0	2290	93	0
42	AE	1303	0	1376	59	0
43	AF	1784	0	1862	57	0
44	AG	1798	0	1894	59	0
45	AH	1510	0	1576	75	0
46	AI	1804	0	1856	83	0
47	AJ	1353	0	1383	77	0
48	AL	1543	0	1608	50	0
49	AM	1053	0	1149	49	0
50	AN	1720	0	1779	78	0
51	AO	1555	0	1659	64	0
52	AP	1388	0	1423	49	0
53	AQ	1441	0	1543	43	0
54	AR	1521	0	1617	51	0
55	AS	1445	0	1487	78	0
56	AT	1276	0	1322	58	0
57	AU	796	0	812	15	0
58	AV	1003	0	1046	40	0
59	AW	521	0	551	18	0
60	AX	968	0	1036	30	0
61	AY	993	0	1081	40	0
62	AZ	1092	0	1155	46	0
63	Aa	1173	0	1215	54	0
64	Ab	462	0	490	12	0
65	Ac	743	0	797	28	0
66	Ad	890	0	938	29	0
67	Ae	1020	0	1090	38	0
68	Af	850	0	880	44	0
69	Ag	880	0	945	34	0
70	Ah	969	0	1078	30	0
71	Ai	771	0	849	30	0
72	Aj	681	0	687	16	0
73	Ak	612	0	682	23	0
74	Al	436	0	475	27	0
75	Am	417	0	459	14	0
76	An	233	0	283	14	0
77	Ao	847	0	914	28	0
78	Ap	694	0	738	30	0
79	E	1718	0	1811	70	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
80	DC	6419	0	6492	315	0
81	EC	4235	0	2136	163	0
82	Ao	1	0	0	0	0
83	DC	28	0	12	4	0
84	DC	1	0	0	0	0
85	DC	35	0	40	9	0
All	All	212418	0	158620	6914	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

The worst 5 of 6914 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
34:B5:1679:G:N2	34:B5:1722:A:H62	1.51	1.08
34:B5:1471:A:N6	34:B5:1538:U:H3	1.55	1.03
34:B5:395:U:H3	34:B5:399:A:H62	1.10	1.00
34:B5:1541:G:N2	34:B5:1570:A:H62	1.58	0.99
34:B5:1679:G:H21	34:B5:1722:A:N6	1.59	0.99

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	BA	204/252 (81%)	184 (90%)	20 (10%)	0	100	100
2	BB	212/255 (83%)	188 (89%)	24 (11%)	0	100	100
3	BC	215/254 (85%)	203 (94%)	12 (6%)	0	100	100
4	BE	258/261 (99%)	238 (92%)	20 (8%)	0	100	100
5	BG	224/236 (95%)	204 (91%)	20 (9%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
6	BH	182/190 (96%)	170 (93%)	12 (7%)	0	100	100
7	BI	184/200 (92%)	164 (89%)	20 (11%)	0	100	100
8	BJ	183/197 (93%)	163 (89%)	20 (11%)	0	100	100
9	BL	153/156 (98%)	133 (87%)	20 (13%)	0	100	100
10	BN	148/151 (98%)	140 (95%)	8 (5%)	0	100	100
11	BO	125/137 (91%)	114 (91%)	11 (9%)	0	100	100
12	BV	85/87 (98%)	75 (88%)	10 (12%)	0	100	100
13	BW	127/130 (98%)	119 (94%)	8 (6%)	0	100	100
14	BX	142/145 (98%)	130 (92%)	12 (8%)	0	100	100
15	BY	132/135 (98%)	123 (93%)	9 (7%)	0	100	100
16	Ba	95/119 (80%)	86 (90%)	9 (10%)	0	100	100
17	Bb	79/82 (96%)	75 (95%)	4 (5%)	0	100	100
18	Be	54/63 (86%)	50 (93%)	4 (7%)	0	100	100
19	BD	221/240 (92%)	200 (90%)	21 (10%)	0	100	100
20	BF	204/225 (91%)	192 (94%)	12 (6%)	0	100	100
21	BK	94/105 (90%)	76 (81%)	18 (19%)	0	100	100
22	BP	122/142 (86%)	109 (89%)	13 (11%)	0	100	100
23	BQ	139/143 (97%)	132 (95%)	7 (5%)	0	100	100
24	BR	117/136 (86%)	111 (95%)	6 (5%)	0	100	100
25	BS	143/146 (98%)	126 (88%)	17 (12%)	0	100	100
26	BT	139/144 (96%)	123 (88%)	16 (12%)	0	100	100
27	BU	105/121 (87%)	99 (94%)	6 (6%)	0	100	100
28	BZ	69/108 (64%)	63 (91%)	6 (9%)	0	100	100
29	Bc	61/67 (91%)	57 (93%)	4 (7%)	0	100	100
30	Bd	51/56 (91%)	45 (88%)	6 (12%)	0	100	100
31	Bg	310/319 (97%)	273 (88%)	37 (12%)	0	100	100
32	Bf	73/152 (48%)	62 (85%)	11 (15%)	0	100	100
33	BM	122/143 (85%)	114 (93%)	8 (7%)	0	100	100
35	AA	245/254 (96%)	230 (94%)	15 (6%)	0	100	100
36	AB	383/387 (99%)	357 (93%)	26 (7%)	0	100	100
37	AC	359/362 (99%)	329 (92%)	30 (8%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
41	AD	290/297 (98%)	273 (94%)	17 (6%)	0	100	100
42	AE	163/176 (93%)	145 (89%)	18 (11%)	0	100	100
43	AF	220/244 (90%)	207 (94%)	13 (6%)	0	100	100
44	AG	228/256 (89%)	216 (95%)	12 (5%)	0	100	100
45	AH	188/191 (98%)	169 (90%)	19 (10%)	0	100	100
46	AI	220/222 (99%)	214 (97%)	6 (3%)	0	100	100
47	AJ	167/174 (96%)	154 (92%)	13 (8%)	0	100	100
48	AL	191/199 (96%)	183 (96%)	8 (4%)	0	100	100
49	AM	134/138 (97%)	128 (96%)	6 (4%)	0	100	100
50	AN	201/204 (98%)	188 (94%)	13 (6%)	0	100	100
51	AO	195/199 (98%)	191 (98%)	4 (2%)	0	100	100
52	AP	171/184 (93%)	165 (96%)	6 (4%)	0	100	100
53	AQ	183/186 (98%)	173 (94%)	10 (6%)	0	100	100
54	AR	186/189 (98%)	179 (96%)	7 (4%)	0	100	100
55	AS	170/178 (96%)	159 (94%)	11 (6%)	0	100	100
56	AT	157/160 (98%)	148 (94%)	9 (6%)	0	100	100
57	AU	98/121 (81%)	83 (85%)	15 (15%)	0	100	100
58	AV	134/137 (98%)	132 (98%)	2 (2%)	0	100	100
59	AW	61/155 (39%)	59 (97%)	2 (3%)	0	100	100
60	AX	119/142 (84%)	111 (93%)	8 (7%)	0	100	100
61	AY	124/127 (98%)	121 (98%)	3 (2%)	0	100	100
62	AZ	133/136 (98%)	123 (92%)	10 (8%)	0	100	100
63	Aa	146/149 (98%)	135 (92%)	11 (8%)	0	100	100
64	Ab	56/59 (95%)	50 (89%)	6 (11%)	0	100	100
65	Ac	95/105 (90%)	92 (97%)	3 (3%)	0	100	100
66	Ad	107/113 (95%)	99 (92%)	8 (8%)	0	100	100
67	Ae	125/130 (96%)	121 (97%)	4 (3%)	0	100	100
68	Af	104/107 (97%)	99 (95%)	5 (5%)	0	100	100
69	Ag	110/121 (91%)	101 (92%)	9 (8%)	0	100	100
70	Ah	117/120 (98%)	112 (96%)	5 (4%)	0	100	100
71	Ai	97/100 (97%)	89 (92%)	8 (8%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
72	Aj	85/88 (97%)	79 (93%)	6 (7%)	0	100	100
73	Ak	75/78 (96%)	67 (89%)	8 (11%)	0	100	100
74	Al	48/51 (94%)	43 (90%)	5 (10%)	0	100	100
75	Am	50/128 (39%)	47 (94%)	3 (6%)	0	100	100
76	An	23/25 (92%)	23 (100%)	0	0	100	100
77	Ao	103/106 (97%)	92 (89%)	11 (11%)	0	100	100
78	Ap	89/92 (97%)	84 (94%)	5 (6%)	0	100	100
79	E	215/217 (99%)	204 (95%)	11 (5%)	0	100	100
80	DC	819/842 (97%)	749 (92%)	70 (8%)	0	100	100
All	All	11956/12946 (92%)	11064 (92%)	892 (8%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	BA	173/210 (82%)	173 (100%)	0	100	100
2	BB	191/224 (85%)	191 (100%)	0	100	100
3	BC	176/205 (86%)	176 (100%)	0	100	100
4	BE	221/222 (100%)	221 (100%)	0	100	100
5	BG	193/201 (96%)	193 (100%)	0	100	100
6	BH	165/170 (97%)	165 (100%)	0	100	100
7	BI	150/161 (93%)	150 (100%)	0	100	100
8	BJ	158/166 (95%)	158 (100%)	0	100	100
9	BL	136/137 (99%)	136 (100%)	0	100	100
10	BN	127/128 (99%)	127 (100%)	0	100	100
11	BO	96/105 (91%)	96 (100%)	0	100	100
12	BV	74/74 (100%)	74 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
13	BW	110/111 (99%)	110 (100%)	0	100	100
14	BX	119/120 (99%)	119 (100%)	0	100	100
15	BY	112/113 (99%)	112 (100%)	0	100	100
16	Ba	83/100 (83%)	83 (100%)	0	100	100
17	Bb	70/71 (99%)	70 (100%)	0	100	100
18	Be	48/54 (89%)	48 (100%)	0	100	100
19	BD	182/195 (93%)	182 (100%)	0	100	100
20	BF	173/191 (91%)	173 (100%)	0	100	100
21	BK	89/98 (91%)	89 (100%)	0	100	100
22	BP	104/118 (88%)	104 (100%)	0	100	100
23	BQ	117/119 (98%)	117 (100%)	0	100	100
24	BR	101/124 (82%)	101 (100%)	0	100	100
25	BS	128/129 (99%)	128 (100%)	0	100	100
26	BT	113/116 (97%)	113 (100%)	0	100	100
27	BU	100/114 (88%)	100 (100%)	0	100	100
28	BZ	62/89 (70%)	62 (100%)	0	100	100
29	Bc	56/60 (93%)	56 (100%)	0	100	100
30	Bd	47/49 (96%)	47 (100%)	0	100	100
31	Bg	256/262 (98%)	256 (100%)	0	100	100
32	Bf	66/135 (49%)	66 (100%)	0	100	100
33	BM	100/119 (84%)	100 (100%)	0	100	100
35	AA	189/196 (96%)	189 (100%)	0	100	100
36	AB	321/322 (100%)	321 (100%)	0	100	100
37	AC	288/289 (100%)	288 (100%)	0	100	100
41	AD	241/245 (98%)	241 (100%)	0	100	100
42	AE	137/153 (90%)	137 (100%)	0	100	100
43	AF	186/205 (91%)	186 (100%)	0	100	100
44	AG	189/208 (91%)	189 (100%)	0	100	100
45	AH	170/171 (99%)	170 (100%)	0	100	100
46	AI	190/190 (100%)	190 (100%)	0	100	100
47	AJ	147/150 (98%)	147 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
48	AL	154/159 (97%)	154 (100%)	0	100	100
49	AM	107/109 (98%)	107 (100%)	0	100	100
50	AN	175/176 (99%)	175 (100%)	0	100	100
51	AO	160/162 (99%)	160 (100%)	0	100	100
52	AP	141/146 (97%)	141 (100%)	0	100	100
53	AQ	150/151 (99%)	150 (100%)	0	100	100
54	AR	153/154 (99%)	153 (100%)	0	100	100
55	AS	156/162 (96%)	156 (100%)	0	100	100
56	AT	136/137 (99%)	136 (100%)	0	100	100
57	AU	87/107 (81%)	87 (100%)	0	100	100
58	AV	104/105 (99%)	104 (100%)	0	100	100
59	AW	55/129 (43%)	55 (100%)	0	100	100
60	AX	105/118 (89%)	105 (100%)	0	100	100
61	AY	109/110 (99%)	109 (100%)	0	100	100
62	AZ	115/116 (99%)	115 (100%)	0	100	100
63	Aa	118/119 (99%)	118 (100%)	0	100	100
64	Ab	46/47 (98%)	46 (100%)	0	100	100
65	Ac	81/88 (92%)	81 (100%)	0	100	100
66	Ad	96/97 (99%)	96 (100%)	0	100	100
67	Ae	109/111 (98%)	109 (100%)	0	100	100
68	Af	90/91 (99%)	90 (100%)	0	100	100
69	Ag	95/103 (92%)	95 (100%)	0	100	100
70	Ah	104/105 (99%)	104 (100%)	0	100	100
71	Ai	81/82 (99%)	81 (100%)	0	100	100
72	Aj	70/71 (99%)	70 (100%)	0	100	100
73	Ak	68/69 (99%)	68 (100%)	0	100	100
74	Al	45/46 (98%)	45 (100%)	0	100	100
75	Am	47/116 (40%)	47 (100%)	0	100	100
76	An	23/23 (100%)	23 (100%)	0	100	100
77	Ao	90/91 (99%)	90 (100%)	0	100	100
78	Ap	71/72 (99%)	71 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
79	E	198/198 (100%)	198 (100%)	0	100	100
80	DC	699/714 (98%)	699 (100%)	0	100	100
All	All	10192/10903 (94%)	10192 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 154 such sidechains are listed below:

Mol	Chain	Res	Type
58	AV	81	GLN
79	E	200	ASN
61	AY	26	GLN
67	Ae	6	HIS
80	DC	668	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
34	B5	1754/1798 (97%)	564 (32%)	10 (0%)
38	A1	3212/3360 (95%)	714 (22%)	20 (0%)
39	A3	120/121 (99%)	26 (21%)	0
40	A4	157/158 (99%)	30 (19%)	1 (0%)
81	EC	196/202 (97%)	114 (58%)	7 (3%)
All	All	5439/5639 (96%)	1448 (26%)	38 (0%)

5 of 1448 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
34	B5	4	C
34	B5	14	C
34	B5	25	C
34	B5	34	G
34	B5	42	G

5 of 38 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
38	A1	3169	U
81	EC	6883	A
38	A1	3227	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
81	EC	6781	U
81	EC	6956	A

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

60 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
38	PSU	A1	1042	38	18,21,22	1.42	4 (22%)	21,30,33	1.97	3 (14%)
38	PSU	A1	2133	38	18,21,22	1.49	3 (16%)	21,30,33	2.19	5 (23%)
38	PSU	A1	1056	38	18,21,22	1.43	4 (22%)	21,30,33	2.10	3 (14%)
34	4AC	B5	1773	34	21,24,25	1.19	2 (9%)	28,34,37	1.13	1 (3%)
38	PSU	A1	2260	38	18,21,22	1.39	3 (16%)	21,30,33	2.12	4 (19%)
38	PSU	A1	2349	38	18,21,22	1.42	4 (22%)	21,30,33	2.08	3 (14%)
38	UR3	A1	2634	38	19,22,23	0.94	1 (5%)	26,32,35	1.64	3 (11%)
38	PSU	A1	2865	38	18,21,22	1.48	3 (16%)	21,30,33	2.07	4 (19%)
38	PSU	A1	2266	38	18,21,22	1.36	3 (16%)	21,30,33	1.95	3 (14%)
38	PSU	A1	2416	38	18,21,22	1.46	5 (27%)	21,30,33	2.11	4 (19%)
38	OMU	A1	2921	38	19,22,23	1.27	3 (15%)	25,31,34	1.85	5 (20%)
34	PSU	B5	759	34	18,21,22	1.34	2 (11%)	21,30,33	2.07	4 (19%)
38	PSU	A1	2258	38	18,21,22	1.34	2 (11%)	21,30,33	2.13	3 (14%)
38	PSU	A1	2944	38	18,21,22	1.39	2 (11%)	21,30,33	2.15	4 (19%)
34	PSU	B5	766	34	18,21,22	1.44	3 (16%)	21,30,33	2.17	5 (23%)
38	PSU	A1	2340	38	18,21,22	1.42	4 (22%)	21,30,33	1.97	3 (14%)
38	PSU	A1	1004	38	18,21,22	1.43	4 (22%)	21,30,33	2.09	3 (14%)
34	MA6	B5	1781	34	23,26,27	1.45	5 (21%)	33,38,41	2.11	10 (30%)
38	PSU	A1	960	38	18,21,22	1.40	3 (16%)	21,30,33	2.07	5 (23%)
34	G7M	B5	1575	34	23,26,27	2.52	7 (30%)	34,39,42	1.75	7 (20%)
38	PSU	A1	776	38	18,21,22	1.42	4 (22%)	21,30,33	2.00	4 (19%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
38	PSU	A1	1052	38	18,21,22	1.40	3 (16%)	21,30,33	2.07	4 (19%)
38	PSU	A1	2314	38	18,21,22	1.44	4 (22%)	21,30,33	2.02	5 (23%)
38	PSU	A1	2880	38	18,21,22	1.42	4 (22%)	21,30,33	2.11	5 (23%)
38	PSU	A1	2351	38	18,21,22	1.42	4 (22%)	21,30,33	2.15	4 (19%)
38	PSU	A1	2191	38	18,21,22	1.37	4 (22%)	21,30,33	2.06	3 (14%)
34	PSU	B5	106	34	18,21,22	1.40	2 (11%)	21,30,33	2.02	3 (14%)
34	PSU	B5	1290	34	18,21,22	1.36	3 (16%)	21,30,33	2.09	4 (19%)
38	1MA	A1	645	38	21,25,26	1.35	4 (19%)	30,37,40	1.76	6 (20%)
38	5MC	A1	2278	38	19,22,23	1.34	3 (15%)	26,32,35	1.25	4 (15%)
34	PSU	B5	120	34	18,21,22	1.36	2 (11%)	21,30,33	2.00	3 (14%)
34	PSU	B5	1181	34	18,21,22	1.42	4 (22%)	21,30,33	1.95	4 (19%)
38	PSU	A1	2826	38	18,21,22	1.44	5 (27%)	21,30,33	2.08	4 (19%)
34	PSU	B5	466	34	18,21,22	1.39	3 (16%)	21,30,33	2.06	4 (19%)
38	PSU	A1	1124	38	18,21,22	1.43	4 (22%)	21,30,33	2.06	3 (14%)
38	PSU	A1	2923	38	18,21,22	1.42	3 (16%)	21,30,33	2.12	4 (19%)
34	B8N	B5	1191	34	25,29,30	1.37	3 (12%)	28,42,45	6.51	5 (17%)
34	PSU	B5	211	34	18,21,22	1.44	2 (11%)	21,30,33	2.14	3 (14%)
34	PSU	B5	999	34	18,21,22	1.40	4 (22%)	21,30,33	2.04	4 (19%)
39	PSU	A3	50	39	18,21,22	1.36	2 (11%)	21,30,33	2.06	4 (19%)
40	PSU	A4	73	40	18,21,22	1.38	3 (16%)	21,30,33	1.99	3 (14%)
34	4AC	B5	1280	34	21,24,25	1.16	3 (14%)	28,34,37	0.96	1 (3%)
38	PSU	A1	986	38	18,21,22	1.39	4 (22%)	21,30,33	2.07	3 (14%)
38	PSU	A1	990	38	18,21,22	1.40	4 (22%)	21,30,33	2.06	3 (14%)
38	PSU	A1	2735	38	18,21,22	1.76	4 (22%)	21,30,33	1.67	2 (9%)
38	5MC	A1	2870	38	19,22,23	1.33	3 (15%)	26,32,35	1.19	2 (7%)
34	PSU	B5	302	34	18,21,22	1.37	3 (16%)	21,30,33	2.10	4 (19%)
34	MA6	B5	1782	34	23,26,27	1.43	5 (21%)	33,38,41	2.12	11 (33%)
38	PSU	A1	1110	38	18,21,22	1.42	4 (22%)	21,30,33	2.04	3 (14%)
38	PSU	A1	966	38	18,21,22	1.40	4 (22%)	21,30,33	2.16	4 (19%)
38	OMG	A1	2922	38	23,26,27	1.21	3 (13%)	32,38,41	1.97	6 (18%)
34	PSU	B5	632	34	18,21,22	1.41	3 (16%)	21,30,33	2.14	4 (19%)
38	PSU	A1	2129	38	18,21,22	1.42	4 (22%)	21,30,33	2.10	4 (19%)
38	PSU	A1	2975	38	18,21,22	1.44	4 (22%)	21,30,33	2.12	4 (19%)
80	DDE	DC	699	-	18,20,21	0.91	1 (5%)	17,28,30	1.30	2 (11%)
34	PSU	B5	1187	34	18,21,22	1.40	2 (11%)	21,30,33	2.07	3 (14%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
38	1MA	A1	2142	38	21,25,26	1.34	5 (23%)	30,37,40	1.69	5 (16%)
34	PSU	B5	1415	34	18,21,22	1.47	3 (16%)	21,30,33	1.81	3 (14%)
38	PSU	A1	2264	38	18,21,22	1.47	4 (22%)	21,30,33	2.14	3 (14%)
36	HIC	AB	243	36	10,11,12	1.45	1 (10%)	9,14,16	1.27	1 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
38	PSU	A1	1042	38	-	2/7/25/26	0/2/2/2
38	PSU	A1	2133	38	-	0/7/25/26	0/2/2/2
38	PSU	A1	1056	38	-	0/7/25/26	0/2/2/2
34	4AC	B5	1773	34	-	6/11/29/30	0/2/2/2
38	PSU	A1	2260	38	-	0/7/25/26	0/2/2/2
38	PSU	A1	2349	38	-	0/7/25/26	0/2/2/2
38	UR3	A1	2634	38	-	0/7/25/26	0/2/2/2
38	PSU	A1	2865	38	-	1/7/25/26	0/2/2/2
38	PSU	A1	2266	38	-	2/7/25/26	0/2/2/2
38	PSU	A1	2416	38	-	0/7/25/26	0/2/2/2
38	OMU	A1	2921	38	-	0/9/27/28	0/2/2/2
34	PSU	B5	759	34	-	0/7/25/26	0/2/2/2
38	PSU	A1	2258	38	-	0/7/25/26	0/2/2/2
38	PSU	A1	2944	38	-	2/7/25/26	0/2/2/2
34	PSU	B5	766	34	-	0/7/25/26	0/2/2/2
38	PSU	A1	2340	38	-	1/7/25/26	0/2/2/2
38	PSU	A1	1004	38	-	0/7/25/26	0/2/2/2
34	MA6	B5	1781	34	-	3/11/29/30	0/3/3/3
38	PSU	A1	960	38	-	2/7/25/26	0/2/2/2
34	G7M	B5	1575	34	-	2/7/25/26	0/3/3/3
38	PSU	A1	776	38	-	0/7/25/26	0/2/2/2
38	PSU	A1	1052	38	-	0/7/25/26	0/2/2/2
38	PSU	A1	2314	38	-	2/7/25/26	0/2/2/2
38	PSU	A1	2880	38	-	0/7/25/26	0/2/2/2
38	PSU	A1	2351	38	-	0/7/25/26	0/2/2/2
38	PSU	A1	2191	38	-	0/7/25/26	0/2/2/2
34	PSU	B5	106	34	-	0/7/25/26	0/2/2/2
34	PSU	B5	1290	34	-	0/7/25/26	0/2/2/2
38	1MA	A1	645	38	-	1/7/25/26	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
38	5MC	A1	2278	38	-	0/7/25/26	0/2/2/2
34	PSU	B5	120	34	-	0/7/25/26	0/2/2/2
34	PSU	B5	1181	34	-	0/7/25/26	0/2/2/2
38	PSU	A1	2826	38	-	0/7/25/26	0/2/2/2
34	PSU	B5	466	34	-	0/7/25/26	0/2/2/2
38	PSU	A1	1124	38	-	2/7/25/26	0/2/2/2
38	PSU	A1	2923	38	-	5/7/25/26	0/2/2/2
34	B8N	B5	1191	34	-	5/16/34/35	0/2/2/2
34	PSU	B5	211	34	-	1/7/25/26	0/2/2/2
34	PSU	B5	999	34	-	1/7/25/26	0/2/2/2
39	PSU	A3	50	39	-	0/7/25/26	0/2/2/2
40	PSU	A4	73	40	-	0/7/25/26	0/2/2/2
34	4AC	B5	1280	34	-	2/11/29/30	0/2/2/2
38	PSU	A1	986	38	-	0/7/25/26	0/2/2/2
38	PSU	A1	990	38	-	0/7/25/26	0/2/2/2
38	PSU	A1	2735	38	-	0/7/25/26	0/2/2/2
38	5MC	A1	2870	38	-	4/7/25/26	0/2/2/2
34	PSU	B5	302	34	-	0/7/25/26	0/2/2/2
34	MA6	B5	1782	34	-	5/11/29/30	0/3/3/3
38	PSU	A1	1110	38	-	2/7/25/26	0/2/2/2
38	PSU	A1	966	38	-	0/7/25/26	0/2/2/2
38	OMG	A1	2922	38	-	0/9/27/28	0/3/3/3
34	PSU	B5	632	34	-	0/7/25/26	0/2/2/2
38	PSU	A1	2129	38	-	0/7/25/26	0/2/2/2
38	PSU	A1	2975	38	-	0/7/25/26	0/2/2/2
80	DDE	DC	699	-	-	8/20/21/23	0/1/1/1
34	PSU	B5	1187	34	-	2/7/25/26	0/2/2/2
38	1MA	A1	2142	38	-	0/7/25/26	0/3/3/3
34	PSU	B5	1415	34	-	2/7/25/26	0/2/2/2
38	PSU	A1	2264	38	-	2/7/25/26	0/2/2/2
36	HIC	AB	243	36	-	2/5/6/8	0/1/1/1

The worst 5 of 201 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
34	B5	1575	G7M	O6-C6	7.40	1.37	1.23
34	B5	1575	G7M	C2-N2	5.60	1.47	1.34
34	B5	1575	G7M	C5-N7	-5.09	1.33	1.39
34	B5	1781	MA6	C5-C4	4.38	1.46	1.39
34	B5	1782	MA6	C5-C4	4.33	1.46	1.39

The worst 5 of 233 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
34	B5	1191	B8N	C32-C31-N3	33.41	170.55	112.16
38	A1	2133	PSU	N1-C2-N3	6.99	122.55	115.17
34	B5	766	PSU	N1-C2-N3	6.90	122.44	115.17
34	B5	211	PSU	N1-C2-N3	6.88	122.43	115.17
38	A1	2258	PSU	N1-C2-N3	6.75	122.29	115.17

There are no chirality outliers.

5 of 67 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
80	DC	699	DDE	CBI-CBW-NCB-CAB
80	DC	699	DDE	CBI-CBW-NCB-CAC
80	DC	699	DDE	CBI-CBW-NCB-CAA
80	DC	699	DDE	CAU-CBW-NCB-CAB
80	DC	699	DDE	CAU-CBW-NCB-CAC

There are no ring outliers.

35 monomers are involved in 66 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
38	A1	2133	PSU	2	0
34	B5	1773	4AC	3	0
38	A1	2260	PSU	1	0
38	A1	2349	PSU	1	0
38	A1	2865	PSU	2	0
38	A1	2266	PSU	2	0
38	A1	2258	PSU	3	0
34	B5	766	PSU	1	0
34	B5	1781	MA6	3	0
34	B5	1575	G7M	1	0
38	A1	2314	PSU	1	0
38	A1	2880	PSU	2	0
38	A1	2351	PSU	1	0
38	A1	2191	PSU	2	0
38	A1	645	1MA	1	0
34	B5	120	PSU	3	0
34	B5	1181	PSU	2	0
34	B5	466	PSU	1	0
38	A1	2923	PSU	3	0
34	B5	211	PSU	2	0
39	A3	50	PSU	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
34	B5	1280	4AC	7	0
38	A1	986	PSU	2	0
38	A1	990	PSU	1	0
38	A1	2735	PSU	1	0
34	B5	302	PSU	2	0
38	A1	1110	PSU	1	0
38	A1	966	PSU	2	0
38	A1	2922	OMG	1	0
34	B5	632	PSU	2	0
38	A1	2129	PSU	1	0
80	DC	699	DDE	1	0
34	B5	1187	PSU	4	0
34	B5	1415	PSU	3	0
38	A1	2264	PSU	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
85	SO1	DC	903	-	34,39,39	0.67	1 (2%)	38,64,64	1.19	5 (13%)
83	GDP	DC	901	84	29,30,30	1.16	3 (10%)	45,47,47	1.71	6 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
85	SO1	DC	903	-	1/1/15/16	7/21/104/104	0/7/5/5
83	GDP	DC	901	84	-	5/16/32/32	0/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
83	DC	901	GDP	C5-C4	3.09	1.47	1.38
85	DC	903	SO1	O14-C5	-2.96	1.19	1.30
83	DC	901	GDP	C6-N1	-2.58	1.34	1.38
83	DC	901	GDP	C5-N7	-2.21	1.34	1.39

The worst 5 of 11 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
83	DC	901	GDP	C5-C4-N3	-5.97	118.89	128.39
83	DC	901	GDP	N9-C4-N3	4.64	135.24	125.95
83	DC	901	GDP	C2-N3-C4	4.62	120.26	112.30
85	DC	903	SO1	C12-C6-C2	-4.46	98.17	105.09
83	DC	901	GDP	C6-C5-N7	2.81	135.41	130.29

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
85	DC	903	SO1	C4

5 of 12 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
83	DC	901	GDP	C5'-O5'-PA-O3A
83	DC	901	GDP	C5'-O5'-PA-O2A
85	DC	903	SO1	C2-C1-C5-O14
85	DC	903	SO1	C2-C1-C5-O15
85	DC	903	SO1	C54-C55-O64-C65


There are no ring outliers.


2 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
85	DC	903	SO1	9	0
83	DC	901	GDP	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,

bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

The following chains have linkage breaks:

Mol	Chain	Number of breaks
38	A1	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A1	451:U	O3'	486:A	P	17.02


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-40998. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 185




Y Index: 245




Z Index: 190


6.3.2 Raw map



X Index: 184



Y Index: 245




Z Index: 190


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.3. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1538 nm³; this corresponds to an approximate mass of 1389 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.325 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.325 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.08	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	4.45	7.74	4.67

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.45 differs from the reported value 3.08 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-40998 and PDB model 8T3B. Per-residue inclusion information can be found in section [3](#) on page [21](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.3 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.3).

9.4 Atom inclusion [i](#)



At the recommended contour level, 81% of all backbone atoms, 76% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.3) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7550	 0.4140
A1	 0.8810	 0.4690
A3	 0.9470	 0.4700
A4	 0.9270	 0.4930
AA	 0.7220	 0.5210
AB	 0.7860	 0.4940
AC	 0.7920	 0.4940
AD	 0.7710	 0.4250
AE	 0.7810	 0.4390
AF	 0.8390	 0.4970
AG	 0.7450	 0.4530
AH	 0.7290	 0.4730
AI	 0.6990	 0.4250
AJ	 0.6140	 0.3810
AL	 0.8050	 0.4790
AM	 0.7750	 0.4760
AN	 0.8190	 0.5230
AO	 0.7890	 0.4990
AP	 0.7790	 0.4900
AQ	 0.7890	 0.5030
AR	 0.6610	 0.4470
AS	 0.8160	 0.4920
AT	 0.7740	 0.4930
AU	 0.7570	 0.4200
AV	 0.6380	 0.4990
AW	 0.7490	 0.4890
AX	 0.7350	 0.4680
AY	 0.8140	 0.4810
AZ	 0.7560	 0.4480
Aa	 0.8260	 0.5140
Ab	 0.7120	 0.4880
Ac	 0.6370	 0.4480
Ad	 0.7720	 0.4660
Ae	 0.8070	 0.5100
Af	 0.8480	 0.5250



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
Ag	 0.7400	 0.4920
Ah	 0.7790	 0.4440
Ai	 0.7580	 0.4570
Aj	 0.8210	 0.5240
Ak	 0.5860	 0.4210
Al	 0.7980	 0.5090
Am	 0.7400	 0.4830
An	 0.6740	 0.4950
Ao	 0.6190	 0.4690
Ap	 0.6680	 0.4860
B5	 0.7950	 0.3590
BA	 0.5570	 0.3520
BB	 0.5040	 0.3640
BC	 0.6830	 0.4130
BD	 0.6070	 0.3600
BE	 0.5410	 0.3010
BF	 0.4170	 0.2670
BG	 0.5790	 0.2710
BH	 0.4610	 0.3130
BI	 0.5560	 0.3350
BJ	 0.6570	 0.3280
BK	 0.5880	 0.2590
BL	 0.5450	 0.3680
BM	 0.0980	 0.1970
BN	 0.5780	 0.3970
BO	 0.5250	 0.4030
BP	 0.4690	 0.2530
BQ	 0.5910	 0.3250
BR	 0.4560	 0.2860
BS	 0.5590	 0.2810
BT	 0.5870	 0.2850
BU	 0.5770	 0.3100
BV	 0.6370	 0.3840
BW	 0.6820	 0.4130
BX	 0.5950	 0.4350
BY	 0.5600	 0.2880
BZ	 0.4980	 0.2450
Ba	 0.6130	 0.4460
Bb	 0.4770	 0.3390
Bc	 0.3270	 0.2090
Bd	 0.8270	 0.4010
Be	 0.5370	 0.3780

Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
Bf	 0.1320	 0.2090
Bg	 0.5240	 0.2130
DC	 0.6020	 0.3560
E	 0.3230	 0.1800
EC	 0.3860	 0.2020