



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 12:35 AM UTC

PDB ID : 5T58 / pdb_00005t58
Title : Structure of the MIND Complex Shows a Regulatory Focus of Yeast Kineto-
chore Assembly
Authors : Dimitrova, Y.; Jenni, S.; Valverde, R.; Khin, Y.; Harrison, S.C.
Deposited on : 2016-08-30
Resolution : 3.21 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.21 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1768 (3.24-3.20)
Clashscore	190562	1879 (3.24-3.20)
Ramachandran outliers	187476	1844 (3.24-3.20)
Sidechain outliers	187428	1843 (3.24-3.20)
RSRZ outliers	180081	1768 (3.24-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	233	 6% 76% 21% •
2	B	205	 5% 71% 21% • 7%
3	D	250	 % 71% 9% • 20%
4	N	216	 4% 65% 24% • 9%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 13336 atoms, of which 6743 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called KLLA0F02343p.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	233	Total	C	H	N	O	S	0	0	0
			3885	1210	1969	329	370	7			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	ALA	-	expression tag	UNP Q6CLK3

- Molecule 2 is a protein called KLLA0E05809p.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	B	190	Total	C	H	N	O	S	0	0	0
			3104	961	1551	274	312	6			

- Molecule 3 is a protein called KLLA0D15741p.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
3	D	201	Total	C	H	N	O	S	0	0	0
			3132	955	1610	278	284	5			


- Molecule 4 is a protein called KLLA0C15939p.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
4	N	196	Total	C	H	N	O	S	0	0	0
			3215	1004	1613	267	327	4			


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: KLLA0F02343p



• Molecule 2: KLLA0E05809p




• Molecule 3: KLLA0D15741p



• Molecule 4: KLLA0C15939p





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	58.75Å 172.57Å 59.48Å 90.00° 110.46° 90.00°	Depositor
Resolution (Å)	86.28 – 3.21 86.28 – 3.21	Depositor EDS
% Data completeness (in resolution range)	74.5 (86.28-3.21) 74.6 (86.28-3.21)	Depositor EDS
R_{merge}	0.21	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.14 (at 3.19Å)	Xtriage
Refinement program	PHENIX (1.10_2155: ???)	Depositor
R, R_{free}	0.320 , 0.362 0.325 , 0.346	Depositor DCC
R_{free} test set	678 reflections (3.71%)	wwPDB-VP
Wilson B-factor (Å ²)	80.0	Xtriage
Anisotropy	0.000	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 51.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.046 for l,-k,h	Xtriage
F_o, F_c correlation	0.84	EDS
Total number of atoms	13336	wwPDB-VP
Average B, all atoms (Å ²)	86.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.39% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.17	0/1940	0.40	0/2621
2	B	0.15	0/1568	0.36	0/2104
3	D	0.17	0/1351	0.36	0/1803
4	N	0.17	0/1619	0.44	0/2178
All	All	0.16	0/6478	0.39	0/8706

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	174	ASN	Sidechain
1	A	209	GLU	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1916	1969	1972	41	0
2	B	1553	1551	1551	32	2
3	D	1522	1610	1475	18	0
4	N	1602	1613	1613	44	2
All	All	6593	6743	6611	114	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (114) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:103:ARG:NH2	2:B:103:ILE:O	2.04	0.90
3:D:359:LYS:NZ	4:N:88:TYR:O	2.09	0.83
1:A:91:ILE:O	2:B:16:ARG:NH1	2.17	0.77
1:A:2:THR:O	1:A:3:THR:OG1	2.05	0.72
1:A:25:ASP:OD2	4:N:104:TYR:OH	2.07	0.71
1:A:114:LEU:O	1:A:116:ASP:N	2.27	0.67
1:A:14:GLU:O	4:N:119:ARG:NH2	2.29	0.65
2:B:143:LEU:O	2:B:146:ILE:N	2.30	0.64
1:A:141:ASN:ND2	4:N:147:MET:SD	2.70	0.64
4:N:138:GLU:O	4:N:142:SER:OG	2.13	0.62
2:B:113:ARG:O	2:B:119:ARG:NH2	2.34	0.60
1:A:50:ASN:ND2	1:A:58:SER:OG	2.32	0.59
1:A:119:THR:O	1:A:123:THR:OG1	2.13	0.59
2:B:143:LEU:O	2:B:146:ILE:HG22	2.03	0.59
1:A:103:ARG:NH2	2:B:100:ALA:O	2.36	0.59
1:A:173:ASP:OD2	1:A:177:THR:N	2.35	0.58
2:B:176:ASP:OD1	3:D:434:ARG:NH1	2.34	0.58
1:A:229:THR:O	1:A:230:SER:OG	2.13	0.57
4:N:91:PRO:O	4:N:93:ASP:N	2.37	0.57
1:A:176:THR:OG1	4:N:173:ASN:OD1	2.23	0.57
1:A:9:THR:O	1:A:13:THR:OG1	2.19	0.56
2:B:71:ASN:OD1	2:B:74:ARG:NH2	2.39	0.56
1:A:2:THR:C	1:A:3:THR:HG1	2.11	0.55
2:B:62:GLN:O	2:B:66:ILE:HD12	2.09	0.52
4:N:121:ALA:HB3	4:N:122:PRO:HD3	1.92	0.52
4:N:29:LYS:O	4:N:32:THR:HG22	2.08	0.52
3:D:468:VAL:N	3:D:469:LYS:HA	2.25	0.52
2:B:116:ASP:OD2	4:N:118:ARG:NH1	2.42	0.52
3:D:467:ILE:C	3:D:469:LYS:HA	2.35	0.51
2:B:12:THR:O	2:B:14:HIS:N	2.38	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:38:CYS:SG	2:B:65:VAL:HG23	2.51	0.50
3:D:467:ILE:O	3:D:468:VAL:HB	2.10	0.50
4:N:129:TYR:O	4:N:131:LYS:N	2.44	0.49
2:B:72:LEU:HA	2:B:75:VAL:HG22	1.94	0.49
4:N:143:LEU:O	4:N:146:LYS:N	2.43	0.48
4:N:193:ILE:HG22	4:N:194:PRO:HD3	1.96	0.48
4:N:40:ASP:HB3	4:N:43:VAL:HG13	1.95	0.48
4:N:89:THR:C	4:N:91:PRO:HD3	2.39	0.47
2:B:62:GLN:O	2:B:65:VAL:HG12	2.14	0.47
1:A:108:HIS:CE1	4:N:119:ARG:HB3	2.50	0.47
1:A:113:VAL:HG12	2:B:126:GLY:HA3	1.95	0.47
1:A:173:ASP:OD2	1:A:177:THR:HB	2.15	0.47
4:N:40:ASP:O	4:N:41:ASP:HB2	2.14	0.46
1:A:119:THR:O	1:A:123:THR:CB	2.64	0.46
3:D:382:ILE:HG21	4:N:110:GLU:HB3	1.97	0.46
4:N:214:VAL:O	4:N:214:VAL:HG13	2.16	0.46
4:N:116:LYS:O	4:N:120:GLU:HB3	2.16	0.46
4:N:8:LEU:HB2	4:N:66:MET:HG3	1.97	0.46
2:B:63:GLN:O	2:B:67:LYS:HG2	2.16	0.45
2:B:143:LEU:O	2:B:144:GLN:C	2.60	0.45
2:B:12:THR:O	2:B:12:THR:HG22	2.17	0.44
4:N:137:LEU:O	4:N:141:ASP:HB2	2.17	0.44
2:B:59:THR:O	2:B:62:GLN:HG2	2.17	0.44
1:A:113:VAL:HG12	2:B:126:GLY:CA	2.48	0.44
3:D:467:ILE:O	3:D:468:VAL:CB	2.66	0.44
4:N:119:ARG:HG3	4:N:120:GLU:N	2.33	0.44
4:N:119:ARG:O	4:N:123:GLN:OE1	2.36	0.44
1:A:97:ASP:O	1:A:101:GLU:HG2	2.17	0.44
2:B:14:HIS:O	2:B:15:ILE:HB	2.17	0.44
4:N:10:ILE:HG22	4:N:11:THR:N	2.32	0.44
4:N:75:THR:O	4:N:76:THR:HB	2.17	0.44
3:D:362:ASN:HB3	4:N:90:GLU:HA	1.99	0.43
4:N:10:ILE:HD11	4:N:66:MET:SD	2.57	0.43
3:D:266:TRP:CZ2	3:D:270:ARG:HD2	2.54	0.43
1:A:79:ASN:ND2	2:B:31:SER:OG	2.49	0.43
4:N:120:GLU:O	4:N:124:VAL:HG22	2.19	0.43
4:N:129:TYR:O	4:N:130:THR:C	2.61	0.43
1:A:187:LYS:N	1:A:188:PRO:HD2	2.33	0.43
3:D:352:UNK:N	3:D:353:PRO:HD3	2.33	0.43
2:B:62:GLN:HA	2:B:65:VAL:HG12	2.00	0.43
2:B:108:SER:HB2	2:B:111:LYS:HD3	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:366:ILE:HD11	4:N:45:GLN:HE21	1.83	0.43
4:N:193:ILE:N	4:N:194:PRO:CD	2.82	0.43
1:A:183:TRP:CD1	4:N:183:LEU:HB3	2.54	0.43
4:N:138:GLU:O	4:N:142:SER:CB	2.67	0.43
2:B:121:LEU:O	2:B:124:ILE:N	2.52	0.42
1:A:193:VAL:O	1:A:197:THR:OG1	2.29	0.42
1:A:101:GLU:O	1:A:102:ASN:HB2	2.19	0.42
2:B:32:ILE:O	2:B:34:LYS:N	2.52	0.42
4:N:89:THR:HG22	4:N:90:GLU:H	1.85	0.42
4:N:90:GLU:N	4:N:91:PRO:HD3	2.34	0.42
2:B:65:VAL:O	2:B:69:TRP:CB	2.67	0.42
2:B:119:ARG:N	2:B:120:PRO:CD	2.83	0.42
3:D:425:GLU:O	3:D:429:SER:OG	2.29	0.42
1:A:35:MET:O	1:A:39:THR:OG1	2.38	0.42
2:B:187:ASP:O	2:B:191:LYS:HG3	2.20	0.42
3:D:455:THR:O	3:D:459:LYS:HG2	2.20	0.42
1:A:34:ILE:HG22	2:B:69:TRP:CE3	2.55	0.42
1:A:114:LEU:O	1:A:115:THR:C	2.62	0.42
3:D:363:GLU:HA	3:D:366:ILE:HD13	2.02	0.41
1:A:231:ILE:HG22	1:A:232:VAL:N	2.35	0.41
3:D:293:ILE:O	3:D:297:PHE:HB2	2.18	0.41
2:B:172:GLN:HA	2:B:175:TYR:CE2	2.55	0.41
4:N:170:GLU:O	4:N:174:GLN:HG2	2.21	0.41
1:A:125:THR:O	1:A:129:GLN:OE1	2.39	0.41
4:N:89:THR:HG22	4:N:90:GLU:N	2.35	0.41
1:A:39:THR:OG1	1:A:69:GLU:OE1	2.34	0.41
3:D:259:LYS:HE2	4:N:8:LEU:HD21	2.02	0.41
1:A:140:LEU:HD23	1:A:144:LEU:HD13	2.03	0.41
3:D:363:GLU:HA	3:D:366:ILE:CD1	2.51	0.41
4:N:120:GLU:O	4:N:124:VAL:HG13	2.20	0.41
4:N:15:LEU:HD12	4:N:16:ARG:N	2.36	0.41
4:N:30:VAL:O	4:N:34:LEU:HG	2.21	0.41
1:A:168:LEU:HA	1:A:173:ASP:OD1	2.21	0.40
1:A:230:SER:HA	1:A:231:ILE:HA	1.89	0.40
1:A:213:ILE:HG23	1:A:214:ASP:N	2.36	0.40
1:A:198:THR:O	1:A:201:LYS:HB2	2.21	0.40
1:A:209:GLU:O	1:A:210:PHE:O	2.39	0.40
4:N:136:LEU:O	4:N:140:ILE:HG12	2.21	0.40
1:A:120:ARG:HG3	1:A:121:ALA:N	2.36	0.40
3:D:257:ASP:OD1	3:D:258:LEU:N	2.54	0.40
1:A:159:VAL:HG13	1:A:160:GLN:N	2.37	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:129:GLN:O	2:B:133:GLU:HG3	2.22	0.40
4:N:123:GLN:OE1	4:N:123:GLN:N	2.55	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:107:SER:OG	4:N:95:GLU:OE2[1_455]	1.86	0.34
2:B:107:SER:HG	4:N:95:GLU:OE2[1_455]	1.58	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	231/233 (99%)	185 (80%)	37 (16%)	9 (4%)	2	17
2	B	186/205 (91%)	156 (84%)	23 (12%)	7 (4%)	2	17
3	D	160/250 (64%)	137 (86%)	19 (12%)	4 (2%)	4	25
4	N	192/216 (89%)	160 (83%)	24 (12%)	8 (4%)	2	15
All	All	769/904 (85%)	638 (83%)	103 (13%)	28 (4%)	2	18

All (28) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	115	THR
1	A	210	PHE
2	B	14	HIS
2	B	15	ILE
2	B	117	ASP
3	D	468	VAL
4	N	92	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	114	LEU
2	B	115	ILE
4	N	41	ASP
4	N	130	THR
2	B	105	THR
3	D	354	PRO
4	N	93	ASP
1	A	2	THR
1	A	111	LYS
1	A	228	ASN
1	A	230	SER
2	B	109	SER
4	N	133	GLU
1	A	125	THR
4	N	39	GLU
4	N	200	GLN
1	A	3	THR
2	B	33	ARG
3	D	353	PRO
3	D	361	PRO
4	N	194	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	222/222 (100%)	222 (100%)	0	100	100
2	B	178/193 (92%)	178 (100%)	0	100	100
3	D	154/198 (78%)	154 (100%)	0	100	100
4	N	184/203 (91%)	184 (100%)	0	100	100
All	All	738/816 (90%)	738 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	180	HIS
3	D	282	ASN
3	D	365	ASN
3	D	453	ASN
4	N	14	GLN
4	N	105	GLN
4	N	200	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	233/233 (100%)	0.64	13 (5%) 30 19	35, 90, 127, 154	0
2	B	190/205 (92%)	0.66	10 (5%) 32 20	41, 89, 130, 152	0
3	D	164/250 (65%)	0.43	3 (1%) 67 48	38, 80, 113, 131	0
4	N	196/216 (90%)	0.56	9 (4%) 37 23	38, 84, 126, 148	0
All	All	783/904 (86%)	0.58	35 (4%) 38 24	35, 86, 126, 154	0

All (35) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	142	VAL	3.9
1	A	183	TRP	3.8
1	A	57	PHE	3.3
2	B	165	PHE	3.2
2	B	144	GLN	3.0
2	B	186	PRO	3.0
4	N	15	LEU	2.9
1	A	2	THR	2.9
1	A	157	GLU	2.8
1	A	102	ASN	2.8
1	A	1	ALA	2.8
2	B	153	LEU	2.7
4	N	211	GLU	2.7
1	A	156	THR	2.7
4	N	37	SER	2.6
2	B	157	LEU	2.6
4	N	11	THR	2.6
2	B	60	VAL	2.5
4	N	12	GLN	2.5
3	D	426	SER	2.4
2	B	56	GLU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	129	GLN	2.4
4	N	77	VAL	2.4
1	A	45	TYR	2.4
4	N	121	ALA	2.3
3	D	399	PRO	2.3
2	B	105	THR	2.3
4	N	88	TYR	2.2
4	N	145	ALA	2.2
2	B	37	SER	2.1
1	A	103	ARG	2.1
1	A	130	LYS	2.1
1	A	112	LEU	2.1
1	A	96	SER	2.0
3	D	429	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.