



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 2, 2026 – 12:03 AM UTC

PDB ID : 5T67 / pdb_00005t67
Title : x-ray structure of the KijD1 C3-methyltransferase from Actinomadura kijani-
ata in complex with SAH and dTDP-sugar product
Authors : Holden, H.M.; Thoden, J.B.; Dow, G.T.
Deposited on : 2016-09-01
Resolution : 1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4673 (1.60-1.60)
Clashscore	190562	4931 (1.60-1.60)
Ramachandran outliers	187476	4831 (1.60-1.60)
Sidechain outliers	187428	4830 (1.60-1.60)
RSRZ outliers	180081	4672 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	416	
1	B	416	

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 7249 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Sugar 3-C-methyl transferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	405	Total	C	N	O	S	0	5	0
			3180	2009	564	591	16			
1	B	402	Total	C	N	O	S	0	3	0
			3142	1987	558	580	17			


There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP B3TMQ9
A	0	HIS	-	expression tag	UNP B3TMQ9
B	-1	GLY	-	expression tag	UNP B3TMQ9
B	0	HIS	-	expression tag	UNP B3TMQ9

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		
2	B	1	Total	Zn	0	0
			1	1		

- Molecule 3 is S-ADENOSYL-L-HOMOCYSTEINE (CCD ID: SAH) (formula: C₁₄H₂₀N₆O₅S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			26	14	6	5	1		
3	B	1	Total	C	N	O	S	0	0
			26	14	6	5	1		

- Molecule 4 is (2R,4S,6R)-4-amino-4,6-dimethyl-5-oxotetrahydro-2H-pyran-2-yl [(2R,3S,5R)-3-hydroxy-5-(5-methyl-2,4-dioxo-3,4-dihydropyrimidin-1(2H)-yl)tetrahydrofuran-2-yl]methyl dihydrogen diphosphate (non-preferred name) (CCD ID: JHZ) (formula: C₁₇H₂₇N₃O₁₃P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			35	17	3	13	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	B	1	Total	C	N	O	P	0	0
			35	17	3	13	2		

- Molecule 5 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 6 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	2	Total	Mg	0	0
			2	2		

- Molecule 7 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total	Cl	0	0
			1	1		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	488	Total 488	O 488	0	0
8	B	296	Total 296	O 296	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Sugar 3-C-methyl transferase



- Molecule 1: Sugar 3-C-methyl transferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	51.09Å 108.89Å 142.78Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 1.60 30.00 – 1.60	Depositor EDS
% Data completeness (in resolution range)	96.5 (30.00-1.60) 96.5 (30.00-1.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.66 (at 1.60Å)	Xtriage
Refinement program	REFMAC 5.8.0124	Depositor
R, R_{free}	0.198 , 0.249 0.207 , 0.257	Depositor DCC
R_{free} test set	5084 reflections (4.80%)	wwPDB-VP
Wilson B-factor (Å ²)	12.6	Xtriage
Anisotropy	0.186	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 43.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7249	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.59% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SAH, ZN, MG, EDO, CL, JHZ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.99	1/3267 (0.0%)	1.30	12/4435 (0.3%)
1	B	0.77	1/3222 (0.0%)	1.25	8/4371 (0.2%)
All	All	0.89	2/6489 (0.0%)	1.28	20/8806 (0.2%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	148	VAL	CA-CB	5.65	1.60	1.54
1	B	148	VAL	C-O	-5.02	1.18	1.24

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	109	VAL	CB-CA-C	-11.81	93.24	110.83
1	B	118	ILE	CB-CA-C	-11.36	96.80	112.14
1	B	362	HIS	N-CA-C	6.92	121.68	113.23
1	A	387	ALA	N-CA-C	6.66	119.10	111.11
1	B	320	VAL	N-CA-C	6.52	117.24	108.11
1	A	161	THR	N-CA-C	-6.51	104.26	111.36
1	A	148	VAL	N-CA-C	6.47	117.39	109.30
1	A	390	ILE	N-CA-C	6.16	116.32	110.53
1	A	246	VAL	CA-C-O	6.08	124.45	118.98
1	B	118	ILE	N-CA-CB	5.85	118.49	110.54
1	A	131	LEU	CA-C-N	-5.77	117.00	122.66
1	A	131	LEU	C-N-CA	-5.77	117.00	122.66
1	A	218	PHE	N-CA-C	5.75	119.40	112.38
1	A	373	ASP	N-CA-C	5.46	118.91	108.97
1	A	269	THR	CA-C-N	-5.32	114.28	119.76
1	A	269	THR	C-N-CA	-5.32	114.28	119.76
1	B	398	ARG	N-CA-C	-5.21	105.50	111.07

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	182	ILE	CA-C-N	5.12	124.74	119.05
1	B	182	ILE	C-N-CA	5.12	124.74	119.05
1	A	204	PHE	CA-CB-CG	5.06	118.86	113.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3180	0	3092	26	0
1	B	3142	0	3049	21	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	26	0	19	1	0
3	B	26	0	19	0	0
4	A	35	0	25	0	0
4	B	35	0	25	1	0
5	A	12	0	18	0	0
5	B	4	0	6	0	0
6	A	2	0	0	0	0
7	A	1	0	0	0	0
8	A	488	0	0	7	0
8	B	296	0	0	2	1
All	All	7249	0	6253	46	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (46) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:83:SER:HB3	8:A:927:HOH:O	1.61	0.98
1:A:83:SER:CB	8:A:927:HOH:O	2.17	0.88
1:A:31:LEU:HD12	1:A:34:ARG:HG3	1.58	0.84

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:98:LEU:HD23	1:A:102:LEU:HD11	1.67	0.74
1:A:31:LEU:CD1	1:A:34:ARG:HG3	2.23	0.67
1:A:153:GLU:OE2	8:A:601:HOH:O	2.13	0.66
1:A:321[A]:VAL:HG22	1:A:376:PRO:HG3	1.77	0.65
1:A:98:LEU:CD2	1:A:128:VAL:HG21	2.28	0.64
1:B:254:HIS:CE1	4:B:503:JHZ:H6	2.37	0.60
1:A:321[A]:VAL:CG2	1:A:376:PRO:HG3	2.35	0.56
1:B:406:LEU:HD13	1:B:414:LEU:HD12	1.88	0.55
1:B:197:GLY:O	1:B:264:ARG:NH1	2.35	0.55
1:B:34:ARG:NH2	1:B:70:LEU:O	2.40	0.54
1:A:356:ARG:NH1	8:A:606:HOH:O	2.40	0.54
1:A:276[A]:ARG:HH11	1:A:276[A]:ARG:CG	2.22	0.53
1:B:347[A]:CYS:HA	1:B:366:ARG:O	2.10	0.52
1:B:116:ASP:OD1	1:B:116:ASP:C	2.55	0.50
1:B:395:GLN:OE1	1:B:398:ARG:NH1	2.44	0.50
1:A:272:GLU:OE1	1:A:276[A]:ARG:NH2	2.45	0.49
1:A:93:VAL:HG11	1:A:174:TYR:CZ	2.48	0.48
1:B:108:PHE:N	1:B:171:ASP:OD2	2.45	0.48
1:A:83:SER:HB2	8:A:927:HOH:O	1.95	0.48
1:A:98:LEU:HD22	1:A:128:VAL:HG21	1.95	0.47
1:A:181:HIS:HA	1:A:224:GLU:O	2.15	0.47
1:A:345:PHE:HE1	1:A:347[A]:CYS:SG	2.37	0.47
1:B:107:PRO:HA	1:B:171:ASP:OD2	2.16	0.46
1:A:276[A]:ARG:CG	1:A:276[A]:ARG:NH1	2.77	0.45
1:B:33:ASP:OD2	1:B:224:GLU:OE2	2.34	0.45
1:B:406:LEU:HD13	1:B:414:LEU:CD1	2.47	0.45
1:B:102:LEU:CD1	1:B:109:VAL:HG22	2.46	0.45
1:B:347[B]:CYS:HA	1:B:366:ARG:O	2.17	0.45
1:B:351:PRO:HA	1:B:354:GLN:OE1	2.17	0.44
1:A:319:ARG:HG2	8:A:943:HOH:O	2.18	0.44
1:A:175:ALA:O	1:A:204:PHE:HA	2.17	0.43
1:B:102:LEU:HD11	1:B:109:VAL:HG22	1.99	0.43
1:B:107:PRO:CA	1:B:171:ASP:OD2	2.65	0.43
1:B:403:ARG:HG2	8:B:788:HOH:O	2.20	0.42
1:B:102:LEU:HD23	1:B:171:ASP:HB2	2.01	0.42
1:B:212:ILE:HA	1:B:217:SER:OG	2.19	0.41
1:B:182:ILE:HG23	1:B:184:TYR:CZ	2.54	0.41
1:A:85:VAL:HG21	8:B:857:HOH:O	2.20	0.41
1:A:397:PHE:CE2	1:A:402:GLY:HA3	2.56	0.41
1:A:72:PHE:CD1	3:A:502:SAH:H2'	2.56	0.41
1:A:92:LYS:HE2	1:B:85:VAL:HG12	2.03	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:55:HIS:NE2	8:A:603:HOH:O	2.37	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:B:856:HOH:O	8:B:895:HOH:O[1_455]	2.03	0.17

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	408/416 (98%)	404 (99%)	4 (1%)	0	100	100
1	B	401/416 (96%)	390 (97%)	9 (2%)	2 (0%)	24	10
All	All	809/832 (97%)	794 (98%)	13 (2%)	2 (0%)	43	24

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	197	GLY
1	B	352	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	330/332 (99%)	327 (99%)	3 (1%)	70	55
1	B	324/332 (98%)	309 (95%)	15 (5%)	24	6
All	All	654/664 (98%)	636 (97%)	18 (3%)	40	15

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	38	PRO
1	A	276[A]	ARG
1	A	276[B]	ARG
1	B	14	ARG
1	B	34	ARG
1	B	42	ASP
1	B	68	ARG
1	B	85	VAL
1	B	109	VAL
1	B	118	ILE
1	B	121	ARG
1	B	129	ARG
1	B	156	GLU
1	B	283	GLU
1	B	303	ARG
1	B	312	ARG
1	B	366	ARG
1	B	393	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	177	ASN
1	B	177	ASN
1	B	254	HIS
1	B	284	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 5 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	EDO	A	505	-	3,3,3	0.43	0	2,2,2	0.58	0
5	EDO	A	504	-	3,3,3	0.48	0	2,2,2	0.13	0
5	EDO	A	506	-	3,3,3	0.49	0	2,2,2	0.20	0
3	SAH	A	502	-	27,28,28	1.52	4 (14%)	36,40,40	2.44	17 (47%)
4	JHZ	A	503	-	31,37,37	1.86	6 (19%)	47,58,58	3.48	14 (29%)
3	SAH	B	502	-	27,28,28	1.47	4 (14%)	36,40,40	2.69	14 (38%)
5	EDO	B	504	-	3,3,3	0.51	0	2,2,2	0.45	0
4	JHZ	B	503	-	31,37,37	2.12	6 (19%)	47,58,58	2.45	18 (38%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	A	505	-	-	0/1/1/1	-
5	EDO	A	504	-	-	1/1/1/1	-
5	EDO	A	506	-	-	0/1/1/1	-
3	SAH	A	502	-	-	1/15/31/31	0/3/3/3
4	JHZ	A	503	-	-	1/21/52/52	0/3/3/3
3	SAH	B	502	-	-	0/15/31/31	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	B	504	-	-	1/1/1/1	-
4	JHZ	B	503	-	-	2/21/52/52	0/3/3/3

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	503	JHZ	O21-C21	7.40	1.36	1.23
4	B	503	JHZ	O41-C41	6.44	1.35	1.23
4	A	503	JHZ	O41-C41	6.16	1.35	1.23
4	A	503	JHZ	O21-C21	4.20	1.30	1.23
3	B	502	SAH	C5-C4	4.16	1.46	1.39
3	A	502	SAH	C5-C4	4.08	1.46	1.39
3	A	502	SAH	C5-N7	-3.45	1.32	1.39
4	B	503	JHZ	C41-C51	-3.40	1.39	1.44
4	A	503	JHZ	C41-C51	-3.24	1.39	1.44
3	B	502	SAH	C5-N7	-2.71	1.34	1.39
4	B	503	JHZ	C61-C51	2.64	1.38	1.34
3	B	502	SAH	C4-N9	-2.64	1.32	1.37
4	A	503	JHZ	C21-N11	-2.63	1.34	1.38
3	A	502	SAH	OXT-C	-2.61	1.22	1.30
3	A	502	SAH	C5-C6	2.60	1.48	1.41
4	A	503	JHZ	C61-N11	-2.59	1.33	1.38
4	A	503	JHZ	C41-N31	-2.32	1.34	1.38
3	B	502	SAH	C5-C6	2.28	1.47	1.41
4	B	503	JHZ	C21-N11	-2.22	1.35	1.38
4	B	503	JHZ	C41-N31	-2.13	1.34	1.38

All (63) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	503	JHZ	C51-C41-N31	11.16	125.02	115.32
4	A	503	JHZ	C41-N31-C21	-10.25	113.91	127.34
4	A	503	JHZ	O5-C1-O1	-8.05	100.84	111.36
4	A	503	JHZ	O5-C5-C4	-7.43	103.41	111.48
4	A	503	JHZ	N31-C21-N11	7.12	124.16	114.89
3	B	502	SAH	C5-C4-N3	-6.28	118.07	126.72
4	B	503	JHZ	C41-N31-C21	-6.01	119.45	127.34
4	A	503	JHZ	O1-C1-C2	5.72	114.79	107.11
3	A	502	SAH	N3-C2-N1	-5.66	120.01	128.58
3	A	502	SAH	C2-N1-C6	5.62	127.97	118.73
4	B	503	JHZ	C51-C41-N31	5.61	120.20	115.32
4	A	503	JHZ	O21-C21-N31	-5.57	111.21	121.49

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	503	JHZ	O41-C41-C51	-5.48	118.65	124.92
3	B	502	SAH	N3-C4-N9	5.42	136.38	127.17
4	B	503	JHZ	N31-C21-N11	5.33	121.83	114.89
3	B	502	SAH	N3-C2-N1	-5.05	120.94	128.58
3	B	502	SAH	C4-N9-C8	4.87	110.85	105.74
3	B	502	SAH	C2-N3-C4	4.76	123.46	111.83
4	A	503	JHZ	O41-C41-C51	-4.43	119.85	124.92
3	B	502	SAH	N9-C8-N7	-4.27	107.87	113.94
4	B	503	JHZ	O4X-C1X-N11	4.22	115.36	107.86
4	B	503	JHZ	C1-O5-C5	-4.13	109.33	113.83
3	B	502	SAH	C4-C5-N7	-3.99	106.02	110.58
3	B	502	SAH	C5-N7-C8	3.94	109.64	103.45
4	B	503	JHZ	C5A-C51-C41	3.77	122.80	118.78
3	B	502	SAH	O4'-C1'-N9	-3.74	100.90	108.09
3	A	502	SAH	C5-N7-C8	3.52	108.98	103.45
4	A	503	JHZ	C5A-C51-C41	3.46	122.48	118.78
4	B	503	JHZ	O3P-P2-OPP	-3.42	98.02	107.27
3	A	502	SAH	C5-C4-N3	-3.40	122.04	126.72
4	A	503	JHZ	C51-C61-N11	-3.32	119.71	123.31
3	A	502	SAH	N6-C6-N1	3.25	125.62	118.38
3	A	502	SAH	C2-N3-C4	3.24	119.75	111.83
3	A	502	SAH	O2'-C2'-C3'	3.21	122.12	111.82
3	A	502	SAH	C4-N9-C8	3.20	109.09	105.74
3	A	502	SAH	N3-C4-N9	3.15	132.53	127.17
3	A	502	SAH	N9-C8-N7	-3.14	109.48	113.94
3	A	502	SAH	C4-C5-N7	-3.12	107.01	110.58
4	A	503	JHZ	O4-C4-C5	3.11	125.93	120.05
3	A	502	SAH	O4'-C1'-N9	-3.08	102.17	108.09
4	B	503	JHZ	C5A-C51-C61	-3.08	118.69	122.85
3	B	502	SAH	C2'-C1'-N9	2.97	120.68	113.30
4	A	503	JHZ	O4X-C4X-C5X	-2.97	99.84	109.33
3	B	502	SAH	C6-C5-N7	2.87	137.61	132.09
4	B	503	JHZ	O1P-P-OPP	-2.78	99.75	107.27
4	B	503	JHZ	C51-C61-N11	-2.75	120.32	123.31
3	B	502	SAH	C2-N1-C6	2.74	123.22	118.73
4	B	503	JHZ	O3P-P2-O4P	2.71	125.05	112.44
4	A	503	JHZ	O5-C5-C6	-2.69	101.69	109.64
4	B	503	JHZ	C1X-N11-C21	2.68	122.90	117.66
4	A	503	JHZ	O41-C41-N31	-2.67	115.09	120.11
3	B	502	SAH	O4'-C4'-C3'	2.67	110.45	105.15
4	B	503	JHZ	O4-C4-C5	2.60	124.95	120.05
4	B	503	JHZ	O21-C21-N31	-2.54	116.80	121.49

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	502	SAH	O3'-C3'-C4'	2.52	118.31	111.08
4	B	503	JHZ	OPP-P2-O4P	2.42	117.99	110.70
3	A	502	SAH	C4-N9-C1'	-2.42	120.98	126.63
4	B	503	JHZ	O1P-P-O5X	2.21	117.59	107.57
3	A	502	SAH	C4'-O4'-C1'	-2.13	104.77	109.47
3	B	502	SAH	C5'-SD-CG	2.05	108.34	102.26
3	A	502	SAH	C6-C5-N7	2.04	136.02	132.09
4	B	503	JHZ	O5-C5-C4	-2.04	109.27	111.48
3	A	502	SAH	C4'-C5'-SD	-2.02	106.58	113.78

There are no chirality outliers.

All (6) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
5	A	504	EDO	O1-C1-C2-O2
4	A	503	JHZ	P2-OPP-P-O5X
4	B	503	JHZ	P2-OPP-P-O5X
4	B	503	JHZ	O4X-C4X-C5X-O5X
5	B	504	EDO	O1-C1-C2-O2
3	A	502	SAH	CB-CG-SD-C5'


There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	502	SAH	1	0
4	B	503	JHZ	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	405/416 (97%)	-0.27	5 (1%) 76 80	6, 13, 28, 68	5 (1%)
1	B	402/416 (96%)	0.75	44 (10%) 10 10	11, 25, 51, 67	3 (0%)
All	All	807/832 (96%)	0.24	49 (6%) 27 27	6, 19, 46, 68	8 (0%)

All (49) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	36	LEU	4.4
1	B	10	PRO	4.2
1	B	38	PRO	4.2
1	B	355	HIS	4.0
1	B	77	PRO	3.8
1	A	10	PRO	3.6
1	B	414	LEU	3.5
1	B	342	LEU	3.3
1	B	75	GLU	3.3
1	B	198	PRO	3.3
1	B	78	TYR	3.2
1	B	70	LEU	3.2
1	B	43	GLY	3.2
1	B	72	PHE	3.2
1	B	315	ALA	3.1
1	B	76	TYR	3.0
1	B	313	LEU	3.0
1	B	83	SER	3.0
1	B	35	PHE	3.0
1	A	11	ALA	2.9
1	B	102	LEU	2.9
1	B	357	LEU	2.8
1	B	118	ILE	2.7
1	B	352	GLY	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	400	ALA	2.6
1	B	314	ARG	2.5
1	B	351	PRO	2.3
1	B	42	ASP	2.3
1	B	340	PRO	2.3
1	B	374	PRO	2.3
1	B	375	TYR	2.3
1	A	82	GLY	2.3
1	B	362	HIS	2.3
1	B	166	SER	2.3
1	B	67	PRO	2.2
1	B	363	LEU	2.2
1	B	117	GLY	2.2
1	B	346	VAL	2.2
1	B	11	ALA	2.2
1	A	105	ALA	2.1
1	B	194	ALA	2.1
1	B	73	HIS	2.1
1	B	109	VAL	2.1
1	B	66	VAL	2.1
1	B	321	VAL	2.1
1	A	12	ARG	2.1
1	B	105	ALA	2.0
1	B	137	ALA	2.0
1	B	317	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	EDO	A	504	4/4	0.81	0.13	38,42,42,42	0
5	EDO	B	504	4/4	0.81	0.15	28,28,34,36	0
5	EDO	A	506	4/4	0.85	0.12	39,39,42,42	0
4	JHZ	B	503	35/35	0.94	0.09	20,30,36,40	0
5	EDO	A	505	4/4	0.94	0.08	20,24,27,29	0
3	SAH	B	502	26/26	0.95	0.07	16,20,22,24	0
6	MG	A	508	1/1	0.95	0.07	34,34,34,34	0
7	CL	A	509	1/1	0.95	0.09	40,40,40,40	0
6	MG	A	507	1/1	0.98	0.07	26,26,26,26	0
4	JHZ	A	503	35/35	0.98	0.04	6,10,14,17	0
3	SAH	A	502	26/26	0.98	0.04	6,8,10,12	0
2	ZN	B	501	1/1	0.99	0.02	22,22,22,22	0
2	ZN	A	501	1/1	0.99	0.03	17,17,17,17	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around JHZ B 503:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around SAH B 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around JHZ A 503:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.