



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 12:21 AM UTC

PDB ID : 5T6C / pdb_00005t6c
Title : Crystal structure of *Aspergillus fumigatus* N-myristoyl transferase in complex with myristoyl CoA and a dichloro-methylpyridinyl-methoxy-phenyl-pyridine piperazine ligand
Authors : Robinson, D.A.; Wyatt, P.G.
Deposited on : 2016-09-01
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	411	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 3779 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Glycylpeptide N-tetradecanoyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	392	3185	2059	542	572	12	0	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	82	GLY	-	expression tag	UNP Q9UVX3
A	83	PRO	-	expression tag	UNP Q9UVX3
A	84	ARG	-	expression tag	UNP Q9UVX3
A	85	SER	-	expression tag	UNP Q9UVX3

- Molecule 2 is TETRADECANOYL-COA (CCD ID: MYA) (formula: $C_{35}H_{62}N_7O_{17}P_3S$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
			Total	C	N	O	P	S		
2	A	1	63	35	7	17	3	1	0	0

- # 75S


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	502	Total O 502 502	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Glycylpeptide N-tetradecanoyltransferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	51.14Å 58.60Å 152.15Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	38.00 – 1.90 38.00 – 1.90	Depositor EDS
% Data completeness (in resolution range)	97.9 (38.00-1.90) 97.9 (38.00-1.90)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.27 (at 1.89Å)	Xtriage
Refinement program	REFMAC 5.8.0049	Depositor
R, R_{free}	0.223 , 0.256 0.230 , 0.261	Depositor DCC
R_{free} test set	1816 reflections (4.91%)	wwPDB-VP
Wilson B-factor (Å ²)	12.3	Xtriage
Anisotropy	0.070	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 34.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	3779	wwPDB-VP
Average B, all atoms (Å ²)	17.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.27% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 75S, MYA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.41	11/3272 (0.3%)	1.22	14/4448 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	256	THR	CA-C	11.68	1.62	1.53
1	A	256	THR	C-O	-9.66	1.19	1.23
1	A	359	VAL	C-O	-7.24	1.16	1.24
1	A	256	THR	CA-CB	6.53	1.57	1.52
1	A	349	VAL	C-O	6.29	1.31	1.24
1	A	441	ASN	CA-C	5.57	1.59	1.52
1	A	189	LEU	N-CA	5.31	1.52	1.46
1	A	303	PRO	C-O	5.14	1.29	1.23
1	A	229	VAL	CA-CB	5.02	1.60	1.54
1	A	285	SER	N-CA	5.02	1.52	1.45
1	A	439	HIS	CA-C	5.01	1.59	1.52

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	283	ALA	N-CA-C	-7.73	94.33	110.80
1	A	413	ARG	CB-CG-CD	6.72	126.76	111.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	395	TYR	N-CA-CB	-5.96	106.04	111.59
1	A	279	SER	CA-C-N	-5.94	114.49	120.31
1	A	279	SER	C-N-CA	-5.94	114.49	120.31
1	A	367	ILE	CB-CA-C	5.75	119.03	111.33
1	A	343	VAL	CB-CA-C	5.74	118.99	111.53
1	A	203	ARG	NE-CZ-NH2	5.67	124.30	119.20
1	A	256	THR	CB-CA-C	5.61	115.88	111.00
1	A	351	GLU	CB-CA-C	5.25	120.25	111.22
1	A	313	ILE	N-CA-C	5.20	115.42	110.42
1	A	345	LYS	CA-C-N	5.05	124.83	119.28
1	A	345	LYS	C-N-CA	5.05	124.83	119.28
1	A	413	ARG	NE-CZ-NH1	5.03	126.53	121.50

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	282	PRO	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3185	0	3166	124	0
2	A	63	0	58	2	0
3	A	29	0	0	3	0
4	A	502	0	0	97	0
All	All	3779	0	3224	126	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:502:75S:CAP	3:A:502:75S:OAT	1.65	1.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:376:LEU:HG	4:A:1008:HOH:O	1.22	1.27
1:A:286:THR:HB	4:A:957:HOH:O	1.20	1.26
1:A:401:THR:HB	4:A:604:HOH:O	1.22	1.26
1:A:188:LYS:HE3	4:A:832:HOH:O	1.28	1.25
1:A:323:TYR:CE1	4:A:608:HOH:O	1.94	1.18
1:A:257:PRO:HB3	4:A:909:HOH:O	1.40	1.17
1:A:283:ALA:HB2	4:A:1056:HOH:O	1.41	1.17
1:A:354:VAL:HG23	4:A:965:HOH:O	1.02	1.16
1:A:407:MET:HG3	4:A:1028:HOH:O	1.42	1.15
1:A:250:ALA:HA	4:A:700:HOH:O	1.46	1.14
1:A:388:ASN:HB2	4:A:621:HOH:O	1.47	1.11
1:A:323:TYR:HE1	4:A:608:HOH:O	1.32	1.01
1:A:250:ALA:N	4:A:601:HOH:O	1.92	1.01
1:A:387:ASP:HB3	4:A:992:HOH:O	1.61	1.00
1:A:351:GLU:HB2	4:A:725:HOH:O	1.62	0.98
1:A:461:LEU:HD22	4:A:845:HOH:O	1.66	0.96
1:A:395:TYR:CE2	4:A:752:HOH:O	2.19	0.95
1:A:476:LYS:HE3	4:A:695:HOH:O	1.67	0.94
1:A:348:THR:HB	4:A:1011:HOH:O	1.67	0.94
1:A:121:GLU:HG2	4:A:805:HOH:O	1.65	0.93
1:A:350:LYS:HD3	4:A:804:HOH:O	1.70	0.91
1:A:286:THR:HG21	4:A:1035:HOH:O	1.71	0.90
1:A:401:THR:CB	4:A:604:HOH:O	1.88	0.89
1:A:157:PHE:CD2	1:A:376:LEU:HD21	2.07	0.88
3:A:502:75S:CAP	3:A:502:75S:CBB	2.51	0.88
1:A:293:LYS:HE2	4:A:787:HOH:O	1.72	0.87
1:A:250:ALA:HB3	4:A:601:HOH:O	1.76	0.85
1:A:250:ALA:CB	4:A:602:HOH:O	2.25	0.84
1:A:254:LEU:HA	4:A:734:HOH:O	1.77	0.83
1:A:157:PHE:HD2	1:A:376:LEU:HD21	1.42	0.82
1:A:325:SER:HB2	4:A:723:HOH:O	1.80	0.81
1:A:362:PRO:HB2	4:A:628:HOH:O	1.82	0.80
1:A:406:ASN:CB	4:A:840:HOH:O	2.31	0.78
1:A:376:LEU:CG	4:A:1008:HOH:O	1.96	0.76
1:A:362:PRO:CD	4:A:628:HOH:O	2.33	0.76
1:A:250:ALA:CB	4:A:601:HOH:O	2.34	0.76
1:A:401:THR:HG23	4:A:856:HOH:O	1.87	0.74
1:A:395:TYR:CD2	4:A:752:HOH:O	2.37	0.74
1:A:252:VAL:N	4:A:602:HOH:O	2.08	0.74
1:A:362:PRO:CB	4:A:628:HOH:O	2.34	0.73
1:A:387:ASP:CB	4:A:992:HOH:O	2.27	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:378:SER:HB2	4:A:967:HOH:O	1.91	0.71
1:A:350:LYS:CE	4:A:804:HOH:O	2.37	0.71
1:A:458:HIS:HE1	4:A:662:HOH:O	1.72	0.71
1:A:286:THR:HG23	1:A:289:ARG:H	1.56	0.70
1:A:407:MET:CB	4:A:1028:HOH:O	2.41	0.69
1:A:250:ALA:HB1	4:A:602:HOH:O	1.91	0.68
1:A:298:SER:O	4:A:603:HOH:O	2.11	0.67
1:A:362:PRO:HD2	4:A:628:HOH:O	1.93	0.67
1:A:257:PRO:CG	4:A:909:HOH:O	2.42	0.67
1:A:133:GLU:HG3	4:A:946:HOH:O	1.95	0.67
1:A:257:PRO:CB	4:A:909:HOH:O	2.15	0.65
1:A:456:GLN:HE22	1:A:477:ASN:HD21	1.42	0.65
1:A:460:TYR:HE1	4:A:601:HOH:O	1.80	0.64
1:A:175:LYS:HE2	4:A:1053:HOH:O	1.97	0.64
1:A:315:THR:HB	4:A:639:HOH:O	1.98	0.63
1:A:132:ASN:OD1	1:A:134:THR:OG1	2.17	0.61
1:A:252:VAL:O	4:A:602:HOH:O	2.16	0.60
1:A:282:PRO:O	1:A:285:SER:HB2	2.01	0.60
1:A:295:HIS:CD2	4:A:618:HOH:O	2.56	0.58
1:A:376:LEU:CD2	4:A:1008:HOH:O	2.36	0.58
1:A:250:ALA:HB3	4:A:602:HOH:O	1.91	0.58
1:A:250:ALA:CA	4:A:700:HOH:O	2.22	0.58
1:A:250:ALA:CA	4:A:601:HOH:O	2.44	0.57
1:A:350:LYS:CD	4:A:804:HOH:O	2.35	0.57
1:A:282:PRO:HA	1:A:283:ALA:HB2	1.86	0.57
1:A:476:LYS:CE	4:A:695:HOH:O	2.38	0.56
1:A:312:ASP:HA	4:A:639:HOH:O	2.05	0.55
1:A:133:GLU:HB2	4:A:646:HOH:O	2.06	0.55
1:A:350:LYS:HE3	4:A:804:HOH:O	2.02	0.55
1:A:295:HIS:ND1	4:A:610:HOH:O	2.33	0.55
1:A:362:PRO:CG	4:A:628:HOH:O	2.56	0.52
1:A:426:LYS:NZ	4:A:618:HOH:O	2.41	0.52
1:A:405:ASN:HA	4:A:656:HOH:O	2.08	0.52
1:A:469:VAL:HG13	1:A:486:GLY:CA	2.39	0.52
1:A:283:ALA:CA	4:A:912:HOH:O	2.57	0.52
1:A:284:GLY:C	4:A:607:HOH:O	2.53	0.51
1:A:380:VAL:HG11	1:A:383:ASN:HB3	1.91	0.51
1:A:286:THR:CB	4:A:957:HOH:O	2.06	0.51
1:A:174:LYS:HE2	4:A:996:HOH:O	2.10	0.50
1:A:407:MET:CG	4:A:1028:HOH:O	2.18	0.50
1:A:134:THR:HG21	4:A:990:HOH:O	2.11	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:348:THR:HG21	4:A:1075:HOH:O	2.12	0.50
1:A:380:VAL:CG1	1:A:383:ASN:HB3	2.42	0.50
1:A:225:ARG:HH22	2:A:501:MYA:P3X	2.35	0.49
1:A:177:TRP:HE1	1:A:241:ASN:HD22	1.60	0.49
1:A:174:LYS:CE	4:A:996:HOH:O	2.60	0.49
1:A:388:ASN:CB	4:A:621:HOH:O	2.27	0.49
1:A:132:ASN:ND2	4:A:624:HOH:O	2.46	0.49
1:A:113:SER:HB2	4:A:1010:HOH:O	2.12	0.48
1:A:388:ASN:CA	4:A:621:HOH:O	2.60	0.47
1:A:272:LYS:HD3	4:A:769:HOH:O	2.14	0.47
1:A:347:GLU:HB2	4:A:916:HOH:O	2.15	0.47
1:A:407:MET:HA	4:A:1028:HOH:O	2.14	0.47
1:A:173:TRP:NE1	4:A:626:HOH:O	2.48	0.47
1:A:326:ARG:NE	4:A:606:HOH:O	2.30	0.46
1:A:114:LYS:HE2	4:A:779:HOH:O	2.15	0.46
1:A:406:ASN:C	4:A:840:HOH:O	2.59	0.45
1:A:376:LEU:C	1:A:376:LEU:HD23	2.41	0.45
1:A:360:GLU:OE2	1:A:365:HIS:HD2	2.00	0.45
1:A:176:GLU:O	1:A:237:ARG:HD3	2.17	0.45
1:A:251:GLY:HA3	3:A:502:75S:CAF	2.47	0.45
1:A:275:GLU:OE2	1:A:386:HIS:NE2	2.50	0.45
1:A:439:HIS:HD2	4:A:905:HOH:O	2.00	0.45
1:A:101:GLY:HA3	4:A:722:HOH:O	2.17	0.44
1:A:257:PRO:HG3	4:A:909:HOH:O	2.12	0.44
1:A:475:GLU:H	1:A:475:GLU:CD	2.26	0.44
1:A:283:ALA:HA	4:A:912:HOH:O	2.16	0.44
1:A:374:TYR:CE1	1:A:393:TYR:HB2	2.53	0.44
1:A:293:LYS:NZ	4:A:630:HOH:O	2.50	0.43
1:A:362:PRO:N	4:A:628:HOH:O	2.49	0.43
1:A:264:TYR:OH	1:A:479:PRO:HD3	2.19	0.43
1:A:254:LEU:HB3	1:A:255:PRO:HD2	2.00	0.43
1:A:323:TYR:CZ	4:A:608:HOH:O	2.38	0.43
1:A:249:THR:HB	1:A:457:LEU:HG	1.99	0.43
1:A:293:LYS:HG3	4:A:1091:HOH:O	2.18	0.43
1:A:133:GLU:CB	4:A:646:HOH:O	2.65	0.42
1:A:351:GLU:CB	4:A:725:HOH:O	2.39	0.42
1:A:458:HIS:HB3	4:A:909:HOH:O	2.19	0.42
1:A:129:ASP:OD1	1:A:131:THR:OG1	2.35	0.41
1:A:225:ARG:NH2	2:A:501:MYA:O7A	2.51	0.41
1:A:315:THR:CB	4:A:639:HOH:O	2.63	0.41
1:A:286:THR:OG1	1:A:287:LYS:N	2.54	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:111:LYS:HB3	1:A:111:LYS:HE3	1.86	0.40
1:A:276:VAL:HG13	1:A:386:HIS:CD2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	390/411 (95%)	374 (96%)	13 (3%)	3 (1%)	16 8

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	283	ALA
1	A	405	ASN
1	A	384	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	345/367 (94%)	334 (97%)	11 (3%)	34 27

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	111	LYS
1	A	285	SER
1	A	298	SER
1	A	343	VAL
1	A	347	GLU
1	A	350	LYS
1	A	351	GLU
1	A	367	ILE
1	A	369	ASP
1	A	413	ARG
1	A	427	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	137	GLN
1	A	201	ASN
1	A	241	ASN
1	A	365	HIS
1	A	405	ASN
1	A	419	ASN
1	A	439	HIS
1	A	447	GLN
1	A	458	HIS
1	A	477	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	75S	A	502	-	32,32,32	1.96	7 (21%)	43,44,44	3.08	12 (27%)
2	MYA	A	501	-	63,65,65	1.52	12 (19%)	85,91,91	1.76	21 (24%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	75S	A	502	-	-	1/13/21/21	0/4/4/4
2	MYA	A	501	-	-	5/64/80/80	0/3/3/3

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	502	75S	OAT-CAP	7.13	1.65	1.43
2	A	501	MYA	P3X-O9A	4.41	1.64	1.50
2	A	501	MYA	C3M-C2M	-4.22	1.46	1.50
2	A	501	MYA	C5A-N7A	-4.00	1.31	1.39
3	A	502	75S	CAO-NBC	3.19	1.52	1.46
2	A	501	MYA	O10-C10	3.02	1.47	1.42
2	A	501	MYA	C4A-N9A	-3.01	1.31	1.37
2	A	501	MYA	C12-C11	2.92	1.57	1.52
3	A	502	75S	CAI-CAU	2.72	1.43	1.38
3	A	502	75S	CAJ-CAV	2.66	1.43	1.38
2	A	501	MYA	C2M-S1	-2.63	1.70	1.76
2	A	501	MYA	O2M-C2M	-2.55	1.17	1.21
3	A	502	75S	CAY-CAX	-2.45	1.43	1.49
2	A	501	MYA	C2X-C3X	-2.37	1.47	1.53
3	A	502	75S	CAN-NBC	-2.32	1.42	1.46
2	A	501	MYA	O2X-C2X	-2.29	1.37	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	502	75S	CBB-CAV	-2.22	1.36	1.41
2	A	501	MYA	P3X-O8A	2.20	1.63	1.54
2	A	501	MYA	P2A-O3A	-2.10	1.57	1.59

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	502	75S	CAX-CAK-CBA	17.29	124.25	118.17
2	A	501	MYA	N3A-C2A-N1A	-5.82	119.77	128.58
2	A	501	MYA	O2M-C2M-C3M	-5.08	118.12	123.98
2	A	501	MYA	C5A-C4A-N3A	-4.27	120.84	126.72
2	A	501	MYA	N9A-C8A-N7A	-4.07	108.16	113.94
3	A	502	75S	OAT-CAP-CAZ	3.85	120.61	109.26
3	A	502	75S	CAD-CAE-NAQ	-3.47	117.93	123.42
2	A	501	MYA	O4X-C1X-C2X	-3.31	99.53	106.62
2	A	501	MYA	C2A-N3A-C4A	3.22	119.69	111.83
3	A	502	75S	CAM-CAO-NBC	-2.98	103.91	110.38
2	A	501	MYA	C5A-N7A-C8A	2.92	108.05	103.45
2	A	501	MYA	C2X-C3X-C4X	-2.85	98.25	103.24
2	A	501	MYA	O8A-P3X-O7A	2.67	117.80	107.80
2	A	501	MYA	O2M-C2M-S1	2.61	126.01	122.68
3	A	502	75S	CAO-NBC-CBA	-2.59	113.51	120.41
2	A	501	MYA	O3X-P3X-O9A	-2.59	100.12	109.33
2	A	501	MYA	N3A-C4A-N9A	2.53	131.46	127.17
3	A	502	75S	CAG-CAZ-CAW	-2.46	114.94	117.23
2	A	501	MYA	C2X-C1X-N9A	-2.44	107.24	113.30
3	A	502	75S	CAK-CBA-NAR	-2.39	118.85	122.82
2	A	501	MYA	C4A-C5A-N7A	-2.36	107.88	110.58
3	A	502	75S	CAO-CAM-NAS	-2.34	104.93	110.90
3	A	502	75S	CAG-CAD-CAE	2.32	122.28	118.92
3	A	502	75S	CAK-CAX-CAY	2.32	124.73	120.84
2	A	501	MYA	C4A-N9A-C8A	2.30	108.15	105.74
2	A	501	MYA	C2A-N1A-C6A	2.27	122.46	118.73
2	A	501	MYA	C3X-C2X-C1X	2.26	104.87	99.89
3	A	502	75S	CBB-CAV-CL2	2.20	121.31	118.40
2	A	501	MYA	O3A-P1A-O2A	-2.19	104.13	110.70
2	A	501	MYA	O4X-C4X-C3X	2.18	109.52	104.92
2	A	501	MYA	O1A-P1A-O2A	2.15	122.43	112.44
3	A	502	75S	CAE-NAQ-CAW	2.10	120.74	118.35
2	A	501	MYA	C3M-C2M-S1	2.03	115.83	113.40

There are no chirality outliers.

All (6) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	502	75S	CAZ-CAP-OAT-CBB
2	A	501	MYA	CAM-CBM-CCM-CDM
2	A	501	MYA	C5X-O5X-P1A-O2A
2	A	501	MYA	C8M-C9M-CAM-CBM
2	A	501	MYA	C5M-C6M-C7M-C8M
2	A	501	MYA	C3X-O3X-P3X-O9A


There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	502	75S	3	0
2	A	501	MYA	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	392/411 (95%)	0.32	17 (4%)	40 42	9, 14, 31, 58	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	384	PRO	4.6
1	A	385	LYS	4.3
1	A	253	VAL	4.0
1	A	283	ALA	3.8
1	A	407	MET	3.7
1	A	255	PRO	3.3
1	A	282	PRO	3.3
1	A	383	ASN	3.2
1	A	256	THR	3.1
1	A	251	GLY	3.0
1	A	252	VAL	2.9
1	A	405	ASN	2.8
1	A	406	ASN	2.8
1	A	382	GLN	2.7
1	A	386	HIS	2.7
1	A	254	LEU	2.4
1	A	367	ILE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.


6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	75S	A	502	29/29	0.93	0.09	12,15,19,21	0
2	MYA	A	501	63/63	0.95	0.07	8,11,29,37	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers ⓘ

There are no such residues in this entry.