



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 10:56 AM UTC

PDB ID : 1T7P / pdb_00001t7p
Title : T7 DNA POLYMERASE COMPLEXED TO DNA PRIMER/TEMPLATE, A NUCLEOSIDE TRIPHOSPHATE, AND ITS PROCESSIVITY FACTOR THIOREDOXIN
Authors : Doublie, S.; Tabor, S.; Long, A.M.; Richardson, C.C.; Ellenberger, T.
Deposited on : 1997-09-24
Resolution : 2.20 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	P	11	
2	T	13	
3	A	698	
4	B	108	

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 7092 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a DNA chain called DNA (5'-D(P*GP*CP*CP*AP*GP*TP*GP*CP*CP*AP*2DA)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	P	11	Total	C	N	O	P	0	0	0
			224	106	44	63	11			

- Molecule 2 is a DNA chain called DNA (5'-D(P*CP*CP*TP*TP*GP*GP*CP*AP*CP*TP*GP*GP*C)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	T	13	Total	C	N	O	P	0	0	0
			264	125	46	80	13			

- Molecule 3 is a protein called DNA-directed DNA polymerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	A	662	Total	C	N	O	S	0	0	0
			5266	3356	912	975	23			


There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	LYS	deletion	UNP P00581
A	?	-	ARG	deletion	UNP P00581
A	?	-	PHE	deletion	UNP P00581
A	?	-	GLY	deletion	UNP P00581
A	?	-	SER	deletion	UNP P00581
A	?	-	HIS	deletion	UNP P00581

- Molecule 4 is a protein called Thioredoxin 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	B	105	Total	C	N	O	S	0	0	0
			802	518	129	152	3			

- Molecule 5 is 2'-3'-DIDEOXYGUANOSINE-5'-TRIPHOSPHATE (CCD ID: DG3) (formula: $C_{10}H_{16}N_5O_{12}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	P	1	Total	C	N	O	P	0	0
			30	10	5	12	3		

- Molecule 6 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	3	Total	Mg	0	0
			3	3		

- Molecule 7 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	P	16	Total	O	0	0
			16	16		
7	T	29	Total	O	0	0
			29	29		
7	A	419	Total	O	0	0
			419	419		
7	B	39	Total	O	0	0
			39	39		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


Note EDS was not executed.

- Molecule 1: DNA (5'-D(P*GP*CP*CP*AP*GP*TP*GP*CP*CP*AP*2DA)-3')

Chain P: 




- Molecule 2: DNA (5'-D(P*CP*CP*TP*TP*GP*GP*CP*AP*CP*TP*GP*GP*C)-3')

Chain T: 




- Molecule 3: DNA-directed DNA polymerase

Chain A: 



- Molecule 4: Thioredoxin 1

Chain B: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	106.60Å 216.30Å 52.10Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.20	Depositor
% Data completeness (in resolution range)	(Not available) (20.00-2.20)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.05	Depositor
Refinement program	X-PLOR 3.851	Depositor
R, R_{free}	0.240 , 0.279	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	7092	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: DG3, MG, 2DA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	P	0.36	0/228	0.87	1/349 (0.3%)
2	T	0.34	0/294	0.98	1/451 (0.2%)
3	A	0.48	0/5396	0.98	20/7306 (0.3%)
4	B	0.45	0/817	0.97	3/1108 (0.3%)
All	All	0.46	0/6735	0.97	25/9214 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	P	0	1
2	T	0	1
All	All	0	2

There are no bond length outliers.

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	127	ALA	N-CA-C	8.23	121.06	111.02
3	A	400	ALA	N-CA-C	7.43	123.06	113.18
3	A	283	LEU	CA-C-N	7.22	126.93	119.56
3	A	283	LEU	C-N-CA	7.22	126.93	119.56
3	A	9	ASN	N-CA-C	7.07	121.50	113.01
3	A	401	GLU	N-CA-C	6.67	121.63	112.90
3	A	589	LYS	N-CA-C	-6.28	103.96	111.69
3	A	276	HIS	CA-C-N	6.06	125.27	118.97
3	A	276	HIS	C-N-CA	6.06	125.27	118.97
1	P	20	DC	N1-C1'-C2'	-5.99	104.52	113.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	574	VAL	N-CA-C	5.95	117.16	108.53
4	B	66	THR	N-CA-C	5.94	118.65	111.40
3	A	531	GLY	N-CA-C	5.74	124.00	114.48
3	A	196	ILE	N-CA-C	5.62	116.04	108.17
4	B	28	TRP	N-CA-C	5.51	117.01	109.18
3	A	699	ASN	N-CA-C	5.43	116.23	108.74
3	A	339	ARG	N-CA-C	-5.40	106.69	113.72
3	A	65	ASP	N-CA-C	5.38	117.57	111.11
3	A	421	ASN	CA-C-N	5.33	125.65	119.47
3	A	421	ASN	C-N-CA	5.33	125.65	119.47
3	A	292	PRO	N-CA-C	5.27	118.60	111.22
4	B	19	ALA	N-CA-C	5.23	117.73	111.71
3	A	64	TYR	N-CA-C	5.23	119.13	111.34
2	T	4	DC	N1-C1'-C2'	-5.20	105.70	113.50
3	A	409	TYR	N-CA-C	5.11	119.61	113.17

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	P	20	DC	Sidechain
2	T	7	DG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	P	224	0	123	24	0
2	T	264	0	147	14	0
3	A	5266	0	5140	72	0
4	B	802	0	816	14	0
5	P	30	0	12	1	0
6	A	3	0	0	0	0
7	A	419	0	0	9	0
7	B	39	0	0	2	0
7	P	16	0	0	0	0
7	T	29	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	7092	0	6238	112	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (112) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:T:6:DT:H2''	2:T:7:DG:C5'	1.80	1.11
2:T:6:DT:H2''	2:T:7:DG:H5''	1.07	1.03
1:P:20:DC:H5'	3:A:394:LYS:HZ2	1.33	0.91
2:T:6:DT:C2'	2:T:7:DG:H5''	2.00	0.91
1:P:17:DT:H2''	1:P:18:DG:H5'	1.56	0.85
1:P:17:DT:H2''	1:P:18:DG:C5'	2.09	0.83
2:T:4:DC:H5''	3:A:532:ALA:HA	1.64	0.78
3:A:391:MET:HE3	3:A:395:ARG:HG3	1.69	0.75
1:P:16:DG:H2''	1:P:17:DT:H5'	1.69	0.74
1:P:20:DC:H5'	3:A:394:LYS:NZ	2.03	0.73
2:T:4:DC:H2'	2:T:5:DT:H72	1.71	0.70
1:P:19:DC:H1'	3:A:394:LYS:NZ	2.06	0.70
1:P:16:DG:H2''	1:P:17:DT:C5'	2.22	0.70
1:P:19:DC:H1'	3:A:394:LYS:HZ3	1.58	0.69
4:B:77:THR:HG22	4:B:79:LEU:HD13	1.75	0.68
5:P:23:DG3:H2'1	3:A:480:GLU:CD	2.20	0.66
1:P:22:2DA:H5''	7:A:3195:HOH:O	1.95	0.66
2:T:4:DC:H2'	2:T:5:DT:C7	2.25	0.66
4:B:39:ALA:HB3	4:B:40:PRO:HD3	1.78	0.66
3:A:35:ARG:HB3	3:A:36:PRO:HD2	1.77	0.66
3:A:391:MET:HE3	3:A:395:ARG:CG	2.27	0.65
3:A:368:VAL:O	3:A:372:VAL:HG23	1.97	0.64
3:A:282:PRO:O	3:A:284:PRO:HD3	1.98	0.64
3:A:234:PHE:CZ	3:A:239:ILE:HG13	2.33	0.63
3:A:391:MET:HE2	3:A:392:ILE:HA	1.81	0.63
2:T:8:DG:H4'	3:A:432:HIS:O	1.99	0.63
1:P:21:DA:H5''	3:A:440:ILE:O	1.99	0.62
3:A:321:VAL:HG23	4:B:90:LYS:HD2	1.81	0.61
4:B:32:CYS:SG	4:B:34:PRO:HD2	2.41	0.61
3:A:599:ARG:HD3	3:A:620:LEU:HD11	1.83	0.59
3:A:94:LEU:HB3	3:A:185:LEU:HD13	1.85	0.57
3:A:404:LYS:HA	3:A:409:TYR:HE2	1.69	0.57
3:A:553:LYS:O	3:A:557:GLU:HB2	2.04	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:66:VAL:HB	3:A:67:PRO:HD3	1.87	0.56
3:A:79:ARG:HD3	7:A:3099:HOH:O	2.06	0.56
3:A:676:ALA:O	3:A:680:VAL:HG23	2.07	0.54
3:A:341:HIS:N	7:A:3435:HOH:O	2.40	0.54
3:A:575:GLU:HB3	3:A:589:LYS:HE2	1.90	0.53
4:B:45:ILE:HG13	4:B:99:LEU:HD13	1.89	0.53
1:P:16:DG:H4'	3:A:359:LYS:HZ3	1.72	0.53
1:P:17:DT:C2'	1:P:18:DG:H5''	2.38	0.53
2:T:12:DT:H4'	3:A:338:SER:HA	1.91	0.53
3:A:597:ASP:OD1	3:A:599:ARG:HD2	2.08	0.52
3:A:85:ARG:HD3	7:A:3336:HOH:O	2.08	0.52
1:P:17:DT:C2'	1:P:18:DG:C5'	2.86	0.52
1:P:16:DG:H4'	3:A:359:LYS:NZ	2.26	0.51
1:P:17:DT:H2''	1:P:18:DG:H5''	1.89	0.51
3:A:488:MET:HE1	3:A:559:THR:HB	1.93	0.50
3:A:400:ALA:HB2	3:A:407:LEU:HD12	1.94	0.50
3:A:421:ASN:HB3	3:A:431:THR:OG1	2.12	0.50
2:T:5:DT:H2'	2:T:6:DT:H72	1.93	0.50
2:T:4:DC:C2'	2:T:5:DT:C7	2.90	0.49
3:A:338:SER:C	7:A:3435:HOH:O	2.54	0.49
1:P:13:DC:H1'	1:P:14:DC:H5'	1.95	0.48
3:A:674:GLN:O	3:A:678:ARG:HG2	2.13	0.48
3:A:391:MET:HE2	3:A:392:ILE:CA	2.43	0.48
3:A:391:MET:HE2	3:A:391:MET:C	2.38	0.48
4:B:97:GLY:HA2	4:B:100:LYS:NZ	2.29	0.48
3:A:645:ASP:HB3	3:A:665:ILE:HD13	1.96	0.48
3:A:534:ASP:CG	3:A:549:LYS:HG2	2.39	0.48
1:P:20:DC:H2''	1:P:21:DA:OP2	2.14	0.48
3:A:479:LEU:HD22	3:A:654:ASP:HB3	1.95	0.47
3:A:484:LEU:O	3:A:488:MET:HG2	2.14	0.47
3:A:671:GLU:HA	7:A:3527:HOH:O	2.15	0.47
3:A:173:GLN:O	3:A:176:VAL:HG22	2.15	0.47
3:A:452:ARG:NH2	7:A:3402:HOH:O	2.46	0.46
3:A:452:ARG:HG3	3:A:700:TRP:HB3	1.96	0.46
2:T:4:DC:C2'	2:T:5:DT:H72	2.41	0.46
4:B:73:ARG:HD2	4:B:73:ARG:O	2.16	0.46
3:A:135:MET:HG3	3:A:174:ASP:OD1	2.15	0.46
3:A:388:GLU:O	3:A:392:ILE:HG12	2.16	0.46
3:A:591:ARG:CZ	7:A:3106:HOH:O	2.64	0.46
2:T:4:DC:C6	2:T:5:DT:H72	2.51	0.46
1:P:17:DT:H1'	1:P:18:DG:H5''	1.97	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:128:TRP:HB2	3:A:181:LEU:HG	1.97	0.45
3:A:19:HIS:O	3:A:36:PRO:HD3	2.16	0.45
3:A:85:ARG:HG3	3:A:222:TRP:CG	2.51	0.45
3:A:145:ARG:O	3:A:149:GLU:HG3	2.16	0.45
3:A:588:TRP:HB2	7:A:3464:HOH:O	2.15	0.45
3:A:553:LYS:HB2	3:A:553:LYS:NZ	2.30	0.45
3:A:193:PRO:HA	3:A:194:PRO:HD3	1.84	0.45
3:A:326:TYR:HB3	4:B:92:GLY:HA2	1.99	0.45
4:B:94:LEU:HB3	4:B:98:GLN:HB2	1.99	0.45
3:A:233:PRO:HB2	3:A:456:GLY:O	2.17	0.44
1:P:16:DG:H1'	1:P:17:DT:H5''	1.99	0.44
2:T:5:DT:C6	2:T:6:DT:H72	2.52	0.44
1:P:19:DC:C2	1:P:20:DC:C5	3.06	0.43
3:A:404:LYS:HA	3:A:409:TYR:CE2	2.51	0.43
4:B:4:ILE:HG12	7:B:3499:HOH:O	2.18	0.43
1:P:16:DG:C2'	1:P:17:DT:H5''	2.48	0.43
3:A:353:PRO:HB2	3:A:356:TYR:CZ	2.53	0.43
1:P:20:DC:C2'	1:P:21:DA:OP2	2.65	0.42
3:A:391:MET:HE2	3:A:392:ILE:N	2.34	0.42
3:A:475:ASP:OD2	3:A:655:GLU:HB3	2.19	0.42
4:B:46:ALA:HB2	7:B:3499:HOH:O	2.18	0.42
3:A:363:VAL:O	3:A:368:VAL:HG21	2.20	0.42
4:B:53:LEU:HG	4:B:54:THR:N	2.35	0.42
3:A:49:GLU:OE1	3:A:52:ARG:NH1	2.53	0.42
3:A:234:PHE:CD2	3:A:410:VAL:HG11	2.55	0.42
3:A:400:ALA:CB	3:A:407:LEU:HD12	2.50	0.42
3:A:633:LEU:HD22	3:A:638:LEU:HD23	2.02	0.42
2:T:11:DC:H2'	7:T:3213:HOH:O	2.20	0.41
3:A:546:GLU:H	3:A:546:GLU:CD	2.27	0.41
1:P:16:DG:C2'	1:P:17:DT:C5'	2.97	0.41
3:A:172:VAL:O	3:A:176:VAL:HG13	2.21	0.41
3:A:323:GLY:O	3:A:325:PRO:HD3	2.20	0.41
3:A:392:ILE:O	3:A:396:ILE:HG13	2.21	0.41
3:A:549:LYS:HE2	3:A:549:LYS:HB3	1.94	0.41
3:A:140:LYS:HE3	3:A:154:TYR:OH	2.21	0.41
4:B:23:ILE:HD13	4:B:54:THR:HB	2.03	0.41
1:P:21:DA:H2''	1:P:22:2DA:H8	2.03	0.41
4:B:7:LEU:HD13	4:B:12:PHE:CD2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	A	656/698 (94%)	633 (96%)	17 (3%)	6 (1%)	14	14
4	B	103/108 (95%)	100 (97%)	3 (3%)	0	100	100
All	All	759/806 (94%)	733 (97%)	20 (3%)	6 (1%)	16	16

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	A	156	ASP
3	A	359	LYS
3	A	279	THR
3	A	479	LEU
3	A	360	GLY
3	A	653	HIS

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	A	544/579 (94%)	527 (97%)	17 (3%)	35	48
4	B	85/87 (98%)	82 (96%)	3 (4%)	32	43
All	All	629/666 (94%)	609 (97%)	20 (3%)	34	47

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	A	181	LEU
3	A	237	LYS
3	A	332	VAL
3	A	340	ASP
3	A	391	MET
3	A	393	GLN
3	A	394	LYS
3	A	467	LYS
3	A	501	LEU
3	A	508	LYS
3	A	551	LEU
3	A	553	LYS
3	A	557	GLU
3	A	624	LEU
3	A	638	LEU
3	A	664	GLU
3	A	686	PHE
4	B	53	LEU
4	B	89	THR
4	B	99	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
3	A	347	GLN
4	B	83	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	2DA	P	22	2,1	19,22,23	0.25	0	25,31,34	0.47	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	2DA	P	22	2,1	-	2/7/18/19	0/3/3/3

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	P	22	2DA	C2'-C1'-N9-C4
1	P	22	2DA	O4'-C1'-N9-C4

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	P	22	2DA	2	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 3 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	DG3	P	23	6	31,32,32	1.01	2 (6%)	44,50,50	0.85	2 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	DG3	P	23	6	-	3/22/31/31	0/3/3/3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	P	23	DG3	PB-O3B	3.08	1.62	1.59
5	P	23	DG3	PB-O3A	2.67	1.62	1.59

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	P	23	DG3	O2G-PG-O1G	2.23	119.52	110.83
5	P	23	DG3	O3B-PB-O1B	-2.06	104.52	110.70

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	P	23	DG3	PG-O3B-PB-O1B
5	P	23	DG3	PG-O3B-PB-O2B
5	P	23	DG3	PB-O3A-PA-O2A


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	P	23	DG3	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,

bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.