



wwPDB EM Validation Summary Report ⓘ

Mar 20, 2026 – 04:57 PM UTC

PDB ID : 6T7I / pdb_00006t7i
EMDB ID : EMD-10396
Title : Structure of yeast 80S ribosome stalled on the CGA-CGA inhibitory codon combination.
Authors : Tesina, P.; Buschauer, R.; Cheng, J.; Berninghausen, O.; Becker, R.; Beckmann, R.
Deposited on : 2019-10-22
Resolution : 3.20 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.











Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	15020 (2.70 - 3.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	C2	1800	
2	SA	252	
3	SB	255	










Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	SP	142	
5	SC	254	
6	SD	240	
7	SE	261	
8	SF	225	
9	SG	236	
10	SH	190	
11	SI	200	
12	SJ	197	
13	SK	105	
14	SL	156	
15	SM	143	
16	SN	151	
17	SO	137	
18	SQ	143	
19	SR	136	
20	SS	146	
21	ST	144	
22	SU	121	
23	SV	87	
24	SW	130	
25	SX	145	
26	SY	135	
27	SZ	108	
28	Sa	119	



Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	Sb	82	
30	Sd	56	
31	Se	63	
32	Sf	152	
33	Sg	319	
34	Sc	67	
35	C4	121	
36	C3	158	
37	LA	254	
38	LB	387	
39	LC	362	
40	LD	297	
41	LE	176	
42	LF	244	
43	LG	256	
44	LH	191	
45	LI	221	
46	LJ	174	
47	LL	199	
48	LM	138	
49	LN	204	
50	LO	199	
51	LP	184	
52	LQ	186	
53	LR	189	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
54	LS	172	
55	LT	160	
56	LU	121	
57	LV	137	
58	LW	155	
59	LX	142	
60	LY	127	
61	LZ	136	
62	La	149	
63	Lb	59	
64	Lc	105	
65	Ld	113	
66	Le	130	
67	Lf	107	
68	Lg	121	
69	Lh	120	
70	Li	100	
71	Lj	88	
72	Lk	78	
73	Ll	51	
74	Lm	128	
75	Ln	25	
76	Lo	106	
77	Lp	92	
78	C1	3396	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
79	5	18	 50% 33% 50% 17%
80	6	76	 5% 70% 25% 5%
81	7	75	 1% 61% 31% 8%

2 Entry composition

There are 81 unique types of molecules in this entry. The entry contains 202973 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 18S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	C2	1771	Total	C	N	O	P	0	0
			37604	16807	6624	12402	1771		

- Molecule 2 is a protein called 40S ribosomal protein S0-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	SA	206	Total	C	N	O	S	0	0
			1603	1030	284	287	2		

- Molecule 3 is a protein called 40S ribosomal protein S1-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	SB	226	Total	C	N	O	S	0	0
			1798	1139	330	325	4		

- Molecule 4 is a protein called 40S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	SP	117	Total	C	N	O	S	0	0
			916	583	171	155	7		

- Molecule 5 is a protein called 40S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	SC	216	Total	C	N	O	S	0	0
			1626	1042	287	295	2		

- Molecule 6 is a protein called 40S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	SD	222	Total	C	N	O	S	0	0
			1729	1098	312	313	6		

- Molecule 7 is a protein called 40S ribosomal protein S4-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	SE	258	Total	C	N	O	S	0	0
			2056	1308	387	358	3		

- Molecule 8 is a protein called Rps5p.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	SF	206	Total	C	N	O	S	0	0
			1605	1005	299	298	3		

- Molecule 9 is a protein called 40S ribosomal protein S6-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	SG	228	Total	C	N	O	S	0	0
			1815	1138	351	323	3		

- Molecule 10 is a protein called 40S ribosomal protein S7-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	SH	184	Total	C	N	O	S	0	0
			1473	946	263	264			

- Molecule 11 is a protein called 40S ribosomal protein S8-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	SI	187	Total	C	N	O	S	0	0
			1476	916	295	263	2		

- Molecule 12 is a protein called 40S ribosomal protein S9-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	SJ	184	Total	C	N	O	S	0	0
			1479	935	285	258	1		

- Molecule 13 is a protein called 40S ribosomal protein S10-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	SK	92	Total	C	N	O	S	0	0
			752	487	122	141	2		

- Molecule 14 is a protein called 40S ribosomal protein S11-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	SL	144	Total	C	N	O	S	0	0
			1159	742	219	195	3		

- Molecule 15 is a protein called 40S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	SM	121	Total	C	N	O	S	0	0
			875	551	153	169	2		

- Molecule 16 is a protein called 40S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	SN	150	Total	C	N	O	S	0	0
			1192	759	224	207	2		

- Molecule 17 is a protein called 40S ribosomal protein S14-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	SO	127	Total	C	N	O	S	0	0
			926	569	185	169	3		

- Molecule 18 is a protein called 40S ribosomal protein S16-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
18	SQ	141	Total	C	N	O	0	0
			1105	708	203	194		

- Molecule 19 is a protein called 40S ribosomal protein S17-B.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	SR	121	Total	C	N	O	S	0	0
			948	596	179	171	2		

- Molecule 20 is a protein called 40S ribosomal protein S18-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	SS	145	Total	C	N	O	S	0	0
			1192	743	237	210	2		

- Molecule 21 is a protein called 40S ribosomal protein S19-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	ST	143	Total	C	N	O	S	0	0
			1112	694	208	208	2		

- Molecule 22 is a protein called 40S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	SU	100	Total	C	N	O	S	0	0
			797	506	144	146	1		

- Molecule 23 is a protein called 40S ribosomal protein S21-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	SV	87	Total	C	N	O	S	0	0
			673	415	125	131	2		

- Molecule 24 is a protein called 40S ribosomal protein S22-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	SW	129	Total	C	N	O	S	0	0
			1021	650	188	180	3		

- Molecule 25 is a protein called 40S ribosomal protein S23-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	SX	144	Total	C	N	O	S	0	0
			1121	708	220	191	2		

- Molecule 26 is a protein called 40S ribosomal protein S24-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	SY	134	Total	C	N	O		0	0
			1073	676	208	189			

- Molecule 27 is a protein called 40S ribosomal protein S25-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	SZ	82	Total	C	N	O		0	0
			651	416	123	112			

- Molecule 28 is a protein called 40S ribosomal protein S26-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	Sa	97	Total	C	N	O	S	0	0
			769	475	160	129	5		

- Molecule 29 is a protein called 40S ribosomal protein S27-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	Sb	81	Total	C	N	O	S	0	0
			610	382	110	113	5		

- Molecule 30 is a protein called 40S ribosomal protein S29-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	Sd	53	Total	C	N	O	S	0	0
			442	274	92	72	4		

- Molecule 31 is a protein called 40S ribosomal protein S30-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	Se	60	Total	C	N	O	S	0	0
			472	298	97	76	1		

- Molecule 32 is a protein called Ubiquitin-40S ribosomal protein S31.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	Sf	73	Total	C	N	O	S	0	0
			556	352	105	95	4		

- Molecule 33 is a protein called Guanine nucleotide-binding protein subunit beta-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	Sg	312	Total	C	N	O	S	0	0
			2383	1514	409	452	8		

- Molecule 34 is a protein called 40S ribosomal protein S28-B.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	Sc	63	Total	C	N	O	S	0	0
			491	303	96	91	1		

- Molecule 35 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	C4	121	Total	C	N	O	P	0	0
			2579	1152	461	845	121		

- Molecule 36 is a RNA chain called 5.8S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	C3	158	Total	C	N	O	P	0	0
			3353	1500	586	1109	158		

- Molecule 37 is a protein called 60S ribosomal protein L2-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	LA	251	Total	C	N	O	S	0	0
			1899	1182	385	331	1		

- Molecule 38 is a protein called 60S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	LB	386	Total	C	N	O	S	0	0
			3075	1950	584	533	8		

- Molecule 39 is a protein called 60S ribosomal protein L4-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	LC	361	Total	C	N	O	S	0	0
			2748	1729	522	494	3		

- Molecule 40 is a protein called 60S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	LD	294	Total	C	N	O	S	0	0
			2351	1484	410	455	2		

- Molecule 41 is a protein called 60S ribosomal protein L6-B.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	LE	167	Total	C	N	O	S	0	0
			1305	841	234	229	1		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
LE	146	ILE	LEU	conflict	UNP P05739
LE	173	MET	LEU	conflict	UNP P05739

- Molecule 42 is a protein called 60S ribosomal protein L7-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	LF	222	Total	C	N	O	S	0	0
			1784	1151	324	308	1		

- Molecule 43 is a protein called 60S ribosomal protein L8-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	LG	233	Total	C	N	O	S	0	0
			1804	1151	323	327	3		

- Molecule 44 is a protein called 60S ribosomal protein L9-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	LH	191	Total	C	N	O	S	0	0
			1508	957	274	273	4		

- Molecule 45 is a protein called 60S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	LI	218	Total	C	N	O	S	0	0
			1764	1117	334	306	7		

- Molecule 46 is a protein called 60S ribosomal protein L11-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	LJ	169	Total	C	N	O	S	0	0
			1350	846	253	247	4		

- Molecule 47 is a protein called 60S ribosomal protein L13-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
47	LL	193	Total	C	N	O	0	0
			1543	962	315	266		

- Molecule 48 is a protein called 60S ribosomal protein L14-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	LM	136	Total	C	N	O	S	0	0
			1053	675	199	177	2		

- Molecule 49 is a protein called 60S ribosomal protein L15-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	LN	203	Total	C	N	O	S	0	0
			1720	1077	361	281	1		

- Molecule 50 is a protein called 60S ribosomal protein L16-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	LO	197	Total	C	N	O	S	197	0
			1555	1003	289	262	1		

- Molecule 51 is a protein called 60S ribosomal protein L17-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	LP	183	Total	C	N	O		0	0
			1416	879	284	253			

- Molecule 52 is a protein called 60S ribosomal protein L18-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	LQ	185	Total	C	N	O	S	0	0
			1441	908	290	241	2		

- Molecule 53 is a protein called 60S ribosomal protein L19-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	LR	188	Total	C	N	O		0	0
			1515	932	323	260			

- Molecule 54 is a protein called 60S ribosomal protein L20-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	LS	171	Total	C	N	O	S	0	0
			1437	925	266	243	3		

- Molecule 55 is a protein called 60S ribosomal protein L21-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	LT	159	Total	C	N	O	S	0	0
			1276	805	246	221	4		

- Molecule 56 is a protein called 60S ribosomal protein L22-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	LU	100	Total	C	N	O	S	0	0
			796	516	131	149			

- Molecule 57 is a protein called 60S ribosomal protein L23-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	LV	136	Total	C	N	O	S	0	0
			1003	628	189	179	7		

- Molecule 58 is a protein called 60S ribosomal protein L24-B.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	LW	126	Total	C	N	O	S	0	0
			836	525	165	145	1		

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
LW	5	ILE	VAL	conflict	UNP P24000
LW	104	GLN	ASN	conflict	UNP P24000
LW	109	GLN	LEU	conflict	UNP P24000
LW	112	ASP	ASN	conflict	UNP P24000
LW	117	LYS	ARG	conflict	UNP P24000
LW	119	ALA	GLU	conflict	UNP P24000

- Molecule 59 is a protein called 60S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	LX	121	Total	C	N	O	S	0	0
			964	620	169	173	2		

- Molecule 60 is a protein called 60S ribosomal protein L26-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
60	LY	125	Total	C	N	O	S	0	0
			984	620	191	173			

- Molecule 61 is a protein called 60S ribosomal protein L27-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
61	LZ	135	Total	C	N	O	0	0
			1092	710	202	180		

- Molecule 62 is a protein called 60S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
62	La	148	Total	C	N	O	S	0	0
			1173	749	231	190	3		

- Molecule 63 is a protein called 60S ribosomal protein L29.

Mol	Chain	Residues	Atoms				AltConf	Trace
63	Lb	58	Total	C	N	O	0	0
			462	289	100	73		

- Molecule 64 is a protein called 60S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
64	Lc	96	Total	C	N	O	S	0	0
			737	476	123	137	1		

- Molecule 65 is a protein called 60S ribosomal protein L31-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
65	Ld	109	Total	C	N	O	S	0	0
			876	556	167	152	1		

- Molecule 66 is a protein called 60S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
66	Le	127	Total	C	N	O	S	0	0
			1017	644	205	167	1		

- Molecule 67 is a protein called 60S ribosomal protein L33-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
67	Lf	106	Total	C	N	O	S	0	0
			850	540	165	144	1		

- Molecule 68 is a protein called 60S ribosomal protein L34-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
68	Lg	112	Total	C	N	O	S	0	0
			880	545	179	152	4		

- Molecule 69 is a protein called 60S ribosomal protein L35-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
69	Lh	119	Total	C	N	O	S	0	0
			969	615	186	167	1		

- Molecule 70 is a protein called 60S ribosomal protein L36-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
70	Li	99	Total	C	N	O	S	0	0
			766	478	154	132	2		

- Molecule 71 is a protein called 60S ribosomal protein L37-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
71	Lj	85	Total	C	N	O	S	0	0
			670	408	146	111	5		

- Molecule 72 is a protein called 60S ribosomal protein L38.

Mol	Chain	Residues	Atoms				AltConf	Trace
72	Lk	77	Total	C	N	O	0	0
			612	391	115	106		

- Molecule 73 is a protein called 60S ribosomal protein L39.

Mol	Chain	Residues	Atoms					AltConf	Trace
73	Ll	50	Total	C	N	O	S	0	0
			436	272	97	65	2		

- Molecule 74 is a protein called Ubiquitin-60S ribosomal protein L40.

Mol	Chain	Residues	Atoms					AltConf	Trace
74	Lm	52	Total	C	N	O	S	0	0
			417	259	86	67	5		

- Molecule 75 is a protein called 60S ribosomal protein L41-B.

Mol	Chain	Residues	Atoms					AltConf	Trace
75	Ln	25	Total	C	N	O	S	0	0
			229	139	62	27	1		

- Molecule 76 is a protein called 60S ribosomal protein L42-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
76	Lo	103	Total	C	N	O	S	0	0
			824	517	167	135	5		

- Molecule 77 is a protein called 60S ribosomal protein L43-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
77	Lp	91	Total	C	N	O	S	0	0
			694	429	138	121	6		

- Molecule 78 is a RNA chain called 25S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
78	C1	3184	Total	C	N	O	P	0	0
			68091	30415	12259	22233	3184		

- Molecule 79 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
79	5	18	Total	C	N	O	P	1	0
			409	183	78	129	19		

- Molecule 80 is a RNA chain called ICG tRNA Arg.

Mol	Chain	Residues	Atoms					AltConf	Trace
80	6	76	Total	C	N	O	P	0	0
			1621	723	290	532	76		

- Molecule 81 is a RNA chain called tRNA (E-site).

Mol	Chain	Residues	Atoms					AltConf	Trace
81	7	75	Total	C	N	O	P	0	0
			1589	710	279	525	75		


There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
7	11	C	U	conflict	GB 176418


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 18S ribosomal RNA




Chain SB: 




• Molecule 4: 40S ribosomal protein S15

Chain SP: 




• Molecule 5: 40S ribosomal protein S2

Chain SC: 




• Molecule 6: 40S ribosomal protein S3


Chain SD: 



• Molecule 7: 40S ribosomal protein S4-A


Chain SE: 





- Molecule 8: Rps5p

Chain SF: 73% 18% 8%




- Molecule 9: 40S ribosomal protein S6-A

Chain SG: 78% 18% .





- Molecule 10: 40S ribosomal protein S7-A

Chain SH: 77% 19% . .



- Molecule 11: 40S ribosomal protein S8-A

Chain SI: 74% 19% . 6%



- Molecule 12: 40S ribosomal protein S9-A

Chain SJ:  75% 18% 7%



- Molecule 13: 40S ribosomal protein S10-A

Chain SK:  69% 19% 12%




- Molecule 14: 40S ribosomal protein S11-A

Chain SL:  79% 13% 8%



- Molecule 15: 40S ribosomal protein S12

Chain SM:  11% 57% 24% 15%



- Molecule 16: 40S ribosomal protein S13

Chain SN:  81% 18% 1%



- Molecule 17: 40S ribosomal protein S14-A

Chain SO:  77% 16% 7%




- Molecule 18: 40S ribosomal protein S16-A

Chain SQ:  78% 21%



- Molecule 19: 40S ribosomal protein S17-B

Chain SR:  68% 21% 11%



- Molecule 20: 40S ribosomal protein S18-A

Chain SS:  79% 18%




- Molecule 21: 40S ribosomal protein S19-A

Chain ST:  85% 15%



- Molecule 22: 40S ribosomal protein S20

Chain SU:  63% 20% 17%



- Molecule 23: 40S ribosomal protein S21-A

Chain SV:  80% 20%



- Molecule 24: 40S ribosomal protein S22-A

Chain SW:  78% 21% ..




- Molecule 25: 40S ribosomal protein S23-A

Chain SX:  85% 13% ..




- Molecule 26: 40S ribosomal protein S24-A

Chain SY:  82% 16% ..




- Molecule 27: 40S ribosomal protein S25-A

Chain SZ:  14% 66% 10% 24%




- Molecule 28: 40S ribosomal protein S26-A

Chain Sa:  58% 21% .. 18%




- Molecule 29: 40S ribosomal protein S27-A

Chain Sb:  78% 20% ..




- Molecule 30: 40S ribosomal protein S29-A


Chain Sd:  73% 21% 5%




- Molecule 36: 5.8S ribosomal RNA




- Molecule 37: 60S ribosomal protein L2-A




- Molecule 38: 60S ribosomal protein L3




- Molecule 39: 60S ribosomal protein L4-A



- Molecule 40: 60S ribosomal protein L5






- Molecule 41: 60S ribosomal protein L6-B

Chain LE: 78% 17% 5%




- Molecule 42: 60S ribosomal protein L7-A

Chain LF: 81% 10% 9%



- Molecule 43: 60S ribosomal protein L8-A

Chain LG: 76% 15% 9%



- Molecule 44: 60S ribosomal protein L9-A

Chain LH: 91% 9%




- Molecule 45: 60S ribosomal protein L10


Chain LI: 89% 10%




- Molecule 46: 60S ribosomal protein L11-A




- Molecule 47: 60S ribosomal protein L13-A




- Molecule 48: 60S ribosomal protein L14-A




- Molecule 49: 60S ribosomal protein L15-A



- Molecule 50: 60S ribosomal protein L16-A



- Molecule 51: 60S ribosomal protein L17-A




- Molecule 52: 60S ribosomal protein L18-A

Chain LQ:  87% 12% .




- Molecule 53: 60S ribosomal protein L19-A

Chain LR:  84% 15% ..



- Molecule 54: 60S ribosomal protein L20-A

Chain LS:  85% 15% .



- Molecule 55: 60S ribosomal protein L21-A

Chain LT:  87% 12% .



- Molecule 56: 60S ribosomal protein L22-A

Chain LU:  76% 7% 17%




- Molecule 57: 60S ribosomal protein L23-A

Chain LV:  85% 14% .




- Molecule 58: 60S ribosomal protein L24-B

Chain LW:  39% 75% 6% 19%



- Molecule 59: 60S ribosomal protein L25

Chain LX: 70% 15% 15%




- Molecule 60: 60S ribosomal protein L26-A

Chain LY: 80% 19%



- Molecule 61: 60S ribosomal protein L27-A

Chain LZ: 88% 12%



- Molecule 62: 60S ribosomal protein L28

Chain La: 83% 16%



- Molecule 63: 60S ribosomal protein L29


Chain Lb: 83% 10% 5%



- Molecule 64: 60S ribosomal protein L30

MT1	ALA	PRO	VAL	LYS	SER	GLN	GLU	S9	S10	K28	S29	T30	L34	S39	V50	L51	R52	E57	Y69	N75	E76	S91	S98	D99	T103	L104	ALA
-----	-----	-----	-----	-----	-----	-----	-----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	-----

- Chain Ld: 



- Chain Le: 85% 12%




- Chain Lf:




- Chain Lg:



- Chain Lh:  82% 15%



- Chain Li:  89% 10%




- Molecule 71: 60S ribosomal protein L37-A

Chain Lj:  72% 25%




- Molecule 72: 60S ribosomal protein L38

Chain Lk:  82% 17%




- Molecule 73: 60S ribosomal protein L39

Chain Ll:  80% 18%



- Molecule 74: Ubiquitin-60S ribosomal protein L40

Chain Lm:  34% 7% 59%



- Molecule 75: 60S ribosomal protein L41-B

Chain Ln:  84% 16%



- Molecule 76: 60S ribosomal protein L42-A

Chain Lo:  79% 18%




- Molecule 77: 60S ribosomal protein L43-A


Chain Lp:  86% 13%



• Molecule 78: 25S ribosomal RNA








- Molecule 79: mRNA



- Molecule 80: ICG tRNA Arg



- Molecule 81: tRNA (E-site)



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	334959	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	2.5	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	FEI FALCON II (4k x 4k)	Depositor
Maximum map value	0.318	Depositor
Minimum map value	-0.153	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.013	Depositor
Recommended contour level	0.022	Depositor
Map size (Å)	381.15, 381.15, 381.15	wwPDB
Map dimensions	450, 450, 450	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.847, 0.847, 0.847	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	C2	0.54	6/42053 (0.0%)	0.43	7/65522 (0.0%)
2	SA	0.37	0/1644	0.48	0/2249
3	SB	0.49	0/1823	0.58	0/2447
4	SP	0.28	0/936	0.48	0/1259
5	SC	0.49	0/1656	0.51	0/2251
6	SD	0.33	0/1754	0.47	0/2361
7	SE	0.41	0/2097	0.52	0/2823
8	SF	0.35	0/1625	0.50	0/2197
9	SG	0.35	0/1839	0.53	0/2460
10	SH	0.35	0/1498	0.48	0/2019
11	SI	0.52	0/1501	0.60	1/2006 (0.0%)
12	SJ	0.40	0/1504	0.57	0/2016
13	SK	0.27	0/769	0.48	0/1039
14	SL	0.60	0/1185	0.54	0/1598
15	SM	0.24	0/883	0.65	0/1199
16	SN	0.56	0/1215	0.58	0/1638
17	SO	0.57	0/937	0.58	0/1261
18	SQ	0.35	0/1125	0.50	0/1510
19	SR	0.33	0/957	0.55	0/1283
20	SS	0.33	0/1211	0.51	0/1628
21	ST	0.33	0/1130	0.47	0/1517
22	SU	0.34	0/807	0.49	0/1091
23	SV	0.40	0/682	0.57	1/921 (0.1%)
24	SW	0.57	0/1038	0.55	1/1395 (0.1%)
25	SX	0.57	0/1139	0.55	0/1518
26	SY	0.34	0/1087	0.49	0/1449
27	SZ	0.30	0/661	0.54	0/888
28	Sa	0.60	0/782	0.73	0/1047
29	Sb	0.44	0/620	0.57	0/838
30	Sd	0.37	0/452	0.47	0/600
31	Se	0.35	0/480	0.47	0/639
32	Sf	0.24	0/567	0.57	0/764
33	Sg	0.25	0/2436	0.44	0/3318
34	Sc	0.37	0/493	0.51	0/663

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
35	C4	0.54	0/2883	0.42	0/4491
36	C3	0.61	0/3746	0.47	0/5832
37	LA	0.89	0/1933	0.64	0/2598
38	LB	0.81	0/3146	0.60	0/4228
39	LC	0.77	0/2800	0.59	0/3790
40	LD	0.58	0/2400	0.51	0/3239
41	LE	0.55	0/1327	0.50	0/1790
42	LF	0.82	0/1821	0.57	0/2451
43	LG	0.61	0/1836	0.56	0/2481
44	LH	0.63	0/1529	0.49	0/2060
45	LI	0.72	1/1801 (0.1%)	0.55	0/2416
46	LJ	0.53	0/1371	0.56	0/1838
47	LL	0.73	1/1568 (0.1%)	0.63	0/2106
48	LM	0.65	0/1068	0.58	0/1438
49	LN	0.92	0/1757	0.62	0/2354
50	LO	0.83	0/1585	0.56	0/2128
51	LP	0.82	0/1439	0.58	0/1938
52	LQ	0.77	0/1465	0.60	0/1965
53	LR	0.70	0/1532	0.56	0/2043
54	LS	0.77	0/1473	0.56	1/1980 (0.1%)
55	LT	0.78	0/1300	0.53	0/1743
56	LU	0.49	0/812	0.49	0/1099
57	LV	0.80	0/1018	0.54	0/1369
58	LW	0.57	0/850	0.48	0/1152
59	LX	0.69	0/979	0.58	0/1321
60	LY	0.65	0/995	0.58	0/1329
61	LZ	0.61	0/1118	0.53	0/1497
62	La	0.83	0/1204	0.60	0/1612
63	Lb	0.64	0/473	0.58	0/629
64	Lc	0.65	0/745	0.51	0/1001
65	Ld	0.75	0/890	0.57	0/1196
66	Le	0.78	0/1038	0.54	0/1390
67	Lf	0.88	0/868	0.56	0/1168
68	Lg	0.81	0/890	0.58	0/1189
69	Lh	0.64	0/978	0.58	0/1301
70	Li	0.61	0/772	0.54	0/1026
71	Lj	0.90	0/685	0.60	0/908
72	Lk	0.54	0/618	0.49	0/826
73	Ll	0.82	0/443	0.53	0/588
74	Lm	0.67	0/423	0.52	0/562
75	Ln	0.71	0/230	0.67	0/296
76	Lo	0.73	0/836	0.55	0/1104
77	Lp	0.76	0/701	0.58	0/934

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
78	C1	0.70	6/76214 (0.0%)	0.48	3/118821 (0.0%)
79	5	0.27	0/458	0.37	0/712
80	6	0.46	2/1810 (0.1%)	0.38	0/2817
81	7	0.28	0/1773	0.34	0/2759
All	All	0.63	16/218187 (0.0%)	0.50	14/320929 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	SB	0	2
7	SE	0	1
10	SH	0	2
11	SI	0	1
15	SM	0	3
18	SQ	0	2
20	SS	0	1
25	SX	0	1
28	Sa	0	2
32	Sf	0	1
38	LB	0	3
39	LC	0	1
43	LG	0	2
44	LH	0	1
48	LM	0	1
50	LO	0	1
52	LQ	0	1
53	LR	0	1
59	LX	0	1
61	LZ	0	1
63	Lb	0	3
69	Lh	0	1
All	All	0	33

The worst 5 of 16 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C2	629	U	C5-C6	68.25	2.70	1.34
78	C1	846	A	C5-C6	60.74	2.62	1.41
78	C1	846	A	C5-C4	29.12	1.97	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
78	C1	846	A	C6-N1	28.71	1.93	1.35
78	C1	846	A	N3-C4	27.32	1.89	1.34

The worst 5 of 14 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C2	629	U	C4'-C3'-O3'	10.17	128.25	113.00
1	C2	629	U	C2-N3-C4	8.64	152.93	127.00
1	C2	629	U	C5'-C4'-C3'	7.79	127.69	116.00
78	C1	846	A	C6-C5-N7	7.45	154.66	132.30
1	C2	629	U	C4-C5-C6	-7.00	98.71	119.70

There are no chirality outliers.

5 of 33 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	SB	151	LYS	Peptide
3	SB	81	PHE	Peptide
7	SE	42	LEU	Peptide
10	SH	134	GLU	Peptide
10	SH	64	VAL	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C2	37604	0	18919	418	0
2	SA	1603	0	1610	26	0
3	SB	1798	0	1890	34	0
4	SP	916	0	941	12	0
5	SC	1626	0	1715	37	0
6	SD	1729	0	1812	25	0
7	SE	2056	0	2140	45	0
8	SF	1605	0	1669	31	0
9	SG	1815	0	1894	36	0
10	SH	1473	0	1555	24	0
11	SI	1476	0	1501	33	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
12	SJ	1479	0	1556	26	0
13	SK	752	0	719	13	0
14	SL	1159	0	1225	18	0
15	SM	875	0	878	26	0
16	SN	1192	0	1255	22	0
17	SO	926	0	950	18	0
18	SQ	1105	0	1166	21	0
19	SR	948	0	990	21	0
20	SS	1192	0	1222	26	0
21	ST	1112	0	1124	18	0
22	SU	797	0	863	17	0
23	SV	673	0	662	12	0
24	SW	1021	0	1060	20	0
25	SX	1121	0	1196	17	0
26	SY	1073	0	1132	21	0
27	SZ	651	0	682	11	0
28	Sa	769	0	818	22	0
29	Sb	610	0	633	13	0
30	Sd	442	0	432	10	0
31	Se	472	0	521	9	0
32	Sf	556	0	549	19	0
33	Sg	2383	0	2332	31	0
34	Sc	491	0	524	8	0
35	C4	2579	0	1304	20	0
36	C3	3353	0	1695	23	0
37	LA	1899	0	1957	31	0
38	LB	3075	0	3142	47	0
39	LC	2748	0	2859	44	0
40	LD	2351	0	2294	28	0
41	LE	1305	0	1370	20	0
42	LF	1784	0	1862	20	0
43	LG	1804	0	1877	25	0
44	LH	1508	0	1572	10	0
45	LI	1764	0	1804	14	0
46	LJ	1350	0	1381	21	0
47	LL	1543	0	1608	24	0
48	LM	1053	0	1149	19	0
49	LN	1720	0	1779	26	0
50	LO	1555	0	1659	17	0
51	LP	1416	0	1433	16	0
52	LQ	1441	0	1543	21	0
53	LR	1515	0	1606	24	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
54	LS	1437	0	1475	18	0
55	LT	1276	0	1323	16	0
56	LU	796	0	812	5	0
57	LV	1003	0	1048	13	0
58	LW	836	0	709	7	0
59	LX	964	0	1025	14	0
60	LY	984	0	1075	14	0
61	LZ	1092	0	1155	13	0
62	La	1173	0	1215	22	0
63	Lb	462	0	491	7	0
64	Lc	737	0	792	12	0
65	Ld	876	0	912	10	0
66	Le	1017	0	1081	14	0
67	Lf	850	0	880	10	0
68	Lg	880	0	945	15	0
69	Lh	969	0	1078	19	0
70	Li	766	0	844	8	0
71	Lj	670	0	677	18	0
72	Lk	612	0	682	10	0
73	Ll	436	0	475	6	0
74	Lm	417	0	459	6	0
75	Ln	229	0	273	4	0
76	Lo	824	0	892	15	0
77	Lp	694	0	738	9	0
78	C1	68091	0	34217	464	0
79	5	409	0	207	3	0
80	6	1621	0	820	7	0
81	7	1589	0	810	13	0
All	All	202973	0	149139	1765	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 1765 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C2:629:U:C4	78:C1:846:A:C5	1.95	1.54
1:C2:629:U:C4	1:C2:629:U:N3	1.71	1.53
1:C2:629:U:C4	78:C1:846:A:C6	2.06	1.44
78:C1:846:A:C2	78:C1:846:A:N3	1.87	1.43
78:C1:846:A:C5	78:C1:846:A:C4	1.97	1.42

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	SA	204/252 (81%)	182 (89%)	21 (10%)	1 (0%)	24	59
3	SB	222/255 (87%)	188 (85%)	32 (14%)	2 (1%)	14	47
4	SP	115/142 (81%)	101 (88%)	14 (12%)	0	100	100
5	SC	214/254 (84%)	190 (89%)	24 (11%)	0	100	100
6	SD	220/240 (92%)	211 (96%)	9 (4%)	0	100	100
7	SE	256/261 (98%)	229 (90%)	26 (10%)	1 (0%)	30	62
8	SF	204/225 (91%)	187 (92%)	17 (8%)	0	100	100
9	SG	226/236 (96%)	204 (90%)	19 (8%)	3 (1%)	9	40
10	SH	182/190 (96%)	160 (88%)	22 (12%)	0	100	100
11	SI	183/200 (92%)	163 (89%)	18 (10%)	2 (1%)	11	43
12	SJ	182/197 (92%)	164 (90%)	16 (9%)	2 (1%)	11	43
13	SK	90/105 (86%)	79 (88%)	11 (12%)	0	100	100
14	SL	142/156 (91%)	120 (84%)	22 (16%)	0	100	100
15	SM	119/143 (83%)	83 (70%)	32 (27%)	4 (3%)	3	20
16	SN	148/151 (98%)	132 (89%)	15 (10%)	1 (1%)	18	52
17	SO	125/137 (91%)	106 (85%)	19 (15%)	0	100	100
18	SQ	139/143 (97%)	121 (87%)	18 (13%)	0	100	100
19	SR	117/136 (86%)	106 (91%)	10 (8%)	1 (1%)	14	47
20	SS	143/146 (98%)	127 (89%)	14 (10%)	2 (1%)	9	39
21	ST	141/144 (98%)	126 (89%)	15 (11%)	0	100	100
22	SU	98/121 (81%)	90 (92%)	8 (8%)	0	100	100
23	SV	85/87 (98%)	73 (86%)	11 (13%)	1 (1%)	10	42

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
24	SW	127/130 (98%)	118 (93%)	9 (7%)	0	100	100
25	SX	142/145 (98%)	118 (83%)	23 (16%)	1 (1%)	18	52
26	SY	132/135 (98%)	119 (90%)	12 (9%)	1 (1%)	16	50
27	SZ	80/108 (74%)	67 (84%)	13 (16%)	0	100	100
28	Sa	95/119 (80%)	71 (75%)	20 (21%)	4 (4%)	2	16
29	Sb	79/82 (96%)	70 (89%)	9 (11%)	0	100	100
30	Sd	51/56 (91%)	48 (94%)	3 (6%)	0	100	100
31	Se	58/63 (92%)	51 (88%)	7 (12%)	0	100	100
32	Sf	71/152 (47%)	45 (63%)	26 (37%)	0	100	100
33	Sg	310/319 (97%)	280 (90%)	29 (9%)	1 (0%)	36	68
34	Sc	61/67 (91%)	54 (88%)	7 (12%)	0	100	100
37	LA	249/254 (98%)	220 (88%)	28 (11%)	1 (0%)	30	62
38	LB	384/387 (99%)	337 (88%)	45 (12%)	2 (0%)	24	59
39	LC	359/362 (99%)	331 (92%)	26 (7%)	2 (1%)	21	56
40	LD	292/297 (98%)	270 (92%)	21 (7%)	1 (0%)	36	68
41	LE	163/176 (93%)	145 (89%)	18 (11%)	0	100	100
42	LF	220/244 (90%)	200 (91%)	20 (9%)	0	100	100
43	LG	231/256 (90%)	208 (90%)	22 (10%)	1 (0%)	30	62
44	LH	189/191 (99%)	174 (92%)	15 (8%)	0	100	100
45	LI	216/221 (98%)	200 (93%)	16 (7%)	0	100	100
46	LJ	167/174 (96%)	145 (87%)	20 (12%)	2 (1%)	10	42
47	LL	191/199 (96%)	162 (85%)	26 (14%)	3 (2%)	7	36
48	LM	134/138 (97%)	125 (93%)	9 (7%)	0	100	100
49	LN	201/204 (98%)	188 (94%)	13 (6%)	0	100	100
50	LO	195/199 (98%)	182 (93%)	11 (6%)	2 (1%)	12	45
51	LP	181/184 (98%)	163 (90%)	18 (10%)	0	100	100
52	LQ	183/186 (98%)	165 (90%)	18 (10%)	0	100	100
53	LR	186/189 (98%)	178 (96%)	6 (3%)	2 (1%)	11	43
54	LS	169/172 (98%)	158 (94%)	11 (6%)	0	100	100
55	LT	157/160 (98%)	145 (92%)	12 (8%)	0	100	100
56	LU	98/121 (81%)	89 (91%)	9 (9%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
57	LV	134/137 (98%)	126 (94%)	8 (6%)	0	100	100
58	LW	124/155 (80%)	116 (94%)	8 (6%)	0	100	100
59	LX	119/142 (84%)	107 (90%)	11 (9%)	1 (1%)	16	50
60	LY	123/127 (97%)	115 (94%)	8 (6%)	0	100	100
61	LZ	133/136 (98%)	121 (91%)	12 (9%)	0	100	100
62	La	146/149 (98%)	125 (86%)	19 (13%)	2 (1%)	9	39
63	Lb	56/59 (95%)	45 (80%)	10 (18%)	1 (2%)	6	34
64	Lc	94/105 (90%)	93 (99%)	1 (1%)	0	100	100
65	Ld	107/113 (95%)	91 (85%)	16 (15%)	0	100	100
66	Le	125/130 (96%)	115 (92%)	10 (8%)	0	100	100
67	Lf	104/107 (97%)	97 (93%)	7 (7%)	0	100	100
68	Lg	110/121 (91%)	101 (92%)	9 (8%)	0	100	100
69	Lh	117/120 (98%)	109 (93%)	8 (7%)	0	100	100
70	Li	97/100 (97%)	91 (94%)	6 (6%)	0	100	100
71	Lj	83/88 (94%)	76 (92%)	7 (8%)	0	100	100
72	Lk	75/78 (96%)	73 (97%)	2 (3%)	0	100	100
73	Ll	48/51 (94%)	42 (88%)	6 (12%)	0	100	100
74	Lm	50/128 (39%)	45 (90%)	5 (10%)	0	100	100
75	Ln	23/25 (92%)	22 (96%)	1 (4%)	0	100	100
76	Lo	101/106 (95%)	94 (93%)	7 (7%)	0	100	100
77	Lp	89/92 (97%)	80 (90%)	9 (10%)	0	100	100
All	All	10984/11880 (92%)	9852 (90%)	1085 (10%)	47 (0%)	31	62

5 of 47 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
9	SG	68	LEU
11	SI	10	LYS
28	Sa	84	VAL
37	LA	126	LEU
62	La	78	LEU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	SA	170/210 (81%)	170 (100%)	0	100	100
3	SB	200/224 (89%)	200 (100%)	0	100	100
4	SP	95/118 (80%)	95 (100%)	0	100	100
5	SC	175/205 (85%)	175 (100%)	0	100	100
6	SD	182/195 (93%)	182 (100%)	0	100	100
7	SE	220/222 (99%)	220 (100%)	0	100	100
8	SF	172/191 (90%)	171 (99%)	1 (1%)	78	84
9	SG	189/201 (94%)	189 (100%)	0	100	100
10	SH	163/170 (96%)	163 (100%)	0	100	100
11	SI	148/161 (92%)	148 (100%)	0	100	100
12	SJ	156/166 (94%)	156 (100%)	0	100	100
13	SK	77/98 (79%)	77 (100%)	0	100	100
14	SL	129/137 (94%)	129 (100%)	0	100	100
15	SM	88/119 (74%)	87 (99%)	1 (1%)	65	79
16	SN	127/128 (99%)	127 (100%)	0	100	100
17	SO	91/105 (87%)	91 (100%)	0	100	100
18	SQ	117/119 (98%)	117 (100%)	0	100	100
19	SR	101/124 (82%)	101 (100%)	0	100	100
20	SS	128/129 (99%)	128 (100%)	0	100	100
21	ST	115/116 (99%)	115 (100%)	0	100	100
22	SU	93/114 (82%)	93 (100%)	0	100	100
23	SV	71/74 (96%)	71 (100%)	0	100	100
24	SW	110/111 (99%)	110 (100%)	0	100	100
25	SX	119/120 (99%)	119 (100%)	0	100	100
26	SY	112/113 (99%)	112 (100%)	0	100	100
27	SZ	67/89 (75%)	67 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
28	Sa	83/101 (82%)	83 (100%)	0	100	100
29	Sb	70/71 (99%)	69 (99%)	1 (1%)	59	77
30	Sd	47/49 (96%)	47 (100%)	0	100	100
31	Se	50/54 (93%)	50 (100%)	0	100	100
32	Sf	56/135 (42%)	56 (100%)	0	100	100
33	Sg	250/262 (95%)	249 (100%)	1 (0%)	84	86
34	Sc	55/60 (92%)	55 (100%)	0	100	100
37	LA	190/196 (97%)	190 (100%)	0	100	100
38	LB	319/323 (99%)	319 (100%)	0	100	100
39	LC	288/289 (100%)	287 (100%)	1 (0%)	86	88
40	LD	241/245 (98%)	241 (100%)	0	100	100
41	LE	138/155 (89%)	138 (100%)	0	100	100
42	LF	186/205 (91%)	186 (100%)	0	100	100
43	LG	187/208 (90%)	186 (100%)	1 (0%)	81	85
44	LH	168/171 (98%)	168 (100%)	0	100	100
45	LI	185/187 (99%)	184 (100%)	1 (0%)	81	85
46	LJ	146/150 (97%)	146 (100%)	0	100	100
47	LL	154/159 (97%)	154 (100%)	0	100	100
48	LM	107/109 (98%)	107 (100%)	0	100	100
49	LN	175/176 (99%)	175 (100%)	0	100	100
50	LO	160/162 (99%)	160 (100%)	0	100	100
51	LP	138/146 (94%)	138 (100%)	0	100	100
52	LQ	150/151 (99%)	149 (99%)	1 (1%)	76	83
53	LR	152/154 (99%)	152 (100%)	0	100	100
54	LS	155/156 (99%)	155 (100%)	0	100	100
55	LT	136/137 (99%)	136 (100%)	0	100	100
56	LU	87/107 (81%)	87 (100%)	0	100	100
57	LV	104/105 (99%)	104 (100%)	0	100	100
58	LW	56/127 (44%)	56 (100%)	0	100	100
59	LX	104/118 (88%)	104 (100%)	0	100	100
60	LY	108/110 (98%)	108 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
61	LZ	115/116 (99%)	115 (100%)	0	100	100
62	La	118/119 (99%)	118 (100%)	0	100	100
63	Lb	46/47 (98%)	46 (100%)	0	100	100
64	Lc	81/88 (92%)	81 (100%)	0	100	100
65	Ld	92/97 (95%)	92 (100%)	0	100	100
66	Le	108/111 (97%)	108 (100%)	0	100	100
67	Lf	90/91 (99%)	90 (100%)	0	100	100
68	Lg	95/103 (92%)	95 (100%)	0	100	100
69	Lh	104/105 (99%)	100 (96%)	4 (4%)	29	62
70	Li	80/82 (98%)	80 (100%)	0	100	100
71	Lj	69/71 (97%)	69 (100%)	0	100	100
72	Lk	68/69 (99%)	68 (100%)	0	100	100
73	Ll	45/46 (98%)	45 (100%)	0	100	100
74	Lm	47/116 (40%)	47 (100%)	0	100	100
75	Ln	22/23 (96%)	22 (100%)	0	100	100
76	Lo	87/91 (96%)	86 (99%)	1 (1%)	65	79
77	Lp	71/72 (99%)	71 (100%)	0	100	100
All	All	9198/9984 (92%)	9185 (100%)	13 (0%)	87	91

5 of 13 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
52	LQ	55	SER
69	Lh	48	ARG
76	Lo	57	VAL
69	Lh	85	THR
69	Lh	94	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 95 such sidechains are listed below:

Mol	Chain	Res	Type
46	LJ	109	HIS
53	LR	121	HIS
47	LL	102	GLN
52	LQ	15	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
54	LS	122	HIS

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	C2	1768/1800 (98%)	509 (28%)	55 (3%)
35	C4	120/121 (99%)	13 (10%)	1 (0%)
36	C3	157/158 (99%)	33 (21%)	2 (1%)
78	C1	3180/3396 (93%)	662 (20%)	41 (1%)
79	5	16/18 (88%)	9 (56%)	2 (12%)
80	6	73/76 (96%)	17 (23%)	0
81	7	74/75 (98%)	20 (27%)	0
All	All	5388/5644 (95%)	1263 (23%)	101 (1%)

5 of 1263 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	C2	2	A
1	C2	4	C
1	C2	17	C
1	C2	25	C
1	C2	26	A

5 of 101 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
36	C3	125	U
78	C1	1273	A
79	5	34	U
78	C1	65	A
78	C1	763	G

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
45	LI	1
47	LL	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	LI	120:GLY	C	121:LYS	N	1.19
1	LL	54:LEU	C	55:ARG	N	1.19


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-10396. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 225



Y Index: 225




Z Index: 225


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 224



Y Index: 257




Z Index: 237


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.022. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1906 nm³; this corresponds to an approximate mass of 1722 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.312 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-10396 and PDB model 6T7I. Per-residue inclusion information can be found in section 3 on page 20.


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.022 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.022).

9.4 Atom inclusion ⓘ



At the recommended contour level, 95% of all backbone atoms, 91% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.022) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9140	 0.4770
5	 0.4930	 0.3330
6	 0.9230	 0.4380
7	 0.9210	 0.3810
C1	 0.9690	 0.5180
C2	 0.9530	 0.4370
C3	 0.9780	 0.5320
C4	 0.9920	 0.5230
LA	 0.8930	 0.5530
LB	 0.9130	 0.5270
LC	 0.9020	 0.5110
LD	 0.8830	 0.4580
LE	 0.8810	 0.4710
LF	 0.9040	 0.5090
LG	 0.8640	 0.4610
LH	 0.8800	 0.4960
LI	 0.8720	 0.5100
LJ	 0.8490	 0.4570
LL	 0.8940	 0.4970
LM	 0.9050	 0.4910
LN	 0.9110	 0.5550
LO	 0.8960	 0.5210
LP	 0.8840	 0.5170
LQ	 0.9050	 0.5250
LR	 0.8390	 0.4770
LS	 0.8880	 0.5270
LT	 0.8970	 0.5270
LU	 0.8590	 0.4450
LV	 0.8690	 0.5360
LW	 0.5490	 0.4120
LX	 0.8710	 0.4980
LY	 0.8870	 0.5050
LZ	 0.8770	 0.4660
La	 0.9040	 0.5350
Lb	 0.8450	 0.4970



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
Lc	 0.8770	 0.4840
Ld	 0.8470	 0.5120
Le	 0.8980	 0.5390
Lf	 0.9160	 0.5550
Lg	 0.8800	 0.5190
Lh	 0.8660	 0.4830
Li	 0.8570	 0.4710
Lj	 0.9150	 0.5690
Lk	 0.8210	 0.4450
Ll	 0.9010	 0.5450
Lm	 0.8980	 0.5340
Ln	 0.8320	 0.5400
Lo	 0.8880	 0.5340
Lp	 0.8450	 0.5320
SA	 0.8340	 0.4070
SB	 0.8230	 0.4540
SC	 0.8300	 0.4480
SD	 0.7650	 0.3790
SE	 0.8300	 0.4370
SF	 0.7740	 0.3850
SG	 0.8210	 0.3840
SH	 0.7970	 0.3670
SI	 0.8640	 0.4700
SJ	 0.8240	 0.4070
SK	 0.7830	 0.3240
SL	 0.8480	 0.4950
SM	 0.6870	 0.2040
SN	 0.8590	 0.4640
SO	 0.8760	 0.4770
SP	 0.7840	 0.3560
SQ	 0.8010	 0.3940
SR	 0.7990	 0.3700
SS	 0.8020	 0.3730
ST	 0.7930	 0.3630
SU	 0.7980	 0.3610
SV	 0.8390	 0.4260
SW	 0.8430	 0.4700
SX	 0.8370	 0.4980
SY	 0.8230	 0.3760
SZ	 0.6850	 0.3340
Sa	 0.8650	 0.4850
Sb	 0.8490	 0.4430

Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
Sc	 0.7700	 0.4350
Sd	 0.8820	 0.4380
Se	 0.7670	 0.4320
Sf	 0.7370	 0.2250
Sg	 0.7790	 0.3210