



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 7, 2026 – 03:39 AM UTC

PDB ID : 6T8X / pdb_00006t8x
Title : Crystal structure of MAPKAPK2 (MK2) complexed with PF-3644022 and 5-(4-bromophenyl)-N-[4-(1-piperazinyl)phenyl]-N-(2-pyridinylmethyl)-2-furan-carboxamide
Authors : Beaumont, E.J.; Barker, J.
Deposited on : 2019-10-25
Resolution : 2.81 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.81 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4591 (2.84-2.80)
Clashscore	190562	5010 (2.84-2.80)
Ramachandran outliers	187476	4916 (2.84-2.80)
Sidechain outliers	187428	4918 (2.84-2.80)
RSRZ outliers	180081	4594 (2.84-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	319	5% 78% 9% 13%
1	B	319	3% 76% 9% 13%
1	C	319	3% 77% 9% 13%
1	D	319	4% 76% 11% 12%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	319	3% 77% 10% 13%
1	F	319	5% 77% 9% 13%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 13887 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MAP kinase-activated protein kinase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	279	Total	C	N	O	S	0	0	0
			2261	1447	387	410	17			
1	B	276	Total	C	N	O	S	0	0	0
			2233	1427	383	406	17			
1	C	276	Total	C	N	O	S	0	0	0
			2234	1429	383	405	17			
1	D	280	Total	C	N	O	S	0	0	0
			2268	1452	388	410	18			
1	E	277	Total	C	N	O	S	0	0	0
			2245	1436	384	407	18			
1	F	276	Total	C	N	O	S	0	0	0
			2239	1433	383	406	17			

There are 138 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	20	MET	-	initiating methionine	UNP P49137
A	21	GLY	-	expression tag	UNP P49137
A	22	SER	-	expression tag	UNP P49137
A	23	SER	-	expression tag	UNP P49137
A	24	HIS	-	expression tag	UNP P49137
A	25	HIS	-	expression tag	UNP P49137
A	26	HIS	-	expression tag	UNP P49137
A	27	HIS	-	expression tag	UNP P49137
A	28	HIS	-	expression tag	UNP P49137
A	29	HIS	-	expression tag	UNP P49137
A	30	SER	-	expression tag	UNP P49137
A	31	SER	-	expression tag	UNP P49137
A	32	GLY	-	expression tag	UNP P49137
A	33	GLU	-	expression tag	UNP P49137
A	34	ASN	-	expression tag	UNP P49137
A	35	LEU	-	expression tag	UNP P49137
A	36	TYR	-	expression tag	UNP P49137

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	37	PHE	-	expression tag	UNP P49137
A	38	GLN	-	expression tag	UNP P49137
A	39	GLY	-	expression tag	UNP P49137
A	40	SER	-	expression tag	UNP P49137
A	222	GLU	THR	engineered mutation	UNP P49137
A	334	GLU	THR	engineered mutation	UNP P49137
B	20	MET	-	initiating methionine	UNP P49137
B	21	GLY	-	expression tag	UNP P49137
B	22	SER	-	expression tag	UNP P49137
B	23	SER	-	expression tag	UNP P49137
B	24	HIS	-	expression tag	UNP P49137
B	25	HIS	-	expression tag	UNP P49137
B	26	HIS	-	expression tag	UNP P49137
B	27	HIS	-	expression tag	UNP P49137
B	28	HIS	-	expression tag	UNP P49137
B	29	HIS	-	expression tag	UNP P49137
B	30	SER	-	expression tag	UNP P49137
B	31	SER	-	expression tag	UNP P49137
B	32	GLY	-	expression tag	UNP P49137
B	33	GLU	-	expression tag	UNP P49137
B	34	ASN	-	expression tag	UNP P49137
B	35	LEU	-	expression tag	UNP P49137
B	36	TYR	-	expression tag	UNP P49137
B	37	PHE	-	expression tag	UNP P49137
B	38	GLN	-	expression tag	UNP P49137
B	39	GLY	-	expression tag	UNP P49137
B	40	SER	-	expression tag	UNP P49137
B	222	GLU	THR	engineered mutation	UNP P49137
B	334	GLU	THR	engineered mutation	UNP P49137
C	20	MET	-	initiating methionine	UNP P49137
C	21	GLY	-	expression tag	UNP P49137
C	22	SER	-	expression tag	UNP P49137
C	23	SER	-	expression tag	UNP P49137
C	24	HIS	-	expression tag	UNP P49137
C	25	HIS	-	expression tag	UNP P49137
C	26	HIS	-	expression tag	UNP P49137
C	27	HIS	-	expression tag	UNP P49137
C	28	HIS	-	expression tag	UNP P49137
C	29	HIS	-	expression tag	UNP P49137
C	30	SER	-	expression tag	UNP P49137
C	31	SER	-	expression tag	UNP P49137
C	32	GLY	-	expression tag	UNP P49137

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	33	GLU	-	expression tag	UNP P49137
C	34	ASN	-	expression tag	UNP P49137
C	35	LEU	-	expression tag	UNP P49137
C	36	TYR	-	expression tag	UNP P49137
C	37	PHE	-	expression tag	UNP P49137
C	38	GLN	-	expression tag	UNP P49137
C	39	GLY	-	expression tag	UNP P49137
C	40	SER	-	expression tag	UNP P49137
C	222	GLU	THR	engineered mutation	UNP P49137
C	334	GLU	THR	engineered mutation	UNP P49137
D	20	MET	-	initiating methionine	UNP P49137
D	21	GLY	-	expression tag	UNP P49137
D	22	SER	-	expression tag	UNP P49137
D	23	SER	-	expression tag	UNP P49137
D	24	HIS	-	expression tag	UNP P49137
D	25	HIS	-	expression tag	UNP P49137
D	26	HIS	-	expression tag	UNP P49137
D	27	HIS	-	expression tag	UNP P49137
D	28	HIS	-	expression tag	UNP P49137
D	29	HIS	-	expression tag	UNP P49137
D	30	SER	-	expression tag	UNP P49137
D	31	SER	-	expression tag	UNP P49137
D	32	GLY	-	expression tag	UNP P49137
D	33	GLU	-	expression tag	UNP P49137
D	34	ASN	-	expression tag	UNP P49137
D	35	LEU	-	expression tag	UNP P49137
D	36	TYR	-	expression tag	UNP P49137
D	37	PHE	-	expression tag	UNP P49137
D	38	GLN	-	expression tag	UNP P49137
D	39	GLY	-	expression tag	UNP P49137
D	40	SER	-	expression tag	UNP P49137
D	222	GLU	THR	engineered mutation	UNP P49137
D	334	GLU	THR	engineered mutation	UNP P49137
E	20	MET	-	initiating methionine	UNP P49137
E	21	GLY	-	expression tag	UNP P49137
E	22	SER	-	expression tag	UNP P49137
E	23	SER	-	expression tag	UNP P49137
E	24	HIS	-	expression tag	UNP P49137
E	25	HIS	-	expression tag	UNP P49137
E	26	HIS	-	expression tag	UNP P49137
E	27	HIS	-	expression tag	UNP P49137
E	28	HIS	-	expression tag	UNP P49137

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	29	HIS	-	expression tag	UNP P49137
E	30	SER	-	expression tag	UNP P49137
E	31	SER	-	expression tag	UNP P49137
E	32	GLY	-	expression tag	UNP P49137
E	33	GLU	-	expression tag	UNP P49137
E	34	ASN	-	expression tag	UNP P49137
E	35	LEU	-	expression tag	UNP P49137
E	36	TYR	-	expression tag	UNP P49137
E	37	PHE	-	expression tag	UNP P49137
E	38	GLN	-	expression tag	UNP P49137
E	39	GLY	-	expression tag	UNP P49137
E	40	SER	-	expression tag	UNP P49137
E	222	GLU	THR	engineered mutation	UNP P49137
E	334	GLU	THR	engineered mutation	UNP P49137
F	20	MET	-	initiating methionine	UNP P49137
F	21	GLY	-	expression tag	UNP P49137
F	22	SER	-	expression tag	UNP P49137
F	23	SER	-	expression tag	UNP P49137
F	24	HIS	-	expression tag	UNP P49137
F	25	HIS	-	expression tag	UNP P49137
F	26	HIS	-	expression tag	UNP P49137
F	27	HIS	-	expression tag	UNP P49137
F	28	HIS	-	expression tag	UNP P49137
F	29	HIS	-	expression tag	UNP P49137
F	30	SER	-	expression tag	UNP P49137
F	31	SER	-	expression tag	UNP P49137
F	32	GLY	-	expression tag	UNP P49137
F	33	GLU	-	expression tag	UNP P49137
F	34	ASN	-	expression tag	UNP P49137
F	35	LEU	-	expression tag	UNP P49137
F	36	TYR	-	expression tag	UNP P49137
F	37	PHE	-	expression tag	UNP P49137
F	38	GLN	-	expression tag	UNP P49137
F	39	GLY	-	expression tag	UNP P49137
F	40	SER	-	expression tag	UNP P49137
F	222	GLU	THR	engineered mutation	UNP P49137
F	334	GLU	THR	engineered mutation	UNP P49137


- Molecule 2 is (10R)-10-methyl-3-(6-methylpyridin-3-yl)-9,10,11,12-tetrahydro-8H-[1,4]diazepino[5',6':4,5]thieno[3,2-f]quinolin-8-one (CCD ID: B97) (formula: C₂₁H₁₈N₄OS).



- Molecule 3 is CHLORIDE ION (CCD ID: CL) (formula: Cl).



- Molecule 4 is 5-(4-bromophenyl)- {N}-(4-piperazin-1-ylphenyl)- {N}-(pyridin-2-ylmethyl)furan-2-carboxamide (CCD ID: MW8) (formula: C₂₇H₂₅BrN₄O₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	Br	C	N	O	0	0
			34	1	27	4	2		
4	B	1	Total	Br	C	N	O	0	0
			34	1	27	4	2		
4	C	1	Total	Br	C	N	O	0	0
			34	1	27	4	2		
4	D	1	Total	Br	C	N	O	0	0
			34	1	27	4	2		
4	E	1	Total	Br	C	N	O	0	0
			34	1	27	4	2		
4	F	1	Total	Br	C	N	O	0	0
			34	1	27	4	2		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	4	Total	O	0	0
			4	4		
5	B	9	Total	O	0	0
			9	9		
5	C	9	Total	O	0	0
			9	9		
5	D	6	Total	O	0	0
			6	6		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	E	2	Total	O	0	0
			2	2		
5	F	5	Total	O	0	0
			5	5		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: MAP kinase-activated protein kinase 2




- Molecule 1: MAP kinase-activated protein kinase 2





- Molecule 1: MAP kinase-activated protein kinase 2





- Molecule 1: MAP kinase-activated protein kinase 2



- Molecule 1: MAP kinase-activated protein kinase 2



- Molecule 1: MAP kinase-activated protein kinase 2



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	131.53Å 287.34Å 148.41Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	120.00 – 2.81 120.00 – 2.81	Depositor EDS
% Data completeness (in resolution range)	99.8 (120.00-2.81) 99.8 (120.00-2.81)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.54 (at 2.82Å)	Xtriage
Refinement program	BUSTER 2.11.7 (3-OCT-2019)	Depositor
R, R_{free}	0.228 , 0.247 0.230 , 0.244	Depositor DCC
R_{free} test set	3441 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	83.0	Xtriage
Anisotropy	0.594	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 65.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.53$, $\langle L^2 \rangle = 0.37$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	13887	wwPDB-VP
Average B, all atoms (Å ²)	92.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.55% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: B97, MW8, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.78	1/2312 (0.0%)	1.06	3/3119 (0.1%)
1	B	0.76	1/2282 (0.0%)	1.05	8/3079 (0.3%)
1	C	0.75	1/2284 (0.0%)	1.05	7/3082 (0.2%)
1	D	0.78	1/2319 (0.0%)	1.06	6/3129 (0.2%)
1	E	0.73	1/2295 (0.0%)	1.02	5/3097 (0.2%)
1	F	0.72	1/2289 (0.0%)	1.02	6/3089 (0.2%)
All	All	0.75	6/13781 (0.0%)	1.04	35/18595 (0.2%)

The worst 5 of 6 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	157	ALA	CA-C	6.35	1.61	1.52
1	B	246	MET	SD-CE	-6.05	1.64	1.79
1	F	246	MET	SD-CE	-5.75	1.65	1.79
1	C	157	ALA	CA-C	5.60	1.60	1.52
1	E	157	ALA	CA-C	5.57	1.61	1.53

The worst 5 of 35 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	304	ASN	CA-CB-CG	-8.21	104.39	112.60
1	C	238	GLU	CA-C-N	7.50	130.19	120.44
1	C	238	GLU	C-N-CA	7.50	130.19	120.44
1	B	242	LYS	CA-C-N	6.73	130.20	120.38
1	B	242	LYS	C-N-CA	6.73	130.20	120.38

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2261	0	2280	18	0
1	B	2233	0	2250	14	0
1	C	2234	0	2253	12	0
1	D	2268	0	2289	15	0
1	E	2245	0	2259	14	0
1	F	2239	0	2254	12	0
2	A	27	0	18	3	0
2	B	27	0	18	1	0
2	C	27	0	18	1	0
2	D	27	0	18	1	0
2	E	27	0	18	2	0
2	F	27	0	18	2	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
4	A	34	0	0	1	0
4	B	34	0	0	1	0
4	C	34	0	0	1	0
4	D	34	0	0	0	0
4	E	34	0	0	1	0
4	F	34	0	0	1	0
5	A	4	0	0	0	0
5	B	9	0	0	0	0
5	C	9	0	0	0	0
5	D	6	0	0	0	0
5	E	2	0	0	0	0
5	F	5	0	0	0	0
All	All	13887	0	13693	88	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 88 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:246:MET:HE1	1:F:316:ILE:HD13	1.71	0.72
1:E:236:GLY:HA3	1:F:280:ARG:HE	1.67	0.60
1:A:246:MET:HE1	1:A:316:ILE:HD13	1.82	0.60
1:E:246:MET:HE1	1:E:316:ILE:HD13	1.84	0.59
1:D:168:LYS:O	1:D:172:GLU:HG3	2.02	0.59

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	275/319 (86%)	265 (96%)	10 (4%)	0	100	100
1	B	272/319 (85%)	263 (97%)	7 (3%)	2 (1%)	18	45
1	C	272/319 (85%)	259 (95%)	13 (5%)	0	100	100
1	D	276/319 (86%)	268 (97%)	8 (3%)	0	100	100
1	E	273/319 (86%)	261 (96%)	11 (4%)	1 (0%)	30	58
1	F	272/319 (85%)	259 (95%)	12 (4%)	1 (0%)	30	58
All	All	1640/1914 (86%)	1575 (96%)	61 (4%)	4 (0%)	43	71

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	240	TYR
1	E	207	ASP
1	B	207	ASP
1	B	235	LEU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	250/287 (87%)	248 (99%)	2 (1%)	73	90
1	B	247/287 (86%)	243 (98%)	4 (2%)	55	82
1	C	247/287 (86%)	243 (98%)	4 (2%)	55	82
1	D	251/287 (88%)	241 (96%)	10 (4%)	28	61
1	E	248/287 (86%)	244 (98%)	4 (2%)	55	82
1	F	247/287 (86%)	241 (98%)	6 (2%)	43	75
All	All	1490/1722 (86%)	1460 (98%)	30 (2%)	48	79

5 of 30 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	155	ASP
1	F	77	LYS
1	D	241	ASP
1	F	155	ASP
1	F	45	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 28 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	312	GLN
1	F	312	GLN
1	D	304	ASN
1	F	175	GLN
1	D	175	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 18 ligands modelled in this entry, 6 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	B97	A	401	-	30,31,31	1.29	3 (10%)	36,46,46	1.24	6 (16%)
2	B97	C	401	-	30,31,31	1.23	3 (10%)	36,46,46	1.41	7 (19%)
4	MW8	C	403	-	38,38,38	1.00	3 (7%)	50,52,52	1.33	7 (14%)
4	MW8	E	403	-	38,38,38	1.08	2 (5%)	50,52,52	1.22	5 (10%)
2	B97	B	401	-	30,31,31	1.26	3 (10%)	36,46,46	1.43	7 (19%)
4	MW8	D	403	-	38,38,38	1.04	3 (7%)	50,52,52	1.15	6 (12%)
4	MW8	F	403	-	38,38,38	0.99	1 (2%)	50,52,52	1.00	3 (6%)
2	B97	F	401	-	30,31,31	1.29	2 (6%)	36,46,46	1.33	6 (16%)
4	MW8	B	403	-	38,38,38	0.98	2 (5%)	50,52,52	1.16	4 (8%)
4	MW8	A	403	-	38,38,38	1.00	2 (5%)	50,52,52	1.22	6 (12%)
2	B97	E	401	-	30,31,31	1.21	3 (10%)	36,46,46	1.34	4 (11%)
2	B97	D	401	-	30,31,31	1.33	3 (10%)	36,46,46	1.36	6 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	B97	A	401	-	-	0/4/17/17	0/4/5/5
2	B97	C	401	-	-	0/4/17/17	0/4/5/5
4	MW8	C	403	-	-	0/24/32/32	0/5/5/5
4	MW8	E	403	-	-	0/24/32/32	0/5/5/5
2	B97	B	401	-	-	0/4/17/17	0/4/5/5
4	MW8	D	403	-	-	1/24/32/32	0/5/5/5
4	MW8	F	403	-	-	2/24/32/32	0/5/5/5
2	B97	F	401	-	-	0/4/17/17	0/4/5/5
4	MW8	B	403	-	-	2/24/32/32	0/5/5/5
4	MW8	A	403	-	-	0/24/32/32	0/5/5/5
2	B97	E	401	-	-	0/4/17/17	0/4/5/5
2	B97	D	401	-	-	0/4/17/17	0/4/5/5

The worst 5 of 30 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	401	B97	C25-N27	3.79	1.39	1.34
2	D	401	B97	C25-N27	3.63	1.39	1.34
2	A	401	B97	C25-N27	3.43	1.39	1.34
2	B	401	B97	C25-N27	3.40	1.39	1.34
4	F	403	MW8	C13-N15	3.26	1.40	1.36

The worst 5 of 67 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	403	MW8	C17-C16-N15	-3.89	106.79	112.73
4	A	403	MW8	C23-N15-C13	3.87	127.79	123.48
4	D	403	MW8	C34-N29-C30	3.79	120.08	111.57
4	B	403	MW8	C34-N29-C30	3.63	119.74	111.57
4	E	403	MW8	C10-C9-C8	-3.59	104.72	107.04

There are no chirality outliers.

All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	F	403	MW8	C27-C26-N29-C34
4	F	403	MW8	C25-C26-N29-C34
4	B	403	MW8	C27-C26-N29-C34
4	B	403	MW8	C25-C26-N29-C34
4	D	403	MW8	C27-C26-N29-C30


There are no ring outliers.


11 monomers are involved in 15 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	401	B97	3	0
2	C	401	B97	1	0
4	C	403	MW8	1	0
4	E	403	MW8	1	0
2	B	401	B97	1	0
4	F	403	MW8	1	0
2	F	401	B97	2	0
4	B	403	MW8	1	0
4	A	403	MW8	1	0
2	E	401	B97	2	0
2	D	401	B97	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









Ligand MW8 E 403




Bond lengths




Bond angles




Torsions




Rings




Ligand MW8 D 403




Bond lengths




Bond angles





Torsions




Rings









Ligand MW8 A 403




Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	279/319 (87%)	0.47	15 (5%) 31 23	66, 86, 114, 127	0
1	B	276/319 (86%)	0.48	10 (3%) 46 37	68, 89, 114, 127	0
1	C	276/319 (86%)	0.36	9 (3%) 49 39	69, 87, 110, 126	0
1	D	280/319 (87%)	0.54	13 (4%) 37 29	65, 90, 120, 133	0
1	E	277/319 (86%)	0.46	9 (3%) 50 40	74, 92, 119, 134	0
1	F	276/319 (86%)	0.54	16 (5%) 29 21	75, 100, 126, 141	0
All	All	1664/1914 (86%)	0.48	72 (4%) 40 31	65, 90, 120, 141	0

The worst 5 of 72 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	329	THR	4.5
1	D	44	PRO	4.1
1	C	44	PRO	4.1
1	C	270	ALA	3.9
1	A	225	TYR	3.8

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	CL	A	402	1/1	0.75	0.18	119,119,119,119	0
3	CL	E	402	1/1	0.78	0.21	127,127,127,127	0
3	CL	B	402	1/1	0.80	0.18	123,123,123,123	0
3	CL	C	402	1/1	0.81	0.14	115,115,115,115	0
4	MW8	D	403	34/34	0.82	0.19	133,134,135,136	0
3	CL	F	402	1/1	0.85	0.17	122,122,122,122	0
4	MW8	F	403	34/34	0.85	0.16	137,138,140,142	0
4	MW8	A	403	34/34	0.87	0.16	121,121,123,124	0
3	CL	D	402	1/1	0.88	0.25	123,123,123,123	0
4	MW8	B	403	34/34	0.90	0.15	104,109,113,113	0
4	MW8	E	403	34/34	0.92	0.14	108,110,112,113	0
4	MW8	C	403	34/34	0.92	0.13	114,116,117,117	0
2	B97	F	401	27/27	0.93	0.12	90,94,102,102	0
2	B97	B	401	27/27	0.95	0.10	73,75,83,83	0
2	B97	C	401	27/27	0.95	0.10	75,81,84,84	0
2	B97	D	401	27/27	0.95	0.10	87,88,97,97	0
2	B97	A	401	27/27	0.95	0.11	84,89,94,94	0
2	B97	E	401	27/27	0.96	0.10	92,95,99,100	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around MW8 D 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around MW8 F 403:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MW8 A 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around MW8 B 403:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MW8 E 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MW8 C 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around B97 F 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around B97 B 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around B97 C 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around B97 D 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around B97 A 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.