



wwPDB EM Validation Summary Report ⓘ

Mar 5, 2026 – 07:22 PM UTC

PDB ID : 7T9T / pdb_00007t9t
EMDB ID : EMD-25767
Title : Cryo-EM structure of CH235.12 in complex with HIV-1 Env trimer CH505T
F.N279K.SOSIP.664 with complex glycans
Authors : Manne, K.; Acharya, P.
Deposited on : 2021-12-20
Resolution : 3.70 Å (reported)
Based on initial models : 5F96, 6UDA

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	11569 (3.20 - 4.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	461	8% 91% 5%
1	E	461	8% 92% 5%
1	I	461	8% 89% 7% 5%
2	B	160	8% 69% 8% 24%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	160	
2	J	160	
3	C	225	
3	G	225	
3	K	225	
4	D	213	
4	H	213	
4	L	213	
5	O	4	
5	U	4	
5	a	4	
6	N	2	
6	P	2	
6	T	2	
6	V	2	
6	Z	2	
6	b	2	
7	M	3	
7	Q	3	
7	S	3	
7	W	3	
7	Y	3	
7	c	3	
8	R	6	
8	X	6	

Continued on next page...

Mol	Chain	Length	Quality of chain
8	d	6	17% 17% 67% 17%

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 24065 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Envelope glycoprotein gp160.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	439	Total	C	N	O	S	0	0
			3454	2170	604	652	28		
1	E	439	Total	C	N	O	S	0	0
			3453	2170	604	652	27		
1	I	439	Total	C	N	O	S	0	0
			3454	2170	604	652	28		

There are 33 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	32	GLU	-	expression tag	UNP M4M0W3
A	33	ASN	-	expression tag	UNP M4M0W3
A	34	LEU	-	expression tag	UNP M4M0W3
A	64	LYS	GLU	conflict	UNP M4M0W3
A	316	TRP	ALA	conflict	UNP M4M0W3
A	488	LYS	GLU	conflict	UNP M4M0W3
A	489	ILE	VAL	conflict	UNP M4M0W3
A	490	GLU	LYS	conflict	UNP M4M0W3
A	498	ARG	ASN	conflict	UNP M4M0W3
A	499	CYS	ALA	conflict	UNP M4M0W3
A	500	LYS	ARG	conflict	UNP M4M0W3
E	32	GLU	-	expression tag	UNP M4M0W3
E	33	ASN	-	expression tag	UNP M4M0W3
E	34	LEU	-	expression tag	UNP M4M0W3
E	64	LYS	GLU	conflict	UNP M4M0W3
E	316	TRP	ALA	conflict	UNP M4M0W3
E	488	LYS	GLU	conflict	UNP M4M0W3
E	489	ILE	VAL	conflict	UNP M4M0W3
E	490	GLU	LYS	conflict	UNP M4M0W3
E	498	ARG	ASN	conflict	UNP M4M0W3
E	499	CYS	ALA	conflict	UNP M4M0W3
E	500	LYS	ARG	conflict	UNP M4M0W3
I	32	GLU	-	expression tag	UNP M4M0W3
I	33	ASN	-	expression tag	UNP M4M0W3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
I	34	LEU	-	expression tag	UNP M4M0W3
I	64	LYS	GLU	conflict	UNP M4M0W3
I	316	TRP	ALA	conflict	UNP M4M0W3
I	488	LYS	GLU	conflict	UNP M4M0W3
I	489	ILE	VAL	conflict	UNP M4M0W3
I	490	GLU	LYS	conflict	UNP M4M0W3
I	498	ARG	ASN	conflict	UNP M4M0W3
I	499	CYS	ALA	conflict	UNP M4M0W3
I	500	LYS	ARG	conflict	UNP M4M0W3

- Molecule 2 is a protein called Envelope glycoprotein gp41.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	122	Total	C	N	O	S	0	0
			969	611	167	185	6		
2	F	122	Total	C	N	O	S	0	0
			969	611	167	185	6		
2	J	122	Total	C	N	O	S	0	0
			969	611	167	185	6		

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	505	GLY	-	expression tag	UNP Q2N0S5
B	506	ARG	-	expression tag	UNP Q2N0S5
B	507	ARG	-	expression tag	UNP Q2N0S5
B	508	ARG	-	expression tag	UNP Q2N0S5
B	509	ARG	-	expression tag	UNP Q2N0S5
B	510	ARG	-	expression tag	UNP Q2N0S5
B	559	PRO	ILE	conflict	UNP Q2N0S5
B	605	CYS	THR	conflict	UNP Q2N0S5
F	505	GLY	-	expression tag	UNP Q2N0S5
F	506	ARG	-	expression tag	UNP Q2N0S5
F	507	ARG	-	expression tag	UNP Q2N0S5
F	508	ARG	-	expression tag	UNP Q2N0S5
F	509	ARG	-	expression tag	UNP Q2N0S5
F	510	ARG	-	expression tag	UNP Q2N0S5
F	559	PRO	ILE	conflict	UNP Q2N0S5
F	605	CYS	THR	conflict	UNP Q2N0S5
J	505	GLY	-	expression tag	UNP Q2N0S5
J	506	ARG	-	expression tag	UNP Q2N0S5
J	507	ARG	-	expression tag	UNP Q2N0S5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
J	508	ARG	-	expression tag	UNP Q2N0S5
J	509	ARG	-	expression tag	UNP Q2N0S5
J	510	ARG	-	expression tag	UNP Q2N0S5
J	559	PRO	ILE	conflict	UNP Q2N0S5
J	605	CYS	THR	conflict	UNP Q2N0S5

- Molecule 3 is a protein called CH235.12 Fab Heavy Chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	220	Total	C	N	O	S	0	0
			1677	1061	287	320	9		
3	G	220	Total	C	N	O	S	0	0
			1677	1061	287	320	9		
3	K	220	Total	C	N	O	S	0	0
			1677	1061	287	320	9		

- Molecule 4 is a protein called CH235.12 Fab Light Chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	211	Total	C	N	O	S	0	0
			1635	1022	285	324	4		
4	H	211	Total	C	N	O	S	0	0
			1635	1022	285	324	4		
4	L	211	Total	C	N	O	S	0	0
			1635	1022	285	324	4		

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-bet a-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-d eoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
5	a	4	Total	C	N	O	0	0
			53	30	3	20		
5	O	4	Total	C	N	O	0	0
			53	30	3	20		
5	U	4	Total	C	N	O	0	0
			53	30	3	20		

- Molecule 6 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
6	b	2	Total	C	N	O	0	0
			28	16	2	10		
6	N	2	Total	C	N	O	0	0
			28	16	2	10		
6	P	2	Total	C	N	O	0	0
			28	16	2	10		
6	T	2	Total	C	N	O	0	0
			28	16	2	10		
6	V	2	Total	C	N	O	0	0
			28	16	2	10		
6	Z	2	Total	C	N	O	0	0
			28	16	2	10		


- Molecule 7 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
7	c	3	Total	C	N	O	0	0
			39	22	2	15		
7	M	3	Total	C	N	O	0	0
			39	22	2	15		
7	Q	3	Total	C	N	O	0	0
			39	22	2	15		
7	S	3	Total	C	N	O	0	0
			39	22	2	15		
7	W	3	Total	C	N	O	0	0
			39	22	2	15		
7	Y	3	Total	C	N	O	0	0
			39	22	2	15		


- Molecule 8 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-

beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
8	d	6	Total	C	N	O	0	0
			72	40	2	30		
8	R	6	Total	C	N	O	0	0
			72	40	2	30		
8	X	6	Total	C	N	O	0	0
			72	40	2	30		

- Molecule 9 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
9	A	1	Total	C	N	O	0
			14	8	1	5	
9	A	1	Total	C	N	O	0
			14	8	1	5	
9	E	1	Total	C	N	O	0
			14	8	1	5	
9	E	1	Total	C	N	O	0
			14	8	1	5	
9	I	1	Total	C	N	O	0
			14	8	1	5	

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
9	I	1	14	8	1	5	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Envelope glycoprotein gp160




- Molecule 1: Envelope glycoprotein gp160




- Molecule 1: Envelope glycoprotein gp160




- Molecule 2: Envelope glycoprotein gp41




- Molecule 2: Envelope glycoprotein gp41



- Molecule 2: Envelope glycoprotein gp41




- Molecule 3: CH235.12 Fab Heavy Chain





- Molecule 3: CH235.12 Fab Heavy Chain








• Molecule 3: CH235.12 Fab Heavy Chain




• Molecule 4: CH235.12 Fab Light Chain




• Molecule 4: CH235.12 Fab Light Chain




• Molecule 4: CH235.12 Fab Light Chain






- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 8: alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 8: alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 8: alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	53398	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	65.94	Depositor
Minimum defocus (nm)	750	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	3.433	Depositor
Minimum map value	-0.806	Depositor
Average map value	0.003	Depositor
Map value standard deviation	0.129	Depositor
Recommended contour level	1	Depositor
Map size (Å)	345.6, 345.6, 345.6	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.08, 1.08, 1.08	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, MAN, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.18	0/3520	0.42	0/4770
1	E	0.19	0/3520	0.42	0/4771
1	I	0.18	0/3520	0.43	0/4770
2	B	0.19	0/985	0.42	0/1334
2	F	0.18	0/985	0.38	0/1334
2	J	0.19	0/985	0.41	0/1334
3	C	0.18	0/1720	0.43	0/2341
3	G	0.17	0/1720	0.40	0/2341
3	K	0.18	0/1720	0.42	0/2341
4	D	0.17	0/1671	0.40	0/2272
4	H	0.17	0/1671	0.39	0/2272
4	L	0.17	0/1671	0.41	0/2272
All	All	0.18	0/23688	0.42	0/32152

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3454	0	3417	11	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	3453	0	3416	10	0
1	I	3454	0	3417	19	0
2	B	969	0	949	8	0
2	F	969	0	949	5	0
2	J	969	0	949	6	0
3	C	1677	0	1636	10	0
3	G	1677	0	1636	8	0
3	K	1677	0	1636	11	0
4	D	1635	0	1587	3	0
4	H	1635	0	1587	8	0
4	L	1635	0	1587	9	0
5	O	53	0	46	1	0
5	U	53	0	46	0	0
5	a	53	0	46	0	0
6	N	28	0	25	0	0
6	P	28	0	25	1	0
6	T	28	0	25	0	0
6	V	28	0	25	1	0
6	Z	28	0	25	0	0
6	b	28	0	25	1	0
7	M	39	0	34	0	0
7	Q	39	0	34	1	0
7	S	39	0	34	1	0
7	W	39	0	34	1	0
7	Y	39	0	34	1	0
7	c	39	0	34	1	0
8	R	72	0	61	1	0
8	X	72	0	61	1	0
8	d	72	0	61	1	0
9	A	28	0	26	0	0
9	E	28	0	26	0	0
9	I	28	0	26	0	0
All	All	24065	0	23519	106	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 106 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:145:MET:O	1:A:157:CYS:N	2.20	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:J:617:ARG:NH2	2:J:626:MET:SD	2.63	0.72
1:I:145:MET:O	1:I:157:CYS:N	2.23	0.72
2:B:625:ASN:O	2:B:627:THR:OG1	2.04	0.70
1:I:135:THR:OG1	1:I:145:MET:SD	2.48	0.70

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	429/461 (93%)	405 (94%)	24 (6%)	0	100	100
1	E	429/461 (93%)	403 (94%)	26 (6%)	0	100	100
1	I	429/461 (93%)	404 (94%)	25 (6%)	0	100	100
2	B	118/160 (74%)	111 (94%)	7 (6%)	0	100	100
2	F	118/160 (74%)	112 (95%)	6 (5%)	0	100	100
2	J	118/160 (74%)	112 (95%)	6 (5%)	0	100	100
3	C	216/225 (96%)	206 (95%)	10 (5%)	0	100	100
3	G	216/225 (96%)	206 (95%)	9 (4%)	1 (0%)	24	56
3	K	216/225 (96%)	206 (95%)	9 (4%)	1 (0%)	24	56
4	D	209/213 (98%)	198 (95%)	11 (5%)	0	100	100
4	H	209/213 (98%)	200 (96%)	9 (4%)	0	100	100
4	L	209/213 (98%)	198 (95%)	11 (5%)	0	100	100
All	All	2916/3177 (92%)	2761 (95%)	153 (5%)	2 (0%)	49	78

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	G	25	SER
3	K	25	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	393/413 (95%)	392 (100%)	1 (0%)	86	83
1	E	393/413 (95%)	392 (100%)	1 (0%)	86	83
1	I	393/413 (95%)	392 (100%)	1 (0%)	86	83
2	B	105/135 (78%)	105 (100%)	0	100	100
2	F	105/135 (78%)	105 (100%)	0	100	100
2	J	105/135 (78%)	105 (100%)	0	100	100
3	C	184/188 (98%)	184 (100%)	0	100	100
3	G	184/188 (98%)	184 (100%)	0	100	100
3	K	184/188 (98%)	184 (100%)	0	100	100
4	D	182/184 (99%)	182 (100%)	0	100	100
4	H	182/184 (99%)	182 (100%)	0	100	100
4	L	182/184 (99%)	182 (100%)	0	100	100
All	All	2592/2760 (94%)	2589 (100%)	3 (0%)	87	88

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	197	ASN
1	E	197	ASN
1	I	197	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 19 such sidechains are listed below:

Mol	Chain	Res	Type
2	J	591	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	L	92	ASN
4	L	137	ASN
4	L	32	ASN
1	E	425	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

60 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	NAG	M	1	7,1	14,14,15	0.23	0	17,19,21	0.48	0
7	NAG	M	2	7	14,14,15	0.21	0	17,19,21	0.43	0
7	BMA	M	3	7	11,11,12	0.49	0	15,15,17	0.73	0
6	NAG	N	1	1,6	14,14,15	0.22	0	17,19,21	0.51	0
6	NAG	N	2	6	14,14,15	0.22	0	17,19,21	0.56	0
5	NAG	O	1	5,1	14,14,15	0.85	1 (7%)	17,19,21	0.90	2 (11%)
5	NAG	O	2	5	14,14,15	0.23	0	17,19,21	0.49	0
5	BMA	O	3	5	11,11,12	0.51	0	15,15,17	0.79	0
5	NAG	O	4	5	14,14,15	0.51	0	17,19,21	0.49	0
6	NAG	P	1	1,6	14,14,15	0.26	0	17,19,21	0.51	0
6	NAG	P	2	6	14,14,15	0.65	1 (7%)	17,19,21	0.63	1 (5%)
7	NAG	Q	1	7,1	14,14,15	0.23	0	17,19,21	0.43	0
7	NAG	Q	2	7	14,14,15	0.31	0	17,19,21	0.54	0
7	BMA	Q	3	7	11,11,12	0.65	0	15,15,17	0.80	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	NAG	R	1	1,8	14,14,15	0.51	0	17,19,21	0.71	1 (5%)
8	NAG	R	2	8	14,14,15	0.23	0	17,19,21	0.46	0
8	BMA	R	3	8	11,11,12	0.77	0	15,15,17	1.05	1 (6%)
8	MAN	R	4	8	11,11,12	0.76	0	15,15,17	1.02	2 (13%)
8	MAN	R	5	8	11,11,12	0.65	0	15,15,17	1.01	2 (13%)
8	MAN	R	6	8	11,11,12	0.71	0	15,15,17	0.97	2 (13%)
7	NAG	S	1	7,1	14,14,15	0.20	0	17,19,21	0.49	0
7	NAG	S	2	7	14,14,15	0.22	0	17,19,21	0.43	0
7	BMA	S	3	7	11,11,12	0.47	0	15,15,17	0.73	0
6	NAG	T	1	1,6	14,14,15	0.20	0	17,19,21	0.51	0
6	NAG	T	2	6	14,14,15	0.23	0	17,19,21	0.55	0
5	NAG	U	1	5,1	14,14,15	0.93	1 (7%)	17,19,21	0.92	2 (11%)
5	NAG	U	2	5	14,14,15	0.25	0	17,19,21	0.46	0
5	BMA	U	3	5	11,11,12	0.53	0	15,15,17	0.81	0
5	NAG	U	4	5	14,14,15	0.49	0	17,19,21	0.49	0
6	NAG	V	1	1,6	14,14,15	0.26	0	17,19,21	0.55	0
6	NAG	V	2	6	14,14,15	0.64	1 (7%)	17,19,21	0.66	1 (5%)
7	NAG	W	1	7,1	14,14,15	0.21	0	17,19,21	0.44	0
7	NAG	W	2	7	14,14,15	0.27	0	17,19,21	0.56	0
7	BMA	W	3	7	11,11,12	0.65	0	15,15,17	0.78	0
8	NAG	X	1	1,8	14,14,15	0.45	0	17,19,21	0.73	1 (5%)
8	NAG	X	2	8	14,14,15	0.25	0	17,19,21	0.46	0
8	BMA	X	3	8	11,11,12	0.59	0	15,15,17	0.90	1 (6%)
8	MAN	X	4	8	11,11,12	0.75	0	15,15,17	1.01	2 (13%)
8	MAN	X	5	8	11,11,12	0.64	0	15,15,17	1.03	2 (13%)
8	MAN	X	6	8	11,11,12	0.61	0	15,15,17	0.90	2 (13%)
7	NAG	Y	1	7,1	14,14,15	0.23	0	17,19,21	0.49	0
7	NAG	Y	2	7	14,14,15	0.24	0	17,19,21	0.43	0
7	BMA	Y	3	7	11,11,12	0.48	0	15,15,17	0.71	0
6	NAG	Z	1	1,6	14,14,15	0.22	0	17,19,21	0.51	0
6	NAG	Z	2	6	14,14,15	0.19	0	17,19,21	0.55	0
5	NAG	a	1	5,1	14,14,15	0.91	1 (7%)	17,19,21	0.96	1 (5%)
5	NAG	a	2	5	14,14,15	0.28	0	17,19,21	0.51	0
5	BMA	a	3	5	11,11,12	0.50	0	15,15,17	0.79	0
5	NAG	a	4	5	14,14,15	0.52	0	17,19,21	0.50	0
6	NAG	b	1	1,6	14,14,15	0.25	0	17,19,21	0.50	0
6	NAG	b	2	6	14,14,15	0.61	1 (7%)	17,19,21	0.63	1 (5%)
7	NAG	c	1	7,1	14,14,15	0.20	0	17,19,21	0.43	0
7	NAG	c	2	7	14,14,15	0.30	0	17,19,21	0.52	0
7	BMA	c	3	7	11,11,12	0.63	0	15,15,17	0.81	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	NAG	d	1	1,8	14,14,15	0.47	0	17,19,21	0.70	1 (5%)
8	NAG	d	2	8	14,14,15	0.24	0	17,19,21	0.48	0
8	BMA	d	3	8	11,11,12	0.76	0	15,15,17	1.06	1 (6%)
8	MAN	d	4	8	11,11,12	0.75	0	15,15,17	0.99	2 (13%)
8	MAN	d	5	8	11,11,12	0.59	0	15,15,17	1.07	2 (13%)
8	MAN	d	6	8	11,11,12	0.70	0	15,15,17	0.98	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	M	1	7,1	-	1/6/23/26	0/1/1/1
7	NAG	M	2	7	-	1/6/23/26	0/1/1/1
7	BMA	M	3	7	-	0/2/19/22	0/1/1/1
6	NAG	N	1	1,6	-	0/6/23/26	0/1/1/1
6	NAG	N	2	6	-	2/6/23/26	0/1/1/1
5	NAG	O	1	5,1	-	3/6/23/26	0/1/1/1
5	NAG	O	2	5	-	1/6/23/26	0/1/1/1
5	BMA	O	3	5	-	1/2/19/22	0/1/1/1
5	NAG	O	4	5	-	2/6/23/26	0/1/1/1
6	NAG	P	1	1,6	-	0/6/23/26	0/1/1/1
6	NAG	P	2	6	-	1/6/23/26	0/1/1/1
7	NAG	Q	1	7,1	-	0/6/23/26	0/1/1/1
7	NAG	Q	2	7	-	0/6/23/26	0/1/1/1
7	BMA	Q	3	7	-	0/2/19/22	0/1/1/1
8	NAG	R	1	1,8	-	2/6/23/26	0/1/1/1
8	NAG	R	2	8	-	2/6/23/26	0/1/1/1
8	BMA	R	3	8	-	2/2/19/22	0/1/1/1
8	MAN	R	4	8	-	2/2/19/22	0/1/1/1
8	MAN	R	5	8	-	0/2/19/22	0/1/1/1
8	MAN	R	6	8	-	0/2/19/22	0/1/1/1
7	NAG	S	1	7,1	-	0/6/23/26	0/1/1/1
7	NAG	S	2	7	-	1/6/23/26	0/1/1/1
7	BMA	S	3	7	-	0/2/19/22	0/1/1/1
6	NAG	T	1	1,6	-	0/6/23/26	0/1/1/1
6	NAG	T	2	6	-	3/6/23/26	0/1/1/1
5	NAG	U	1	5,1	-	3/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	U	2	5	-	0/6/23/26	0/1/1/1
5	BMA	U	3	5	-	1/2/19/22	0/1/1/1
5	NAG	U	4	5	-	2/6/23/26	0/1/1/1
6	NAG	V	1	1,6	-	1/6/23/26	0/1/1/1
6	NAG	V	2	6	-	1/6/23/26	0/1/1/1
7	NAG	W	1	7,1	-	0/6/23/26	0/1/1/1
7	NAG	W	2	7	-	0/6/23/26	0/1/1/1
7	BMA	W	3	7	-	0/2/19/22	0/1/1/1
8	NAG	X	1	1,8	-	2/6/23/26	0/1/1/1
8	NAG	X	2	8	-	2/6/23/26	0/1/1/1
8	BMA	X	3	8	-	2/2/19/22	0/1/1/1
8	MAN	X	4	8	-	2/2/19/22	0/1/1/1
8	MAN	X	5	8	-	0/2/19/22	0/1/1/1
8	MAN	X	6	8	-	0/2/19/22	0/1/1/1
7	NAG	Y	1	7,1	-	0/6/23/26	0/1/1/1
7	NAG	Y	2	7	-	2/6/23/26	0/1/1/1
7	BMA	Y	3	7	-	0/2/19/22	0/1/1/1
6	NAG	Z	1	1,6	-	0/6/23/26	0/1/1/1
6	NAG	Z	2	6	-	2/6/23/26	0/1/1/1
5	NAG	a	1	5,1	-	3/6/23/26	0/1/1/1
5	NAG	a	2	5	-	1/6/23/26	0/1/1/1
5	BMA	a	3	5	-	1/2/19/22	0/1/1/1
5	NAG	a	4	5	-	2/6/23/26	0/1/1/1
6	NAG	b	1	1,6	-	1/6/23/26	0/1/1/1
6	NAG	b	2	6	-	1/6/23/26	0/1/1/1
7	NAG	c	1	7,1	-	1/6/23/26	0/1/1/1
7	NAG	c	2	7	-	0/6/23/26	0/1/1/1
7	BMA	c	3	7	-	0/2/19/22	0/1/1/1
8	NAG	d	1	1,8	-	2/6/23/26	0/1/1/1
8	NAG	d	2	8	-	2/6/23/26	0/1/1/1
8	BMA	d	3	8	-	2/2/19/22	0/1/1/1
8	MAN	d	4	8	-	2/2/19/22	0/1/1/1
8	MAN	d	5	8	-	0/2/19/22	0/1/1/1
8	MAN	d	6	8	-	0/2/19/22	0/1/1/1

The worst 5 of 6 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	U	1	NAG	O5-C1	-3.28	1.38	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	a	1	NAG	O5-C1	-3.17	1.38	1.43
5	O	1	NAG	O5-C1	-2.99	1.38	1.43
6	V	2	NAG	C1-C2	2.28	1.55	1.52
6	P	2	NAG	C1-C2	2.23	1.55	1.52

The worst 5 of 32 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	d	5	MAN	C1-O5-C5	3.04	116.27	112.19
8	X	5	MAN	C1-O5-C5	2.61	115.69	112.19
8	R	4	MAN	O2-C2-C3	-2.57	104.82	110.15
8	R	5	MAN	C1-O5-C5	2.53	115.58	112.19
8	X	4	MAN	O2-C2-C3	-2.52	104.93	110.15

There are no chirality outliers.

5 of 62 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	U	1	NAG	O5-C5-C6-O6
8	R	3	BMA	O5-C5-C6-O6
5	O	1	NAG	O5-C5-C6-O6
8	d	3	BMA	O5-C5-C6-O6
8	d	4	MAN	O5-C5-C6-O6

There are no ring outliers.

17 monomers are involved in 10 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	b	1	NAG	1	0
7	S	2	NAG	1	0
6	b	2	NAG	1	0
5	O	3	BMA	1	0
7	Q	1	NAG	1	0
7	c	1	NAG	1	0
6	V	2	NAG	1	0
6	V	1	NAG	1	0
8	X	1	NAG	1	0
5	O	2	NAG	1	0
8	R	1	NAG	1	0
7	Y	2	NAG	1	0
7	W	1	NAG	1	0



Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	P	1	NAG	1	0
6	P	2	NAG	1	0
8	d	1	NAG	1	0
7	Q	2	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









































5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
9	NAG	E	601	1	14,14,15	0.21	0	17,19,21	0.46	0
9	NAG	E	602	1	14,14,15	0.16	0	17,19,21	0.52	0
9	NAG	I	602	1	14,14,15	0.16	0	17,19,21	0.53	0
9	NAG	I	601	1	14,14,15	0.24	0	17,19,21	0.47	0
9	NAG	A	602	1	14,14,15	0.16	0	17,19,21	0.50	0
9	NAG	A	601	1	14,14,15	0.23	0	17,19,21	0.47	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	NAG	E	601	1	-	1/6/23/26	0/1/1/1
9	NAG	E	602	1	-	2/6/23/26	0/1/1/1
9	NAG	I	602	1	-	3/6/23/26	0/1/1/1
9	NAG	I	601	1	-	1/6/23/26	0/1/1/1
9	NAG	A	602	1	-	3/6/23/26	0/1/1/1
9	NAG	A	601	1	-	1/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 11 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
9	A	602	NAG	O5-C5-C6-O6
9	A	602	NAG	C4-C5-C6-O6
9	E	602	NAG	O5-C5-C6-O6
9	E	602	NAG	C4-C5-C6-O6
9	I	602	NAG	O5-C5-C6-O6



There are no ring outliers.

No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be

highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







Ligand NAG I 601



Ligand NAG A 602





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-25767. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 160



Y Index: 160




Z Index: 160


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 170



Y Index: 172




Z Index: 160


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 1.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 179 nm^3 ; this corresponds to an approximate mass of 161 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.270 Å⁻¹

8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit ⓘ

This section contains information regarding the fit between EMDB map EMD-25767 and PDB model 7T9T. Per-residue inclusion information can be found in section 3 on page 11.

9.1 Map-model overlay ⓘ

This section was not generated.

9.2 Q-score mapped to coordinate model ⓘ




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model ⓘ

This section was not generated.

9.4 Atom inclusion [i](#)



At the recommended contour level, 85% of all backbone atoms, 71% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7130	 0.3820
A	 0.7450	 0.4140
B	 0.7120	 0.3540
C	 0.7250	 0.3880
D	 0.6800	 0.3300
E	 0.7370	 0.4090
F	 0.7240	 0.3540
G	 0.7220	 0.3810
H	 0.6820	 0.3310
I	 0.7400	 0.4120
J	 0.6980	 0.3500
K	 0.7230	 0.3870
L	 0.6810	 0.3260
M	 0.4100	 0.4590
N	 0.5000	 0.3690
O	 0.5090	 0.4120
P	 0.4290	 0.3920
Q	 0.2310	 0.3590
R	 0.6250	 0.4480
S	 0.4100	 0.4460
T	 0.4640	 0.3520
U	 0.4910	 0.4240
V	 0.4290	 0.3820
W	 0.2310	 0.3910
X	 0.6670	 0.4510
Y	 0.4100	 0.4400
Z	 0.4640	 0.3610
a	 0.4910	 0.4220
b	 0.4290	 0.3870
c	 0.2310	 0.3970
d	 0.6530	 0.4390

