



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 13, 2026 – 11:47 PM UTC

PDB ID : 8T9Z / pdb_00008t9z
Title : Structural of M8C10 Fab in complex human metapneumovirus fusion protein
Authors : Su, H.P.; Eddins, M.J.; Shipman, J.M.; Kostas, J.; Reid, J.C.
Deposited on : 2023-06-26
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2672 (3.00-3.00)
Clashscore	190562	2977 (3.00-3.00)
Ramachandran outliers	187476	2877 (3.00-3.00)
Sidechain outliers	187428	2880 (3.00-3.00)
RSRZ outliers	180081	2671 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	476	11% 62% 20% 18%
2	H	231	6% 78% 15% 6%
3	L	214	7% 80% 19% .

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6136 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fusion glycoprotein F0.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	388	Total	C	N	O	S	0	0	0
			2853	1785	490	557	21			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	491	LEU	-	expression tag	UNP G3KCK8
A	492	VAL	-	expression tag	UNP G3KCK8
A	493	PRO	-	expression tag	UNP G3KCK8
A	494	ARG	-	expression tag	UNP G3KCK8

- Molecule 2 is a protein called M8C10 Fab Heavy Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	H	216	Total	C	N	O	S	0	0	0
			1614	1018	273	316	7			

- Molecule 3 is a protein called M8C10 Fab Light Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	L	212	Total	C	N	O	S	0	0	0
			1643	1033	274	331	5			


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	8	Total	O	0	0
			8	8		
4	H	4	Total	O	0	0
			4	4		
4	L	14	Total	O	0	0
			14	14		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Fusion glycoprotein F0




• Molecule 2: M8C10 Fab Heavy Chain



• Molecule 3: M8C10 Fab Light Chain





4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	98.90Å 117.67Å 181.22Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.34 – 3.00 49.34 – 3.00	Depositor EDS
% Data completeness (in resolution range)	99.5 (49.34-3.00) 99.6 (49.34-3.00)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.30 (at 3.01Å)	Xtriage
Refinement program	PHENIX 1.12_2829	Depositor
R, R_{free}	0.243 , 0.280 0.244 , 0.280	Depositor DCC
R_{free} test set	1134 reflections (5.23%)	wwPDB-VP
Wilson B-factor (Å ²)	67.7	Xtriage
Anisotropy	0.709	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 48.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	6136	wwPDB-VP
Average B, all atoms (Å ²)	72.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.73% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.20	0/2889	0.43	0/3922
2	H	0.22	0/1652	0.42	0/2248
3	L	0.20	0/1680	0.41	0/2286
All	All	0.21	0/6221	0.42	0/8456

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2853	0	2797	63	0
2	H	1614	0	1574	25	0
3	L	1643	0	1593	34	0
4	A	8	0	0	0	0
4	H	4	0	0	0	0
4	L	14	0	0	1	0
All	All	6136	0	5964	117	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (117) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:289:ALA:HB2	1:A:381:LEU:HD13	1.40	1.00
1:A:345:GLU:OE2	1:A:348:ARG:HD2	1.73	0.87
1:A:394:SER:HB3	1:A:397:VAL:HG22	1.57	0.86
3:L:106:ILE:HD11	3:L:171:SER:HB3	1.60	0.81
1:A:345:GLU:O	1:A:345:GLU:OE1	1.98	0.81
3:L:190:LYS:CE	3:L:191:VAL:HG13	2.14	0.78
1:A:56:GLU:HA	1:A:75:LYS:HE3	1.68	0.76
1:A:81:LEU:HD12	1:A:204:VAL:HG22	1.68	0.75
1:A:373:VAL:HG22	1:A:382:VAL:HG23	1.69	0.74
1:A:374:ALA:HB3	1:A:381:LEU:HD11	1.70	0.71
2:H:91:THR:HG23	2:H:117:THR:HA	1.75	0.68
1:A:141:LEU:HD11	1:A:159:ALA:HB1	1.76	0.68
3:L:155:GLN:HB3	3:L:158:ASN:HD21	1.57	0.68
1:A:346:GLN:OE1	1:A:346:GLN:N	2.24	0.67
1:A:227:LEU:HD21	1:A:251:VAL:HG11	1.76	0.67
1:A:222:MET:HE1	1:A:273:LEU:HD21	1.75	0.66
2:H:48:VAL:HG23	2:H:64:VAL:HG21	1.78	0.66
1:A:328:THR:HG21	1:A:431:GLU:HG3	1.76	0.65
3:L:37:GLN:HB2	3:L:47:LEU:HD11	1.79	0.65
3:L:163:VAL:HG22	3:L:175:LEU:HD12	1.79	0.64
2:H:145:LEU:HD13	2:H:218:VAL:HG21	1.80	0.63
1:A:286:ILE:HD12	1:A:304:ARG:HH22	1.64	0.63
2:H:13:GLN:NE2	2:H:120:SER:O	2.32	0.63
1:A:289:ALA:CB	1:A:381:LEU:HD13	2.22	0.62
1:A:205:ARG:NH1	3:L:63:ARG:HE	1.99	0.60
1:A:53:GLY:H	1:A:265:SER:HB3	1.66	0.59
3:L:190:LYS:HE2	3:L:191:VAL:HG13	1.83	0.59
1:A:141:LEU:O	1:A:163:ARG:NH2	2.36	0.58
1:A:260:ILE:HD11	1:A:270:MET:HG2	1.85	0.57
1:A:50:LEU:HA	1:A:162:VAL:HG23	1.87	0.57
3:L:106:ILE:HD11	3:L:171:SER:CB	2.33	0.57
2:H:22:CYS:HB3	2:H:79:LEU:HB3	1.87	0.56
1:A:304:ARG:HH21	1:A:306:ASP:CG	2.14	0.56
2:H:48:VAL:CG2	2:H:64:VAL:HG21	2.35	0.56
3:L:105:GLU:HG3	3:L:166:GLN:NE2	2.21	0.56
2:H:148:LEU:CD2	2:H:150:LYS:HB2	2.36	0.55
3:L:190:LYS:CE	3:L:191:VAL:CG1	2.85	0.54
3:L:106:ILE:C	3:L:106:ILE:HD12	2.32	0.54
3:L:142:ARG:NH2	3:L:163:VAL:HG21	2.24	0.54
1:A:374:ALA:HB3	1:A:381:LEU:CD1	2.39	0.52
3:L:35:TRP:HB2	3:L:48:ILE:HG12	1.92	0.52
2:H:30:THR:O	2:H:53:SER:OG	2.27	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:L:189:HIS:O	3:L:211:ARG:HD3	2.09	0.52
2:H:67:ARG:HD3	2:H:87:ARG:NH2	2.25	0.51
2:H:101:TYR:CZ	2:H:104:GLY:HA3	2.45	0.51
1:A:173:LEU:O	1:A:177:ILE:HG22	2.10	0.51
1:A:129:ARG:HG2	1:A:260:ILE:HG23	1.91	0.51
2:H:207:HIS:CD2	2:H:209:PRO:HD2	2.45	0.50
3:L:90:GLN:HE21	3:L:97:THR:H	1.58	0.50
1:A:394:SER:CB	1:A:397:VAL:HG22	2.36	0.49
3:L:83:PHE:CZ	3:L:106:ILE:HG22	2.48	0.49
1:A:206:GLN:OE1	1:A:218:SER:HB3	2.13	0.49
1:A:292:CYS:HA	1:A:301:CYS:HA	1.95	0.48
3:L:145:LYS:HB3	3:L:197:THR:HG23	1.94	0.48
3:L:189:HIS:N	4:L:301:HOH:O	2.41	0.48
1:A:227:LEU:O	1:A:231:VAL:HG12	2.13	0.48
1:A:394:SER:OG	1:A:395:ASN:N	2.46	0.48
1:A:23:TYR:CZ	1:A:25:GLU:HA	2.49	0.48
1:A:344:ALA:HB1	1:A:346:GLN:OE1	2.14	0.48
3:L:61:ARG:NH1	3:L:82:ASP:OD1	2.47	0.47
1:A:218:SER:OG	1:A:219:LEU:N	2.45	0.47
1:A:134:VAL:CG1	1:A:138:LYS:HD2	2.44	0.47
1:A:128:ILE:HG13	1:A:151:LEU:HD21	1.96	0.47
1:A:40:ARG:NH1	1:A:336:ASP:OD1	2.48	0.47
3:L:143:GLU:O	3:L:198:HIS:HD2	1.98	0.47
1:A:81:LEU:HD21	1:A:259:LEU:CD1	2.45	0.46
1:A:134:VAL:HG12	1:A:138:LYS:HD2	1.96	0.46
2:H:48:VAL:HG23	2:H:64:VAL:CG2	2.42	0.46
2:H:105:ASP:OD2	3:L:96:TYR:OH	2.25	0.46
2:H:129:PHE:CE2	3:L:124:GLN:HG3	2.51	0.46
1:A:78:LEU:HD12	1:A:79:ARG:N	2.31	0.46
1:A:377:PRO:HA	1:A:429:LYS:HA	1.96	0.46
1:A:377:PRO:HB3	1:A:431:GLU:OE1	2.17	0.45
1:A:84:VAL:HG11	1:A:208:SER:HA	1.99	0.45
1:A:388:VAL:HG12	1:A:389:SER:N	2.32	0.45
1:A:66:LEU:HG	1:A:190:ALA:HB1	1.98	0.45
1:A:121:GLY:HA2	1:A:124:ILE:HD12	1.99	0.45
2:H:126:PRO:HD2	2:H:212:THR:HG21	1.98	0.45
1:A:81:LEU:HD21	1:A:259:LEU:HD11	1.99	0.45
1:A:375:LEU:HD21	1:A:427:LEU:HA	1.98	0.45
1:A:39:LEU:O	1:A:276:PHE:HA	2.17	0.44
1:A:65:SER:O	1:A:69:THR:HG23	2.17	0.44
1:A:26:GLU:O	1:A:27:SER:HB2	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:361:CYS:O	1:A:362:LYS:HG2	2.18	0.44
3:L:19:VAL:O	3:L:74:THR:HA	2.18	0.44
1:A:200:PHE:CE1	1:A:267:VAL:HG21	2.52	0.44
3:L:105:GLU:HG3	3:L:166:GLN:HE22	1.81	0.44
1:A:216:ALA:HA	1:A:255:GLY:O	2.17	0.44
3:L:190:LYS:HE3	3:L:191:VAL:CG1	2.47	0.44
2:H:126:PRO:HB3	2:H:152:TYR:HB3	2.00	0.43
1:A:285:ILE:HD12	1:A:308:GLY:C	2.42	0.43
1:A:311:CYS:O	1:A:318:VAL:HG12	2.18	0.43
2:H:131:LEU:HB3	3:L:118:PHE:CD2	2.54	0.43
3:L:91:TYR:HA	3:L:96:TYR:CD1	2.53	0.43
1:A:163:ARG:O	1:A:167:GLU:HG2	2.19	0.43
2:H:16:ARG:HD2	2:H:16:ARG:HA	1.77	0.43
1:A:51:GLU:HB3	1:A:166:LYS:HE3	2.01	0.43
1:A:118:VAL:O	1:A:121:GLY:N	2.50	0.43
3:L:83:PHE:CE1	3:L:106:ILE:HG22	2.53	0.43
3:L:181:LEU:CD1	3:L:186:TYR:HB2	2.49	0.43
3:L:21:ILE:HG12	3:L:102:THR:HG21	2.00	0.43
3:L:83:PHE:CE2	3:L:106:ILE:HG22	2.54	0.42
3:L:118:PHE:HB2	3:L:133:VAL:HB	2.02	0.42
1:A:118:VAL:O	1:A:122:ILE:HD12	2.19	0.42
1:A:249:ALA:HB2	2:H:103:GLY:HA3	2.02	0.42
1:A:177:ILE:HD13	1:A:182:CYS:HA	2.01	0.42
1:A:414:ASP:OD1	1:A:414:ASP:N	2.52	0.41
3:L:136:LEU:HD21	3:L:196:VAL:HG13	2.03	0.41
1:A:229:ARG:O	1:A:232:SER:OG	2.32	0.41
1:A:409:TYR:C	1:A:410:ILE:HD12	2.46	0.41
2:H:101:TYR:CE1	2:H:104:GLY:HA3	2.55	0.41
2:H:64:VAL:HB	2:H:68:PHE:CG	2.57	0.40
2:H:152:TYR:CE2	2:H:157:VAL:HG13	2.56	0.40
3:L:48:ILE:HG22	3:L:54:LEU:HA	2.02	0.40
2:H:22:CYS:N	2:H:79:LEU:O	2.53	0.40
2:H:177:LEU:HB3	2:H:183:TYR:CE1	2.55	0.40
2:H:128:VAL:HG23	2:H:216:LYS:HE3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	382/476 (80%)	358 (94%)	24 (6%)	0	100	100
2	H	212/231 (92%)	202 (95%)	10 (5%)	0	100	100
3	L	210/214 (98%)	201 (96%)	9 (4%)	0	100	100
All	All	804/921 (87%)	761 (95%)	43 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	302/403 (75%)	302 (100%)	0	100	100
2	H	179/193 (93%)	178 (99%)	1 (1%)	78	88
3	L	186/189 (98%)	186 (100%)	0	100	100
All	All	667/785 (85%)	666 (100%)	1 (0%)	88	93

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	H	17	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	145	ASN
1	A	172	ASN
1	A	210	ASN
1	A	342	ASN
2	H	57	ASN
2	H	178	GLN
3	L	166	GLN
3	L	199	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	388/476 (81%)	1.01	53 (13%) 6 4	46, 82, 120, 143	0
2	H	216/231 (93%)	0.67	13 (6%) 27 14	44, 63, 85, 95	0
3	L	212/214 (99%)	0.68	15 (7%) 22 11	41, 60, 92, 98	0
All	All	816/921 (88%)	0.83	81 (9%) 13 7	41, 69, 111, 143	0

All (81) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	94	GLN	4.9
1	A	389	SER	4.2
1	A	339	ALA	3.8
2	H	106	ALA	3.7
3	L	51	ALA	3.5
1	A	93	GLU	3.4
1	A	352	ILE	3.4
1	A	186	ASP	3.3
3	L	50	ASP	3.3
1	A	286	ILE	3.2
1	A	400	ILE	3.1
3	L	94	TYR	3.1
2	H	198	THR	3.0
2	H	135	SER	3.0
2	H	196	LEU	3.0
1	A	319	TYR	3.0
1	A	388	VAL	3.0
1	A	432	GLY	3.0
1	A	420	ILE	2.9
3	L	212	GLY	2.9
1	A	385	TYR	2.9
1	A	316	SER	2.9
1	A	430	VAL	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	H	127	SER	2.8
1	A	343	VAL	2.8
1	A	92	GLU	2.7
1	A	409	TYR	2.7
1	A	178	ASN	2.7
1	A	397	VAL	2.7
2	H	100	TYR	2.6
3	L	76	SER	2.6
1	A	224	ASP	2.6
1	A	363	VAL	2.6
2	H	177	LEU	2.5
3	L	48	ILE	2.5
1	A	417	THR	2.5
1	A	285	ILE	2.5
1	A	399	ILE	2.5
1	A	60	CYS	2.5
3	L	193	ALA	2.5
1	A	374	ALA	2.4
3	L	173	TYR	2.4
1	A	318	VAL	2.4
1	A	398	GLY	2.4
2	H	105	ASP	2.3
1	A	161	ALA	2.3
2	H	101	TYR	2.3
1	A	312	LYS	2.3
2	H	49	ALA	2.3
3	L	53	SER	2.3
1	A	359	TYR	2.3
1	A	116	ALA	2.3
3	L	65	SER	2.3
1	A	308	GLY	2.3
1	A	387	GLY	2.3
1	A	391	SER	2.3
1	A	320	TYR	2.3
3	L	91	TYR	2.3
1	A	333	VAL	2.3
1	A	394	SER	2.2
1	A	408	SER	2.2
1	A	284	TRP	2.2
2	H	104	GLY	2.2
1	A	119	THR	2.2
1	A	338	ALA	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	155	VAL	2.1
1	A	348	ARG	2.1
2	H	32	TYR	2.1
3	L	96	TYR	2.1
1	A	351	ASN	2.1
3	L	93	ASN	2.1
1	A	50	LEU	2.1
1	A	375	LEU	2.1
3	L	31	ILE	2.1
3	L	49	TYR	2.1
1	A	405	LYS	2.1
1	A	256	PHE	2.1
1	A	401	LYS	2.0
1	A	426	GLN	2.0
2	H	128	VAL	2.0
1	A	310	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.