



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 01:51 AM UTC

PDB ID : 3TAX / pdb_00003tax
Title : A Neutral Diphosphate Mimic Crosslinks the Active Site of Human O-GlcNAc Transferase
Authors : Lazarus, M.B.; Jiang, J.; Pasquina, L.; Sliz, P.; Walker, S.
Deposited on : 2011-08-04
Resolution : 1.88 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.88 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1220 (1.88-1.88)
Clashscore	190562	1234 (1.88-1.88)
Ramachandran outliers	187476	1222 (1.88-1.88)
Sidechain outliers	187428	1222 (1.88-1.88)
RSRZ outliers	180081	1220 (1.88-1.88)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	723	11% 92% • •
1	C	723	13% 92% • •
2	B	14	7% 93% 7%
2	D	14	14% 100%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 12326 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called UDP-N-acetylglucosamine--peptide N-acetylglucosaminyltransferase 110 kDa subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	695	Total	C	N	O	S	0	5	0
			5522	3505	964	1016	37			
1	C	695	Total	C	N	O	S	0	5	0
			5522	3505	964	1016	37			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	309	GLY	-	expression tag	UNP O15294
A	310	PRO	-	expression tag	UNP O15294
A	311	GLY	-	expression tag	UNP O15294
A	312	SER	-	expression tag	UNP O15294
C	309	GLY	-	expression tag	UNP O15294
C	310	PRO	-	expression tag	UNP O15294
C	311	GLY	-	expression tag	UNP O15294
C	312	SER	-	expression tag	UNP O15294


- Molecule 2 is a protein called Casein kinase II subunit alpha.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	14	Total	C	N	O	S	0	0	0
			95	58	15	20	2			
2	D	14	Total	C	N	O	S	0	0	0
			95	58	15	20	2			

There are 2 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	13	TYR	-	expression tag	UNP P68400
D	13	TYR	-	expression tag	UNP P68400

- Molecule 3 is URIDINE-5'-DIPHOSPHATE (CCD ID: UDP) (formula: C₉H₁₄N₂O₁₂P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			25	9	2	12	2		
3	C	1	Total	C	N	O	P	0	0
			25	9	2	12	2		

- Molecule 4 is FORMYL GROUP (CCD ID: FOR) (formula: CH₂O).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			2	1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	1	Total	C	O	0	0
			2	1	1		

- Molecule 5 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	C	1	Total	O	S	0	0
			5	4	1		
5	D	1	Total	O	S	0	0
			5	4	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	492	Total	O	0	0
			492	492		
6	B	17	Total	O	0	0
			17	17		
6	C	497	Total	O	0	0
			497	497		
6	D	12	Total	O	0	0
			12	12		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: UDP-N-acetylglucosamine--peptide N-acetylglucosaminyltransferase 110 kDa subunit




- Molecule 1: UDP-N-acetylglucosamine--peptide N-acetylglucosaminyltransferase 110 kDa subunit



- Molecule 2: Casein kinase II subunit alpha

Chain B:  7% 93% 7%



- Molecule 2: Casein kinase II subunit alpha

Chain D:  14% 100%



4 Data and refinement statistics

Property	Value	Source
Space group	I 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	98.60Å 136.64Å 153.32Å 90.00° 103.02° 90.00°	Depositor
Resolution (Å)	37.60 – 1.88 37.60 – 1.88	Depositor EDS
% Data completeness (in resolution range)	99.2 (37.60-1.88) 99.1 (37.60-1.88)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.12 (at 1.88Å)	Xtriage
Refinement program	BUSTER 2.11.1	Depositor
R, R_{free}	0.219 , 0.237 0.217 , 0.237	Depositor DCC
R_{free} test set	8002 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	20.2	Xtriage
Anisotropy	0.259	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 48.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	12326	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 26.40 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.6522e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FOR, SO4, UDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.80	0/5657	1.22	14/7670 (0.2%)
1	C	0.80	0/5657	1.21	12/7670 (0.2%)
2	B	0.67	0/97	0.97	0/131
2	D	0.63	0/97	0.96	0/131
All	All	0.80	0/11508	1.21	26/15602 (0.2%)

There are no bond length outliers.

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1027	ILE	N-CA-C	6.97	119.02	111.77
1	A	918	ASN	CA-CB-CG	6.51	119.11	112.60
1	A	868	PHE	CA-CB-CG	6.42	120.22	113.80
1	C	868	PHE	CA-CB-CG	6.25	120.05	113.80
1	C	918	ASN	CA-CB-CG	5.98	118.58	112.60
1	A	384	PHE	CA-CB-CG	5.95	119.75	113.80
1	C	384	PHE	CA-CB-CG	5.85	119.65	113.80
1	A	350	PHE	CA-CB-CG	5.65	119.45	113.80
1	A	689	MET	N-CA-C	-5.62	102.03	110.24
1	C	434	ASN	CA-C-N	5.58	123.76	120.24
1	C	434	ASN	C-N-CA	5.58	123.76	120.24
1	C	350	PHE	CA-CB-CG	5.56	119.36	113.80
1	A	861	SER	N-CA-C	5.55	117.70	108.99
1	A	418	PHE	CA-CB-CG	5.48	119.28	113.80
1	C	689	MET	N-CA-C	-5.42	102.33	110.24
1	C	418	PHE	CA-CB-CG	5.39	119.19	113.80
1	A	434	ASN	CA-C-N	5.28	123.57	120.24
1	A	434	ASN	C-N-CA	5.28	123.57	120.24
1	C	679	ALA	CA-C-N	5.25	127.84	120.28
1	C	679	ALA	C-N-CA	5.25	127.84	120.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	679	ALA	CA-C-N	5.21	127.78	120.28
1	A	679	ALA	C-N-CA	5.21	127.78	120.28
1	C	437	GLU	CB-CG-CD	5.18	121.40	112.60
1	A	437	GLU	CB-CG-CD	5.17	121.39	112.60
1	A	347	PHE	CA-CB-CG	5.13	118.93	113.80
1	C	347	PHE	CA-CB-CG	5.11	118.91	113.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5522	0	5501	9	0
1	C	5522	0	5501	8	0
2	B	95	0	88	1	0
2	D	95	0	88	0	0
3	A	25	0	11	1	0
3	C	25	0	11	0	0
4	A	2	0	0	1	0
4	C	2	0	0	0	0
5	A	5	0	0	0	0
5	B	5	0	0	0	0
5	C	5	0	0	0	0
5	D	5	0	0	0	0
6	A	492	0	0	0	0
6	B	17	0	0	0	0
6	C	497	0	0	0	0
6	D	12	0	0	0	0
All	All	12326	0	11200	18	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (18) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:545:ARG:HD3	1:A:573:PRO:O	2.04	0.57
1:C:545:ARG:HD3	1:C:573:PRO:O	2.05	0.57
1:A:842[B]:LYS:HE2	4:A:1250:FOR:C	2.36	0.51
1:A:726:LEU:HD23	1:A:819:VAL:HG22	1.96	0.48
1:C:726:LEU:HD23	1:C:819:VAL:HG22	1.96	0.47
1:C:726:LEU:CD2	1:C:819:VAL:HG22	2.46	0.46
1:A:726:LEU:CD2	1:A:819:VAL:HG22	2.47	0.44
1:A:838:ASN:HB3	1:A:842[B]:LYS:HD2	1.99	0.43
3:A:1212:UDP:H5'1	2:B:20:VAL:HG12	2.01	0.43
1:C:546:LEU:HD21	1:C:625:ILE:HD12	2.01	0.43
1:C:408:TYR:CZ	1:C:424:ASN:HB3	2.54	0.43
1:A:546:LEU:HD21	1:A:625:ILE:HD12	2.01	0.42
1:C:466:VAL:HG12	1:C:871:VAL:HG23	2.02	0.41
1:A:442:TYR:CZ	1:A:458:ASN:HB3	2.55	0.41
1:C:558:HIS:CG	1:C:559:PRO:HD2	2.56	0.41
1:A:558:HIS:CG	1:A:559:PRO:HD2	2.55	0.40
1:A:466:VAL:HG12	1:A:871:VAL:HG23	2.04	0.40
1:C:442:TYR:CZ	1:C:458:ASN:HB3	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	694/723 (96%)	680 (98%)	14 (2%)	0	100	100
1	C	694/723 (96%)	680 (98%)	14 (2%)	0	100	100
2	B	12/14 (86%)	12 (100%)	0	0	100	100
2	D	12/14 (86%)	12 (100%)	0	0	100	100
All	All	1412/1474 (96%)	1384 (98%)	28 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	602/618 (97%)	599 (100%)	3 (0%)	81	76
1	C	602/618 (97%)	598 (99%)	4 (1%)	76	69
2	B	11/11 (100%)	11 (100%)	0	100	100
2	D	11/11 (100%)	11 (100%)	0	100	100
All	All	1226/1258 (98%)	1219 (99%)	7 (1%)	78	72

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	386	ASP
1	A	772	ILE
1	A	926	VAL
1	C	386	ASP
1	C	772	ILE
1	C	926	VAL
1	C	1028	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	321	ASN
1	A	356	ASN
1	A	362	GLN
1	A	364	GLN
1	A	393	ASN
1	A	406	GLN
1	A	434	ASN
1	A	490	ASN
1	A	681	GLN
1	A	691	HIS
1	A	802	GLN
1	A	805	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	860	ASN
1	A	888	ASN
1	A	1012	GLN
1	C	321	ASN
1	C	356	ASN
1	C	362	GLN
1	C	364	GLN
1	C	406	GLN
1	C	434	ASN
1	C	490	ASN
1	C	681	GLN
1	C	802	GLN
1	C	805	ASN
1	C	888	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	SO4	C	4	-	4,4,4	0.21	0	6,6,6	0.14	0
5	SO4	A	3	-	4,4,4	0.36	0	6,6,6	0.10	0
4	FOR	C	1250	1	0,1,1	-	-	-	-	-
5	SO4	B	1	-	4,4,4	0.38	0	6,6,6	0.15	0
5	SO4	D	2	-	4,4,4	0.48	0	6,6,6	0.27	0
3	UDP	A	1212	-	25,26,26	2.08	7 (28%)	38,40,40	1.43	7 (18%)
4	FOR	A	1250	1	0,1,1	-	-	-	-	-
3	UDP	C	1212	-	25,26,26	2.08	9 (36%)	38,40,40	1.52	7 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	UDP	C	1212	-	-	2/16/32/32	0/2/2/2
3	UDP	A	1212	-	-	1/16/32/32	0/2/2/2

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1212	UDP	PA-O3A	7.24	1.67	1.59
3	C	1212	UDP	PA-O3A	6.75	1.66	1.59
3	C	1212	UDP	O4-C4	-2.96	1.18	1.24
3	C	1212	UDP	O4'-C1'	2.82	1.48	1.42
3	C	1212	UDP	C2-N1	-2.78	1.34	1.38
3	C	1212	UDP	C2-N3	-2.77	1.33	1.38
3	A	1212	UDP	C2-N3	-2.72	1.33	1.38
3	A	1212	UDP	O3'-C3'	2.68	1.49	1.43
3	C	1212	UDP	O3'-C3'	2.47	1.49	1.43
3	C	1212	UDP	C3'-C4'	2.25	1.58	1.53
3	A	1212	UDP	C3'-C2'	2.18	1.59	1.53
3	A	1212	UDP	C2-N1	-2.13	1.35	1.38
3	A	1212	UDP	O4'-C1'	2.09	1.46	1.42
3	C	1212	UDP	PA-O1A	-2.08	1.43	1.50
3	A	1212	UDP	C3'-C4'	2.02	1.58	1.53
3	C	1212	UDP	O2-C2	2.00	1.26	1.23

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	1212	UDP	O2B-PB-O3A	3.43	116.14	104.64
3	C	1212	UDP	C5-C4-N3	3.39	119.55	114.80
3	C	1212	UDP	O4-C4-C5	-3.23	119.59	125.16
3	C	1212	UDP	C4-N3-C2	-3.09	122.78	126.61
3	C	1212	UDP	C6-C5-C4	-2.93	115.79	119.53
3	A	1212	UDP	O4-C4-C5	-2.89	120.18	125.16
3	A	1212	UDP	C5-C4-N3	2.88	118.84	114.80
3	A	1212	UDP	O2B-PB-O3A	2.58	113.28	104.64
3	A	1212	UDP	C4-N3-C2	-2.48	123.54	126.61
3	C	1212	UDP	O3A-PB-O1B	-2.43	98.24	111.04
3	A	1212	UDP	O3A-PB-O1B	-2.43	98.26	111.04
3	A	1212	UDP	N3-C2-N1	2.42	118.04	114.89
3	A	1212	UDP	O3B-PB-O3A	2.25	112.17	104.64
3	C	1212	UDP	N3-C2-N1	2.02	117.52	114.89

There are no chirality outliers.

All (3) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	C	1212	UDP	O4'-C4'-C5'-O5'
3	A	1212	UDP	O4'-C4'-C5'-O5'
3	C	1212	UDP	C3'-C4'-C5'-O5'

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1212	UDP	1	0
4	A	1250	FOR	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	695/723 (96%)	0.63	76 (10%) 10 13	9, 23, 49, 87	5 (0%)
1	C	695/723 (96%)	0.66	91 (13%) 7 8	9, 23, 56, 89	5 (0%)
2	B	14/14 (100%)	0.65	1 (7%) 22 24	14, 21, 40, 50	0
2	D	14/14 (100%)	0.70	2 (14%) 6 6	15, 21, 41, 51	0
All	All	1418/1474 (96%)	0.65	170 (11%) 9 10	9, 23, 52, 89	10 (0%)

All (170) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	714	LYS	8.7
1	C	762	LEU	7.8
1	A	762	LEU	7.6
1	C	714	LYS	7.3
1	C	713	PHE	7.2
1	C	333	ILE	7.2
1	A	713	PHE	7.0
1	A	772	ILE	6.7
1	C	323	LEU	6.4
1	C	326	ILE	6.3
1	C	336	ALA	6.3
1	C	315	THR	6.0
1	C	746	MET	6.0
1	C	324	ALA	5.7
1	A	746	MET	5.4
1	A	745	LYS	5.1
1	C	860	ASN	4.9
1	A	860	ASN	4.8
1	C	745	LYS	4.8
1	C	316	HIS	4.7
1	C	339	LEU	4.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	763	ASN	4.7
1	C	327	LYS	4.6
1	C	335	GLU	4.6
1	A	739	PRO	4.6
1	A	315	THR	4.6
1	C	1028	LYS	4.4
1	C	712	ASP	4.4
1	A	740	ASP	4.4
1	A	769	MET	4.3
1	A	768	PRO	4.3
1	A	771	THR	4.3
1	A	742	LYS	4.2
1	C	329	GLU	4.1
1	C	319[A]	SER	4.1
1	C	328	ARG	4.1
1	C	772	ILE	4.0
1	C	777	ILE	4.0
1	C	720	TYR	4.0
1	C	331	GLY	4.0
1	A	744	VAL	4.0
1	A	770	ASN	3.8
1	A	431	ASP	3.8
1	A	323	LEU	3.8
1	A	720	TYR	3.7
1	A	712	ASP	3.7
1	C	744	VAL	3.7
1	C	830	ASP	3.7
1	C	322	ASN	3.7
1	C	332	ASN	3.7
1	C	769	MET	3.6
2	D	25	MET	3.6
1	C	763	ASN	3.6
1	A	316	HIS	3.6
1	C	325	ASN	3.5
1	C	321	ASN	3.5
1	C	340	TYR	3.5
1	C	742	LYS	3.5
1	C	719	ILE	3.5
1	C	330	GLN	3.5
1	C	317	ALA	3.4
1	C	431	ASP	3.4
1	C	740	ASP	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	346	VAL	3.4
1	C	739	PRO	3.4
2	B	25	MET	3.4
1	A	328	ARG	3.3
1	C	334	GLU	3.2
1	C	348	PRO	3.2
1	A	336	ALA	3.2
1	A	332	ASN	3.2
1	A	830	ASP	3.1
1	A	335	GLU	3.1
1	C	353	ALA	3.1
1	C	347	PHE	3.1
1	A	526	ASN	3.1
1	A	507	HIS	3.1
1	A	773	ALA	3.0
1	A	1028	LYS	3.0
1	C	433	GLY	3.0
1	C	337	VAL	3.0
1	A	331	GLY	3.0
1	C	773	ALA	3.0
1	A	333	ILE	3.0
1	C	526	ASN	2.9
1	C	770	ASN	2.9
1	A	543	ASP	2.9
1	C	318	ASP	2.9
1	C	383	THR	2.9
1	A	330	GLN	2.9
1	A	489	LYS	2.9
1	A	719	ILE	2.9
2	D	26	MET	2.9
1	A	662	LEU	2.8
1	C	320	LEU	2.8
1	C	662	LEU	2.8
1	A	527	VAL	2.7
1	C	887	GLN	2.7
1	A	327	LYS	2.7
1	C	447	LYS	2.7
1	C	543	ASP	2.7
1	A	490	ASN	2.7
1	C	490	ASN	2.7
1	C	384	PHE	2.6
1	C	435	ILE	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	338	ARG	2.6
1	C	358	ALA	2.6
1	C	359	SER	2.6
1	A	447	LYS	2.5
1	C	528	LEU	2.5
1	A	774	GLU	2.4
1	A	472	TYR	2.4
1	A	777	ILE	2.4
1	C	771	THR	2.4
1	A	678	VAL	2.4
1	C	774	GLU	2.3
1	A	435	ILE	2.3
1	A	519	ASN	2.3
1	C	489	LYS	2.3
1	C	537	LYS	2.3
1	A	506	SER	2.3
1	C	768	PRO	2.3
1	A	480	VAL	2.3
1	C	362	GLN	2.3
1	C	344	LEU	2.3
1	C	831	ALA	2.3
1	C	380	ILE	2.3
1	A	346	VAL	2.3
1	A	401	VAL	2.3
1	A	483	VAL	2.3
1	C	527	VAL	2.3
1	A	334	GLU	2.2
1	A	532	PRO	2.2
1	C	427	SER	2.2
1	C	529	HIS	2.2
1	C	491	ARG	2.2
1	A	477	LYS	2.2
1	C	829	GLU	2.2
1	A	320	LEU	2.2
1	A	433	GLY	2.2
1	C	859	PRO	2.2
1	C	343	ALA	2.2
1	A	478	LYS	2.2
1	C	342	LYS	2.2
1	C	738	LEU	2.2
1	A	537	LYS	2.2
1	A	711	ILE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	819	VAL	2.1
1	C	620	GLN	2.1
1	A	743	ILE	2.1
1	A	319[A]	SER	2.1
1	A	766	VAL	2.1
1	A	677	GLU	2.1
1	A	324	ALA	2.1
1	C	360	VAL	2.1
1	C	532	PRO	2.1
1	A	738	LEU	2.1
1	A	485	ASP	2.1
1	C	963	ARG	2.1
1	A	427	SER	2.0
1	A	428	ILE	2.0
1	A	767	ILE	2.0
1	C	350	PHE	2.0
1	C	961	LYS	2.0
1	A	348	PRO	2.0
1	A	680	GLU	2.0
1	A	887	GLN	2.0
1	A	888	ASN	2.0
1	C	472	TYR	2.0
1	A	609	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
-----	------	-------	-----	-------	------	-----	-----------------------------	-------

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	FOR	A	1250	2/2	0.79	0.27	29,29,29,31	2
4	FOR	C	1250	2/2	0.82	0.32	31,31,31,33	2
5	SO4	C	4	5/5	0.90	0.15	47,51,52,53	5
5	SO4	A	3	5/5	0.91	0.17	49,54,55,55	5
3	UDP	A	1212	25/25	0.97	0.06	12,13,19,20	0
5	SO4	B	1	5/5	0.97	0.09	28,31,34,35	5
3	UDP	C	1212	25/25	0.97	0.06	12,13,19,19	0
5	SO4	D	2	5/5	0.97	0.09	30,34,35,35	5

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around UDP A 1212:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around UDP C 1212:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.