



Full wwPDB EM Validation Report ⓘ

Mar 6, 2026 – 06:16 PM UTC

PDB ID : 7TAP / pdb_00007tap
EMDB ID : EMD-25780
Title : Cryo-EM structure of archazolid A bound to yeast VO V-ATPase
Authors : Keon, K.A.; Rubinstein, J.L.; Benlekbir, S.; Kirsch, S.H.; Muller, R.
Deposited on : 2021-12-21
Resolution : 2.80 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.










Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	11806 (2.30 - 3.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	D	164	72%22% . .
2	C	213	75%16% . 7%
3	N	265	16% . 80%
4	M	73	85%12% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	E	160	
5	F	160	
5	G	160	
5	H	160	
5	I	160	
5	J	160	
5	K	160	
5	L	160	
6	O	85	
7	B	345	
8	A	840	

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 22520 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called V-type proton ATPase subunit c'.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	D	158	Total	C	N	O	S	0	0
			1145	756	180	197	12		

- Molecule 2 is a protein called V-type proton ATPase subunit c''.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	C	198	Total	C	N	O	S	0	0
			1473	980	228	258	7		

- Molecule 3 is a protein called V0 assembly protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	N	52	Total	C	N	O	S	0	0
			400	267	59	72	2		

- Molecule 4 is a protein called V-type proton ATPase subunit e.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	M	71	Total	C	N	O	S	0	0
			570	381	93	90	6		

- Molecule 5 is a protein called V-type proton ATPase subunit c.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	159	Total	C	N	O	S	0	0
			1137	749	182	199	7		
5	F	159	Total	C	N	O	S	0	0
			1137	749	182	199	7		
5	G	159	Total	C	N	O	S	0	0
			1137	749	182	199	7		
5	H	159	Total	C	N	O	S	0	0
			1137	749	182	199	7		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
5	I	159	Total	C	N	O	S	0	0
			1137	749	182	199	7		
5	J	159	Total	C	N	O	S	0	0
			1137	749	182	199	7		
5	K	159	Total	C	N	O	S	0	0
			1137	749	182	199	7		
5	L	159	Total	C	N	O	S	0	0
			1137	749	182	199	7		

- Molecule 6 is a protein called Yeast V-ATPase subunit f.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	O	69	Total	C	N	O	S	0	0
			529	353	81	92	3		


- Molecule 7 is a protein called V-type proton ATPase subunit d.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	B	345	Total	C	N	O	S	0	0
			2802	1779	454	555	14		

- Molecule 8 is a protein called V-type proton ATPase subunit a, vacuolar isoform.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	A	750	Total	C	N	O	S	0	0
			6089	3977	991	1086	35		

- Molecule 9 is Archazolid A (CCD ID: KJL) (formula: C₄₂H₆₂N₂O₇S) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
9	D	1	Total	C	N	O	S	0
			52	42	2	7	1	
9	E	1	Total	C	N	O	S	0
			52	42	2	7	1	
9	F	1	Total	C	N	O	S	0
			52	42	2	7	1	
9	G	1	Total	C	N	O	S	0
			52	42	2	7	1	
9	H	1	Total	C	N	O	S	0
			52	42	2	7	1	
9	I	1	Total	C	N	O	S	0
			52	42	2	7	1	
9	J	1	Total	C	N	O	S	0
			52	42	2	7	1	
9	J	1	Total	C	N	O	S	0
			52	42	2	7	1	

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: V-type proton ATPase subunit c'

Chain D: 




- Molecule 2: V-type proton ATPase subunit c''

Chain C: 



- Molecule 3: V0 assembly protein 1

Chain N: 




- Molecule 4: V-type proton ATPase subunit e

Chain M:  85% 12%




- Molecule 5: V-type proton ATPase subunit c

Chain E:  72% 26%




- Molecule 5: V-type proton ATPase subunit c

Chain F:  72% 26%




- Molecule 5: V-type proton ATPase subunit c

Chain G:  72% 27%




- Molecule 5: V-type proton ATPase subunit c


Chain H:  71% 26%




- Molecule 5: V-type proton ATPase subunit c




- Molecule 5: V-type proton ATPase subunit c




- Molecule 5: V-type proton ATPase subunit c




- Molecule 5: V-type proton ATPase subunit c



- Molecule 6: Yeast V-ATPase subunit f



- Molecule 7: V-type proton ATPase subunit d



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	659182	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	42	Depositor
Minimum defocus (nm)	370	Depositor
Maximum defocus (nm)	2550	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	12.466	Depositor
Minimum map value	-8.579	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.325	Depositor
Recommended contour level	1.3	Depositor
Map size ($\text{\AA}$)	309.0, 309.0, 309.0	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	1.03, 1.03, 1.03	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: KJL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	D	1.01	2/1168 (0.2%)	1.42	10/1582 (0.6%)
2	C	0.67	4/1503 (0.3%)	0.96	5/2041 (0.2%)
3	N	0.22	0/406	0.43	0/553
4	M	0.38	0/587	0.46	0/801
5	E	1.03	4/1155 (0.3%)	1.41	7/1571 (0.4%)
5	F	0.94	2/1155 (0.2%)	1.35	7/1571 (0.4%)
5	G	1.03	6/1155 (0.5%)	1.34	6/1571 (0.4%)
5	H	1.10	7/1155 (0.6%)	1.50	7/1571 (0.4%)
5	I	1.07	4/1155 (0.3%)	1.42	11/1571 (0.7%)
5	J	0.98	3/1155 (0.3%)	1.35	8/1571 (0.5%)
5	K	0.94	4/1155 (0.3%)	1.22	5/1571 (0.3%)
5	L	0.91	3/1155 (0.3%)	1.32	17/1571 (1.1%)
6	O	0.14	0/545	0.24	0/747
7	B	0.59	2/2861 (0.1%)	0.91	8/3880 (0.2%)
8	A	0.36	1/6242 (0.0%)	0.55	0/8448
All	All	0.76	42/22552 (0.2%)	1.06	91/30620 (0.3%)

All (42) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	G	96	SER	C-O	-8.73	1.14	1.24
5	I	141	LEU	C-O	-8.69	1.14	1.24
5	G	134	ILE	C-O	-8.26	1.14	1.24
5	K	134	ILE	C-O	-8.10	1.14	1.24
5	E	134	ILE	C-O	-7.99	1.14	1.24
5	I	96	SER	C-O	-7.73	1.14	1.24
5	I	95	LEU	C-O	-7.50	1.15	1.24
5	J	95	LEU	C-O	-7.45	1.14	1.24
5	E	20	ALA	C-O	-7.41	1.15	1.24
2	C	82	THR	C-O	-7.16	1.15	1.24
5	L	95	LEU	C-O	-6.77	1.16	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	H	134	ILE	C-O	-6.74	1.16	1.24
5	L	71	SER	C-O	-6.62	1.16	1.24
5	G	60	ALA	C-O	-6.56	1.15	1.24
5	K	60	ALA	C-O	-6.50	1.15	1.24
5	F	20	ALA	C-O	-6.46	1.16	1.24
5	H	129	MET	C-O	-6.38	1.15	1.24
5	G	20	ALA	C-O	-6.35	1.16	1.24
5	K	150	LEU	C-O	-6.28	1.15	1.24
8	A	735	ARG	C-O	-6.26	1.16	1.24
5	H	131	LEU	C-O	-6.07	1.17	1.24
2	C	162	ALA	C-O	-6.00	1.16	1.24
5	E	137	GLU	C-O	-5.97	1.17	1.24
1	D	16	PRO	C-O	-5.87	1.17	1.24
5	K	67	GLY	C-O	-5.84	1.16	1.23
5	H	20	ALA	C-O	-5.84	1.17	1.24
5	L	142	TYR	C-O	-5.81	1.17	1.24
5	G	137	GLU	C-O	-5.57	1.17	1.24
7	B	18	ARG	C-O	-5.57	1.17	1.24
7	B	311	ALA	C-O	-5.54	1.17	1.24
2	C	112	ILE	C-O	-5.54	1.17	1.24
5	H	67	GLY	C-O	-5.50	1.17	1.24
5	I	98	GLY	C-O	-5.31	1.17	1.23
5	J	71	SER	C-O	-5.31	1.17	1.24
5	H	150	LEU	C-O	-5.30	1.17	1.24
1	D	71	ILE	C-O	-5.26	1.17	1.24
5	J	130	ILE	C-O	-5.25	1.18	1.24
5	G	68	LEU	C-O	-5.16	1.18	1.24
2	C	109	VAL	C-O	-5.09	1.17	1.24
5	H	135	PHE	C-O	-5.05	1.18	1.24
5	E	133	LEU	C-O	-5.02	1.18	1.24
5	F	96	SER	C-O	-5.01	1.18	1.24

All (91) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	F	20	ALA	CA-C-O	-8.35	112.05	120.82
5	H	20	ALA	CA-C-O	-7.94	112.49	120.82
5	E	20	ALA	CA-C-O	-7.75	112.68	120.82
5	L	68	LEU	N-CA-C	-7.65	102.59	112.23
1	D	91	THR	CB-CA-C	7.30	124.28	109.76
5	I	142	TYR	CA-C-O	-7.23	112.89	120.55
1	D	92	LEU	N-CA-C	-7.16	104.02	112.89

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	J	78	LEU	CA-C-N	6.62	128.17	121.35
5	J	78	LEU	C-N-CA	6.62	128.17	121.35
5	G	20	ALA	CA-C-O	-6.62	113.87	120.82
1	D	60	LEU	CA-C-N	6.49	125.52	120.33
1	D	60	LEU	C-N-CA	6.49	125.52	120.33
5	L	23	PHE	CA-CB-CG	6.42	120.22	113.80
5	F	100	SER	CA-C-O	-6.35	113.82	120.55
5	L	78	LEU	CA-C-N	6.25	130.13	121.26
5	L	78	LEU	C-N-CA	6.25	130.13	121.26
5	L	58	ILE	CA-C-O	-6.13	114.15	120.71
5	I	68	LEU	N-CA-C	-6.12	104.89	112.90
5	I	25	SER	N-CA-C	-6.10	104.91	112.90
1	D	122	VAL	CA-C-O	-6.05	114.33	121.05
5	G	137	GLU	O-C-N	-6.03	115.73	122.12
5	J	100	SER	CA-C-O	-5.99	114.20	120.55
5	E	137	GLU	N-CA-C	-5.93	104.90	111.36
7	B	202	GLU	O-C-N	-5.92	113.59	121.64
5	J	22	ILE	CA-C-O	-5.92	114.80	120.95
2	C	112	ILE	CA-C-O	-5.88	114.84	120.95
5	H	67	GLY	CA-C-O	-5.88	113.80	120.09
5	L	71	SER	CA-C-O	-5.86	114.66	120.70
5	E	22	ILE	N-CA-C	-5.86	104.61	111.00
5	J	68	LEU	N-CA-C	-5.86	105.97	113.23
5	E	100	SER	CA-C-O	-5.85	114.35	120.55
5	H	131	LEU	CA-C-O	-5.80	114.40	120.55
5	K	143	GLY	CA-C-O	-5.80	115.08	121.05
5	I	97	VAL	CA-C-O	-5.74	115.30	121.27
5	G	136	ALA	CA-C-N	5.71	127.94	120.28
5	G	136	ALA	C-N-CA	5.71	127.94	120.28
5	L	71	SER	N-CA-C	-5.71	104.97	111.14
2	C	82	THR	CA-C-O	-5.70	114.83	120.70
7	B	181	ARG	CA-C-O	-5.67	114.54	120.55
5	L	17	CYS	N-CA-C	-5.65	105.13	111.28
5	L	111	VAL	CA-C-O	-5.64	114.68	120.71
7	B	304	PHE	CB-CA-C	5.63	119.29	111.63
5	H	134	ILE	CA-C-O	-5.63	115.09	120.95
5	I	66	TYR	CA-C-O	-5.57	114.52	120.42
5	G	134	ILE	CA-C-O	-5.55	115.18	120.95
5	L	51	PHE	N-CA-C	-5.54	106.73	112.93
5	L	15	ILE	CA-C-N	5.50	126.05	120.00
5	L	15	ILE	C-N-CA	5.50	126.05	120.00
5	K	65	ILE	N-CA-C	-5.49	105.17	110.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	B	205	LYS	N-CA-C	-5.49	104.14	112.04
5	H	129	MET	N-CA-C	-5.43	105.39	112.23
5	G	24	THR	CA-C-O	-5.42	114.81	120.55
2	C	80	PHE	CA-CB-CG	5.41	119.21	113.80
5	L	97	VAL	CA-C-O	-5.40	115.33	120.95
1	D	73	GLY	CA-C-O	-5.39	114.37	120.30
2	C	165	ILE	CA-C-O	-5.39	115.35	120.95
5	E	134	ILE	CA-C-O	-5.39	115.14	120.85
7	B	8	ILE	N-CA-C	-5.37	104.38	111.09
5	J	60	ALA	N-CA-C	-5.37	106.58	113.23
5	L	22	ILE	CA-C-O	-5.33	115.40	120.95
5	L	76	TYR	CB-CA-C	5.33	119.95	109.72
5	E	136	ALA	CA-C-N	5.33	127.85	120.29
5	E	136	ALA	C-N-CA	5.33	127.85	120.29
5	I	22	ILE	CA-C-O	-5.31	115.16	121.05
5	I	141	LEU	CA-C-O	-5.31	114.92	120.55
1	D	17	PHE	CA-C-N	5.30	127.82	120.29
1	D	17	PHE	C-N-CA	5.30	127.82	120.29
5	I	96	SER	CA-C-N	5.28	127.41	120.60
5	I	96	SER	C-N-CA	5.28	127.41	120.60
5	H	78	LEU	CA-C-N	5.25	128.71	121.26
5	H	78	LEU	C-N-CA	5.25	128.71	121.26
7	B	303	GLN	CA-C-O	-5.24	115.63	121.81
5	J	142	TYR	CA-C-O	-5.22	115.01	120.55
7	B	301	THR	N-CA-C	-5.22	106.86	113.18
7	B	80	PHE	CA-C-O	-5.21	115.35	120.82
1	D	41	SER	CA-C-N	5.19	126.81	120.22
1	D	41	SER	C-N-CA	5.19	126.81	120.22
5	I	69	VAL	N-CA-C	-5.18	104.61	111.09
5	F	150	LEU	CA-C-O	-5.18	114.49	120.24
2	C	105	ILE	CA-C-O	-5.17	114.67	120.25
5	F	51	PHE	N-CA-C	-5.16	107.01	113.15
5	I	97	VAL	N-CA-CB	5.15	116.23	110.51
5	L	75	CYS	N-CA-C	-5.11	105.79	112.23
5	K	67	GLY	CA-C-O	-5.11	114.68	120.30
5	F	100	SER	CA-C-N	5.10	125.61	120.00
5	F	100	SER	C-N-CA	5.10	125.61	120.00
5	J	20	ALA	CA-C-O	-5.06	115.51	120.82
5	F	18	ALA	CA-C-O	-5.05	115.50	120.70
5	K	135	PHE	CA-C-N	5.02	127.26	120.44
5	K	135	PHE	C-N-CA	5.02	127.26	120.44
5	L	95	LEU	N-CA-C	-5.01	105.90	111.36

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	1145	0	1196	26	0
2	C	1473	0	1540	31	0
3	N	400	0	430	11	0
4	M	570	0	589	9	0
5	E	1137	0	1205	34	0
5	F	1137	0	1205	30	0
5	G	1137	0	1205	27	0
5	H	1137	0	1205	31	0
5	I	1137	0	1205	27	0
5	J	1137	0	1205	30	0
5	K	1137	0	1205	33	0
5	L	1137	0	1205	52	0
6	O	529	0	515	5	0
7	B	2802	0	2689	42	0
8	A	6089	0	6071	86	0
9	D	52	0	0	0	0
9	E	52	0	0	0	0
9	F	52	0	0	0	0
9	G	52	0	0	0	0
9	H	52	0	0	1	0
9	I	52	0	0	0	0
9	J	104	0	0	0	0
All	All	22520	0	22670	370	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (370) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:87:ILE:HG23	5:L:125:LEU:HD21	1.48	0.93

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:23:CYS:HB3	2:C:205:MET:HE2	1.60	0.83
5:L:141:LEU:HD11	8:A:742:ALA:CB	2.10	0.81
2:C:72:VAL:HG13	5:L:139:LEU:HB3	1.65	0.78
5:L:62:ILE:HD11	8:A:788:MET:SD	2.23	0.77
3:N:262:LYS:HD2	3:N:263:LYS:HG3	1.69	0.74
5:L:126:PHE:CE2	5:L:130:ILE:HD11	2.24	0.72
7:B:149:TYR:O	7:B:154:VAL:HG13	1.90	0.71
8:A:116:TYR:OH	8:A:120:ARG:NH1	2.24	0.71
3:N:254:LEU:O	5:K:121:GLN:NE2	2.25	0.70
5:L:152:SER:HB3	8:A:529:LEU:HD23	1.74	0.69
7:B:162:PHE:CE1	7:B:184:LEU:HD21	2.26	0.69
8:A:224:ASP:O	8:A:228:ARG:N	2.25	0.69
8:A:65:VAL:HG21	8:A:111:VAL:HG22	1.74	0.69
8:A:417:PHE:CE2	8:A:421:ILE:HD11	2.27	0.69
5:K:4:LEU:HD23	5:L:7:VAL:HG12	1.74	0.69
7:B:36:CYS:O	7:B:335:ARG:NH2	2.25	0.69
5:L:126:PHE:CZ	5:L:130:ILE:HD11	2.26	0.69
8:A:648:LEU:HG	8:A:719:THR:HG22	1.77	0.67
8:A:754:THR:HG22	8:A:776:MET:HE3	1.76	0.67
3:N:262:LYS:NZ	7:B:81:ASN:OD1	2.27	0.67
5:I:126:PHE:CZ	5:I:130:ILE:HD11	2.29	0.67
8:A:132:GLU:OE2	8:A:288:LEU:HD11	1.94	0.67
5:E:126:PHE:CE2	5:E:130:ILE:HD11	2.29	0.67
1:D:10:TYR:CE1	5:E:81:LYS:HE2	2.29	0.67
4:M:47:MET:SD	8:A:475:THR:HG22	2.35	0.67
4:M:68:ARG:NH2	6:O:44:ASP:O	2.29	0.66
5:K:128:GLY:CA	5:L:50:LEU:HD21	2.27	0.65
5:I:24:THR:HG23	5:I:98:GLY:HA2	1.77	0.65
8:A:529:LEU:HD11	8:A:741:LEU:HD11	1.80	0.64
8:A:648:LEU:O	8:A:715:GLN:NE2	2.31	0.64
5:H:126:PHE:CZ	5:H:130:ILE:HD11	2.33	0.64
5:K:134:ILE:O	5:K:138:VAL:HG23	1.96	0.64
2:C:201:VAL:HG12	2:C:205:MET:HE3	1.80	0.63
5:L:69:VAL:HG13	8:A:749:VAL:HG21	1.81	0.63
8:A:649:LEU:HA	8:A:719:THR:HG21	1.81	0.63
2:C:172:ILE:HD12	7:B:303:GLN:NE2	2.13	0.63
7:B:153:LEU:HD13	7:B:162:PHE:CZ	2.34	0.62
2:C:76:ALA:HB2	5:L:139:LEU:HD13	1.82	0.62
5:L:72:VAL:HG21	8:A:753:MET:HE2	1.83	0.61
2:C:69:GLY:O	2:C:73:VAL:HG23	2.00	0.61
5:H:134:ILE:O	5:H:138:VAL:HG23	2.01	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:A:464:ILE:O	8:A:468:MET:HG3	1.99	0.61
5:L:71:SER:O	5:L:75:CYS:SG	2.59	0.61
1:D:27:MET:SD	2:C:201:VAL:HG21	2.40	0.61
5:G:128:GLY:HA3	5:H:50:LEU:HD11	1.83	0.60
5:L:148:LEU:HD13	8:A:745:GLN:HG3	1.81	0.60
1:D:48:ILE:HG22	1:D:128:MET:SD	2.42	0.60
5:H:33:ALA:O	5:H:37:VAL:HG23	2.02	0.60
5:I:126:PHE:CE2	5:I:130:ILE:HD11	2.37	0.60
7:B:215:GLU:OE2	7:B:218:ARG:NH2	2.35	0.60
5:L:117:ARG:NH1	7:B:86:GLN:OE1	2.30	0.60
8:A:20:TYR:CE2	8:A:336:ILE:HD12	2.37	0.59
8:A:11:SER:OG	8:A:379:THR:HG23	2.03	0.59
5:L:131:LEU:HD21	8:A:798:LEU:HD23	1.84	0.59
5:H:142:TYR:HB3	5:I:21:ILE:HD11	1.85	0.59
2:C:120:VAL:HG22	8:A:609:LEU:HD21	1.85	0.58
5:I:125:LEU:HD13	5:J:43:CYS:HB2	1.85	0.58
5:K:126:PHE:CE2	5:K:130:ILE:HD11	2.38	0.58
5:F:126:PHE:CZ	5:F:130:ILE:HD11	2.38	0.58
7:B:76:LEU:HD13	7:B:316:LYS:HG2	1.86	0.58
8:A:27:ARG:NH2	8:A:102:PRO:O	2.33	0.58
5:K:151:ASN:O	5:K:151:ASN:ND2	2.37	0.57
7:B:41:ASP:OD1	8:A:60:ARG:NH2	2.37	0.57
2:C:61:ASN:OD1	5:L:89:ILE:HD13	2.05	0.57
2:C:87:ILE:HG21	5:L:114:ALA:C	2.30	0.57
5:G:151:ASN:ND2	5:G:151:ASN:O	2.37	0.57
5:I:151:ASN:ND2	5:I:151:ASN:O	2.37	0.57
8:A:391:GLN:OE1	8:A:406:ASN:ND2	2.35	0.57
5:J:151:ASN:O	5:J:151:ASN:ND2	2.37	0.57
5:F:151:ASN:O	5:F:151:ASN:ND2	2.37	0.57
5:L:141:LEU:HD11	8:A:742:ALA:HB2	1.88	0.56
2:C:72:VAL:HG11	5:L:100:SER:HA	1.86	0.56
5:J:125:LEU:HD13	5:K:43:CYS:HB2	1.88	0.56
5:L:151:ASN:ND2	5:L:151:ASN:O	2.37	0.56
5:E:125:LEU:HD13	5:F:43:CYS:HB2	1.88	0.56
7:B:145:LEU:HD12	7:B:180:ILE:HD13	1.88	0.56
5:E:151:ASN:O	5:E:151:ASN:ND2	2.37	0.55
5:H:151:ASN:O	5:H:151:ASN:ND2	2.37	0.55
1:D:136:GLY:HA3	5:E:50:LEU:HD21	1.88	0.55
8:A:38:LEU:O	8:A:817:TYR:OH	2.24	0.55
2:C:76:ALA:HB2	5:L:139:LEU:CD1	2.37	0.55
7:B:17:VAL:HG21	7:B:309:VAL:HG22	1.88	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:L:121:GLN:NE2	7:B:82:TYR:CZ	2.74	0.55
5:H:126:PHE:CE2	5:H:130:ILE:HD11	2.42	0.55
5:K:128:GLY:HA3	5:L:50:LEU:HD21	1.88	0.54
5:L:30:TYR:CD2	5:L:106:PHE:HA	2.42	0.54
5:J:126:PHE:CE2	5:J:130:ILE:HD11	2.43	0.54
8:A:715:GLN:O	8:A:719:THR:HG23	2.08	0.54
5:G:126:PHE:CZ	5:G:130:ILE:HD11	2.43	0.53
1:D:122:VAL:HG11	5:E:37:VAL:HA	1.91	0.53
2:C:74:GLY:HA3	2:C:157:LEU:HA	1.90	0.53
4:M:50:ILE:HG23	8:A:594:TRP:CH2	2.44	0.53
5:G:150:LEU:HG	5:H:75:CYS:SG	2.49	0.53
5:J:17:CYS:SG	5:J:71:SER:O	2.66	0.53
5:J:128:GLY:HA3	5:K:50:LEU:HD21	1.90	0.53
8:A:419:PHE:CZ	8:A:432:MET:HE1	2.44	0.53
5:H:17:CYS:SG	5:H:71:SER:O	2.67	0.52
8:A:414:THR:HG21	8:A:547:HIS:CD2	2.44	0.52
5:I:128:GLY:CA	5:J:50:LEU:HD21	2.38	0.52
5:K:126:PHE:CZ	5:K:130:ILE:HD11	2.44	0.52
7:B:76:LEU:HD13	7:B:316:LYS:CG	2.39	0.52
5:G:40:CYS:O	5:G:44:VAL:HG23	2.10	0.52
5:J:40:CYS:O	5:J:44:VAL:HG23	2.10	0.52
5:J:150:LEU:HG	5:K:75:CYS:SG	2.49	0.52
5:F:99:LEU:HB2	5:G:22:ILE:HG12	1.92	0.52
5:J:4:LEU:HD23	5:K:7:VAL:HG12	1.92	0.52
8:A:20:TYR:HE2	8:A:336:ILE:HG23	1.75	0.52
5:E:126:PHE:CZ	5:E:130:ILE:HD11	2.44	0.52
5:H:66:TYR:CD1	5:H:144:LEU:HD22	2.45	0.52
5:L:40:CYS:O	5:L:44:VAL:HG23	2.10	0.52
5:K:40:CYS:O	5:K:44:VAL:HG23	2.10	0.52
2:C:96:ILE:HB	2:C:100:ASN:OD1	2.10	0.51
4:M:43:MET:HE2	8:A:417:PHE:CD2	2.45	0.51
5:G:129:MET:HE3	5:G:133:LEU:HD12	1.92	0.51
8:A:742:ALA:O	8:A:746:LEU:HD13	2.10	0.51
5:E:40:CYS:O	5:E:44:VAL:HG23	2.10	0.51
5:H:62:ILE:HA	5:H:65:ILE:HD12	1.92	0.51
5:I:99:LEU:HB2	5:J:22:ILE:HG12	1.92	0.51
5:I:128:GLY:HA3	5:J:50:LEU:HD21	1.92	0.51
2:C:86:MET:HE3	2:C:100:ASN:HB2	1.92	0.51
5:E:33:ALA:O	5:E:37:VAL:HG23	2.11	0.51
8:A:121:LEU:HD11	8:A:302:ILE:CD1	2.40	0.51
8:A:647:TRP:CD1	8:A:651:VAL:HG21	2.45	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:F:33:ALA:O	5:F:37:VAL:HG23	2.11	0.51
5:L:24:THR:HG23	5:L:98:GLY:HA2	1.93	0.51
5:E:66:TYR:CD1	5:E:144:LEU:HD22	2.46	0.51
5:I:33:ALA:O	5:I:37:VAL:HG23	2.11	0.51
8:A:33:LEU:HD13	8:A:41:PHE:HZ	1.76	0.51
5:F:40:CYS:O	5:F:44:VAL:HG23	2.10	0.51
5:K:33:ALA:O	5:K:37:VAL:HG23	2.11	0.51
5:L:121:GLN:NE2	7:B:82:TYR:OH	2.44	0.51
1:D:112:SER:OG	1:D:148:GLY:N	2.43	0.50
5:L:59:MET:SD	5:L:133:LEU:HB3	2.51	0.50
2:C:201:VAL:CG1	2:C:205:MET:HE3	2.39	0.50
5:J:33:ALA:O	5:J:37:VAL:HG23	2.11	0.50
4:M:21:PHE:O	4:M:25:ALA:N	2.45	0.50
5:G:33:ALA:O	5:G:37:VAL:HG23	2.11	0.50
5:K:128:GLY:HA2	5:L:50:LEU:HD21	1.92	0.50
5:J:24:THR:HG23	5:J:98:GLY:HA2	1.92	0.50
5:L:33:ALA:O	5:L:37:VAL:HG23	2.11	0.50
8:A:393:ILE:HG23	8:A:798:LEU:CD1	2.42	0.50
8:A:482:ILE:HG23	8:A:482:ILE:O	2.12	0.50
5:E:99:LEU:HB2	5:F:22:ILE:HG12	1.94	0.50
5:G:17:CYS:SG	5:G:71:SER:O	2.70	0.50
5:G:24:THR:HG23	5:G:98:GLY:HA2	1.93	0.50
5:H:40:CYS:O	5:H:44:VAL:HG23	2.10	0.50
8:A:204:TRP:O	8:A:208:ARG:N	2.45	0.50
8:A:411:THR:HG23	8:A:415:PHE:HB2	1.93	0.50
5:L:95:LEU:O	5:L:99:LEU:HD23	2.12	0.50
5:E:128:GLY:CA	5:F:50:LEU:HD21	2.42	0.49
5:L:65:ILE:O	5:L:69:VAL:HG23	2.12	0.49
8:A:45:ASN:ND2	8:A:326:SER:O	2.45	0.49
2:C:151:THR:OG1	2:C:205:MET:HE1	2.12	0.49
8:A:745:GLN:O	8:A:749:VAL:HG23	2.12	0.49
3:N:251:TYR:O	3:N:254:LEU:N	2.35	0.49
5:J:128:GLY:CA	5:K:50:LEU:HD21	2.42	0.49
5:K:17:CYS:SG	5:K:71:SER:O	2.71	0.49
8:A:419:PHE:CE1	8:A:432:MET:HE1	2.47	0.49
5:H:128:GLY:HA3	5:I:50:LEU:HD11	1.95	0.49
5:E:150:LEU:HG	5:F:75:CYS:SG	2.53	0.49
5:F:17:CYS:SG	5:F:71:SER:O	2.71	0.49
5:G:126:PHE:CE2	5:G:130:ILE:HD11	2.47	0.49
5:H:138:VAL:HG12	5:H:138:VAL:O	2.13	0.49
7:B:167:ASP:OD1	7:B:168:THR:N	2.46	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:A:369:GLN:NE2	8:A:370:VAL:O	2.46	0.49
7:B:164:ASN:OD1	7:B:183:LYS:NZ	2.31	0.48
7:B:65:THR:HG23	7:B:327:ALA:HB3	1.95	0.48
5:K:2:THR:HG22	5:K:3:GLU:N	2.29	0.48
5:E:2:THR:HG22	5:E:3:GLU:N	2.29	0.48
5:I:62:ILE:HA	5:I:65:ILE:HD12	1.95	0.48
1:D:27:MET:HE2	1:D:31:CYS:SG	2.54	0.48
5:F:2:THR:HG22	5:F:3:GLU:N	2.29	0.48
8:A:419:PHE:CD1	8:A:468:MET:HB3	2.48	0.48
5:I:2:THR:HG22	5:I:3:GLU:N	2.29	0.48
1:D:10:TYR:HB3	5:E:80:GLN:NE2	2.28	0.48
5:H:2:THR:HG22	5:H:3:GLU:N	2.29	0.48
5:I:150:LEU:HG	5:J:75:CYS:SG	2.54	0.48
5:J:2:THR:HG22	5:J:3:GLU:N	2.29	0.48
5:F:20:ALA:HB3	5:F:71:SER:OG	2.14	0.48
5:L:145:ILE:CD1	8:A:738:ALA:HB1	2.44	0.48
1:D:92:LEU:HG	1:D:96:PHE:CE2	2.49	0.47
4:M:39:LEU:O	4:M:43:MET:HG3	2.14	0.47
5:G:2:THR:HG22	5:G:3:GLU:N	2.29	0.47
5:E:121:GLN:HB3	7:B:273:TYR:CE2	2.50	0.47
7:B:21:ARG:HG2	7:B:24:LEU:HD12	1.96	0.47
8:A:136:ASN:ND2	8:A:223:TYR:O	2.48	0.47
1:D:133:LEU:HD12	5:E:50:LEU:CD1	2.44	0.47
5:E:128:GLY:HA3	5:F:50:LEU:HD11	1.95	0.47
5:F:128:GLY:CA	5:G:50:LEU:HD21	2.45	0.47
8:A:422:MET:HG3	8:A:736:LEU:HD23	1.95	0.47
5:L:2:THR:HG22	5:L:3:GLU:N	2.29	0.47
8:A:749:VAL:CG1	8:A:753:MET:HE3	2.45	0.47
5:I:17:CYS:SG	5:I:71:SER:O	2.72	0.47
8:A:552:TYR:O	8:A:555:SER:OG	2.30	0.47
1:D:51:PHE:CE1	7:B:21:ARG:NH2	2.83	0.47
5:F:24:THR:HG23	5:F:98:GLY:HA2	1.97	0.47
5:F:150:LEU:HG	5:G:75:CYS:SG	2.55	0.47
8:A:20:TYR:CE2	8:A:336:ILE:HG23	2.49	0.47
2:C:132:ASN:O	2:C:138:ASN:ND2	2.47	0.46
5:E:75:CYS:HA	5:E:78:LEU:HD12	1.98	0.46
2:C:117:ILE:CG1	2:C:199:LEU:HD12	2.45	0.46
5:H:30:TYR:CZ	5:H:34:LYS:HD2	2.50	0.46
5:J:126:PHE:CZ	5:J:130:ILE:HD11	2.51	0.46
5:F:66:TYR:CD1	5:F:144:LEU:HD22	2.51	0.46
8:A:128:THR:O	8:A:132:GLU:HG2	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:E:24:THR:HG23	5:E:98:GLY:HA2	1.97	0.46
5:F:126:PHE:CE2	5:F:130:ILE:HD11	2.50	0.46
5:H:24:THR:HG23	5:H:98:GLY:HA2	1.97	0.46
5:J:99:LEU:HB2	5:K:22:ILE:HG12	1.96	0.46
5:G:62:ILE:HA	5:G:65:ILE:HD12	1.97	0.46
5:G:99:LEU:HB2	5:H:22:ILE:HG12	1.97	0.46
8:A:33:LEU:HD13	8:A:41:PHE:CZ	2.51	0.46
5:G:125:LEU:HD13	5:H:43:CYS:HB2	1.98	0.46
7:B:111:ILE:HG22	7:B:177:ILE:HD11	1.98	0.46
1:D:103:LEU:HB3	5:E:22:ILE:HD11	1.98	0.45
5:L:134:ILE:HD11	8:A:792:SER:HA	1.98	0.45
5:L:32:THR:HG23	5:L:57:VAL:HG13	1.98	0.45
8:A:145:LEU:O	8:A:270:ARG:NH1	2.50	0.45
6:O:17:SER:O	6:O:21:VAL:HG23	2.16	0.45
5:F:156:GLN:O	5:F:158:VAL:HG23	2.17	0.45
5:H:99:LEU:HB2	5:I:22:ILE:HG12	1.97	0.45
5:I:74:VAL:HG13	5:I:90:GLN:HB3	1.99	0.45
6:O:20:GLY:HA2	8:A:774:PHE:CZ	2.51	0.45
5:F:32:THR:HG23	5:F:57:VAL:HG13	1.99	0.45
5:H:156:GLN:O	5:H:158:VAL:HG23	2.17	0.45
5:J:156:GLN:O	5:J:158:VAL:HG23	2.17	0.45
8:A:409:LEU:HB3	8:A:410:PRO:HD3	1.98	0.45
7:B:65:THR:HG21	7:B:328:GLU:HG3	1.99	0.45
3:N:251:TYR:O	3:N:255:GLU:OE1	2.35	0.45
5:G:156:GLN:O	5:G:158:VAL:HG23	2.17	0.45
8:A:42:ARG:NH1	8:A:338:GLU:OE1	2.50	0.45
8:A:193:ARG:O	8:A:196:VAL:HG12	2.17	0.45
1:D:29:LEU:HB2	1:D:106:GLY:HA3	1.99	0.44
2:C:57:TYR:OH	2:C:128:ALA:N	2.37	0.44
5:E:156:GLN:O	5:E:158:VAL:HG23	2.17	0.44
5:K:156:GLN:O	5:K:158:VAL:HG23	2.17	0.44
5:I:156:GLN:O	5:I:158:VAL:HG23	2.17	0.44
7:B:136:LEU:N	7:B:137:PRO:HD2	2.32	0.44
5:E:71:SER:O	5:E:75:CYS:SG	2.75	0.44
1:D:48:ILE:HG21	1:D:124:VAL:O	2.18	0.44
7:B:103:MET:O	7:B:107:VAL:HG23	2.17	0.44
5:F:125:LEU:HD13	5:G:43:CYS:HB2	1.99	0.44
5:K:99:LEU:HB3	5:L:22:ILE:HG23	1.99	0.44
7:B:118:ARG:HE	7:B:126:ARG:HH22	1.64	0.44
1:D:45:ILE:CG2	1:D:56:ILE:HG23	2.47	0.44
1:D:48:ILE:HD13	1:D:124:VAL:HG13	2.00	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:N:215:LEU:HD21	3:N:224:LEU:HD12	1.98	0.44
5:H:138:VAL:HG22	9:H:201:KJL:C46	2.48	0.44
8:A:132:GLU:CD	8:A:288:LEU:HD11	2.41	0.44
8:A:120:ARG:O	8:A:123:GLN:HG3	2.18	0.44
1:D:69:LEU:HD11	1:D:116:ILE:HD12	1.99	0.44
2:C:87:ILE:HG21	5:L:114:ALA:O	2.17	0.43
5:H:150:LEU:HG	5:I:75:CYS:SG	2.58	0.43
2:C:120:VAL:HG22	8:A:609:LEU:CD2	2.46	0.43
5:E:128:GLY:HA3	5:F:50:LEU:HD21	1.99	0.43
5:L:52:LYS:NZ	8:A:453:GLU:CD	2.76	0.43
5:L:62:ILE:HA	5:L:65:ILE:HD12	2.00	0.43
7:B:135:THR:HG22	8:A:202:ILE:HD11	1.99	0.43
8:A:217:GLU:HA	8:A:234:ASN:OD1	2.19	0.43
8:A:20:TYR:CD2	8:A:336:ILE:HD12	2.52	0.43
8:A:652:LYS:HB3	8:A:653:PRO:HD3	2.00	0.43
4:M:67:LEU:HD23	6:O:40:GLY:O	2.19	0.43
5:K:11:PHE:O	5:K:15:ILE:HG12	2.19	0.43
8:A:522:TRP:HA	8:A:525:THR:HG21	2.01	0.43
2:C:113:TYR:HB3	2:C:199:LEU:HD13	2.00	0.43
2:C:165:ILE:HG21	7:B:1:MET:HE1	2.00	0.43
5:K:88:PHE:CE2	5:L:11:PHE:HB2	2.54	0.43
2:C:172:ILE:HD12	7:B:303:GLN:CD	2.44	0.43
5:F:155:THR:O	5:F:155:THR:HG22	2.19	0.43
5:H:30:TYR:CE2	5:H:34:LYS:HD3	2.53	0.43
5:J:62:ILE:HA	5:J:65:ILE:HD12	2.01	0.43
5:K:85:TYR:HD1	5:L:10:PRO:HB3	1.84	0.43
5:I:155:THR:O	5:I:155:THR:HG22	2.19	0.43
5:J:30:TYR:CZ	5:J:34:LYS:HD2	2.54	0.43
5:G:30:TYR:CZ	5:G:34:LYS:HD2	2.54	0.42
2:C:110:VAL:HG23	2:C:111:ALA:N	2.34	0.42
8:A:36:LEU:HD11	8:A:352:ARG:HG3	2.01	0.42
8:A:583:PHE:HZ	8:A:727:VAL:HG22	1.83	0.42
8:A:729:HIS:CG	8:A:804:GLU:HG3	2.54	0.42
5:E:129:MET:HE3	5:E:133:LEU:HD12	2.01	0.42
5:E:155:THR:O	5:E:155:THR:HG22	2.19	0.42
5:J:151:ASN:C	5:J:151:ASN:HD22	2.23	0.42
6:O:42:ILE:HG22	8:A:502:LYS:HE3	2.01	0.42
5:F:38:GLY:O	5:F:42:THR:HG23	2.19	0.42
5:F:99:LEU:CB	5:G:22:ILE:HG12	2.49	0.42
5:K:38:GLY:O	5:K:42:THR:HG23	2.19	0.42
5:L:30:TYR:CZ	5:L:34:LYS:HD2	2.54	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:15:ALA:N	1:D:16:PRO:CD	2.82	0.42
1:D:68:ILE:HA	1:D:71:ILE:HD12	2.00	0.42
5:F:30:TYR:CZ	5:F:34:LYS:HD2	2.54	0.42
5:I:30:TYR:CZ	5:I:34:LYS:HD2	2.54	0.42
7:B:44:LEU:HD23	8:A:51:PHE:HA	2.00	0.42
4:M:64:ARG:HD2	8:A:525:THR:HG22	2.01	0.42
5:G:38:GLY:O	5:G:42:THR:HG23	2.19	0.42
5:K:30:TYR:CZ	5:K:34:LYS:HD2	2.54	0.42
5:K:155:THR:O	5:K:155:THR:HG22	2.19	0.42
7:B:149:TYR:CZ	7:B:154:VAL:HG12	2.55	0.42
5:H:155:THR:O	5:H:155:THR:HG22	2.19	0.42
5:I:141:LEU:O	5:I:145:ILE:HG13	2.19	0.42
5:K:42:THR:HG21	5:K:116:VAL:O	2.20	0.42
5:L:38:GLY:O	5:L:42:THR:HG23	2.19	0.42
2:C:116:ILE:O	2:C:120:VAL:HG23	2.20	0.42
5:E:38:GLY:O	5:E:42:THR:HG23	2.19	0.42
5:G:56:PRO:HG3	5:G:133:LEU:HD11	2.01	0.42
7:B:211:LEU:HD13	7:B:310:TRP:CD1	2.55	0.42
1:D:57:MET:HE2	8:A:713:ILE:HG21	2.02	0.42
5:G:42:THR:HG21	5:G:116:VAL:O	2.20	0.42
5:J:38:GLY:O	5:J:42:THR:HG23	2.19	0.42
5:L:42:THR:HG21	5:L:116:VAL:O	2.20	0.42
5:L:155:THR:O	5:L:155:THR:HG22	2.19	0.42
7:B:138:THR:O	7:B:141:VAL:HG22	2.20	0.42
5:H:56:PRO:HG3	5:H:133:LEU:HD11	2.02	0.42
5:F:42:THR:HG21	5:F:116:VAL:O	2.20	0.41
5:F:65:ILE:O	5:F:69:VAL:HG23	2.20	0.41
5:H:42:THR:HG21	5:H:116:VAL:O	2.20	0.41
5:K:16:GLY:O	5:K:17:CYS:C	2.63	0.41
5:E:42:THR:HG21	5:E:116:VAL:O	2.20	0.41
5:L:58:ILE:O	5:L:62:ILE:HG13	2.20	0.41
1:D:154:VAL:HG23	5:E:68:LEU:HD12	2.01	0.41
3:N:254:LEU:HD13	5:K:114:ALA:HA	2.01	0.41
5:H:38:GLY:O	5:H:42:THR:HG23	2.19	0.41
5:K:50:LEU:C	5:K:52:LYS:H	2.28	0.41
7:B:77:TYR:CD1	7:B:129:PRO:HG2	2.55	0.41
3:N:262:LYS:HE3	7:B:129:PRO:HB2	2.02	0.41
5:E:30:TYR:CZ	5:E:34:LYS:HD2	2.54	0.41
5:G:155:THR:HG22	5:G:155:THR:O	2.19	0.41
5:I:42:THR:HG21	5:I:116:VAL:O	2.20	0.41
8:A:409:LEU:HA	8:A:412:ILE:HD12	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:A:649:LEU:CA	8:A:719:THR:HG21	2.50	0.41
8:A:115:SER:O	8:A:119:GLU:OE1	2.39	0.41
2:C:172:ILE:HD13	7:B:18:ARG:HD2	2.03	0.41
5:H:30:TYR:CE2	5:H:34:LYS:CD	3.03	0.41
5:I:38:GLY:O	5:I:42:THR:HG23	2.20	0.41
5:J:65:ILE:O	5:J:69:VAL:HG23	2.21	0.41
5:J:155:THR:O	5:J:155:THR:HG22	2.19	0.41
7:B:53:ASN:HD22	7:B:53:ASN:C	2.27	0.41
7:B:341:TYR:O	7:B:342:ILE:C	2.63	0.41
2:C:92:ARG:NE	7:B:50:ASP:OD2	2.49	0.41
3:N:247:LEU:HD21	5:L:30:TYR:CE1	2.55	0.41
3:N:250:THR:HG21	7:B:86:GLN:HA	2.02	0.41
5:I:65:ILE:O	5:I:69:VAL:HG23	2.21	0.41
5:J:42:THR:HG21	5:J:116:VAL:O	2.20	0.41
2:C:68:VAL:HG21	5:L:146:VAL:HG21	2.03	0.41
4:M:50:ILE:HG21	8:A:539:LEU:HB2	2.01	0.41
5:K:112:GLY:O	5:K:116:VAL:HG22	2.21	0.41
8:A:332:ARG:HG3	8:A:333:LYS:H	1.86	0.41
8:A:739:LEU:HD21	8:A:796:HIS:CD2	2.56	0.41
8:A:759:PHE:O	8:A:762:ARG:NH1	2.54	0.41
5:H:112:GLY:O	5:H:116:VAL:HG22	2.21	0.41
5:I:112:GLY:O	5:I:116:VAL:HG22	2.21	0.41
5:I:128:GLY:HA2	5:J:50:LEU:HD21	2.03	0.41
8:A:72:PHE:O	8:A:76:LEU:HD13	2.21	0.41
1:D:158:LEU:HD21	5:E:75:CYS:SG	2.61	0.40
3:N:261:ILE:HD11	7:B:124:LEU:HG	2.03	0.40
5:J:95:LEU:O	5:J:99:LEU:HD23	2.21	0.40
5:J:112:GLY:O	5:J:116:VAL:HG22	2.22	0.40
5:L:112:GLY:O	5:L:116:VAL:HG22	2.21	0.40
8:A:79:HIS:O	8:A:81:ILE:N	2.54	0.40
1:D:74:LEU:O	1:D:78:VAL:HG23	2.21	0.40
1:D:137:ILE:CD1	5:E:40:CYS:SG	3.09	0.40
5:E:112:GLY:O	5:E:116:VAL:HG22	2.21	0.40
5:E:128:GLY:HA2	5:F:50:LEU:HD21	2.02	0.40
7:B:263:GLU:HA	7:B:263:GLU:OE2	2.21	0.40
1:D:124:VAL:HA	1:D:127:TYR:CE2	2.56	0.40
5:F:112:GLY:O	5:F:116:VAL:HG22	2.21	0.40
5:G:99:LEU:CB	5:H:22:ILE:HG12	2.52	0.40
5:K:89:ILE:CG2	5:K:150:LEU:O	2.70	0.40
5:L:58:ILE:HG23	8:A:788:MET:SD	2.61	0.40
5:G:112:GLY:O	5:G:116:VAL:HG22	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	156/164 (95%)	154 (99%)	2 (1%)	0	100	100
2	C	196/213 (92%)	195 (100%)	1 (0%)	0	100	100
3	N	50/265 (19%)	50 (100%)	0	0	100	100
4	M	69/73 (94%)	68 (99%)	1 (1%)	0	100	100
5	E	157/160 (98%)	155 (99%)	2 (1%)	0	100	100
5	F	157/160 (98%)	157 (100%)	0	0	100	100
5	G	157/160 (98%)	155 (99%)	2 (1%)	0	100	100
5	H	157/160 (98%)	157 (100%)	0	0	100	100
5	I	157/160 (98%)	156 (99%)	0	1 (1%)	21	51
5	J	157/160 (98%)	157 (100%)	0	0	100	100
5	K	157/160 (98%)	155 (99%)	2 (1%)	0	100	100
5	L	157/160 (98%)	156 (99%)	1 (1%)	0	100	100
6	O	67/85 (79%)	65 (97%)	2 (3%)	0	100	100
7	B	343/345 (99%)	335 (98%)	7 (2%)	1 (0%)	36	66
8	A	744/840 (89%)	727 (98%)	17 (2%)	0	100	100
All	All	2881/3265 (88%)	2842 (99%)	37 (1%)	2 (0%)	49	77

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
7	B	342	ILE
5	I	96	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	119/125 (95%)	117 (98%)	2 (2%)	53	83
2	C	154/168 (92%)	149 (97%)	5 (3%)	34	70
3	N	46/244 (19%)	46 (100%)	0	100	100
4	M	63/65 (97%)	63 (100%)	0	100	100
5	E	117/119 (98%)	116 (99%)	1 (1%)	70	89
5	F	117/119 (98%)	114 (97%)	3 (3%)	40	75
5	G	117/119 (98%)	115 (98%)	2 (2%)	53	83
5	H	117/119 (98%)	115 (98%)	2 (2%)	53	83
5	I	117/119 (98%)	115 (98%)	2 (2%)	53	83
5	J	117/119 (98%)	114 (97%)	3 (3%)	40	75
5	K	117/119 (98%)	115 (98%)	2 (2%)	53	83
5	L	117/119 (98%)	114 (97%)	3 (3%)	40	75
6	O	57/72 (79%)	57 (100%)	0	100	100
7	B	309/309 (100%)	304 (98%)	5 (2%)	55	83
8	A	658/728 (90%)	656 (100%)	2 (0%)	86	95
All	All	2342/2663 (88%)	2310 (99%)	32 (1%)	57	85

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	40	LYS
1	D	89	ASP
2	C	80	PHE
2	C	101	LEU
2	C	105	ILE
2	C	108	GLU
2	C	210	SER
5	E	138	VAL
5	F	59	MET
5	F	78	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	F	131	LEU
5	G	59	MET
5	G	138	VAL
5	H	54	ILE
5	H	131	LEU
5	I	17	CYS
5	I	54	ILE
5	J	59	MET
5	J	131	LEU
5	J	137	GLU
5	K	99	LEU
5	K	138	VAL
5	L	77	SER
5	L	134	ILE
5	L	138	VAL
7	B	2	GLU
7	B	53	ASN
7	B	105	ASP
7	B	185	TYR
7	B	302	GLN
8	A	316	GLU
8	A	732	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	83	ASN
1	D	129	HIS
2	C	41	HIS
5	I	53	ASN
5	K	122	GLN
7	B	302	GLN
7	B	332	GLN
7	B	339	ASN
8	A	18	GLN
8	A	52	GLN
8	A	259	ASN
8	A	327	ASN
8	A	369	GLN
8	A	375	HIS
8	A	499	HIS
8	A	655	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
8	A	796	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
9	KJL	J	202	-	51,53,53	3.71	21 (41%)	54,72,72	2.31	19 (35%)
9	KJL	G	201	-	51,53,53	3.78	21 (41%)	54,72,72	2.83	20 (37%)
9	KJL	D	201	-	51,53,53	3.83	23 (45%)	54,72,72	2.68	21 (38%)
9	KJL	I	201	-	51,53,53	4.27	21 (41%)	54,72,72	3.10	26 (48%)
9	KJL	F	201	-	51,53,53	4.31	21 (41%)	54,72,72	3.33	22 (40%)
9	KJL	J	201	-	51,53,53	4.31	22 (43%)	54,72,72	3.14	23 (42%)
9	KJL	E	201	-	51,53,53	3.74	20 (39%)	54,72,72	2.79	20 (37%)
9	KJL	H	201	-	51,53,53	3.77	23 (45%)	54,72,72	3.34	22 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	KJL	J	202	-	-	18/75/76/76	0/1/2/2
9	KJL	G	201	-	-	22/75/76/76	0/1/2/2
9	KJL	D	201	-	-	19/75/76/76	0/1/2/2
9	KJL	I	201	-	-	25/75/76/76	0/1/2/2
9	KJL	F	201	-	-	16/75/76/76	0/1/2/2
9	KJL	J	201	-	-	24/75/76/76	0/1/2/2
9	KJL	E	201	-	-	21/75/76/76	0/1/2/2
9	KJL	H	201	-	-	19/75/76/76	0/1/2/2

All (172) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	J	201	KJL	C38-N40	22.14	1.47	1.32
9	I	201	KJL	C38-N40	22.05	1.47	1.32
9	F	201	KJL	C38-N40	22.03	1.47	1.32
9	D	201	KJL	C38-N40	17.84	1.45	1.32
9	J	202	KJL	C38-N40	17.32	1.44	1.32
9	G	201	KJL	C38-N40	17.16	1.44	1.32
9	E	201	KJL	C38-N40	17.07	1.44	1.32
9	H	201	KJL	C38-N40	17.06	1.44	1.32
9	J	201	KJL	C26-C27	9.29	1.61	1.50
9	F	201	KJL	C26-C27	9.27	1.61	1.50
9	H	201	KJL	C26-C27	8.73	1.61	1.50
9	G	201	KJL	C26-C27	8.71	1.61	1.50
9	E	201	KJL	C26-C27	8.58	1.60	1.50
9	I	201	KJL	C26-C27	8.54	1.60	1.50
9	D	201	KJL	C26-C27	8.21	1.60	1.50
9	J	202	KJL	C26-C27	8.18	1.60	1.50
9	J	202	KJL	C28-C27	6.49	1.43	1.35
9	J	201	KJL	C27-N31	6.40	1.49	1.38
9	G	201	KJL	C28-C27	6.32	1.43	1.35
9	E	201	KJL	C28-C27	6.20	1.43	1.35
9	D	201	KJL	C28-C27	5.99	1.42	1.35
9	I	201	KJL	C27-N31	5.96	1.48	1.38
9	H	201	KJL	C28-C27	5.96	1.42	1.35
9	F	201	KJL	C27-N31	5.86	1.48	1.38
9	G	201	KJL	C27-N31	5.79	1.48	1.38
9	J	201	KJL	C30-N31	5.73	1.42	1.30
9	H	201	KJL	C27-N31	5.67	1.48	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	F	201	KJL	C30-N31	5.65	1.42	1.30
9	F	201	KJL	C30-S29	-5.61	1.61	1.73
9	D	201	KJL	C13-C14	5.57	1.56	1.45
9	F	201	KJL	C28-C27	5.56	1.42	1.35
9	I	201	KJL	C13-C14	5.53	1.56	1.45
9	G	201	KJL	C13-C14	5.53	1.56	1.45
9	D	201	KJL	C27-N31	5.52	1.48	1.38
9	I	201	KJL	C30-N31	5.51	1.42	1.30
9	E	201	KJL	C13-C14	5.45	1.56	1.45
9	D	201	KJL	C30-S29	-5.43	1.62	1.73
9	H	201	KJL	C30-N31	5.41	1.42	1.30
9	J	202	KJL	C13-C14	5.40	1.56	1.45
9	J	202	KJL	C30-S29	-5.40	1.62	1.73
9	H	201	KJL	C13-C14	5.39	1.56	1.45
9	F	201	KJL	C13-C14	5.37	1.56	1.45
9	E	201	KJL	C27-N31	5.36	1.47	1.38
9	J	201	KJL	C13-C14	5.36	1.56	1.45
9	J	201	KJL	C30-S29	-5.35	1.62	1.73
9	E	201	KJL	C30-S29	-5.34	1.62	1.73
9	J	201	KJL	C28-C27	5.30	1.42	1.35
9	I	201	KJL	C30-S29	-5.25	1.62	1.73
9	G	201	KJL	C30-N31	5.23	1.41	1.30
9	I	201	KJL	C28-C27	5.18	1.41	1.35
9	D	201	KJL	C30-N31	5.14	1.41	1.30
9	E	201	KJL	C30-N31	5.13	1.41	1.30
9	F	201	KJL	O37-C38	5.12	1.44	1.35
9	G	201	KJL	C30-S29	-4.83	1.63	1.73
9	J	202	KJL	C27-N31	4.77	1.46	1.38
9	H	201	KJL	C30-S29	-4.75	1.63	1.73
9	J	202	KJL	C30-N31	4.67	1.40	1.30
9	I	201	KJL	C28-S29	-4.64	1.60	1.71
9	I	201	KJL	O37-C38	4.62	1.43	1.35
9	G	201	KJL	C11-C12	4.62	1.55	1.46
9	H	201	KJL	C11-C12	4.59	1.55	1.46
9	F	201	KJL	C11-C12	4.46	1.55	1.46
9	J	201	KJL	O37-C38	4.45	1.43	1.35
9	J	201	KJL	C28-S29	-4.44	1.61	1.71
9	D	201	KJL	C11-C12	4.44	1.55	1.46
9	I	201	KJL	C11-C12	4.39	1.55	1.46
9	J	202	KJL	C11-C12	4.39	1.55	1.46
9	E	201	KJL	C11-C12	4.35	1.55	1.46
9	J	201	KJL	C04-C05	4.32	1.56	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	E	201	KJL	C04-C05	4.30	1.56	1.43
9	J	201	KJL	O25-C23	4.30	1.43	1.34
9	G	201	KJL	C04-C05	4.27	1.56	1.43
9	D	201	KJL	C04-C05	4.26	1.56	1.43
9	H	201	KJL	C04-C05	4.26	1.56	1.43
9	J	201	KJL	C11-C12	4.25	1.55	1.46
9	I	201	KJL	C04-C05	4.25	1.56	1.43
9	E	201	KJL	O25-C23	4.23	1.43	1.34
9	F	201	KJL	O25-C23	4.21	1.43	1.34
9	D	201	KJL	C28-S29	-4.21	1.61	1.71
9	F	201	KJL	C04-C05	4.19	1.56	1.43
9	J	202	KJL	O25-C23	4.18	1.43	1.34
9	G	201	KJL	C28-S29	-4.17	1.61	1.71
9	H	201	KJL	O25-C23	4.16	1.43	1.34
9	J	202	KJL	C04-C05	4.11	1.55	1.43
9	I	201	KJL	O25-C23	4.10	1.43	1.34
9	H	201	KJL	C28-S29	-4.10	1.61	1.71
9	D	201	KJL	O25-C23	4.08	1.43	1.34
9	E	201	KJL	C28-S29	-4.06	1.61	1.71
9	J	202	KJL	C28-S29	-3.94	1.62	1.71
9	G	201	KJL	O25-C23	3.93	1.43	1.34
9	F	201	KJL	C28-S29	-3.92	1.62	1.71
9	D	201	KJL	C07-C06	3.87	1.58	1.51
9	H	201	KJL	O37-C38	3.87	1.42	1.35
9	E	201	KJL	C07-C06	3.81	1.58	1.51
9	J	201	KJL	C07-C06	3.81	1.58	1.51
9	G	201	KJL	C07-C06	3.80	1.58	1.51
9	F	201	KJL	C07-C06	3.77	1.58	1.51
9	I	201	KJL	C07-C06	3.74	1.58	1.51
9	G	201	KJL	C17-C18	3.70	1.56	1.50
9	H	201	KJL	C07-C06	3.70	1.58	1.51
9	E	201	KJL	O37-C38	3.68	1.41	1.35
9	I	201	KJL	C20-C21	3.67	1.56	1.50
9	F	201	KJL	C17-C18	3.60	1.55	1.50
9	H	201	KJL	C20-C21	3.58	1.56	1.50
9	F	201	KJL	C20-C21	3.56	1.56	1.50
9	J	202	KJL	C07-C06	3.56	1.58	1.51
9	I	201	KJL	C17-C18	3.54	1.55	1.50
9	I	201	KJL	C09-C10	3.54	1.55	1.50
9	J	201	KJL	C20-C21	3.54	1.56	1.50
9	H	201	KJL	C17-C18	3.47	1.55	1.50
9	D	201	KJL	C09-C10	3.46	1.55	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	D	201	KJL	C17-C18	3.43	1.55	1.50
9	D	201	KJL	C20-C21	3.41	1.55	1.50
9	J	201	KJL	C17-C18	3.40	1.55	1.50
9	E	201	KJL	C17-C18	3.38	1.55	1.50
9	J	202	KJL	C17-C18	3.29	1.55	1.50
9	E	201	KJL	C20-C21	3.24	1.55	1.50
9	D	201	KJL	O37-C38	3.21	1.40	1.35
9	J	202	KJL	C20-C21	3.16	1.55	1.50
9	J	202	KJL	O37-C38	3.12	1.40	1.35
9	J	202	KJL	O37-C32	-3.10	1.40	1.45
9	G	201	KJL	O37-C38	3.09	1.40	1.35
9	G	201	KJL	C20-C21	3.09	1.55	1.50
9	H	201	KJL	C09-C10	3.07	1.55	1.50
9	G	201	KJL	C09-C10	2.96	1.54	1.50
9	H	201	KJL	O39-C38	-2.90	1.16	1.21
9	F	201	KJL	C09-C10	2.85	1.54	1.50
9	G	201	KJL	O39-C38	-2.81	1.16	1.21
9	D	201	KJL	O25-C26	-2.80	1.39	1.44
9	J	202	KJL	O25-C26	-2.77	1.39	1.44
9	G	201	KJL	O25-C26	-2.75	1.39	1.44
9	J	202	KJL	C09-C10	2.75	1.54	1.50
9	D	201	KJL	O37-C32	-2.73	1.40	1.45
9	J	201	KJL	C09-C10	2.69	1.54	1.50
9	E	201	KJL	C09-C10	2.69	1.54	1.50
9	D	201	KJL	C16-C17	2.64	1.57	1.54
9	E	201	KJL	O37-C32	-2.59	1.41	1.45
9	E	201	KJL	O25-C26	-2.55	1.40	1.44
9	J	201	KJL	C02-C03	2.52	1.56	1.51
9	I	201	KJL	C16-C17	2.51	1.57	1.54
9	H	201	KJL	O25-C26	-2.45	1.40	1.44
9	G	201	KJL	O37-C32	-2.44	1.41	1.45
9	F	201	KJL	O48-C09	-2.42	1.39	1.43
9	G	201	KJL	C02-C03	2.41	1.56	1.51
9	J	201	KJL	O48-C09	-2.38	1.39	1.43
9	G	201	KJL	O48-C09	-2.37	1.39	1.43
9	D	201	KJL	C02-C03	2.34	1.56	1.51
9	I	201	KJL	C02-C03	2.33	1.56	1.51
9	F	201	KJL	C16-C17	2.33	1.57	1.54
9	I	201	KJL	C20-C19	2.31	1.57	1.51
9	F	201	KJL	O25-C26	-2.29	1.40	1.44
9	E	201	KJL	O48-C09	-2.28	1.39	1.43
9	F	201	KJL	C02-C03	2.26	1.56	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	E	201	KJL	C02-C03	2.26	1.56	1.51
9	J	201	KJL	O25-C26	-2.26	1.40	1.44
9	H	201	KJL	C16-C17	2.19	1.56	1.54
9	J	201	KJL	C02-C26	2.15	1.57	1.54
9	H	201	KJL	C02-C03	2.15	1.56	1.51
9	D	201	KJL	O48-C09	-2.14	1.39	1.43
9	F	201	KJL	C20-C19	2.13	1.57	1.51
9	I	201	KJL	O48-C09	-2.13	1.39	1.43
9	I	201	KJL	O25-C26	-2.08	1.40	1.44
9	H	201	KJL	C20-C19	2.07	1.56	1.51
9	J	202	KJL	O48-C09	-2.07	1.39	1.43
9	H	201	KJL	O37-C32	-2.06	1.42	1.45
9	J	202	KJL	C02-C03	2.04	1.55	1.51
9	J	201	KJL	C20-C19	2.03	1.56	1.51
9	D	201	KJL	C20-C19	2.03	1.56	1.51
9	H	201	KJL	C33-C32	2.02	1.56	1.53
9	J	201	KJL	O37-C32	-2.01	1.42	1.45
9	D	201	KJL	O39-C38	-2.01	1.18	1.21
9	J	202	KJL	O39-C38	-2.01	1.18	1.21

All (173) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	H	201	KJL	O39-C38-N40	-13.19	115.41	126.73
9	H	201	KJL	O37-C38-N40	11.78	123.33	109.61
9	F	201	KJL	O39-C38-N40	-11.78	116.62	126.73
9	F	201	KJL	O37-C38-N40	10.25	121.54	109.61
9	J	201	KJL	O37-C38-N40	9.96	121.21	109.61
9	I	201	KJL	O37-C38-N40	9.50	120.68	109.61
9	I	201	KJL	O39-C38-N40	-9.50	118.58	126.73
9	J	201	KJL	C28-S29-C30	9.47	100.72	89.52
9	E	201	KJL	O39-C38-N40	-9.30	118.75	126.73
9	I	201	KJL	C28-S29-C30	9.23	100.44	89.52
9	G	201	KJL	O37-C38-N40	9.04	120.14	109.61
9	F	201	KJL	C28-S29-C30	9.01	100.18	89.52
9	J	201	KJL	O39-C38-N40	-8.84	119.14	126.73
9	H	201	KJL	C28-S29-C30	8.71	99.83	89.52
9	G	201	KJL	O39-C38-N40	-8.70	119.27	126.73
9	G	201	KJL	C28-S29-C30	8.69	99.80	89.52
9	D	201	KJL	C28-S29-C30	8.18	99.20	89.52
9	E	201	KJL	C28-S29-C30	7.88	98.85	89.52
9	D	201	KJL	O39-C38-N40	-7.39	120.39	126.73

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	E	201	KJL	O37-C38-N40	7.12	117.90	109.61
9	D	201	KJL	O37-C38-N40	6.77	117.49	109.61
9	F	201	KJL	C28-C27-N31	-6.59	108.47	114.35
9	J	202	KJL	C28-S29-C30	5.94	96.55	89.52
9	J	201	KJL	C28-C27-N31	-5.53	109.42	114.35
9	J	202	KJL	O39-C38-N40	-5.49	122.02	126.73
9	H	201	KJL	C28-C27-N31	-5.28	109.65	114.35
9	E	201	KJL	C28-C27-N31	-5.27	109.65	114.35
9	I	201	KJL	C28-C27-N31	-5.22	109.70	114.35
9	J	202	KJL	O37-C38-N40	5.15	115.61	109.61
9	D	201	KJL	C41-N40-C38	-5.11	115.98	121.23
9	J	202	KJL	C28-C27-N31	-4.84	110.04	114.35
9	F	201	KJL	C04-C05-C06	-4.63	120.66	127.37
9	G	201	KJL	C28-C27-N31	-4.61	110.25	114.35
9	F	201	KJL	S29-C30-N31	-4.60	108.18	114.19
9	J	201	KJL	S29-C30-N31	-4.54	108.26	114.19
9	I	201	KJL	C05-C04-C03	-4.46	114.08	124.43
9	D	201	KJL	C28-C27-N31	-4.46	110.38	114.35
9	J	202	KJL	C05-C04-C03	-4.45	114.12	124.43
9	I	201	KJL	S29-C30-N31	-4.39	108.45	114.19
9	D	201	KJL	C08-C09-C10	4.37	121.56	112.68
9	F	201	KJL	C10-C11-C12	-4.36	116.95	126.32
9	H	201	KJL	S29-C30-N31	-4.21	108.68	114.19
9	F	201	KJL	C41-N40-C38	4.21	125.55	121.23
9	H	201	KJL	C05-C04-C03	-4.21	114.67	124.43
9	E	201	KJL	C05-C04-C03	-4.14	114.84	124.43
9	J	201	KJL	O48-C09-C10	-4.09	100.32	110.88
9	E	201	KJL	O48-C09-C10	-4.07	100.35	110.88
9	E	201	KJL	C41-N40-C38	-4.04	117.08	121.23
9	J	202	KJL	C04-C05-C06	-4.04	121.51	127.37
9	J	201	KJL	C05-C04-C03	-4.03	115.09	124.43
9	J	201	KJL	C10-C11-C12	-4.00	117.72	126.32
9	I	201	KJL	C08-C09-C10	3.97	120.75	112.68
9	J	202	KJL	C09-C10-C11	-3.90	118.79	125.39
9	E	201	KJL	C10-C11-C12	-3.89	117.96	126.32
9	F	201	KJL	C05-C04-C03	-3.89	115.42	124.43
9	G	201	KJL	C10-C11-C12	-3.88	117.97	126.32
9	J	201	KJL	C09-C10-C11	-3.87	118.84	125.39
9	D	201	KJL	C05-C04-C03	-3.79	115.64	124.43
9	J	202	KJL	C10-C11-C12	-3.78	118.20	126.32
9	G	201	KJL	C05-C04-C03	-3.72	115.81	124.43
9	H	201	KJL	C10-C11-C12	-3.65	118.47	126.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	G	201	KJL	S29-C30-N31	-3.65	109.42	114.19
9	E	201	KJL	C04-C05-C06	-3.62	122.12	127.37
9	E	201	KJL	C09-C10-C11	-3.61	119.28	125.39
9	G	201	KJL	O48-C09-C10	-3.61	101.55	110.88
9	I	201	KJL	C41-N40-C38	3.60	124.92	121.23
9	H	201	KJL	C09-C10-C11	-3.59	119.32	125.39
9	D	201	KJL	C04-C05-C06	-3.50	122.30	127.37
9	F	201	KJL	O48-C09-C10	-3.50	101.84	110.88
9	J	201	KJL	C26-O25-C23	3.42	124.08	116.96
9	J	201	KJL	O44-C17-C18	-3.41	103.19	110.58
9	I	201	KJL	C09-C10-C11	-3.40	119.63	125.39
9	F	201	KJL	C32-O37-C38	3.35	122.77	116.17
9	F	201	KJL	C26-O25-C23	3.33	123.90	116.96
9	J	201	KJL	O37-C38-O39	-3.33	119.65	124.55
9	G	201	KJL	C09-C10-C11	-3.31	119.79	125.39
9	J	201	KJL	C41-N40-C38	3.30	124.61	121.23
9	D	201	KJL	C09-C10-C11	-3.29	119.83	125.39
9	H	201	KJL	O44-C17-C18	-3.22	103.61	110.58
9	J	202	KJL	O44-C17-C18	-3.22	103.61	110.58
9	H	201	KJL	C04-C05-C06	-3.21	122.71	127.37
9	I	201	KJL	C04-C05-C06	-3.17	122.77	127.37
9	I	201	KJL	O25-C26-C27	-3.07	105.47	110.00
9	J	202	KJL	O48-C09-C10	-3.03	103.05	110.88
9	F	201	KJL	C09-C10-C11	-3.02	120.28	125.39
9	E	201	KJL	S29-C30-N31	-2.99	110.28	114.19
9	I	201	KJL	O44-C17-C18	-2.99	104.10	110.58
9	G	201	KJL	C04-C05-C06	-2.98	123.05	127.37
9	J	201	KJL	C04-C05-C06	-2.97	123.07	127.37
9	F	201	KJL	O25-C26-C27	2.95	114.33	110.00
9	I	201	KJL	C32-O37-C38	2.94	121.96	116.17
9	E	201	KJL	C17-C18-C19	-2.92	123.07	127.89
9	G	201	KJL	C41-N40-C38	-2.91	118.24	121.23
9	H	201	KJL	C46-C14-C15	-2.88	115.07	123.21
9	I	201	KJL	O25-C23-C22	2.87	118.99	111.46
9	D	201	KJL	S29-C30-N31	-2.87	110.44	114.19
9	J	201	KJL	C32-O37-C38	2.87	121.81	116.17
9	D	201	KJL	O48-C09-C10	-2.87	103.47	110.88
9	E	201	KJL	C46-C14-C15	-2.86	115.12	123.21
9	D	201	KJL	C46-C14-C15	-2.84	115.18	123.21
9	I	201	KJL	C26-O25-C23	2.83	122.85	116.96
9	J	202	KJL	C17-C18-C19	-2.81	123.26	127.89
9	J	201	KJL	C17-C18-C19	-2.80	123.28	127.89

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	I	201	KJL	O48-C09-C10	-2.77	103.73	110.88
9	H	201	KJL	O48-C09-C10	-2.76	103.74	110.88
9	H	201	KJL	C17-C18-C19	-2.74	123.36	127.89
9	J	201	KJL	C34-C33-C32	2.74	119.40	115.28
9	D	201	KJL	C17-C18-C19	-2.74	123.37	127.89
9	F	201	KJL	C46-C14-C15	-2.73	115.48	123.21
9	J	202	KJL	C46-C14-C15	-2.71	115.53	123.21
9	G	201	KJL	O37-C38-O39	-2.69	120.59	124.55
9	J	201	KJL	C52-C06-C07	2.66	121.20	115.96
9	H	201	KJL	C41-N40-C38	-2.66	118.50	121.23
9	G	201	KJL	C17-C18-C19	-2.65	123.52	127.89
9	G	201	KJL	C46-C14-C15	-2.64	115.75	123.21
9	J	201	KJL	O25-C23-C22	2.63	118.36	111.46
9	I	201	KJL	O37-C38-O39	-2.59	120.74	124.55
9	F	201	KJL	C02-C03-C04	-2.58	120.78	126.11
9	I	201	KJL	C46-C14-C15	-2.57	115.94	123.21
9	J	201	KJL	C16-C17-C18	2.57	114.37	109.37
9	H	201	KJL	O25-C23-C22	2.57	118.19	111.46
9	I	201	KJL	C16-C17-C18	2.55	114.34	109.37
9	J	201	KJL	C46-C14-C15	-2.54	116.01	123.21
9	F	201	KJL	C52-C06-C07	2.53	120.95	115.96
9	I	201	KJL	C52-C06-C07	2.52	120.94	115.96
9	J	202	KJL	O25-C23-C22	2.51	118.05	111.46
9	E	201	KJL	C52-C06-C07	2.51	120.92	115.96
9	D	201	KJL	C52-C06-C07	2.50	120.90	115.96
9	H	201	KJL	C16-C17-C18	2.48	114.20	109.37
9	G	201	KJL	C27-C28-S29	-2.47	109.67	111.32
9	H	201	KJL	C52-C06-C07	2.47	120.83	115.96
9	F	201	KJL	C17-C18-C19	-2.46	123.83	127.89
9	J	202	KJL	O37-C32-C33	2.45	111.78	106.65
9	I	201	KJL	C17-C18-C19	-2.45	123.85	127.89
9	G	201	KJL	C02-C03-C04	-2.44	121.06	126.11
9	E	201	KJL	O44-C17-C18	-2.44	105.30	110.58
9	F	201	KJL	O44-C17-C18	-2.43	105.31	110.58
9	D	201	KJL	O25-C23-C22	2.43	117.83	111.46
9	G	201	KJL	C52-C06-C07	2.42	120.74	115.96
9	G	201	KJL	C34-C33-C32	2.41	118.90	115.28
9	J	202	KJL	C16-C17-C18	2.38	114.00	109.37
9	J	202	KJL	C52-C06-C07	2.36	120.61	115.96
9	F	201	KJL	O37-C32-C33	2.30	111.47	106.65
9	I	201	KJL	O50-C07-C06	-2.26	107.58	111.52
9	E	201	KJL	O37-C32-C33	2.25	111.36	106.65

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	I	201	KJL	C02-C03-C04	-2.25	121.47	126.11
9	H	201	KJL	O37-C38-O39	-2.24	121.25	124.55
9	D	201	KJL	C02-C03-C04	-2.24	121.49	126.11
9	H	201	KJL	C17-C16-C15	-2.23	105.45	110.42
9	E	201	KJL	C43-C19-C20	2.22	119.83	115.03
9	E	201	KJL	C17-C16-C15	-2.20	105.51	110.42
9	I	201	KJL	C17-C16-C15	-2.19	105.53	110.42
9	H	201	KJL	C26-O25-C23	2.18	121.50	116.96
9	D	201	KJL	C32-O37-C38	2.18	120.46	116.17
9	E	201	KJL	O25-C23-C22	2.17	117.16	111.46
9	D	201	KJL	C27-C28-S29	-2.16	109.88	111.32
9	J	202	KJL	C02-C03-C04	-2.13	121.70	126.11
9	D	201	KJL	C10-C11-C12	-2.12	121.77	126.32
9	E	201	KJL	C26-O25-C23	2.12	121.37	116.96
9	J	201	KJL	C02-C03-C04	-2.11	121.75	126.11
9	F	201	KJL	C43-C19-C20	2.10	119.56	115.03
9	J	201	KJL	C43-C19-C20	2.09	119.55	115.03
9	D	201	KJL	C16-C17-C18	2.09	113.44	109.37
9	H	201	KJL	C02-C03-C04	-2.09	121.80	126.11
9	F	201	KJL	O25-C23-C22	2.08	116.90	111.46
9	G	201	KJL	C26-O25-C23	2.07	121.26	116.96
9	H	201	KJL	C43-C19-C20	2.07	119.49	115.03
9	J	202	KJL	C47-C12-C11	2.05	121.22	118.09
9	D	201	KJL	C26-O25-C23	2.04	121.21	116.96
9	I	201	KJL	C43-C19-C20	2.03	119.42	115.03
9	J	202	KJL	C17-C16-C15	-2.03	105.89	110.42
9	I	201	KJL	O24-C23-C22	-2.03	118.85	125.28
9	G	201	KJL	C08-C09-C10	2.00	116.74	112.68

There are no chirality outliers.

All (164) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
9	D	201	KJL	C03-C02-C26-O25
9	D	201	KJL	C06-C07-C08-C49
9	D	201	KJL	O48-C09-C10-C11
9	D	201	KJL	C15-C16-C17-C18
9	D	201	KJL	O37-C38-N40-C41
9	D	201	KJL	O39-C38-N40-C41
9	E	201	KJL	C06-C07-C08-C49
9	E	201	KJL	C08-C09-C10-C11
9	E	201	KJL	O48-C09-C10-C11

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
9	E	201	KJL	C12-C13-C14-C46
9	E	201	KJL	C15-C16-C17-C18
9	E	201	KJL	C32-C33-C34-C35
9	E	201	KJL	O37-C38-N40-C41
9	E	201	KJL	O39-C38-N40-C41
9	F	201	KJL	C08-C09-C10-C11
9	F	201	KJL	O48-C09-C10-C11
9	F	201	KJL	C12-C13-C14-C46
9	F	201	KJL	C15-C16-C17-C18
9	F	201	KJL	O37-C38-N40-C41
9	F	201	KJL	O39-C38-N40-C41
9	G	201	KJL	C03-C02-C26-O25
9	G	201	KJL	C06-C07-C08-C49
9	G	201	KJL	C08-C09-C10-C11
9	G	201	KJL	O48-C09-C10-C11
9	G	201	KJL	C12-C13-C14-C15
9	G	201	KJL	C12-C13-C14-C46
9	G	201	KJL	C15-C16-C17-C18
9	G	201	KJL	O39-C38-N40-C41
9	H	201	KJL	C03-C02-C26-O25
9	H	201	KJL	C03-C04-C05-C06
9	H	201	KJL	C08-C09-C10-C11
9	H	201	KJL	O48-C09-C10-C11
9	H	201	KJL	C12-C13-C14-C46
9	H	201	KJL	C15-C16-C17-C18
9	H	201	KJL	O37-C38-N40-C41
9	H	201	KJL	O39-C38-N40-C41
9	I	201	KJL	C06-C07-C08-C49
9	I	201	KJL	C12-C13-C14-C15
9	I	201	KJL	C15-C16-C17-C18
9	I	201	KJL	C32-C33-C34-C36
9	I	201	KJL	O37-C38-N40-C41
9	I	201	KJL	O39-C38-N40-C41
9	J	201	KJL	C03-C02-C26-O25
9	J	201	KJL	C08-C09-C10-C11
9	J	201	KJL	O48-C09-C10-C11
9	J	201	KJL	C12-C13-C14-C46
9	J	201	KJL	C15-C16-C17-C18
9	J	201	KJL	N31-C30-C32-O37
9	J	201	KJL	C30-C32-C33-C34
9	J	201	KJL	O37-C38-N40-C41
9	J	201	KJL	O39-C38-N40-C41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
9	J	201	KJL	N40-C38-O37-C32
9	J	201	KJL	O39-C38-O37-C32
9	J	202	KJL	C08-C09-C10-C11
9	J	202	KJL	O48-C09-C10-C11
9	J	202	KJL	C12-C13-C14-C46
9	J	202	KJL	C15-C16-C17-C18
9	J	202	KJL	C16-C17-C18-C19
9	J	202	KJL	C32-C33-C34-C35
9	J	202	KJL	O37-C38-N40-C41
9	J	202	KJL	N40-C38-O37-C32
9	J	202	KJL	O39-C38-O37-C32
9	D	201	KJL	C03-C04-C05-C06
9	E	201	KJL	C03-C04-C05-C06
9	I	201	KJL	C03-C04-C05-C06
9	D	201	KJL	O39-C38-O37-C32
9	D	201	KJL	N40-C38-O37-C32
9	E	201	KJL	N40-C38-O37-C32
9	F	201	KJL	C03-C04-C05-C06
9	G	201	KJL	C03-C04-C05-C06
9	J	201	KJL	C03-C04-C05-C06
9	J	202	KJL	C03-C04-C05-C06
9	D	201	KJL	C10-C11-C12-C47
9	E	201	KJL	C10-C11-C12-C47
9	F	201	KJL	C10-C11-C12-C47
9	G	201	KJL	C10-C11-C12-C47
9	I	201	KJL	C10-C11-C12-C47
9	J	201	KJL	C10-C11-C12-C47
9	D	201	KJL	C10-C11-C12-C13
9	E	201	KJL	C10-C11-C12-C13
9	G	201	KJL	C10-C11-C12-C13
9	I	201	KJL	C10-C11-C12-C13
9	E	201	KJL	O39-C38-O37-C32
9	E	201	KJL	C32-C33-C34-C36
9	F	201	KJL	C32-C33-C34-C35
9	F	201	KJL	C32-C33-C34-C36
9	H	201	KJL	C32-C33-C34-C35
9	I	201	KJL	C32-C33-C34-C35
9	J	202	KJL	C32-C33-C34-C36
9	J	202	KJL	O39-C38-N40-C41
9	I	201	KJL	O48-C09-C10-C11
9	H	201	KJL	C10-C11-C12-C47
9	J	202	KJL	C10-C11-C12-C47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
9	F	201	KJL	C10-C11-C12-C13
9	H	201	KJL	C10-C11-C12-C13
9	J	201	KJL	C10-C11-C12-C13
9	J	202	KJL	C10-C11-C12-C13
9	H	201	KJL	C32-C33-C34-C36
9	J	201	KJL	O37-C32-C33-C34
9	I	201	KJL	C30-C32-C33-C34
9	G	201	KJL	C01-C02-C26-O25
9	D	201	KJL	C15-C16-C17-O44
9	E	201	KJL	C15-C16-C17-O44
9	J	201	KJL	C15-C16-C17-O44
9	F	201	KJL	C26-C02-C03-C04
9	D	201	KJL	C12-C13-C14-C15
9	E	201	KJL	C12-C13-C14-C15
9	F	201	KJL	C12-C13-C14-C15
9	H	201	KJL	C12-C13-C14-C15
9	J	201	KJL	C12-C13-C14-C15
9	J	202	KJL	C12-C13-C14-C15
9	I	201	KJL	C42-C22-C23-O24
9	E	201	KJL	C16-C17-C18-C19
9	F	201	KJL	C16-C17-C18-C19
9	H	201	KJL	C16-C17-C18-C19
9	I	201	KJL	C16-C17-C18-C19
9	J	201	KJL	C16-C17-C18-C19
9	D	201	KJL	C45-C16-C17-O44
9	E	201	KJL	C45-C16-C17-O44
9	I	201	KJL	C03-C02-C26-O25
9	J	201	KJL	C06-C07-C08-C49
9	J	201	KJL	C45-C16-C17-O44
9	I	201	KJL	C26-C02-C03-C04
9	D	201	KJL	C12-C13-C14-C46
9	I	201	KJL	C12-C13-C14-C46
9	J	202	KJL	C27-C26-O25-C23
9	J	201	KJL	C32-C33-C34-C35
9	I	201	KJL	C42-C22-C23-O25
9	I	201	KJL	C21-C22-C23-O24
9	D	201	KJL	C46-C14-C15-C16
9	E	201	KJL	C46-C14-C15-C16
9	F	201	KJL	C46-C14-C15-C16
9	G	201	KJL	C46-C14-C15-C16
9	H	201	KJL	C46-C14-C15-C16
9	I	201	KJL	C46-C14-C15-C16

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
9	J	201	KJL	C46-C14-C15-C16
9	J	202	KJL	C46-C14-C15-C16
9	I	201	KJL	C21-C22-C23-O25
9	G	201	KJL	C30-C32-C33-C34
9	G	201	KJL	C42-C22-C23-O24
9	D	201	KJL	O44-C17-C18-C19
9	E	201	KJL	O44-C17-C18-C19
9	F	201	KJL	O44-C17-C18-C19
9	G	201	KJL	O44-C17-C18-C19
9	H	201	KJL	O44-C17-C18-C19
9	I	201	KJL	O44-C17-C18-C19
9	J	201	KJL	C32-C33-C34-C36
9	J	202	KJL	O44-C17-C18-C19
9	H	201	KJL	N40-C38-O37-C32
9	H	201	KJL	C15-C16-C17-O44
9	I	201	KJL	C15-C16-C17-O44
9	G	201	KJL	O37-C32-C33-C34
9	H	201	KJL	O39-C38-O37-C32
9	D	201	KJL	C08-C09-C10-C11
9	G	201	KJL	C03-C02-C26-C27
9	I	201	KJL	C08-C09-C10-C11
9	G	201	KJL	C42-C22-C23-O25
9	G	201	KJL	C21-C22-C23-O24
9	E	201	KJL	C27-C26-O25-C23
9	D	201	KJL	C16-C17-C18-C19
9	G	201	KJL	C16-C17-C18-C19
9	I	201	KJL	N40-C38-O37-C32
9	J	201	KJL	C45-C16-C17-C18
9	G	201	KJL	C21-C22-C23-O25


There are no ring outliers.


1 monomer is involved in 1 short contact:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	H	201	KJL	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be


highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-25780. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 152



Y Index: 147




Z Index: 157


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 1.3. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 125 nm³; this corresponds to an approximate mass of 113 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.357 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.357 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.80	-	-
Author-provided FSC curve	2.83	3.13	2.86
Unmasked-calculated*	-	-	-

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-25780 and PDB model 7TAP. Per-residue inclusion information can be found in section [3](#) on page [7](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 1.3 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (1.3).

9.4 Atom inclusion [i](#)



At the recommended contour level, 82% of all backbone atoms, 82% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (1.3) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8180	0.5870
A	0.7640	0.5660
B	0.7810	0.5820
C	0.8730	0.6160
D	0.8790	0.6130
E	0.8390	0.5940
F	0.8490	0.5930
G	0.8370	0.5940
H	0.8450	0.5970
I	0.8550	0.5990
J	0.8710	0.5990
K	0.8710	0.6010
L	0.8470	0.5870
M	0.8420	0.5900
N	0.7880	0.5740
O	0.7310	0.5620

1.0

0.0

<0.0