



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 04:56 PM UTC

PDB ID : 6TBF / pdb_00006tbf
Title : Structure of a beta galactosidase with inhibitor
Authors : Offen, W.; Davies, G.
Deposited on : 2019-11-01
Resolution : 1.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4037 (1.50-1.50)
Clashscore	190562	4235 (1.50-1.50)
Ramachandran outliers	187476	4153 (1.50-1.50)
Sidechain outliers	187428	4150 (1.50-1.50)
RSRZ outliers	180081	4039 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	550	
1	B	550	
1	C	550	
1	D	550	
1	E	550	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	550	2% 92% 6%
1	G	550	3% 93% 5%
1	H	550	4% 91% 7%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 39416 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-galactosidase, putative, bgl35A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	538	Total	C	N	O	S	0	8	0
			4284	2740	725	803	16			
1	B	540	Total	C	N	O	S	0	6	0
			4286	2739	731	801	15			
1	C	540	Total	C	N	O	S	0	8	0
			4292	2744	733	799	16			
1	D	539	Total	C	N	O	S	0	11	0
			4313	2759	729	809	16			
1	E	540	Total	C	N	O	S	0	9	0
			4320	2763	732	808	17			
1	F	539	Total	C	N	O	S	0	17	0
			4385	2803	747	819	16			
1	G	540	Total	C	N	O	S	0	16	0
			4379	2799	744	819	17			
1	H	539	Total	C	N	O	S	0	12	0
			4324	2765	734	809	16			

There are 80 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	26	MET	-	initiating methionine	UNP B3PBE0
A	27	GLY	-	expression tag	UNP B3PBE0
A	28	SER	-	expression tag	UNP B3PBE0
A	29	SER	-	expression tag	UNP B3PBE0
A	30	HIS	-	expression tag	UNP B3PBE0
A	31	HIS	-	expression tag	UNP B3PBE0
A	32	HIS	-	expression tag	UNP B3PBE0
A	33	HIS	-	expression tag	UNP B3PBE0
A	34	HIS	-	expression tag	UNP B3PBE0
A	35	HIS	-	expression tag	UNP B3PBE0
B	26	MET	-	initiating methionine	UNP B3PBE0
B	27	GLY	-	expression tag	UNP B3PBE0
B	28	SER	-	expression tag	UNP B3PBE0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	29	SER	-	expression tag	UNP B3PBE0
B	30	HIS	-	expression tag	UNP B3PBE0
B	31	HIS	-	expression tag	UNP B3PBE0
B	32	HIS	-	expression tag	UNP B3PBE0
B	33	HIS	-	expression tag	UNP B3PBE0
B	34	HIS	-	expression tag	UNP B3PBE0
B	35	HIS	-	expression tag	UNP B3PBE0
C	26	MET	-	initiating methionine	UNP B3PBE0
C	27	GLY	-	expression tag	UNP B3PBE0
C	28	SER	-	expression tag	UNP B3PBE0
C	29	SER	-	expression tag	UNP B3PBE0
C	30	HIS	-	expression tag	UNP B3PBE0
C	31	HIS	-	expression tag	UNP B3PBE0
C	32	HIS	-	expression tag	UNP B3PBE0
C	33	HIS	-	expression tag	UNP B3PBE0
C	34	HIS	-	expression tag	UNP B3PBE0
C	35	HIS	-	expression tag	UNP B3PBE0
D	26	MET	-	initiating methionine	UNP B3PBE0
D	27	GLY	-	expression tag	UNP B3PBE0
D	28	SER	-	expression tag	UNP B3PBE0
D	29	SER	-	expression tag	UNP B3PBE0
D	30	HIS	-	expression tag	UNP B3PBE0
D	31	HIS	-	expression tag	UNP B3PBE0
D	32	HIS	-	expression tag	UNP B3PBE0
D	33	HIS	-	expression tag	UNP B3PBE0
D	34	HIS	-	expression tag	UNP B3PBE0
D	35	HIS	-	expression tag	UNP B3PBE0
E	26	MET	-	initiating methionine	UNP B3PBE0
E	27	GLY	-	expression tag	UNP B3PBE0
E	28	SER	-	expression tag	UNP B3PBE0
E	29	SER	-	expression tag	UNP B3PBE0
E	30	HIS	-	expression tag	UNP B3PBE0
E	31	HIS	-	expression tag	UNP B3PBE0
E	32	HIS	-	expression tag	UNP B3PBE0
E	33	HIS	-	expression tag	UNP B3PBE0
E	34	HIS	-	expression tag	UNP B3PBE0
E	35	HIS	-	expression tag	UNP B3PBE0
F	26	MET	-	initiating methionine	UNP B3PBE0
F	27	GLY	-	expression tag	UNP B3PBE0
F	28	SER	-	expression tag	UNP B3PBE0
F	29	SER	-	expression tag	UNP B3PBE0
F	30	HIS	-	expression tag	UNP B3PBE0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	31	HIS	-	expression tag	UNP B3PBE0
F	32	HIS	-	expression tag	UNP B3PBE0
F	33	HIS	-	expression tag	UNP B3PBE0
F	34	HIS	-	expression tag	UNP B3PBE0
F	35	HIS	-	expression tag	UNP B3PBE0
G	26	MET	-	initiating methionine	UNP B3PBE0
G	27	GLY	-	expression tag	UNP B3PBE0
G	28	SER	-	expression tag	UNP B3PBE0
G	29	SER	-	expression tag	UNP B3PBE0
G	30	HIS	-	expression tag	UNP B3PBE0
G	31	HIS	-	expression tag	UNP B3PBE0
G	32	HIS	-	expression tag	UNP B3PBE0
G	33	HIS	-	expression tag	UNP B3PBE0
G	34	HIS	-	expression tag	UNP B3PBE0
G	35	HIS	-	expression tag	UNP B3PBE0
H	26	MET	-	initiating methionine	UNP B3PBE0
H	27	GLY	-	expression tag	UNP B3PBE0
H	28	SER	-	expression tag	UNP B3PBE0
H	29	SER	-	expression tag	UNP B3PBE0
H	30	HIS	-	expression tag	UNP B3PBE0
H	31	HIS	-	expression tag	UNP B3PBE0
H	32	HIS	-	expression tag	UNP B3PBE0
H	33	HIS	-	expression tag	UNP B3PBE0
H	34	HIS	-	expression tag	UNP B3PBE0
H	35	HIS	-	expression tag	UNP B3PBE0

- Molecule 2 is SODIUM ION (CCD ID: NA) (formula: Na).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	4	Total Na 4 4	0	0
2	B	2	Total Na 2 2	0	0
2	C	4	Total Na 4 4	0	0
2	D	5	Total Na 5 5	0	0
2	E	6	Total Na 6 6	0	0
2	F	4	Total Na 4 4	0	0
2	G	5	Total Na 5 5	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	H	5	Total	Na	0	0
			5	5		

- Molecule 3 is (1 {S},2 {S},3 {S},4 {R},5 {R})-4-(hydroxymethyl)-5-(octylamino)cyclopentane-1,2,3-triol (CCD ID: N0T) (formula: C₁₄H₂₉NO₄) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			19	14	1	4		
3	B	1	Total	C	N	O	0	0
			19	14	1	4		
3	C	1	Total	C	N	O	0	0
			19	14	1	4		
3	D	1	Total	C	N	O	0	0
			19	14	1	4		
3	E	1	Total	C	N	O	0	0
			19	14	1	4		
3	F	1	Total	C	N	O	0	0
			19	14	1	4		
3	G	1	Total	C	N	O	0	0
			19	14	1	4		
3	H	1	Total	C	N	O	0	0
			19	14	1	4		

- Molecule 4 is ACETATE ION (CCD ID: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	D	1	Total	C	O	0	0
			4	2	2		
4	D	1	Total	C	O	0	0
			4	2	2		
4	D	1	Total	C	O	0	0
			4	2	2		
4	E	1	Total	C	O	0	0
			4	2	2		
4	E	1	Total	C	O	0	0
			4	2	2		
4	F	1	Total	C	O	0	0
			4	2	2		
4	F	1	Total	C	O	0	0
			4	2	2		
4	G	1	Total	C	O	0	0
			4	2	2		
4	G	1	Total	C	O	0	0
			4	2	2		
4	G	1	Total	C	O	0	0
			4	2	2		
4	H	1	Total	C	O	0	0
			4	2	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	444	Total 445	O 445	0	1
5	B	528	Total 529	O 529	0	1
5	C	532	Total 534	O 534	0	2
5	D	640	Total 643	O 643	0	3
5	E	653	Total 654	O 654	0	1
5	F	622	Total 624	O 624	0	2
5	G	681	Total 681	O 681	0	0
5	H	480	Total 480	O 480	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Beta-galactosidase, putative, bgl35A




- Molecule 1: Beta-galactosidase, putative, bgl35A




- Molecule 1: Beta-galactosidase, putative, bgl35A




- Molecule 1: Beta-galactosidase, putative, bgl35A









- Molecule 1: Beta-galactosidase, putative, bgl35A





- Molecule 1: Beta-galactosidase, putative, bgl35A



- Molecule 1: Beta-galactosidase, putative, bgl35A



- Molecule 1: Beta-galactosidase, putative, bgl35A



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	99.42Å 115.63Å 115.94Å 90.35° 90.02° 90.16°	Depositor
Resolution (Å)	115.94 – 1.50 115.94 – 1.50	Depositor EDS
% Data completeness (in resolution range)	96.5 (115.94-1.50) 96.5 (115.94-1.50)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.08 (at 1.50Å)	Xtriage
Refinement program	REFMAC 5.8.0253	Depositor
R, R_{free}	0.128 , 0.178 0.135 , 0.182	Depositor DCC
R_{free} test set	40203 reflections (4.63%)	wwPDB-VP
Wilson B-factor (Å ²)	21.1	Xtriage
Anisotropy	0.168	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 58.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.005 for h,l,-k 0.005 for h,-l,k 0.006 for h,-k,-l 0.000 for -h,k,-l 0.000 for -h,-k,l 0.000 for -h,l,k 0.000 for -h,-l,-k	Xtriage
F_o, F_c correlation	0.98	EDS
Total number of atoms	39416	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.55% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NA, ACT, N0T

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.15	5/4397 (0.1%)	1.24	5/5992 (0.1%)
1	B	1.12	4/4400 (0.1%)	1.23	11/6000 (0.2%)
1	C	1.17	8/4405 (0.2%)	1.20	5/6003 (0.1%)
1	D	1.17	7/4429 (0.2%)	1.21	4/6033 (0.1%)
1	E	1.16	4/4434 (0.1%)	1.24	15/6039 (0.2%)
1	F	1.17	9/4502 (0.2%)	1.22	7/6123 (0.1%)
1	G	1.15	5/4493 (0.1%)	1.21	5/6115 (0.1%)
1	H	1.18	11/4441 (0.2%)	1.20	4/6049 (0.1%)
All	All	1.16	53/35501 (0.1%)	1.22	56/48354 (0.1%)

All (53) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	208	THR	C-O	7.60	1.32	1.23
1	C	560	ASP	CG-OD2	-7.32	1.11	1.25
1	H	237	LEU	C-O	6.80	1.32	1.23
1	A	200	VAL	C-O	-6.80	1.16	1.24
1	D	326	ARG	C-O	6.75	1.32	1.24
1	F	560	ASP	CG-OD1	-6.62	1.12	1.25
1	C	523	GLY	C-O	6.59	1.32	1.23
1	H	240	GLY	C-O	6.55	1.32	1.23
1	D	153	PRO	C-O	-6.55	1.16	1.23
1	G	520	GLU	C-O	6.43	1.31	1.23
1	F	525	LYS	CG-CD	-6.41	1.33	1.52
1	D	199	MET	C-O	6.41	1.31	1.23
1	G	438	ILE	C-O	6.35	1.31	1.24
1	B	560	ASP	CG-OD2	-6.28	1.13	1.25
1	F	390	VAL	C-O	6.18	1.30	1.24
1	E	537	GLU	C-O	-6.17	1.17	1.24
1	F	563	HIS	CE1-NE2	6.15	1.38	1.32
1	H	390	VAL	C-O	6.11	1.30	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	560	ASP	CG-OD2	-6.11	1.13	1.25
1	D	54	ASP	CG-OD2	-5.98	1.14	1.25
1	H	182	VAL	C-O	5.94	1.31	1.24
1	G	560	ASP	CG-OD1	-5.92	1.14	1.25
1	H	391	TYR	C-O	5.91	1.31	1.24
1	H	171	GLN	C-O	5.89	1.31	1.24
1	A	326	ARG	C-O	5.89	1.31	1.24
1	C	158	GLU	CD-OE1	5.88	1.36	1.25
1	H	340	ARG	N-CA	5.86	1.51	1.45
1	H	285	ARG	C-O	-5.79	1.16	1.23
1	H	243	SER	C-O	5.78	1.31	1.24
1	C	316	ILE	N-CA	5.73	1.53	1.46
1	C	237	LEU	C-O	5.72	1.31	1.23
1	A	95	ALA	C-O	5.72	1.30	1.23
1	E	354	GLN	N-CA	5.71	1.52	1.46
1	G	436	GLN	C-O	5.71	1.30	1.24
1	D	155	VAL	C-O	5.43	1.29	1.24
1	F	364	LEU	N-CA	5.36	1.52	1.46
1	B	560	ASP	CG-OD1	-5.36	1.15	1.25
1	D	244	GLN	C-O	-5.34	1.18	1.24
1	G	436	GLN	CA-C	5.28	1.59	1.52
1	A	96	TRP	C-O	5.27	1.30	1.24
1	C	548	ASN	C-O	5.25	1.29	1.23
1	H	235	LEU	C-O	5.19	1.30	1.24
1	D	427	GLU	C-N	5.19	1.38	1.33
1	C	120	GLN	C-O	5.17	1.30	1.24
1	F	550	ASP	C-O	5.16	1.30	1.24
1	F	38	PRO	C-O	-5.15	1.18	1.23
1	B	465	LEU	C-O	5.08	1.30	1.24
1	F	453	LYS	C-O	5.05	1.29	1.24
1	B	155	VAL	C-O	5.05	1.28	1.24
1	E	520	GLU	C-O	5.03	1.29	1.23
1	F	215	TYR	C-O	5.03	1.30	1.24
1	H	112	ASP	C-O	5.03	1.29	1.24
1	C	155	VAL	C-O	5.01	1.28	1.24

All (56) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	433	THR	CA-CB-OG1	-9.24	95.74	109.60
1	F	289	ASN	CA-CB-CG	7.73	120.33	112.60
1	F	371	PHE	CA-CB-CG	6.56	120.36	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	152	PHE	CA-C-N	6.54	126.30	119.76
1	B	152	PHE	C-N-CA	6.54	126.30	119.76
1	A	482	THR	CA-CB-OG1	-6.49	99.86	109.60
1	B	289	ASN	N-CA-CB	-6.46	103.41	110.71
1	E	483	PRO	N-CA-CB	6.44	106.79	103.19
1	D	295	GLN	N-CA-C	-6.25	104.38	111.14
1	B	289	ASN	CB-CA-C	6.20	118.84	111.15
1	E	537	GLU	CB-CG-CD	6.18	123.11	112.60
1	E	553	ASP	CA-CB-CG	6.18	118.78	112.60
1	F	482	THR	CA-CB-OG1	-6.15	100.37	109.60
1	E	520	GLU	CB-CG-CD	-6.02	102.37	112.60
1	H	134	LYS	CB-CA-C	6.00	119.39	110.62
1	G	421	GLN	CB-CG-CD	-5.95	102.49	112.60
1	E	560	ASP	CA-CB-CG	5.94	118.54	112.60
1	B	238	LYS	CB-CA-C	5.89	117.18	108.87
1	E	383	ASN	CA-CB-CG	5.83	118.42	112.60
1	F	421	GLN	CB-CG-CD	-5.81	102.72	112.60
1	D	67	ASN	CA-CB-CG	5.76	118.36	112.60
1	C	436	GLN	N-CA-C	-5.67	105.86	112.89
1	G	177	ASP	N-CA-C	-5.67	104.79	110.97
1	G	161	ASP	CA-CB-CG	5.63	118.23	112.60
1	F	483	PRO	O-C-N	5.63	123.90	121.31
1	A	67	ASN	CA-CB-CG	5.57	118.17	112.60
1	E	130	PHE	CA-CB-CG	5.55	119.35	113.80
1	E	67	ASN	CA-CB-CG	5.54	118.14	112.60
1	E	440	ASN	CA-C-O	-5.50	115.24	120.90
1	H	289	ASN	CA-CB-CG	5.49	118.09	112.60
1	B	521	LEU	N-CA-C	-5.47	102.43	110.52
1	C	177	ASP	N-CA-C	-5.40	105.29	111.07
1	H	130	PHE	CA-CB-CG	5.32	119.12	113.80
1	E	432	THR	CA-CB-OG1	-5.30	101.65	109.60
1	B	228	PRO	CA-C-N	5.29	127.69	120.54
1	B	228	PRO	C-N-CA	5.29	127.69	120.54
1	D	295	GLN	N-CA-CB	5.26	117.69	110.07
1	D	159	ASP	CA-CB-CG	5.25	117.85	112.60
1	A	433	THR	CA-C-O	-5.25	115.43	121.47
1	H	245	VAL	CA-C-O	-5.24	115.30	120.85
1	A	421	GLN	CB-CG-CD	-5.24	103.70	112.60
1	E	64	GLN	CB-CG-CD	5.23	121.49	112.60
1	G	46	ASN	CA-CB-CG	5.23	117.83	112.60
1	G	548	ASN	CA-C-O	-5.21	115.73	121.31
1	B	289	ASN	CB-CG-ND2	-5.20	108.60	116.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	159	ASP	CA-CB-CG	5.17	117.78	112.60
1	F	67	ASN	CA-CB-CG	5.16	117.76	112.60
1	C	67	ASN	CA-CB-CG	5.13	117.73	112.60
1	E	455	ARG	NE-CZ-NH2	5.11	123.80	119.20
1	A	107	ASP	CA-CB-CG	5.11	117.71	112.60
1	B	317	ASP	CA-C-O	-5.09	115.02	120.42
1	C	130	PHE	CA-CB-CG	5.07	118.87	113.80
1	E	437	LYS	CA-C-N	5.02	127.01	120.88
1	E	437	LYS	C-N-CA	5.02	127.01	120.88
1	E	437	LYS	N-CA-C	-5.02	106.00	111.82
1	F	550	ASP	CA-CB-CG	5.01	117.61	112.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4284	0	4096	8	0
1	B	4286	0	4105	16	0
1	C	4292	0	4108	8	0
1	D	4313	0	4130	12	0
1	E	4320	0	4154	20	0
1	F	4385	0	4222	10	0
1	G	4379	0	4204	14	0
1	H	4324	0	4146	16	0
2	A	4	0	0	0	0
2	B	2	0	0	0	0
2	C	4	0	0	0	0
2	D	5	0	0	0	0
2	E	6	0	0	0	0
2	F	4	0	0	0	0
2	G	5	0	0	0	0
2	H	5	0	0	0	0
3	A	19	0	0	0	0
3	B	19	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	19	0	0	0	0
3	D	19	0	0	0	0
3	E	19	0	0	0	0
3	F	19	0	0	0	0
3	G	19	0	0	0	0
3	H	19	0	0	0	0
4	A	4	0	3	0	0
4	B	4	0	3	0	0
4	D	12	0	9	0	0
4	E	8	0	6	1	0
4	F	8	0	6	0	0
4	G	16	0	12	0	0
4	H	4	0	3	0	0
5	A	445	0	0	1	0
5	B	529	0	0	4	0
5	C	534	0	0	0	0
5	D	643	0	0	4	0
5	E	654	0	0	8	0
5	F	624	0	0	3	0
5	G	681	0	0	5	0
5	H	480	0	0	4	0
All	All	39416	0	33207	98	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (98) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:436:GLN:O	1:H:440:ASN:HB2	1.51	1.10
1:E:76:LYS:HE2	5:E:991:HOH:O	1.63	0.98
1:G:82[B]:MET:HG2	5:G:799:HOH:O	1.78	0.84
1:E:326[B]:ARG:NH1	5:E:701:HOH:O	2.19	0.75
1:A:436:GLN:C	1:A:440:ASN:HB2	2.11	0.73
1:D:76:LYS:CE	5:D:1004:HOH:O	2.35	0.73
1:E:415:ARG:NH1	5:E:703:HOH:O	2.22	0.73
1:G:326[B]:ARG:NH1	5:G:701:HOH:O	2.24	0.70
1:E:326[B]:ARG:HH11	1:E:326[B]:ARG:HG3	1.56	0.70
1:B:105:GLN:HG3	5:B:1178:HOH:O	1.93	0.68
1:E:415:ARG:CZ	5:E:703:HOH:O	2.45	0.64
1:D:488[B]:THR:HG23	5:D:1207:HOH:O	1.98	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:193:LYS:NZ	5:H:703:HOH:O	2.33	0.60
1:A:99:ILE:O	1:A:106:PHE:HA	2.04	0.58
1:G:440:ASN:CB	5:G:1188:HOH:O	2.51	0.57
1:E:326[B]:ARG:HD3	5:E:1137:HOH:O	2.05	0.57
1:D:178:LYS:HE2	1:D:265:GLU:HB3	1.87	0.57
1:H:76:LYS:NZ	5:H:705:HOH:O	2.38	0.56
1:H:436:GLN:O	1:H:440:ASN:CB	2.41	0.54
1:E:326[B]:ARG:HH11	1:E:326[B]:ARG:CG	2.18	0.53
1:B:480:TRP:CG	1:B:481:VAL:H	2.27	0.53
1:D:548:ASN:HB3	1:F:140:TYR:CZ	2.46	0.51
1:F:455[B]:ARG:HD3	5:F:744:HOH:O	2.10	0.51
1:G:40:PRO:HA	1:G:52:MET:O	2.10	0.51
1:G:455:ARG:NH1	5:G:705:HOH:O	2.39	0.51
1:H:99:ILE:O	1:H:106:PHE:HA	2.11	0.51
1:H:543[B]:MET:O	1:H:543[B]:MET:HG3	2.10	0.51
1:F:54:ASP:OD1	5:F:703:HOH:O	2.19	0.51
1:A:548:ASN:HB3	1:B:140:TYR:CZ	2.47	0.50
1:B:444:THR:HG22	1:B:446:GLU:N	2.27	0.49
1:D:415:ARG:NH2	5:D:707:HOH:O	2.45	0.49
1:E:394:GLU:HG3	5:E:1233:HOH:O	2.13	0.49
1:G:326[B]:ARG:HD3	5:G:1171:HOH:O	2.11	0.49
1:A:140:TYR:CZ	1:C:548:ASN:HB3	2.47	0.49
1:C:480:TRP:CG	1:C:481:VAL:H	2.30	0.49
1:G:480:TRP:CG	1:G:481:VAL:H	2.30	0.49
1:F:575:GLN:HA	5:F:1077:HOH:O	2.12	0.48
1:C:508:ALA:HB3	1:C:558:PHE:CD1	2.49	0.48
1:F:574:VAL:O	1:F:575:GLN:OXT	2.30	0.48
1:H:488[A]:THR:O	1:H:488[A]:THR:HG23	2.12	0.48
1:A:271:LYS:HE3	1:A:315:ASN:O	2.14	0.48
1:E:452:LYS:NZ	5:E:711:HOH:O	2.48	0.47
1:A:444:THR:HB	1:A:445:PRO:HD2	1.96	0.47
1:H:179:LYS:CD	5:H:910:HOH:O	2.63	0.47
1:E:63[A]:SER:OG	1:E:82[A]:MET:SD	2.73	0.47
1:G:82[B]:MET:HE3	1:G:82[B]:MET:HB3	1.57	0.47
1:H:271[A]:LYS:HE3	1:H:315:ASN:O	2.14	0.46
1:C:140:TYR:CZ	1:H:548:ASN:HB3	2.51	0.46
1:B:455:ARG:NH1	5:B:709:HOH:O	2.42	0.46
1:B:200:VAL:O	1:B:278:MET:HA	2.16	0.46
1:D:99:ILE:O	1:D:106:PHE:HA	2.16	0.46
1:G:367:GLY:HA2	1:G:417[A]:SER:OG	2.16	0.46
1:B:191[B]:ARG:NH1	5:B:712:HOH:O	2.47	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:1054:HOH:O	1:C:525:LYS:HE2	2.15	0.45
1:D:480:TRP:CG	1:D:481:VAL:H	2.33	0.45
1:F:480:TRP:CG	1:F:481:VAL:H	2.34	0.45
1:E:480:TRP:CG	1:E:481:VAL:H	2.34	0.45
1:B:40:PRO:HA	1:B:52:MET:O	2.17	0.45
1:F:99:ILE:O	1:F:106:PHE:HA	2.17	0.45
1:G:99:ILE:O	1:G:106:PHE:HA	2.17	0.45
1:H:480:TRP:CG	1:H:481:VAL:H	2.35	0.45
1:B:99:ILE:O	1:B:106:PHE:HA	2.17	0.44
1:B:508:ALA:HB3	1:B:558:PHE:CD1	2.52	0.44
1:F:548:ASN:HB3	1:G:140:TYR:CZ	2.52	0.44
1:B:366:LYS:NZ	5:B:717:HOH:O	2.51	0.44
1:B:367:GLY:HA2	1:B:417[A]:SER:OG	2.17	0.44
1:D:419:GLN:NE2	5:D:713:HOH:O	2.51	0.44
1:D:271[A]:LYS:HE3	1:D:315:ASN:O	2.17	0.44
1:C:99:ILE:O	1:C:106:PHE:HA	2.19	0.43
1:H:63[B]:SER:OG	1:H:376:MET:HB2	2.18	0.43
1:C:318:LEU:C	1:C:318:LEU:HD12	2.44	0.43
1:E:200:VAL:O	1:E:278:MET:HA	2.19	0.43
1:F:574:VAL:O	1:F:575:GLN:C	2.62	0.43
1:G:342:ASP:OD1	1:G:342:ASP:C	2.63	0.42
1:E:140:TYR:CZ	1:G:548:ASN:HB3	2.54	0.42
1:E:191:ARG:NE	4:E:606:ACT:O	2.36	0.42
1:E:367:GLY:HA2	1:E:417[A]:SER:OG	2.20	0.42
1:E:508:ALA:HB3	1:E:558:PHE:CD1	2.55	0.42
1:A:508:ALA:HB3	1:A:558:PHE:CD1	2.54	0.42
1:C:169:LEU:HD13	1:C:219:ALA:HA	2.01	0.42
1:H:438:ILE:C	1:H:440:ASN:H	2.28	0.42
1:B:82:MET:HG2	1:B:87:ALA:HB3	2.01	0.42
1:H:384:TYR:CD1	1:H:385:PRO:HA	2.55	0.42
1:D:508:ALA:HB3	1:D:558:PHE:CD1	2.54	0.42
1:E:271:LYS:HE3	1:E:315:ASN:O	2.20	0.41
1:A:480:TRP:CG	1:A:481:VAL:H	2.38	0.41
1:E:462[B]:GLN:NE2	1:E:471:GLU:OE1	2.52	0.41
1:B:318:LEU:C	1:B:318:LEU:HD12	2.46	0.41
1:B:384:TYR:CD1	1:B:385:PRO:HA	2.55	0.41
1:D:200:VAL:O	1:D:278:MET:HA	2.19	0.41
1:G:169:LEU:HD23	1:G:169:LEU:HA	1.95	0.41
1:D:63[B]:SER:HB3	1:D:85:MET:SD	2.61	0.41
1:H:169:LEU:HD23	1:H:169:LEU:HA	1.91	0.41
1:E:99:ILE:O	1:E:106:PHE:HA	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:457:SER:O	5:E:702:HOH:O	2.22	0.41
1:B:444:THR:HG22	1:B:446:GLU:H	1.87	0.40
1:F:367:GLY:HA2	1:F:417[A]:SER:OG	2.21	0.40
1:H:415[A]:ARG:HD2	5:H:1078:HOH:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	542/550 (98%)	519 (96%)	21 (4%)	2 (0%)	30	12
1	B	544/550 (99%)	526 (97%)	18 (3%)	0	100	100
1	C	546/550 (99%)	521 (95%)	21 (4%)	4 (1%)	18	5
1	D	546/550 (99%)	527 (96%)	19 (4%)	0	100	100
1	E	547/550 (100%)	528 (96%)	19 (4%)	0	100	100
1	F	555/550 (101%)	534 (96%)	20 (4%)	1 (0%)	43	22
1	G	554/550 (101%)	535 (97%)	18 (3%)	1 (0%)	43	22
1	H	549/550 (100%)	527 (96%)	21 (4%)	1 (0%)	43	22
All	All	4383/4400 (100%)	4217 (96%)	157 (4%)	9 (0%)	43	22

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	445	PRO
1	A	435	THR
1	C	439	TRP
1	F	440	ASN
1	C	491	ALA
1	A	491	ALA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	491	ALA
1	H	491	ALA
1	C	438	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	439/461 (95%)	435 (99%)	4 (1%)	70	49
1	B	440/461 (95%)	439 (100%)	1 (0%)	87	77
1	C	438/461 (95%)	435 (99%)	3 (1%)	76	57
1	D	443/461 (96%)	442 (100%)	1 (0%)	87	77
1	E	446/461 (97%)	445 (100%)	1 (0%)	87	77
1	F	452/461 (98%)	449 (99%)	3 (1%)	76	57
1	G	450/461 (98%)	449 (100%)	1 (0%)	87	77
1	H	444/461 (96%)	440 (99%)	4 (1%)	70	49
All	All	3552/3688 (96%)	3534 (100%)	18 (0%)	81	66

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	136	ASN
1	A	173	THR
1	A	245	VAL
1	A	419	GLN
1	B	136	ASN
1	C	76	LYS
1	C	136	ASN
1	C	419	GLN
1	D	136	ASN
1	E	136	ASN
1	F	136	ASN
1	F	419	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	442	GLU
1	G	136	ASN
1	H	136	ASN
1	H	173	THR
1	H	440	ASN
1	H	442	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	224	ASN
1	A	354	GLN
1	A	487	ASN
1	B	201	GLN
1	C	201	GLN
1	C	275	ASN
1	C	315	ASN
1	C	421	GLN
1	C	451	HIS
1	D	64	GLN
1	D	105	GLN
1	D	275	ASN
1	E	275	ASN
1	E	451	HIS
1	F	46	ASN
1	F	105	GLN
1	G	64	GLN
1	G	66	ASN
1	G	105	GLN
1	G	275	ASN
1	G	419	GLN
1	G	421	GLN
1	G	451	HIS
1	H	46	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 57 ligands modelled in this entry, 35 are monoatomic - leaving 22 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	N0T	F	604	-	19,19,19	1.37	2 (10%)	20,24,24	1.48	4 (20%)
4	ACT	A	603	-	3,3,3	1.24	0	3,3,3	0.83	0
3	N0T	H	602	-	19,19,19	1.32	2 (10%)	20,24,24	1.26	3 (15%)
4	ACT	D	606	-	3,3,3	0.52	0	3,3,3	1.25	0
4	ACT	E	606	-	3,3,3	1.06	0	3,3,3	0.69	0
4	ACT	D	604	-	3,3,3	1.29	0	3,3,3	1.09	0
4	ACT	B	603	-	3,3,3	0.91	0	3,3,3	0.66	0
3	N0T	G	603	-	19,19,19	1.69	3 (15%)	20,24,24	1.64	6 (30%)
4	ACT	F	606	-	3,3,3	0.96	0	3,3,3	0.58	0
4	ACT	E	605	-	3,3,3	1.03	0	3,3,3	0.76	0
3	N0T	B	602	-	19,19,19	1.35	2 (10%)	20,24,24	1.41	3 (15%)
4	ACT	H	603	-	3,3,3	1.64	1 (33%)	3,3,3	0.91	0
4	ACT	F	605	-	3,3,3	1.61	1 (33%)	3,3,3	0.89	0
4	ACT	G	606	-	3,3,3	1.46	1 (33%)	3,3,3	0.54	0
3	N0T	D	605	-	19,19,19	1.03	1 (5%)	20,24,24	1.57	5 (25%)
4	ACT	G	604	-	3,3,3	1.46	1 (33%)	3,3,3	0.42	0
4	ACT	G	607	-	3,3,3	1.32	0	3,3,3	0.82	0
3	N0T	E	604	-	19,19,19	1.37	2 (10%)	20,24,24	1.30	2 (10%)
4	ACT	D	607	-	3,3,3	0.85	0	3,3,3	0.71	0
4	ACT	G	605	-	3,3,3	1.27	0	3,3,3	1.28	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	N0T	C	603	-	19,19,19	1.27	3 (15%)	20,24,24	1.85	4 (20%)
3	N0T	A	602	-	19,19,19	1.25	1 (5%)	20,24,24	1.31	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	N0T	F	604	-	-	1/11/31/31	0/1/1/1
3	N0T	D	605	-	-	1/11/31/31	0/1/1/1
3	N0T	G	603	-	-	2/11/31/31	0/1/1/1
3	N0T	E	604	-	-	1/11/31/31	0/1/1/1
3	N0T	H	602	-	-	1/11/31/31	0/1/1/1
3	N0T	C	603	-	-	0/11/31/31	0/1/1/1
3	N0T	A	602	-	-	3/11/31/31	0/1/1/1
3	N0T	B	602	-	-	2/11/31/31	0/1/1/1

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	G	603	N0T	C4-N7	5.73	1.57	1.47
3	H	602	N0T	C4-N7	4.72	1.55	1.47
3	E	604	N0T	C4-N7	4.62	1.55	1.47
3	A	602	N0T	C4-N7	4.02	1.54	1.47
3	F	604	N0T	C4-N7	3.78	1.54	1.47
3	B	602	N0T	C4-N7	3.78	1.54	1.47
3	C	603	N0T	C8-C5	3.35	1.57	1.52
3	D	605	N0T	C4-N7	2.77	1.52	1.47
3	C	603	N0T	C17-C16	2.43	1.63	1.51
3	G	603	N0T	C5-C6	-2.42	1.49	1.53
3	E	604	N0T	C15-N7	2.40	1.52	1.47
3	F	604	N0T	C15-N7	2.31	1.51	1.47
4	F	605	ACT	CH3-C	2.30	1.58	1.49
3	B	602	N0T	O12-C3	2.29	1.48	1.43
4	H	603	ACT	CH3-C	2.26	1.58	1.49
4	G	606	ACT	CH3-C	2.22	1.57	1.49
4	G	604	ACT	OXT-C	-2.13	1.21	1.30
3	G	603	N0T	C8-C5	2.11	1.55	1.52
3	H	602	N0T	C18-C17	-2.05	1.41	1.51
3	C	603	N0T	C4-N7	2.02	1.51	1.47

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	603	N0T	C5-C6-C2	-4.96	97.77	103.86
3	A	602	N0T	C5-C6-C2	-4.27	98.61	103.86
3	D	605	N0T	C5-C6-C2	-3.72	99.29	103.86
3	E	604	N0T	C5-C6-C2	-3.49	99.57	103.86
3	B	602	N0T	C5-C6-C2	-3.29	99.82	103.86
3	C	603	N0T	C5-C4-N7	3.23	119.48	112.57
3	F	604	N0T	C5-C6-C2	-3.22	99.91	103.86
3	D	605	N0T	C3-C4-N7	-3.19	105.26	113.24
3	F	604	N0T	O12-C3-C4	3.17	118.92	111.16
3	C	603	N0T	C2-C3-C4	2.94	106.75	102.70
3	G	603	N0T	C5-C6-C2	-2.82	100.40	103.86
3	G	603	N0T	C3-C4-N7	-2.79	106.26	113.24
3	B	602	N0T	C15-N7-C4	2.73	117.79	114.03
3	G	603	N0T	C15-N7-C4	-2.58	110.46	114.03
3	E	604	N0T	C3-C4-N7	-2.44	107.14	113.24
3	G	603	N0T	C2-C3-C4	2.42	106.05	102.70
3	H	602	N0T	C3-C2-C6	-2.37	98.75	102.53
3	F	604	N0T	C19-C18-C17	-2.35	102.50	114.37
3	D	605	N0T	O12-C3-C4	2.26	116.70	111.16
3	H	602	N0T	C3-C4-N7	-2.13	107.91	113.24
3	G	603	N0T	C5-C4-N7	2.11	117.09	112.57
3	G	603	N0T	C3-C2-C6	-2.11	99.17	102.53
3	H	602	N0T	O12-C3-C4	2.08	116.27	111.16
3	D	605	N0T	C16-C15-N7	-2.08	104.11	111.78
3	D	605	N0T	C5-C4-N7	2.05	116.95	112.57
3	F	604	N0T	O10-C6-C2	-2.05	105.26	111.82
3	B	602	N0T	O12-C3-C4	2.04	116.17	111.16
3	C	603	N0T	O12-C3-C4	2.04	116.15	111.16

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	D	605	N0T	N7-C15-C16-C17
3	H	602	N0T	N7-C15-C16-C17
3	F	604	N0T	N7-C15-C16-C17
3	E	604	N0T	C15-C16-C17-C18
3	G	603	N0T	N7-C15-C16-C17
3	A	602	N0T	C15-C16-C17-C18
3	A	602	N0T	C18-C19-C20-C1
3	G	603	N0T	C15-C16-C17-C18

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	B	602	N0T	N7-C15-C16-C17
3	B	602	N0T	C15-C16-C17-C18
3	A	602	N0T	C17-C18-C19-C20

There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	E	606	ACT	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand N0T H 602




Ligand N0T G 603




Ligand N0T B 602




Ligand N0T D 605




Ligand N0T E 604



Ligand N0T C 603





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2			OWAB(Å ²)	Q < 0.9
1	A	538/550 (97%)	0.04	24 (4%)	38	42	11, 26, 46, 68	49 (9%)
1	B	540/550 (98%)	-0.15	14 (2%)	57	61	11, 24, 37, 64	29 (5%)
1	C	540/550 (98%)	-0.10	17 (3%)	51	55	10, 23, 38, 63	37 (6%)
1	D	539/550 (98%)	-0.38	10 (1%)	66	70	9, 20, 36, 60	36 (6%)
1	E	540/550 (98%)	-0.40	8 (1%)	72	75	9, 21, 37, 49	37 (6%)
1	F	539/550 (98%)	-0.27	10 (1%)	66	70	7, 21, 39, 70	41 (7%)
1	G	540/550 (98%)	-0.35	14 (2%)	57	61	9, 20, 36, 72	42 (7%)
1	H	539/550 (98%)	0.03	20 (3%)	45	49	11, 26, 44, 67	51 (9%)
All	All	4315/4400 (98%)	-0.20	117 (2%)	56	60	7, 22, 40, 72	322 (7%)

All (117) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	439	TRP	10.9
1	C	443	ALA	9.6
1	B	36	ALA	9.4
1	C	441	ALA	9.1
1	C	444	THR	9.1
1	H	443	ALA	8.8
1	A	439	TRP	8.8
1	H	441	ALA	8.7
1	F	441	ALA	8.7
1	C	439	TRP	8.7
1	B	439	TRP	8.6
1	E	36	ALA	8.3
1	H	438	ILE	8.2
1	B	443	ALA	8.1
1	D	438	ILE	7.8
1	D	439	TRP	7.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	444	THR	7.7
1	C	438	ILE	7.6
1	G	435	THR	7.5
1	G	443	ALA	7.4
1	E	441	ALA	7.3
1	E	439	TRP	7.3
1	A	435	THR	7.3
1	A	441	ALA	7.1
1	A	36	ALA	7.1
1	G	438	ILE	6.8
1	F	443	ALA	6.4
1	C	445	PRO	6.4
1	H	435	THR	6.2
1	G	444	THR	6.1
1	E	443	ALA	6.1
1	D	435	THR	6.1
1	B	438	ILE	6.0
1	D	36	ALA	6.0
1	H	434	GLU	6.0
1	C	433	THR	5.9
1	C	435	THR	5.9
1	C	442	GLU	5.9
1	G	36	ALA	5.7
1	F	440	ASN	5.7
1	A	445	PRO	5.5
1	C	36	ALA	5.4
1	C	434	GLU	5.3
1	G	434	GLU	5.3
1	A	443	ALA	5.2
1	B	445	PRO	5.1
1	C	437	LYS	5.1
1	H	445	PRO	5.1
1	B	441	ALA	5.0
1	H	440	ASN	5.0
1	B	444	THR	4.9
1	G	439	TRP	4.8
1	F	438	ILE	4.7
1	B	575	GLN	4.6
1	G	441	ALA	4.5
1	E	438	ILE	4.4
1	C	521	LEU	4.2
1	A	440	ASN	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	436	GLN	4.1
1	A	444	THR	4.0
1	C	436	GLN	4.0
1	D	441	ALA	4.0
1	B	440	ASN	4.0
1	C	440	ASN	3.9
1	G	575	GLN	3.9
1	G	445	PRO	3.9
1	G	442	GLU	3.9
1	F	444	THR	3.8
1	A	245	VAL	3.8
1	F	439	TRP	3.7
1	A	434	GLU	3.6
1	A	237	LEU	3.6
1	H	237	LEU	3.5
1	E	440	ASN	3.5
1	H	442	GLU	3.5
1	A	433	THR	3.4
1	A	232	ILE	3.4
1	G	229[A]	ASP	3.4
1	A	448	LYS	3.3
1	G	440	ASN	3.3
1	H	521	LEU	3.3
1	D	445	PRO	3.2
1	C	446	GLU	3.1
1	H	437	LYS	3.1
1	A	575	GLN	3.1
1	B	434	GLU	3.0
1	F	442	GLU	2.9
1	B	442	GLU	2.9
1	A	523	GLY	2.9
1	D	443	ALA	2.8
1	B	446	GLU	2.8
1	H	243	SER	2.8
1	A	229	ASP	2.8
1	F	445	PRO	2.8
1	H	523	GLY	2.7
1	E	444	THR	2.7
1	H	232	ILE	2.7
1	A	521	LEU	2.7
1	D	444	THR	2.6
1	H	238	LYS	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	435	THR	2.5
1	A	236	GLN	2.4
1	B	437	LYS	2.4
1	C	419	GLN	2.3
1	D	446	GLU	2.3
1	A	446	GLU	2.2
1	G	437	LYS	2.2
1	F	435	THR	2.2
1	F	37	ALA	2.1
1	D	575	GLN	2.1
1	A	239	PRO	2.1
1	H	235	LEU	2.1
1	H	447	GLU	2.1
1	A	442	GLU	2.0
1	E	442	GLU	2.0
1	A	233	GLN	2.0
1	H	575	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	ACT	D	604	4/4	0.89	0.12	28,29,32,38	0
4	ACT	H	603	4/4	0.89	0.13	29,32,34,39	4
4	ACT	F	605	4/4	0.90	0.12	28,28,31,33	4
4	ACT	E	606	4/4	0.90	0.14	30,30,32,33	4
4	ACT	E	605	4/4	0.92	0.18	22,23,23,29	4
4	ACT	F	606	4/4	0.92	0.17	23,27,27,30	4

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	ACT	G	606	4/4	0.92	0.11	27,27,30,33	4
4	ACT	D	607	4/4	0.92	0.11	26,31,36,39	4
4	ACT	B	603	4/4	0.93	0.10	31,34,36,37	4
4	ACT	G	605	4/4	0.93	0.15	36,38,44,47	4
4	ACT	G	607	4/4	0.94	0.08	30,30,33,34	4
4	ACT	A	603	4/4	0.94	0.08	27,27,30,32	4
4	ACT	D	606	4/4	0.95	0.08	28,34,36,37	4
4	ACT	G	604	4/4	0.95	0.09	23,24,24,26	4
2	NA	C	601	1/1	0.96	0.06	47,47,47,47	0
2	NA	C	602	1/1	0.96	0.08	36,36,36,36	0
3	N0T	C	603	19/19	0.97	0.08	15,19,31,38	5
3	N0T	D	605	19/19	0.98	0.06	14,15,36,36	0
3	N0T	F	604	19/19	0.98	0.06	14,17,36,37	4
3	N0T	G	603	19/19	0.98	0.06	13,15,29,33	5
3	N0T	H	602	19/19	0.98	0.07	17,19,32,37	5
2	NA	A	605	1/1	0.98	0.09	36,36,36,36	0
2	NA	H	601	1/1	0.98	0.08	33,33,33,33	0
3	N0T	A	602	19/19	0.98	0.06	17,20,48,49	2
3	N0T	B	602	19/19	0.98	0.06	17,19,38,46	0
2	NA	A	601	1/1	0.98	0.13	33,33,33,33	0
2	NA	B	604	1/1	0.99	0.12	30,30,30,30	0
2	NA	A	604	1/1	0.99	0.07	27,27,27,27	0
2	NA	A	606	1/1	0.99	0.05	34,34,34,34	0
2	NA	C	605	1/1	0.99	0.06	29,29,29,29	0
3	N0T	E	604	19/19	0.99	0.06	14,15,34,40	5
2	NA	D	601	1/1	0.99	0.07	24,24,24,24	0
2	NA	D	609	1/1	0.99	0.08	27,27,27,27	0
2	NA	E	601	1/1	0.99	0.06	23,23,23,23	0
2	NA	E	602	1/1	0.99	0.06	21,21,21,21	0
2	NA	E	607	1/1	0.99	0.11	30,30,30,30	0
2	NA	E	608	1/1	0.99	0.09	41,41,41,41	0
2	NA	E	609	1/1	0.99	0.08	22,22,22,22	0
2	NA	F	601	1/1	0.99	0.08	26,26,26,26	0
2	NA	F	602	1/1	0.99	0.06	25,25,25,25	0
2	NA	F	607	1/1	0.99	0.05	28,28,28,28	0
2	NA	G	608	1/1	0.99	0.04	30,30,30,30	0
2	NA	G	610	1/1	0.99	0.06	27,27,27,27	0
2	NA	B	601	1/1	0.99	0.09	35,35,35,35	0
2	NA	H	604	1/1	0.99	0.06	26,26,26,26	0
2	NA	H	605	1/1	0.99	0.03	30,30,30,30	0
2	NA	H	606	1/1	0.99	0.03	35,35,35,35	1
2	NA	H	607	1/1	0.99	0.07	38,38,38,38	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NA	D	603	1/1	1.00	0.07	21,21,21,21	0
2	NA	E	603	1/1	1.00	0.02	22,22,22,22	0
2	NA	F	603	1/1	1.00	0.04	22,22,22,22	0
2	NA	D	608	1/1	1.00	0.10	24,24,24,24	0
2	NA	G	601	1/1	1.00	0.12	28,28,28,28	0
2	NA	G	602	1/1	1.00	0.05	22,22,22,22	0
2	NA	C	604	1/1	1.00	0.05	26,26,26,26	0
2	NA	G	609	1/1	1.00	0.07	24,24,24,24	0
2	NA	D	602	1/1	1.00	0.02	24,24,24,24	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around N0T C 603:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around N0T D 605:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around N0T F 604:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around N0T G 603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around N0T H 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around N0T A 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around N0T B 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around N0T E 604:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.