



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 09:54 AM UTC

PDB ID : 5TCA / pdb_00005tca
Title : Complement Factor D inhibited with JH3
Authors : Stuckey, J.A.
Deposited on : 2016-09-14
Resolution : 3.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2361 (3.20-3.12)
Clashscore	190562	2486 (3.20-3.12)
Ramachandran outliers	187476	2405 (3.20-3.12)
Sidechain outliers	187428	2404 (3.20-3.12)
RSRZ outliers	180081	2361 (3.20-3.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	228	3% 89% 11%
1	B	228	3% 86% 12%
1	C	228	87% 13%
1	D	228	87% 12%
1	E	228	3% 85% 14%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	228	% 88% 11%
1	G	228	2% 87% 12%

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 12271 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Complement factor D.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	228	Total	C	N	O	S	0	0	0
			1703	1054	322	317	10			
1	B	228	Total	C	N	O	S	0	0	0
			1702	1054	323	315	10			
1	C	228	Total	C	N	O	S	0	0	0
			1706	1055	322	319	10			
1	D	228	Total	C	N	O	S	0	0	0
			1712	1058	325	319	10			
1	E	228	Total	C	N	O	S	0	0	0
			1709	1057	323	319	10			
1	F	228	Total	C	N	O	S	0	0	0
			1691	1048	316	317	10			
1	G	228	Total	C	N	O	S	0	0	0
			1685	1046	316	313	10			

- Molecule 2 is 1-(2-((2S)-2-[(6-bromopyridin-2-yl)carbamoyl]-1,3-thiazolidin-3-yl)-2-oxoethyl)-1H-pyrazolo[3,4-b]pyridine-3-carboxamide (CCD ID: J55) (formula: C₁₈H₁₆BrN₇O₃S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	Br	C	N	O	S	0	0
			30	1	18	7	3	1		
2	B	1	Total	Br	C	N	O	S	0	0
			30	1	18	7	3	1		
2	C	1	Total	Br	C	N	O	S	0	0
			30	1	18	7	3	1		
2	C	1	Total	Br	C	N	O	S	0	0
			30	1	18	7	3	1		
2	D	1	Total	Br	C	N	O	S	0	0
			30	1	18	7	3	1		
2	D	1	Total	Br	C	N	O	S	0	0
			30	1	18	7	3	1		
2	E	1	Total	Br	C	N	O	S	0	0
			30	1	18	7	3	1		
2	F	1	Total	Br	C	N	O	S	0	0
			30	1	18	7	3	1		
2	G	1	Total	Br	C	N	O	S	0	0
			30	1	18	7	3	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	17	Total	O	0	0
			17	17		
3	B	15	Total	O	0	0
			15	15		
3	C	22	Total	O	0	0
			22	22		
3	D	15	Total	O	0	0
			15	15		
3	E	6	Total	O	0	0
			6	6		
3	F	6	Total	O	0	0
			6	6		
3	G	12	Total	O	0	0
			12	12		



3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Complement factor D




- Molecule 1: Complement factor D





- Molecule 1: Complement factor D




- Molecule 1: Complement factor D





- Molecule 1: Complement factor D







● Molecule 1: Complement factor D



● Molecule 1: Complement factor D



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	99.36Å 143.65Å 347.59Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.68 – 3.15 49.68 – 3.15	Depositor EDS
% Data completeness (in resolution range)	99.7 (49.68-3.15) 99.7 (49.68-3.15)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.05 (at 3.12Å)	Xtriage
Refinement program	BUSTER-TNT 2.10.2	Depositor
R, R_{free}	0.225 , 0.264 0.217 , 0.256	Depositor DCC
R_{free} test set	2141 reflections (4.94%)	wwPDB-VP
Wilson B-factor (Å ²)	59.9	Xtriage
Anisotropy	0.063	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 56.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	12271	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.16% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: J55

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.87	0/1738	1.23	2/2366 (0.1%)
1	B	0.88	0/1737	1.18	3/2364 (0.1%)
1	C	0.92	2/1741 (0.1%)	1.20	1/2370 (0.0%)
1	D	0.85	0/1747	1.19	2/2377 (0.1%)
1	E	0.87	1/1744 (0.1%)	1.19	6/2373 (0.3%)
1	F	0.82	0/1726	1.20	3/2352 (0.1%)
1	G	0.93	0/1720	1.22	4/2344 (0.2%)
All	All	0.88	3/12153 (0.0%)	1.20	21/16546 (0.1%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	193	SER	CA-C	5.83	1.61	1.53
1	C	165	ASP	CA-C	5.54	1.59	1.52
1	E	185	CYS	CA-C	-5.10	1.46	1.52

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	192	ASP	CA-CB-CG	7.00	119.60	112.60
1	F	142	GLY	N-CA-C	6.86	120.53	110.38
1	G	192	ASP	CA-CB-CG	6.28	118.88	112.60
1	B	131	ASP	CA-CB-CG	6.11	118.71	112.60
1	D	192	ASP	CA-CB-CG	6.07	118.67	112.60
1	A	131	ASP	CA-CB-CG	5.94	118.54	112.60
1	A	192	ASP	CA-CB-CG	5.86	118.46	112.60
1	G	131	ASP	CA-CB-CG	5.84	118.44	112.60
1	E	95	ASP	CA-C-N	-5.62	115.54	122.84
1	E	95	ASP	C-N-CA	-5.62	115.54	122.84
1	E	54	ALA	CA-C-N	5.59	128.33	120.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	54	ALA	C-N-CA	5.59	128.33	120.28
1	G	197	ASP	CA-C-N	5.58	129.04	121.05
1	G	197	ASP	C-N-CA	5.58	129.04	121.05
1	D	131	ASP	CA-CB-CG	5.39	117.99	112.60
1	F	165	ASP	CA-CB-CG	5.18	117.78	112.60
1	B	234	TYR	CA-C-N	5.18	127.53	120.54
1	B	234	TYR	C-N-CA	5.18	127.53	120.54
1	E	192	ASP	CA-CB-CG	5.14	117.74	112.60
1	E	231	VAL	N-CA-CB	5.13	117.52	110.54
1	F	131	ASP	CA-CB-CG	5.03	117.63	112.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1703	0	1682	10	0
1	B	1702	0	1684	13	0
1	C	1706	0	1684	9	0
1	D	1712	0	1695	15	0
1	E	1709	0	1690	13	0
1	F	1691	0	1660	12	0
1	G	1685	0	1656	11	0
2	A	30	0	0	1	0
2	B	30	0	0	0	0
2	C	60	0	0	0	0
2	D	60	0	0	4	0
2	E	30	0	0	0	0
2	F	30	0	0	0	0
2	G	30	0	0	0	0
3	A	17	0	0	0	0
3	B	15	0	0	0	0
3	C	22	0	0	0	0
3	D	15	0	0	0	0
3	E	6	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	F	6	0	0	0	0
3	G	12	0	0	1	0
All	All	12271	0	11751	75	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (75) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:69:LEU:HD11	1:B:82:LYS:HG2	1.60	0.81
1:G:137:LEU:HB3	1:G:160:LEU:HD22	1.71	0.72
1:F:162:PRO:HG2	1:F:187:GLU:HG3	1.74	0.69
1:B:78:PRO:HG3	1:C:149:ALA:HB1	1.75	0.68
2:D:302:J55:O2	1:E:62:ALA:HA	1.98	0.64
1:D:222:ARG:NH1	1:E:97:GLN:HG3	2.14	0.62
1:A:67:GLN:HE22	1:B:65:LYS:HE3	1.63	0.62
1:C:51:VAL:HG21	1:C:68:VAL:HG11	1.84	0.59
1:E:51:VAL:HG21	1:E:68:VAL:HG11	1.84	0.59
1:F:51:VAL:HG21	1:F:68:VAL:HG11	1.84	0.59
1:D:51:VAL:HG21	1:D:68:VAL:HG11	1.84	0.59
1:B:51:VAL:HG21	1:B:68:VAL:HG11	1.85	0.58
1:B:198:SER:HB3	1:B:214:SER:HA	1.85	0.58
1:D:149:ALA:HB1	1:G:78:PRO:HG3	1.88	0.56
1:G:51:VAL:HG21	1:G:68:VAL:HG11	1.88	0.55
1:E:162:PRO:HD2	1:E:187:GLU:HB2	1.89	0.54
1:D:191:ARG:HD3	2:D:302:J55:C15	2.38	0.53
1:G:55:ALA:HA	1:G:106:LEU:HB2	1.90	0.53
1:G:148:HIS:HD2	3:G:611:HOH:O	1.92	0.53
1:B:55:ALA:HA	1:B:106:LEU:HB2	1.89	0.53
1:F:47:ALA:HB3	1:F:50:TRP:HB2	1.90	0.53
1:G:198:SER:HB3	1:G:214:SER:HA	1.92	0.52
1:B:164:LEU:HD12	1:B:187:GLU:HG3	1.92	0.51
1:C:47:ALA:HB3	1:C:50:TRP:HB2	1.93	0.51
1:D:172:ARG:CZ	1:F:172:ARG:HE	2.23	0.51
1:A:47:ALA:HB3	1:A:50:TRP:HB2	1.93	0.51
1:B:47:ALA:HB3	1:B:50:TRP:HB2	1.93	0.50
1:B:174:HIS:HA	1:B:223:LYS:O	2.11	0.50
1:D:47:ALA:HB3	1:D:50:TRP:HB2	1.92	0.50
1:F:55:ALA:HA	1:F:106:LEU:HB2	1.93	0.50
1:E:174:HIS:HA	1:E:223:LYS:O	2.11	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:137:LEU:HD13	1:F:160:LEU:HD23	1.94	0.49
1:D:198:SER:HB3	1:D:214:SER:HA	1.94	0.49
1:E:198:SER:HB3	1:E:214:SER:HA	1.95	0.49
1:G:47:ALA:HB3	1:G:50:TRP:HB2	1.93	0.49
1:E:47:ALA:HB3	1:E:50:TRP:HB2	1.94	0.49
1:A:69:LEU:HD11	1:A:82:LYS:HG2	1.93	0.49
1:D:55:ALA:HA	1:D:106:LEU:HB2	1.94	0.47
1:G:185:CYS:HB2	1:G:226:GLY:O	2.13	0.47
1:A:174:HIS:HA	1:A:223:LYS:O	2.15	0.47
1:B:137:LEU:HD13	1:B:160:LEU:HD23	1.96	0.47
1:F:174:HIS:HA	1:F:223:LYS:O	2.16	0.46
1:F:50:TRP:CH2	1:F:109:GLN:HB2	2.50	0.46
1:G:50:TRP:CH2	1:G:109:GLN:HB2	2.51	0.45
1:C:174:HIS:HA	1:C:223:LYS:O	2.17	0.45
1:A:70:LEU:HD12	1:A:85:TYR:CE1	2.52	0.45
1:D:174:HIS:HA	1:D:223:LYS:O	2.16	0.45
2:D:302:J55:C15	1:E:62:ALA:HB1	2.46	0.45
1:A:65:LYS:HE2	1:B:86:ASP:CG	2.42	0.44
1:C:96:SER:HB3	1:C:103:HIS:O	2.17	0.44
1:D:50:TRP:CH2	1:D:109:GLN:HB2	2.53	0.44
1:D:172:ARG:HD2	1:F:172:ARG:HH21	1.82	0.44
1:A:137:LEU:HD13	1:A:160:LEU:HD23	2.00	0.44
1:E:55:ALA:HA	1:E:106:LEU:HB2	1.99	0.44
1:D:52:LEU:HD11	1:D:105:LEU:HD22	2.00	0.44
1:E:52:LEU:HD11	1:E:105:LEU:HD22	2.00	0.44
1:D:137:LEU:HG	2:D:302:J55:C9	2.48	0.44
1:E:97:GLN:HB2	1:E:100:THR:HG22	1.99	0.43
1:F:67:GLN:HE21	1:F:67:GLN:HB2	1.57	0.43
1:D:123:LEU:HD23	1:D:208:LEU:HB2	2.00	0.43
1:B:50:TRP:CH2	1:B:109:GLN:HB2	2.53	0.43
1:B:164:LEU:CD1	1:B:187:GLU:HG3	2.48	0.43
1:F:198:SER:HB3	1:F:214:SER:HA	2.00	0.43
1:C:123:LEU:HD23	1:C:208:LEU:HB2	2.01	0.43
1:C:50:TRP:CH2	1:C:109:GLN:HB2	2.55	0.42
1:A:152:ARG:HG2	2:A:500:J55:BR	2.75	0.42
1:A:123:LEU:HD23	1:A:208:LEU:HB2	2.02	0.42
1:F:96:SER:HB3	1:F:103:HIS:O	2.19	0.42
1:G:174:HIS:HA	1:G:223:LYS:O	2.20	0.42
1:A:50:TRP:CH2	1:A:109:GLN:HB2	2.55	0.41
1:C:210:GLY:HA2	1:C:229:THR:O	2.21	0.41
1:E:123:LEU:HD23	1:E:208:LEU:HB2	2.03	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:83:ARG:HH22	1:C:112:GLU:CD	2.29	0.40
1:G:137:LEU:HB3	1:G:160:LEU:CD2	2.45	0.40
1:D:133:ALA:CB	1:E:89:ARG:HD2	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	226/228 (99%)	218 (96%)	8 (4%)	0	100	100
1	B	226/228 (99%)	216 (96%)	9 (4%)	1 (0%)	30	59
1	C	226/228 (99%)	216 (96%)	10 (4%)	0	100	100
1	D	226/228 (99%)	219 (97%)	7 (3%)	0	100	100
1	E	226/228 (99%)	220 (97%)	6 (3%)	0	100	100
1	F	226/228 (99%)	219 (97%)	7 (3%)	0	100	100
1	G	226/228 (99%)	217 (96%)	9 (4%)	0	100	100
All	All	1582/1596 (99%)	1525 (96%)	56 (4%)	1 (0%)	48	76

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	59	GLU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	180/182 (99%)	171 (95%)	9 (5%)	22	50
1	B	179/182 (98%)	166 (93%)	13 (7%)	13	38
1	C	181/182 (100%)	171 (94%)	10 (6%)	19	47
1	D	182/182 (100%)	175 (96%)	7 (4%)	29	58
1	E	181/182 (100%)	169 (93%)	12 (7%)	15	42
1	F	178/182 (98%)	169 (95%)	9 (5%)	21	50
1	G	176/182 (97%)	166 (94%)	10 (6%)	18	47
All	All	1257/1274 (99%)	1187 (94%)	70 (6%)	19	47

All (70) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	40	LEU
1	A	44	VAL
1	A	127	ARG
1	A	140	VAL
1	A	160	LEU
1	A	165	ASP
1	A	169	CYS
1	A	218	VAL
1	A	240	SER
1	B	40	LEU
1	B	44	VAL
1	B	65	LYS
1	B	81	SER
1	B	97	GLN
1	B	140	VAL
1	B	160	LEU
1	B	164	LEU
1	B	165	ASP
1	B	168	THR
1	B	198	SER
1	B	218	VAL
1	B	240	SER
1	C	40	LEU
1	C	44	VAL
1	C	81	SER
1	C	140	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	158	HIS
1	C	164	LEU
1	C	168	THR
1	C	190	ARG
1	C	198	SER
1	C	240	SER
1	D	40	LEU
1	D	44	VAL
1	D	140	VAL
1	D	198	SER
1	D	218	VAL
1	D	233	SER
1	D	240	SER
1	E	20	ARG
1	E	40	LEU
1	E	44	VAL
1	E	96	SER
1	E	97	GLN
1	E	164	LEU
1	E	166	ARG
1	E	185	CYS
1	E	190	ARG
1	E	198	SER
1	E	239	ASP
1	E	240	SER
1	F	44	VAL
1	F	140	VAL
1	F	160	LEU
1	F	165	ASP
1	F	168	THR
1	F	169	CYS
1	F	198	SER
1	F	218	VAL
1	F	240	SER
1	G	40	LEU
1	G	44	VAL
1	G	81	SER
1	G	130	ARG
1	G	140	VAL
1	G	164	LEU
1	G	169	CYS
1	G	198	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	218	VAL
1	G	240	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	67	GLN
1	A	109	GLN
1	B	67	GLN
1	B	97	GLN
1	B	109	GLN
1	C	109	GLN
1	C	189	ASN
1	D	109	GLN
1	D	189	ASN
1	E	97	GLN
1	E	109	GLN
1	E	148	HIS
1	E	170	ASN
1	F	109	GLN
1	G	109	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	J55	F	500	-	31,33,33	0.79	2 (6%)	40,47,47	3.13	9 (22%)
2	J55	A	500	-	31,33,33	0.74	2 (6%)	40,47,47	3.21	8 (20%)
2	J55	G	500	-	31,33,33	0.71	2 (6%)	40,47,47	3.01	9 (22%)
2	J55	D	301	-	31,33,33	0.71	2 (6%)	40,47,47	3.07	7 (17%)
2	J55	B	500	-	31,33,33	0.78	2 (6%)	40,47,47	2.86	8 (20%)
2	J55	C	301	-	31,33,33	0.71	2 (6%)	40,47,47	3.08	7 (17%)
2	J55	D	302	-	31,33,33	0.88	2 (6%)	40,47,47	2.87	9 (22%)
2	J55	E	500	-	31,33,33	0.63	1 (3%)	40,47,47	2.90	7 (17%)
2	J55	C	302	-	31,33,33	0.80	1 (3%)	40,47,47	3.04	9 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	J55	F	500	-	-	2/19/30/30	0/4/4/4
2	J55	A	500	-	-	2/19/30/30	0/4/4/4
2	J55	G	500	-	-	2/19/30/30	0/4/4/4
2	J55	D	301	-	-	2/19/30/30	0/4/4/4
2	J55	B	500	-	-	1/19/30/30	0/4/4/4
2	J55	C	301	-	-	2/19/30/30	0/4/4/4
2	J55	D	302	-	-	0/19/30/30	0/4/4/4
2	J55	E	500	-	-	2/19/30/30	0/4/4/4
2	J55	C	302	-	-	1/19/30/30	0/4/4/4

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	302	J55	C3-N2	3.86	1.52	1.46
2	C	302	J55	C8-C9	-3.75	1.43	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	500	J55	C8-C9	-3.32	1.44	1.50
2	G	500	J55	C3-N2	3.04	1.51	1.46
2	B	500	J55	C8-C9	-3.01	1.45	1.50
2	C	301	J55	C8-C9	-2.93	1.45	1.50
2	D	301	J55	C3-N2	2.89	1.51	1.46
2	E	500	J55	C3-N2	2.86	1.51	1.46
2	A	500	J55	C3-N2	2.78	1.50	1.46
2	B	500	J55	C3-N2	2.75	1.50	1.46
2	A	500	J55	C8-C9	-2.71	1.45	1.50
2	F	500	J55	C3-N2	2.60	1.50	1.46
2	D	302	J55	C8-C9	-2.57	1.45	1.50
2	D	301	J55	C8-C9	-2.37	1.46	1.50
2	C	301	J55	C3-N2	2.26	1.50	1.46
2	G	500	J55	C8-C9	-2.15	1.46	1.50

All (73) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	500	J55	C10-C8-N4	-14.67	105.18	111.22
2	F	500	J55	C10-C8-N4	-13.71	105.57	111.22
2	C	301	J55	C10-C8-N4	-13.44	105.69	111.22
2	G	500	J55	C10-C8-N4	-13.32	105.73	111.22
2	D	301	J55	C10-C8-N4	-13.25	105.76	111.22
2	E	500	J55	C10-C8-N4	-12.58	106.04	111.22
2	B	500	J55	C10-C8-N4	-12.10	106.24	111.22
2	D	302	J55	C10-C8-N4	-11.37	106.54	111.22
2	C	302	J55	C10-C8-N4	-10.01	107.10	111.22
2	C	302	J55	C11-N3-N4	8.63	115.90	111.05
2	C	302	J55	C10-C11-N3	-8.60	101.85	107.18
2	D	301	J55	C10-C11-N3	-8.05	102.19	107.18
2	F	500	J55	C10-C11-N3	-7.91	102.28	107.18
2	C	301	J55	C10-C11-N3	-7.89	102.29	107.18
2	A	500	J55	C10-C11-N3	-7.66	102.43	107.18
2	B	500	J55	C10-C11-N3	-7.55	102.50	107.18
2	D	302	J55	C10-C11-N3	-7.46	102.56	107.18
2	G	500	J55	C10-C11-N3	-7.34	102.63	107.18
2	E	500	J55	C10-C11-N3	-7.32	102.64	107.18
2	A	500	J55	C8-N4-N3	6.81	108.95	106.19
2	D	301	J55	C11-N3-N4	6.70	114.82	111.05
2	C	301	J55	C11-N3-N4	6.58	114.75	111.05
2	B	500	J55	C11-N3-N4	6.32	114.61	111.05
2	D	302	J55	C11-N3-N4	6.25	114.56	111.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	500	J55	C11-N3-N4	6.17	114.52	111.05
2	C	302	J55	C7-N3-N4	-5.87	115.35	120.01
2	E	500	J55	C11-N3-N4	5.71	114.26	111.05
2	A	500	J55	C11-C10-C8	5.68	109.65	104.62
2	G	500	J55	C11-C10-C8	5.58	109.56	104.62
2	F	500	J55	C11-C10-C8	5.39	109.39	104.62
2	D	301	J55	C11-C10-C8	5.36	109.36	104.62
2	C	301	J55	C11-C10-C8	5.28	109.29	104.62
2	B	500	J55	C11-C10-C8	5.13	109.16	104.62
2	E	500	J55	C11-C10-C8	5.08	109.12	104.62
2	F	500	J55	C8-N4-N3	5.06	108.24	106.19
2	G	500	J55	C8-N4-N3	5.00	108.22	106.19
2	G	500	J55	C11-N3-N4	5.00	113.86	111.05
2	A	500	J55	C11-N3-N4	4.86	113.78	111.05
2	D	302	J55	C11-C10-C8	4.85	108.92	104.62
2	D	302	J55	C6-C7-N3	-4.62	106.75	111.04
2	C	302	J55	C11-C10-C8	4.56	108.66	104.62
2	C	302	J55	N6-C11-N3	4.55	132.44	125.34
2	C	301	J55	C8-N4-N3	4.40	107.97	106.19
2	E	500	J55	C8-N4-N3	4.30	107.93	106.19
2	C	302	J55	C6-C7-N3	-4.29	107.05	111.04
2	D	301	J55	C8-N4-N3	4.13	107.86	106.19
2	C	301	J55	N6-C11-N3	4.01	131.59	125.34
2	D	301	J55	N6-C11-N3	3.96	131.52	125.34
2	E	500	J55	N6-C11-N3	3.96	131.51	125.34
2	D	302	J55	N6-C11-N3	3.94	131.50	125.34
2	D	302	J55	S-C3-N2	3.92	107.29	104.83
2	B	500	J55	N6-C11-N3	3.88	131.40	125.34
2	F	500	J55	N6-C11-N3	3.86	131.36	125.34
2	A	500	J55	N6-C11-N3	3.79	131.26	125.34
2	D	301	J55	C6-C7-N3	-3.79	107.52	111.04
2	G	500	J55	N6-C11-N3	3.66	131.05	125.34
2	B	500	J55	C6-C7-N3	-3.61	107.68	111.04
2	F	500	J55	C6-C7-N3	-3.41	107.87	111.04
2	C	301	J55	C6-C7-N3	-3.41	107.87	111.04
2	D	302	J55	C7-N3-N4	-3.37	117.33	120.01
2	G	500	J55	C7-N3-C11	-3.21	125.78	127.81
2	B	500	J55	C8-N4-N3	3.19	107.48	106.19
2	E	500	J55	C6-C7-N3	-3.18	108.09	111.04
2	G	500	J55	S-C3-N2	3.13	106.80	104.83
2	G	500	J55	C6-C7-N3	-3.07	108.19	111.04
2	D	302	J55	C8-N4-N3	2.93	107.37	106.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	302	J55	S-C3-N2	2.62	106.47	104.83
2	F	500	J55	C7-N3-C11	-2.54	126.20	127.81
2	A	500	J55	S-C3-N2	2.46	106.38	104.83
2	C	302	J55	C8-C9-N5	-2.38	112.55	116.73
2	F	500	J55	S-C3-N2	2.38	106.33	104.83
2	B	500	J55	C7-N3-C11	-2.19	126.42	127.81
2	A	500	J55	C6-C7-N3	-2.07	109.12	111.04

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	500	J55	N1-C2-C3-S
2	C	301	J55	O2-C2-C3-S
2	C	301	J55	N1-C2-C3-S
2	D	301	J55	N1-C2-C3-S
2	E	500	J55	O2-C2-C3-S
2	E	500	J55	N1-C2-C3-S
2	F	500	J55	O2-C2-C3-S
2	F	500	J55	N1-C2-C3-S
2	G	500	J55	O2-C2-C3-S
2	A	500	J55	O2-C2-C3-S
2	C	302	J55	O2-C2-C3-S
2	D	301	J55	O2-C2-C3-S
2	B	500	J55	N1-C2-C3-S
2	G	500	J55	N1-C2-C3-S


There are no ring outliers.


2 monomers are involved in 5 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	500	J55	1	0
2	D	302	J55	4	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the


average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	228/228 (100%)	-0.05	2 (0%) 81 64	29, 44, 70, 88	0
1	B	228/228 (100%)	-0.01	2 (0%) 81 64	33, 44, 66, 102	0
1	C	228/228 (100%)	-0.04	1 (0%) 88 78	30, 43, 69, 89	0
1	D	228/228 (100%)	0.05	0 100 100	35, 50, 74, 84	0
1	E	228/228 (100%)	0.23	6 (2%) 57 36	34, 53, 82, 110	0
1	F	228/228 (100%)	0.28	3 (1%) 75 55	33, 55, 77, 88	0
1	G	228/228 (100%)	0.25	4 (1%) 67 47	36, 52, 76, 97	0
All	All	1596/1596 (100%)	0.10	18 (1%) 78 60	29, 49, 75, 110	0

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	62	ALA	3.7
1	A	60	ASP	3.4
1	E	61	ALA	3.3
1	G	59	GLU	3.1
1	C	24	ALA	3.0
1	E	60	ASP	2.9
1	G	60	ASP	2.8
1	G	37	GLY	2.7
1	E	216	SER	2.6
1	B	165	ASP	2.5
1	F	242	LEU	2.5
1	G	63	ASP	2.4
1	A	62	ALA	2.3
1	F	63	ASP	2.3
1	E	40	LEU	2.2
1	B	54	ALA	2.1
1	E	64	GLY	2.1
1	F	77	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ



In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	J55	D	302	30/30	0.89	0.12	61,72,83,101	0
2	J55	C	302	30/30	0.92	0.11	42,50,66,89	0
2	J55	D	301	30/30	0.96	0.09	37,53,63,67	0
2	J55	E	500	30/30	0.96	0.10	40,52,63,65	0
2	J55	B	500	30/30	0.97	0.09	38,46,55,58	0
2	J55	C	301	30/30	0.97	0.08	40,50,54,55	0
2	J55	A	500	30/30	0.97	0.08	20,39,49,54	0
2	J55	F	500	30/30	0.97	0.09	42,49,52,54	0
2	J55	G	500	30/30	0.97	0.07	39,51,61,64	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around J55 D 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around J55 C 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around J55 D 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around J55 E 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around J55 B 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around J55 C 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around J55 A 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around J55 F 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around J55 G 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.