



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 03:08 AM UTC

PDB ID : 1TDU / pdb_00001tdu
Title : E. COLI THYMIDYLATE SYNTHASE IN COMPLEX WITH CB3717 AND
2'-DEOXYURIDINE (DURD)
Authors : Stout, T.J.; Sage, C.R.; Stroud, R.M.
Deposited on : 1997-06-25
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	265	
1	B	265	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	PO4	A	300	-	X	-	-
2	PO4	B	300	-	X	-	-

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 4570 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called THYMIDYLATE SYNTHASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	265	Total	C	N	O	S	0	0	0
			2153	1375	371	395	12			
1	B	265	Total	C	N	O	S	0	0	0
			2153	1375	371	395	12			

- Molecule 2 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	P	0	0
			5	4	1		
2	B	1	Total	O	P	0	0
			5	4	1		

- Molecule 3 is 2'-DEOXYURIDINE (CCD ID: DUR) (formula: C₉H₁₂N₂O₅).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			16	9	2	5		
3	B	1	Total	C	N	O	0	0
			16	9	2	5		

- Molecule 4 is 10-PROPARGYL-5,8-DIDEAZAFOLIC ACID (CCD ID: CB3) (formula: $C_{24}H_{23}N_5O_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			35	24	5	6		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	N	O	0	0
			35	24	5	6		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	94	Total	O	0	0
			94	94		
5	B	58	Total	O	0	0
			58	58		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: THYMIDYLATE SYNTHASE

Chain A: 



• Molecule 1: THYMIDYLATE SYNTHASE

Chain B: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 63	Depositor
Cell constants a, b, c, α , β , γ	127.30Å 127.30Å 67.98Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	8.00 – 2.10	Depositor
% Data completeness (in resolution range)	78.4 (8.00-2.10)	Depositor
R_{merge}	0.06	Depositor
R_{sym}	0.06	Depositor
Refinement program	X-PLOR	Depositor
R, R_{free}	0.185 , 0.246	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	4570	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, DUR, CB3, FMT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.99	13/2210 (0.6%)	1.93	67/3000 (2.2%)
1	B	0.99	13/2210 (0.6%)	1.94	75/3000 (2.5%)
All	All	0.99	26/4420 (0.6%)	1.93	142/6000 (2.4%)

All (26) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	108	HIS	CD2-NE2	-7.09	1.30	1.37
1	B	207	HIS	CD2-NE2	-7.03	1.30	1.37
1	B	255	HIS	CD2-NE2	-6.76	1.30	1.37
1	A	255	HIS	CD2-NE2	-6.75	1.30	1.37
1	A	217	HIS	CD2-NE2	-6.66	1.30	1.37
1	B	73	HIS	CD2-NE2	-6.62	1.30	1.37
1	A	212	HIS	CD2-NE2	-6.61	1.30	1.37
1	A	147	HIS	CD2-NE2	-6.55	1.30	1.37
1	B	130	VAL	CA-CB	6.54	1.62	1.54
1	B	32	HIS	CD2-NE2	-6.51	1.30	1.37
1	B	57	HIS	CD2-NE2	-6.49	1.30	1.37
1	B	108	HIS	CD2-NE2	-6.37	1.30	1.37
1	A	207	HIS	CD2-NE2	-6.27	1.30	1.37
1	A	186	HIS	CD2-NE2	-6.17	1.31	1.37
1	A	57	HIS	CD2-NE2	-6.05	1.31	1.37
1	B	51	HIS	CD2-NE2	-5.99	1.31	1.37
1	A	51	HIS	CD2-NE2	-5.99	1.31	1.37
1	B	217	HIS	CD2-NE2	-5.99	1.31	1.37
1	A	32	HIS	CD2-NE2	-5.96	1.31	1.37
1	A	73	HIS	CD2-NE2	-5.91	1.31	1.37
1	B	147	HIS	CD2-NE2	-5.89	1.31	1.37
1	B	212	HIS	CD2-NE2	-5.82	1.31	1.37
1	A	178	ILE	CA-CB	5.61	1.61	1.54
1	B	186	HIS	CD2-NE2	-5.45	1.31	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	77	VAL	CA-CB	5.22	1.60	1.54
1	A	11	VAL	CA-CB	5.11	1.61	1.54

All (142) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	97	GLN	OE1-CD-NE2	-10.10	112.50	122.60
1	B	147	HIS	CA-CB-CG	10.05	123.85	113.80
1	B	151	GLN	OE1-CD-NE2	-9.89	112.71	122.60
1	A	19	ASN	OD1-CG-ND2	-9.72	112.88	122.60
1	B	134	ASN	OD1-CG-ND2	-9.64	112.96	122.60
1	B	97	GLN	OE1-CD-NE2	-9.53	113.07	122.60
1	A	64	GLN	OE1-CD-NE2	-9.52	113.08	122.60
1	B	117	ASN	OD1-CG-ND2	-9.51	113.09	122.60
1	A	37	ASN	OD1-CG-ND2	-9.46	113.14	122.60
1	A	215	GLN	OE1-CD-NE2	-9.29	113.31	122.60
1	A	147	HIS	CA-CB-CG	9.26	123.06	113.80
1	B	85	ASP	CA-CB-CG	9.02	121.62	112.60
1	A	162	GLN	OE1-CD-NE2	-8.86	113.74	122.60
1	B	79	ILE	N-CA-C	8.73	120.58	110.62
1	B	77	VAL	CA-C-O	8.66	130.03	120.59
1	B	249	ILE	N-CA-C	8.61	118.67	106.53
1	A	134	ASN	OD1-CG-ND2	-8.59	114.01	122.60
1	B	39	GLN	OE1-CD-NE2	-8.58	114.02	122.60
1	B	215	GLN	OE1-CD-NE2	-8.57	114.03	122.60
1	A	207	HIS	N-CA-C	8.48	122.05	109.24
1	A	177	ASN	OD1-CG-ND2	-8.42	114.18	122.60
1	A	117	ASN	OD1-CG-ND2	-8.38	114.22	122.60
1	A	151	GLN	OE1-CD-NE2	-8.35	114.25	122.60
1	A	191	GLN	OE1-CD-NE2	-8.35	114.25	122.60
1	A	85	ASP	CA-CB-CG	8.29	120.89	112.60
1	A	28	SER	N-CA-C	8.08	123.00	108.69
1	A	17	GLN	OE1-CD-NE2	-8.05	114.55	122.60
1	B	9	GLN	OE1-CD-NE2	-8.02	114.58	122.60
1	A	150	PHE	CA-CB-CG	7.93	121.73	113.80
1	B	19	ASN	OD1-CG-ND2	-7.82	114.78	122.60
1	B	81	ASP	N-CA-C	7.76	119.37	111.07
1	B	233	LYS	N-CA-C	7.71	121.62	111.75
1	B	207	HIS	N-CA-C	7.56	120.65	109.24
1	A	9	GLN	OE1-CD-NE2	-7.56	115.04	122.60
1	A	121	ASN	OD1-CG-ND2	-7.51	115.09	122.60
1	A	75	ASN	OD1-CG-ND2	-7.50	115.10	122.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	190	GLN	OE1-CD-NE2	-7.37	115.23	122.60
1	B	190	GLN	OE1-CD-NE2	-7.37	115.23	122.60
1	A	51	HIS	CB-CG-CD2	-7.28	121.74	131.20
1	B	28	SER	N-CA-C	7.26	121.37	109.24
1	A	148	ALA	N-CA-C	7.26	122.41	112.90
1	B	150	PHE	CA-CB-CG	7.15	120.95	113.80
1	B	162	GLN	OE1-CD-NE2	-7.15	115.45	122.60
1	A	68	ASN	OD1-CG-ND2	-7.14	115.46	122.60
1	B	75	ASN	OD1-CG-ND2	-7.06	115.54	122.60
1	A	211	ASN	OD1-CG-ND2	-7.02	115.58	122.60
1	A	217	HIS	CB-CG-CD2	-6.97	122.14	131.20
1	A	24	THR	N-CA-C	6.92	119.66	111.71
1	A	111	GLN	OE1-CD-NE2	-6.91	115.69	122.60
1	B	78	THR	N-CA-C	6.89	121.69	113.28
1	A	213	MET	N-CA-C	6.89	118.79	111.28
1	A	178	ILE	CB-CG1-CD1	-6.89	99.33	113.80
1	A	139	ASP	CA-CB-CG	6.74	119.34	112.60
1	A	87	ASN	OD1-CG-ND2	-6.71	115.89	122.60
1	A	64	GLN	CG-CD-NE2	6.66	126.39	116.40
1	B	177	ASN	OD1-CG-ND2	-6.61	115.99	122.60
1	B	78	THR	CA-CB-OG1	-6.61	99.69	109.60
1	A	81	ASP	N-CA-C	6.61	118.48	111.28
1	B	151	GLN	CG-CD-NE2	6.60	126.30	116.40
1	B	87	ASN	OD1-CG-ND2	-6.55	116.05	122.60
1	A	165	GLN	OE1-CD-NE2	-6.51	116.09	122.60
1	A	62	PHE	CA-CB-CG	6.43	120.23	113.80
1	B	76	ASN	OD1-CG-ND2	-6.35	116.25	122.60
1	B	191	GLN	OE1-CD-NE2	-6.28	116.32	122.60
1	B	158	LYS	N-CA-C	6.28	119.47	109.24
1	B	168	CYS	N-CA-C	6.23	118.56	108.34
1	B	107	ARG	N-CA-C	6.18	118.30	110.33
1	A	37	ASN	CB-CG-ND2	6.04	125.47	116.40
1	B	155	ALA	O-C-N	-6.04	114.55	122.59
1	B	258	ILE	N-CA-C	6.04	121.89	109.34
1	A	76	ASN	OD1-CG-ND2	-6.03	116.57	122.60
1	A	217	HIS	CB-CG-ND1	6.01	131.72	122.70
1	A	39	GLN	OE1-CD-NE2	-6.01	116.59	122.60
1	B	57	HIS	CB-CG-CD2	-6.00	123.40	131.20
1	A	51	HIS	CB-CG-ND1	5.97	131.66	122.70
1	B	207	HIS	CB-CG-CD2	-5.86	123.58	131.20
1	B	68	ASN	OD1-CG-ND2	-5.86	116.74	122.60
1	B	89	ASP	N-CA-C	5.84	119.44	110.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	15	GLY	N-CA-C	5.83	118.19	111.36
1	B	64	GLN	OE1-CD-NE2	-5.82	116.78	122.60
1	B	117	ASN	CB-CG-ND2	5.81	125.11	116.40
1	A	162	GLN	CG-CD-NE2	5.78	125.07	116.40
1	B	32	HIS	CB-CG-CD2	-5.75	123.73	131.20
1	B	53	ARG	CA-CB-CG	5.74	125.58	114.10
1	B	37	ASN	OD1-CG-ND2	-5.73	116.87	122.60
1	B	148	ALA	N-CA-C	5.72	120.40	112.45
1	A	198	ASP	N-CA-C	5.71	119.12	109.76
1	A	97	GLN	CG-CD-NE2	5.70	124.95	116.40
1	A	190	GLN	CG-CD-NE2	5.68	124.93	116.40
1	B	121	ASN	OD1-CG-ND2	-5.67	116.94	122.60
1	A	57	HIS	CA-CB-CG	-5.63	108.17	113.80
1	A	89	ASP	N-CA-C	5.58	119.33	109.96
1	B	213	MET	N-CA-C	5.57	117.03	111.07
1	B	111	GLN	OE1-CD-NE2	-5.56	117.04	122.60
1	B	241	ASP	CA-CB-CG	5.55	118.15	112.60
1	B	108	HIS	CB-CG-CD2	-5.55	123.99	131.20
1	B	2	LYS	N-CA-C	5.54	117.32	111.28
1	A	73	HIS	CB-CG-CD2	-5.54	124.00	131.20
1	A	121	ASN	N-CA-C	5.46	120.00	113.23
1	B	219	GLN	OE1-CD-NE2	-5.44	117.16	122.60
1	A	108	HIS	CB-CG-CD2	-5.42	124.16	131.20
1	A	255	HIS	CB-CG-CD2	-5.40	124.18	131.20
1	B	78	THR	N-CA-CB	-5.40	101.99	110.46
1	B	217	HIS	CB-CG-CD2	-5.40	124.18	131.20
1	B	64	GLN	CB-CG-CD	5.39	121.76	112.60
1	B	3	GLN	OE1-CD-NE2	-5.38	117.22	122.60
1	B	17	GLN	OE1-CD-NE2	-5.37	117.23	122.60
1	B	164	TYR	CA-C-O	5.37	126.13	120.54
1	B	169	ASP	CA-CB-CG	5.36	117.96	112.60
1	A	51	HIS	N-CA-C	5.36	117.89	108.56
1	B	97	GLN	CG-CD-NE2	5.36	124.43	116.40
1	B	78	THR	CA-CB-CG2	5.35	119.59	110.50
1	B	80	TRP	CE2-CD2-CG	-5.34	100.79	107.20
1	B	254	PRO	N-CA-C	5.34	119.69	111.57
1	A	191	GLN	CG-CD-NE2	5.33	124.40	116.40
1	A	233	LYS	N-CA-C	5.32	119.64	113.20
1	B	242	TYR	O-C-N	-5.31	116.96	122.96
1	B	174	LEU	CA-C-N	5.30	124.76	119.24
1	B	174	LEU	C-N-CA	5.30	124.76	119.24
1	A	215	GLN	CG-CD-NE2	5.29	124.33	116.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	75	ASN	CB-CG-ND2	5.28	124.32	116.40
1	A	147	HIS	CB-CG-CD2	-5.26	124.36	131.20
1	A	94	TYR	N-CA-C	5.25	119.99	111.37
1	B	166	ARG	CA-CB-CG	5.22	124.53	114.10
1	A	19	ASN	CB-CG-ND2	5.20	124.20	116.40
1	B	83	TRP	CE2-CD2-CG	-5.16	101.01	107.20
1	B	201	TRP	CG-CD2-CE3	5.15	139.05	133.90
1	B	255	HIS	CB-CG-CD2	-5.15	124.50	131.20
1	A	77	VAL	CA-C-O	5.11	126.67	120.74
1	A	155	ALA	O-C-N	-5.10	115.80	122.59
1	B	241	ASP	N-CA-C	5.10	117.41	110.88
1	A	48	LYS	O-C-N	-5.10	117.44	123.25
1	A	118	GLN	OE1-CD-NE2	-5.09	117.51	122.60
1	A	207	HIS	CB-CG-CD2	-5.09	124.58	131.20
1	A	142	ALA	CA-C-O	5.08	126.12	120.63
1	B	211	ASN	OD1-CG-ND2	-5.07	117.53	122.60
1	A	129	ILE	N-CA-C	5.03	115.96	108.46
1	B	201	TRP	CE2-CD2-CG	-5.03	101.17	107.20
1	B	186	HIS	CB-CG-CD2	-5.02	124.68	131.20
1	B	133	TRP	CE2-CD2-CG	-5.01	101.19	107.20
1	A	91	GLY	CA-C-N	5.00	126.09	119.84
1	A	91	GLY	C-N-CA	5.00	126.09	119.84

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2153	0	2080	22	0
1	B	2153	0	2080	24	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
3	A	16	0	12	0	0
3	B	16	0	12	0	0
4	A	35	0	21	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	35	0	21	1	0
5	A	94	0	0	1	0
5	B	58	0	0	3	0
All	All	4570	0	4226	45	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (45) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:43:PRO:HB2	1:A:178:ILE:HD11	1.65	0.78
1:A:215:GLN:HE21	1:A:215:GLN:H	1.41	0.66
1:B:82:GLU:HG3	1:B:264:ILE:HG12	1.83	0.61
1:B:39:GLN:HE21	1:B:158:LYS:HE3	1.71	0.56
1:B:183:LEU:HD22	1:B:187:MET:HE2	1.87	0.56
1:A:92:PRO:HG2	1:A:140:LYS:HE3	1.86	0.55
1:B:52:LEU:O	1:B:56:ILE:HG22	2.07	0.55
1:B:69:ILE:HD13	1:B:73:HIS:CE1	2.43	0.54
1:A:16:THR:HG21	1:B:155:ALA:HB1	1.88	0.54
1:B:215:GLN:HE21	1:B:215:GLN:H	1.56	0.53
1:A:215:GLN:H	1:A:215:GLN:NE2	2.08	0.52
1:B:83:TRP:CH2	4:B:302:CB3:H8	2.45	0.51
1:B:45:VAL:CG2	1:B:50:CYS:SG	2.99	0.50
1:A:208:LEU:HD21	1:A:216:THR:HG21	1.93	0.49
1:A:86:GLU:H	1:A:86:GLU:CD	2.21	0.49
1:A:45:VAL:HG22	1:A:50:CYS:SG	2.53	0.49
1:A:32:HIS:HE1	5:A:878:HOH:O	1.97	0.48
4:A:302:CB3:H15	4:A:302:CB3:CP2	2.44	0.48
1:B:243:ARG:HE	1:B:244:PHE:H	1.62	0.48
1:A:103:THR:HG21	1:A:107:ARG:CZ	2.44	0.47
1:A:135:VAL:HA	1:A:138:LEU:HD22	1.96	0.47
1:B:215:GLN:H	1:B:215:GLN:NE2	2.11	0.47
1:A:147:HIS:HB2	1:A:163:LEU:HD11	1.97	0.47
1:B:56:ILE:HD12	1:B:244:PHE:HD1	1.80	0.46
1:A:222:ARG:NH2	1:A:258:ILE:HD11	2.31	0.46
1:A:5:LEU:HD11	1:A:47:THR:HG21	1.97	0.45
1:B:71:TYR:OH	1:B:243:ARG:NH2	2.50	0.45
1:A:45:VAL:CG2	1:A:50:CYS:SG	3.05	0.45
1:A:44:LEU:HD21	1:A:52:LEU:HD21	1.99	0.45
1:A:170:VAL:HB	1:A:208:LEU:HD13	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:234:ARG:O	1:B:236:PRO:HD3	2.17	0.44
1:B:39:GLN:HE22	1:B:195:GLU:HG2	1.83	0.44
1:A:233:LYS:HE3	1:A:248:GLU:HB2	1.98	0.44
1:B:170:VAL:HB	1:B:208:LEU:HD13	2.00	0.44
1:B:26:THR:HG21	5:B:865:HOH:O	2.18	0.43
1:B:146:CYS:SG	5:B:855:HOH:O	2.62	0.43
1:B:168:CYS:SG	1:B:174:LEU:HB2	2.58	0.43
1:B:109:ILE:HA	5:B:894:HOH:O	2.18	0.42
1:A:27:LEU:HD23	1:A:27:LEU:HA	1.91	0.42
1:B:146:CYS:HA	1:B:166:ARG:HD3	2.01	0.42
1:A:202:THR:HG21	1:B:202:THR:HG21	2.02	0.41
1:B:145:PRO:O	1:B:166:ARG:HD2	2.20	0.41
1:A:115:VAL:HA	1:A:118:GLN:HE21	1.86	0.41
1:A:245:GLU:H	1:A:245:GLU:CD	2.29	0.41
1:B:58:GLU:O	1:B:61:TRP:HB3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	263/265 (99%)	248 (94%)	14 (5%)	1 (0%)	30	28
1	B	263/265 (99%)	247 (94%)	13 (5%)	3 (1%)	11	8
All	All	526/530 (99%)	495 (94%)	27 (5%)	4 (1%)	16	12

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	258	ILE
1	B	257	GLY
1	A	93	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	93	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	233/233 (100%)	218 (94%)	15 (6%)	16	14
1	B	233/233 (100%)	211 (91%)	22 (9%)	8	6
All	All	466/466 (100%)	429 (92%)	37 (8%)	11	9

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	LEU
1	A	11	VAL
1	A	59	LEU
1	A	60	LEU
1	A	120	LYS
1	A	138	LEU
1	A	176	PHE
1	A	178	ILE
1	A	208	LEU
1	A	215	GLN
1	A	223	GLU
1	A	225	ARG
1	A	226	PRO
1	A	230	LEU
1	A	245	GLU
1	B	2	LYS
1	B	26	THR
1	B	38	LEU
1	B	51	HIS
1	B	53	ARG
1	B	56	ILE
1	B	77	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	78	THR
1	B	96	LYS
1	B	130	VAL
1	B	163	LEU
1	B	166	ARG
1	B	183	LEU
1	B	215	GLN
1	B	225	ARG
1	B	226	PRO
1	B	227	LEU
1	B	230	LEU
1	B	241	ASP
1	B	243	ARG
1	B	249	ILE
1	B	254	PRO

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	32	HIS
1	A	64	GLN
1	A	75	ASN
1	A	191	GLN
1	A	215	GLN
1	A	217	HIS
1	B	39	GLN
1	B	75	ASN
1	B	117	ASN
1	B	121	ASN
1	B	151	GLN
1	B	215	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	CB3	A	302	-	37,37,37	1.94	4 (10%)	50,51,51	1.80	8 (16%)
2	PO4	B	300	-	4,4,4	2.59	3 (75%)	6,6,6	2.64	5 (83%)
2	PO4	A	300	-	4,4,4	2.94	3 (75%)	6,6,6	2.90	6 (100%)
3	DUR	A	301	-	17,17,17	1.06	1 (5%)	24,24,24	1.50	3 (12%)
3	DUR	B	301	-	17,17,17	1.09	3 (17%)	24,24,24	1.45	3 (12%)
4	CB3	B	302	-	37,37,37	1.95	7 (18%)	50,51,51	1.52	8 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	DUR	B	301	-	-	0/6/18/18	0/2/2/2
4	CB3	A	302	-	-	14/27/28/28	0/3/3/3
4	CB3	B	302	-	-	6/27/28/28	0/3/3/3
3	DUR	A	301	-	-	0/6/18/18	0/2/2/2

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	302	CB3	O4-C4	8.64	1.38	1.23
4	A	302	CB3	O4-C4	8.34	1.37	1.23
4	A	302	CB3	C4A-C4	-4.57	1.40	1.48
4	B	302	CB3	C4A-C4	-4.34	1.40	1.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	300	PO4	P-O3	-3.57	1.44	1.54
2	A	300	PO4	P-O4	-3.49	1.44	1.54
2	B	300	PO4	P-O4	-3.34	1.44	1.54
2	A	300	PO4	P-O2	-3.02	1.45	1.54
2	B	300	PO4	P-O2	-2.64	1.47	1.54
2	B	300	PO4	P-O3	-2.49	1.47	1.54
3	B	301	DUR	O4'-C1'	2.43	1.47	1.42
4	B	302	CB3	C8A-N1	-2.34	1.35	1.39
4	B	302	CB3	OE2-CD	-2.23	1.23	1.30
4	A	302	CB3	C8A-N1	-2.21	1.36	1.39
4	B	302	CB3	O2-CT	-2.20	1.23	1.30
4	A	302	CB3	C4-N3	-2.20	1.34	1.38
4	B	302	CB3	C11-C	-2.20	1.45	1.50
3	A	301	DUR	C6-C5	2.19	1.40	1.35
3	B	301	DUR	C6-C5	2.11	1.40	1.35
4	B	302	CB3	C4-N3	-2.04	1.34	1.38
3	B	301	DUR	C6-N1	-2.03	1.33	1.38

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	302	CB3	CP2-CP1-N10	-6.55	107.40	113.45
4	A	302	CB3	CT-CA-N	4.61	121.27	110.57
3	B	301	DUR	O4'-C1'-N1	4.52	115.89	107.86
3	A	301	DUR	O4'-C1'-N1	4.50	115.85	107.86
4	B	302	CB3	CP1-N10-C9	-4.39	112.77	117.19
4	A	302	CB3	CP1-N10-C9	-4.18	112.98	117.19
2	A	300	PO4	O3-P-O1	-4.04	96.65	110.95
4	A	302	CB3	CB-CA-N	-4.01	102.97	110.91
4	B	302	CB3	CP2-CP1-N10	-3.59	110.14	113.45
4	B	302	CB3	C8A-C4A-C4	-3.52	116.30	120.11
2	B	300	PO4	O4-P-O1	-3.45	98.77	110.95
2	A	300	PO4	O3-P-O2	3.19	117.84	107.91
4	B	302	CB3	C9-C6-C7	-2.99	115.23	120.75
3	B	301	DUR	C1'-N1-C6	-2.97	115.69	121.53
2	A	300	PO4	O4-P-O3	2.83	116.71	107.91
3	A	301	DUR	C1'-N1-C6	-2.80	116.02	121.53
4	B	302	CB3	CP1-N10-C14	2.73	124.16	119.03
2	B	300	PO4	O4-P-O2	2.69	116.29	107.91
2	B	300	PO4	O3-P-O2	2.64	116.12	107.91
4	A	302	CB3	C8A-C4A-C4	-2.62	117.28	120.11
2	B	300	PO4	O3-P-O1	-2.56	101.91	110.95

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	302	CB3	C9-N10-C14	2.46	124.98	120.72
2	B	300	PO4	O4-P-O3	2.42	115.45	107.91
2	A	300	PO4	O4-P-O1	-2.37	102.56	110.95
2	A	300	PO4	O4-P-O2	2.35	115.21	107.91
4	B	302	CB3	O4-C4-N3	-2.35	116.66	120.23
4	A	302	CB3	C6-C9-N10	2.29	117.84	114.13
4	B	302	CB3	C9-C6-C5	2.23	124.48	120.27
2	A	300	PO4	O2-P-O1	-2.21	103.15	110.95
3	B	301	DUR	C6-N1-C2	2.09	123.54	121.00
4	A	302	CB3	NA2-C2-N1	2.09	121.16	116.77
3	A	301	DUR	O4'-C1'-C2'	-2.07	102.37	106.25
4	B	302	CB3	C5-C4A-C4	2.04	124.13	119.51

There are no chirality outliers.

All (20) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	A	302	CB3	C11-C-N-CA
4	A	302	CB3	O-C-N-CA
4	A	302	CB3	CT-CA-N-C
4	A	302	CB3	N-CA-CB-CG
4	A	302	CB3	CT-CA-CB-CG
4	A	302	CB3	N-CA-CT-O2
4	B	302	CB3	N-CA-CB-CG
4	A	302	CB3	N-CA-CT-O1
4	A	302	CB3	CA-CB-CG-CD
4	B	302	CB3	CT-CA-CB-CG
4	A	302	CB3	CB-CA-CT-O2
4	B	302	CB3	C13-C14-N10-C9
4	A	302	CB3	C15-C14-N10-C9
4	A	302	CB3	OE1-CD-CG-CB
4	A	302	CB3	CB-CA-CT-O1
4	A	302	CB3	OE2-CD-CG-CB
4	A	302	CB3	C13-C14-N10-C9
4	B	302	CB3	CA-CB-CG-CD
4	B	302	CB3	C11-C-N-CA
4	B	302	CB3	OE1-CD-CG-CB


There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	302	CB3	1	0
4	B	302	CB3	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.