



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 19, 2026 – 04:48 AM UTC

PDB ID : 6TD3 / pdb_00006td3
Title : Structure of DDB1 bound to CR8-engaged CDK12-cyclinK
Authors : Bunker, R.D.; Petzold, G.; Kozicka, Z.; Thoma, N.H.
Deposited on : 2019-11-07
Resolution : 3.46 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.46 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	180053	1070 (3.50-3.42)
Clashscore	190562	1128 (3.50-3.42)
Ramachandran outliers	187476	1101 (3.50-3.42)
Sidechain outliers	187428	1102 (3.50-3.42)
RSRZ outliers	180081	1070 (3.50-3.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	840	
1	D	840	
1	G	840	
2	B	344	
2	E	344	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	H	344	 86% 9% ...
3	C	271	 85% 7% 8%
3	F	271	 85% 7% 8%
3	I	271	 86% 5% 8%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 67581 atoms, of which 33704 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA damage-binding protein 1.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	826	Total	C	H	N	O	S	6450	0	0
			12937	4105	6450	1094	1252	36			
1	D	827	Total	C	H	N	O	S	6455	0	0
			12950	4111	6455	1095	1253	36			
1	G	826	Total	C	H	N	O	S	6450	0	0
			12936	4106	6450	1093	1251	36			

There are 36 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-3	GLY	-	expression tag	UNP Q16531
A	-2	GLY	-	expression tag	UNP Q16531
A	-1	GLY	-	expression tag	UNP Q16531
A	0	ARG	-	expression tag	UNP Q16531
A	700	GLY	-	linker	UNP Q16531
A	701	ASN	-	linker	UNP Q16531
A	702	GLY	-	linker	UNP Q16531
A	703	ASN	-	linker	UNP Q16531
A	704	SER	-	linker	UNP Q16531
A	705	GLY	-	linker	UNP Q16531
A	706	GLU	-	linker	UNP Q16531
A	707	ILE	-	linker	UNP Q16531
D	-3	GLY	-	expression tag	UNP Q16531
D	-2	GLY	-	expression tag	UNP Q16531
D	-1	GLY	-	expression tag	UNP Q16531
D	0	ARG	-	expression tag	UNP Q16531
D	700	GLY	-	linker	UNP Q16531
D	701	ASN	-	linker	UNP Q16531
D	702	GLY	-	linker	UNP Q16531
D	703	ASN	-	linker	UNP Q16531
D	704	SER	-	linker	UNP Q16531
D	705	GLY	-	linker	UNP Q16531
D	706	GLU	-	linker	UNP Q16531

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	707	ILE	-	linker	UNP Q16531
G	-3	GLY	-	expression tag	UNP Q16531
G	-2	GLY	-	expression tag	UNP Q16531
G	-1	GLY	-	expression tag	UNP Q16531
G	0	ARG	-	expression tag	UNP Q16531
G	700	GLY	-	linker	UNP Q16531
G	701	ASN	-	linker	UNP Q16531
G	702	GLY	-	linker	UNP Q16531
G	703	ASN	-	linker	UNP Q16531
G	704	SER	-	linker	UNP Q16531
G	705	GLY	-	linker	UNP Q16531
G	706	GLU	-	linker	UNP Q16531
G	707	ILE	-	linker	UNP Q16531

- Molecule 2 is a protein called Cyclin-dependent kinase 12.

Mol	Chain	Residues	Atoms							ZeroOcc	AltConf	Trace
2	B	333	Total	C	H	N	O	P	S	2705	0	0
			5413	1735	2705	458	497	1	17			
2	E	333	Total	C	H	N	O	P	S	2707	0	0
			5415	1735	2707	458	497	1	17			
2	H	333	Total	C	H	N	O	P	S	2707	0	0
			5415	1735	2707	458	497	1	17			

There are 15 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	709	GLY	-	expression tag	UNP Q9NYV4
B	710	GLY	-	expression tag	UNP Q9NYV4
B	711	GLY	-	expression tag	UNP Q9NYV4
B	965	ARG	LYS	engineered mutation	UNP Q9NYV4
B	1052	GLN	-	expression tag	UNP Q9NYV4
E	709	GLY	-	expression tag	UNP Q9NYV4
E	710	GLY	-	expression tag	UNP Q9NYV4
E	711	GLY	-	expression tag	UNP Q9NYV4
E	965	ARG	LYS	engineered mutation	UNP Q9NYV4
E	1052	GLN	-	expression tag	UNP Q9NYV4
H	709	GLY	-	expression tag	UNP Q9NYV4
H	710	GLY	-	expression tag	UNP Q9NYV4
H	711	GLY	-	expression tag	UNP Q9NYV4
H	965	ARG	LYS	engineered mutation	UNP Q9NYV4
H	1052	GLN	-	expression tag	UNP Q9NYV4


- Molecule 3 is a protein called Cyclin-K.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
3	C	248	Total	C	H	N	O	S	2048	0	0
			4111	1341	2048	346	363	13			
3	F	248	Total	C	H	N	O	S	2048	0	0
			4111	1341	2048	346	363	13			
3	I	248	Total	C	H	N	O	S	2047	0	0
			4110	1341	2047	346	363	13			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	-3	GLY	-	expression tag	UNP O75909
C	-2	GLY	-	expression tag	UNP O75909
C	-1	GLY	-	expression tag	UNP O75909
C	0	ARG	-	expression tag	UNP O75909
F	-3	GLY	-	expression tag	UNP O75909
F	-2	GLY	-	expression tag	UNP O75909
F	-1	GLY	-	expression tag	UNP O75909
F	0	ARG	-	expression tag	UNP O75909
I	-3	GLY	-	expression tag	UNP O75909
I	-2	GLY	-	expression tag	UNP O75909
I	-1	GLY	-	expression tag	UNP O75909
I	0	ARG	-	expression tag	UNP O75909

- Molecule 4 is (2R)-2-({9-(1-methylethyl)-6-[(4-pyridin-2-ylbenzyl)amino]-9H-purin-2-yl}amino)butan-1-ol (CCD ID: RC8) (formula: C₂₄H₂₉N₇O) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	B	1	Total	C	H	N	O	29	0
			61	24	29	7	1		
4	E	1	Total	C	H	N	O	29	0
			61	24	29	7	1		
4	H	1	Total	C	H	N	O	29	0
			61	24	29	7	1		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: DNA damage-binding protein 1




• Molecule 1: DNA damage-binding protein 1




• Molecule 1: DNA damage-binding protein 1





• Molecule 2: Cyclin-dependent kinase 12








• Molecule 2: Cyclin-dependent kinase 12





• Molecule 2: Cyclin-dependent kinase 12




• Molecule 3: Cyclin-K



• Molecule 3: Cyclin-K



• Molecule 3: Cyclin-K



4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	250.75Å 250.75Å 217.92Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	54.00 – 3.46 54.00 – 3.46	Depositor EDS
% Data completeness (in resolution range)	86.5 (54.00-3.46) 86.5 (54.00-3.46)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.28 (at 3.48Å)	Xtriage
Refinement program	BUSTER 2.11.7 (3-OCT-2019)	Depositor
R, R_{free}	0.194 , 0.220 0.214 , 0.239	Depositor DCC
R_{free} test set	4439 reflections (4.30%)	wwPDB-VP
Wilson B-factor (Å ²)	118.9	Xtriage
Anisotropy	0.034	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 51.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	0.028 for -h,-k,l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	67581	wwPDB-VP
Average B, all atoms (Å ²)	80.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.58% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: RC8, TPO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.76	4/6604 (0.1%)	1.00	5/8931 (0.1%)
1	D	0.77	1/6612 (0.0%)	1.00	10/8942 (0.1%)
1	G	0.77	1/6603 (0.0%)	1.01	9/8930 (0.1%)
2	B	0.83	2/2758 (0.1%)	1.09	5/3720 (0.1%)
2	E	0.82	2/2758 (0.1%)	1.06	5/3720 (0.1%)
2	H	0.85	5/2758 (0.2%)	1.09	4/3720 (0.1%)
3	C	0.71	0/2120	1.00	1/2868 (0.0%)
3	F	0.75	0/2120	1.01	3/2868 (0.1%)
3	I	0.75	1/2120 (0.0%)	1.01	1/2868 (0.0%)
All	All	0.78	16/34453 (0.0%)	1.02	43/46567 (0.1%)

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	I	264	GLN	CA-C	6.48	1.61	1.52
2	H	821	MET	SD-CE	6.41	1.95	1.79
1	A	112	ILE	CG1-CD1	-6.11	1.27	1.51
2	E	844	MET	SD-CE	-6.07	1.64	1.79
2	B	844	MET	SD-CE	-5.75	1.65	1.79
2	H	897	ILE	CA-CB	5.72	1.62	1.54
2	H	844	MET	SD-CE	-5.71	1.65	1.79
1	D	774	SER	C-N	5.51	1.41	1.33
2	B	989	ILE	CG1-CD1	-5.41	1.30	1.51
2	E	989	ILE	CG1-CD1	-5.35	1.30	1.51
2	H	989	ILE	CG1-CD1	-5.34	1.30	1.51
1	A	929	SER	CA-C	5.30	1.58	1.53
1	G	771	PHE	C-N	5.23	1.38	1.32
1	A	774	SER	C-N	5.19	1.41	1.33
1	A	1120	MET	CA-C	5.13	1.59	1.52
2	H	897	ILE	CA-C	5.01	1.59	1.52

All (43) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	868	ASN	CA-CB-CG	8.03	120.63	112.60
2	E	868	ASN	CA-CB-CG	7.89	120.49	112.60
2	H	868	ASN	CA-CB-CG	7.84	120.44	112.60
1	G	292	ASP	CA-CB-CG	6.78	119.38	112.60
1	D	292	ASP	CA-CB-CG	6.72	119.32	112.60
1	G	909	ILE	N-CA-C	-6.70	104.33	110.82
1	A	292	ASP	CA-CB-CG	6.67	119.27	112.60
1	D	909	ILE	N-CA-C	-6.59	104.43	110.82
1	A	909	ILE	N-CA-C	-6.47	104.54	110.82
2	E	819	ASP	CA-CB-CG	6.45	119.05	112.60
1	D	291	MET	CA-C-N	6.12	128.76	120.38
1	D	291	MET	C-N-CA	6.12	128.76	120.38
1	D	771	PHE	CA-CB-CG	-5.99	107.81	113.80
2	H	762	ASN	CA-CB-CG	5.89	118.49	112.60
2	B	762	ASN	CA-CB-CG	5.85	118.45	112.60
3	C	220	PHE	CA-CB-CG	5.65	119.45	113.80
2	E	762	ASN	CA-CB-CG	5.65	118.25	112.60
3	I	220	PHE	CA-CB-CG	5.64	119.44	113.80
3	F	233	ARG	CA-C-N	5.63	128.15	120.54
3	F	233	ARG	C-N-CA	5.63	128.15	120.54
3	F	220	PHE	CA-CB-CG	5.59	119.39	113.80
2	E	798	ASP	CA-CB-CG	5.56	118.16	112.60
2	B	798	ASP	CA-CB-CG	5.48	118.08	112.60
2	H	819	ASP	CA-CB-CG	5.43	118.03	112.60
2	H	798	ASP	CA-CB-CG	5.35	117.95	112.60
1	G	1077	HIS	N-CA-C	5.32	116.87	107.61
1	A	137	ASP	CA-CB-CG	5.27	117.87	112.60
2	B	819	ASP	CA-CB-CG	5.24	117.84	112.60
1	D	312	GLU	N-CA-C	-5.21	105.28	111.69
2	E	761	ASP	CA-CB-CG	5.20	117.80	112.60
1	D	137	ASP	CA-CB-CG	5.19	117.79	112.60
1	A	312	GLU	N-CA-C	-5.18	105.25	112.45
1	G	28	ASP	CA-CB-CG	5.15	117.75	112.60
2	B	761	ASP	CA-CB-CG	5.13	117.73	112.60
1	G	35	LYS	N-CA-C	-5.12	102.44	110.17
1	D	341	ASN	CA-CB-CG	5.11	117.71	112.60
1	A	299	ASP	CA-CB-CG	5.07	117.67	112.60
1	G	137	ASP	CA-CB-CG	5.06	117.66	112.60
1	D	982	ALA	CA-C-N	5.06	131.20	121.54
1	D	982	ALA	C-N-CA	5.06	131.20	121.54
1	G	312	GLU	N-CA-C	-5.03	105.51	111.69
1	G	885	ASN	CA-CB-CG	5.02	117.62	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	G	299	ASP	CA-CB-CG	5.00	117.61	112.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6487	6450	6453	22	0
1	D	6495	6455	6464	24	1
1	G	6486	6450	6456	18	0
2	B	2708	2705	2708	16	0
2	E	2708	2707	2708	17	0
2	H	2708	2707	2708	15	1
3	C	2063	2048	2048	10	0
3	F	2063	2048	2048	9	0
3	I	2063	2047	2048	7	0
4	B	32	29	29	0	0
4	E	32	29	29	0	0
4	H	32	29	29	0	0
All	All	33877	33704	33728	121	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (121) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:F:239:VAL:HG23	3:F:239:VAL:O	1.86	0.76
1:G:1109:VAL:HG12	1:G:1129:LEU:HD12	1.72	0.72
2:E:828:LEU:O	2:E:1034:PRO:HD2	1.99	0.63
2:H:828:LEU:O	2:H:1034:PRO:HD2	1.98	0.62
2:B:828:LEU:O	2:B:1034:PRO:HD2	1.99	0.62
3:C:38:LEU:HD22	1:D:742:VAL:HG21	1.81	0.61
3:I:239:VAL:HG23	3:I:239:VAL:O	2.00	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:263:GLN:O	3:C:266:PRO:HD3	2.02	0.59
1:A:317:LEU:HD12	1:A:317:LEU:N	2.18	0.59
1:A:929:SER:HB2	1:A:950:ASN:O	2.03	0.58
2:B:775:ILE:HA	2:B:789:MET:HE1	1.86	0.58
1:D:953:TRP:CE2	2:E:828:LEU:HD21	2.38	0.57
1:D:929:SER:HB2	1:D:950:ASN:O	2.03	0.57
1:G:291:MET:HA	1:G:291:MET:HE2	1.87	0.57
3:C:38:LEU:HD13	1:D:742:VAL:HG23	1.87	0.57
2:E:775:ILE:HA	2:E:789:MET:HE1	1.86	0.56
2:H:775:ILE:HA	2:H:789:MET:HE1	1.87	0.56
3:C:239:VAL:O	3:C:239:VAL:HG23	2.04	0.55
1:G:778:HIS:HD2	1:G:839:GLU:OE2	1.90	0.55
2:E:1034:PRO:HB2	2:E:1038:ASP:OD1	2.07	0.55
1:A:742:VAL:HG21	3:I:38:LEU:HD22	1.89	0.54
2:B:1034:PRO:HB2	2:B:1038:ASP:OD1	2.07	0.54
1:D:985:THR:O	1:D:989:ARG:HG3	2.09	0.53
2:H:1034:PRO:HB2	2:H:1038:ASP:OD1	2.08	0.53
1:G:114:ARG:HD3	2:H:930:PHE:O	2.09	0.53
1:D:732:CYS:HB2	1:D:794:ILE:O	2.09	0.53
3:F:38:LEU:O	1:G:752:LEU:HB3	2.09	0.52
1:G:1109:VAL:HG12	1:G:1129:LEU:CD1	2.39	0.51
3:F:26:TRP:CD2	3:F:83:MET:HE2	2.46	0.51
1:A:742:VAL:HG23	3:I:38:LEU:HD13	1.92	0.51
1:A:1024:THR:HG22	1:A:1043:LEU:CD2	2.41	0.51
3:C:26:TRP:CD2	3:C:83:MET:HE2	2.46	0.51
1:D:1115:ASP:OD1	1:D:1119:GLY:O	2.28	0.50
3:F:239:VAL:O	3:F:239:VAL:CG2	2.56	0.49
1:G:719:GLU:OE1	1:G:739:ARG:HB3	2.12	0.49
1:A:360:VAL:HG21	1:A:721:PRO:O	2.12	0.49
1:A:985:THR:O	1:A:989:ARG:HG3	2.12	0.49
2:H:821:MET:HE2	2:H:862:CYS:HB2	1.95	0.49
1:A:385:GLY:HA3	1:A:719:GLU:O	2.13	0.48
1:G:991:HIS:HB2	2:H:735:GLU:OE2	2.13	0.48
1:D:779:GLU:HA	1:D:779:GLU:OE2	2.13	0.48
2:B:847:LEU:O	2:B:851:HIS:HD2	1.96	0.48
2:B:802:PHE:CG	3:C:146:ILE:HD11	2.48	0.48
1:D:853:TYR:OH	1:D:856:GLY:HA2	2.13	0.48
1:G:43:VAL:HG23	1:G:52:VAL:HG21	1.96	0.48
1:A:742:VAL:CG2	3:I:38:LEU:HD13	2.44	0.47
1:A:779:GLU:OE2	1:A:779:GLU:HA	2.14	0.47
1:D:953:TRP:CD2	2:E:828:LEU:HD21	2.49	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:847:LEU:O	2:H:851:HIS:HD2	1.96	0.47
2:B:821:MET:HE2	2:B:862:CYS:HB2	1.96	0.47
2:E:851:HIS:ND1	2:E:915:PRO:HB3	2.30	0.47
1:A:1102:ARG:N	1:A:1103:PRO:HD2	2.30	0.47
3:C:28:LYS:HG3	3:C:200:GLN:OE1	2.15	0.47
1:D:101:ILE:N	1:D:101:ILE:HD12	2.30	0.47
1:A:886:SER:O	1:A:908:ASN:HB2	2.15	0.47
1:D:1102:ARG:N	1:D:1103:PRO:HD2	2.30	0.47
1:G:309:SER:H	1:G:332:GLN:NE2	2.13	0.47
1:A:101:ILE:N	1:A:101:ILE:HD12	2.30	0.46
2:B:858:ARG:NH1	2:B:913:TYR:OH	2.48	0.46
1:G:1102:ARG:N	1:G:1103:PRO:HD2	2.30	0.46
2:E:1040:HIS:O	2:E:1041:GLU:HG2	2.15	0.46
3:I:28:LYS:HG3	3:I:200:GLN:OE1	2.15	0.46
2:B:847:LEU:HG	2:B:851:HIS:CD2	2.51	0.46
2:E:844:MET:HE1	2:E:922:CYS:SG	2.56	0.46
2:E:802:PHE:CG	3:F:146:ILE:HD11	2.50	0.46
2:E:882:ARG:NH2	2:E:892:TYR:CE1	2.84	0.45
2:H:835:HIS:CD2	2:H:1031:PRO:HA	2.51	0.45
2:E:739:GLY:HA3	2:E:757:LYS:O	2.16	0.45
2:B:1040:HIS:O	2:B:1041:GLU:HG2	2.16	0.45
2:E:880:LEU:HD22	2:E:880:LEU:N	2.31	0.45
2:H:847:LEU:HG	2:H:851:HIS:CD2	2.51	0.45
1:A:1024:THR:HG22	1:A:1043:LEU:HD23	1.97	0.45
2:E:847:LEU:O	2:E:851:HIS:HD2	1.98	0.45
3:I:26:TRP:CD2	3:I:83:MET:HE2	2.52	0.45
3:F:28:LYS:HG3	3:F:200:GLN:OE1	2.17	0.44
1:A:1112:LEU:O	1:A:1123:GLU:HA	2.17	0.44
2:B:844:MET:HE1	2:B:922:CYS:SG	2.57	0.44
1:D:948:ASP:OD1	1:D:950:ASN:HB2	2.17	0.44
1:A:112:ILE:HD13	2:B:986:PHE:CE1	2.53	0.44
2:B:900:TRP:CD1	2:B:937:GLN:HA	2.53	0.44
2:E:847:LEU:HG	2:E:851:HIS:CD2	2.52	0.44
1:A:953:TRP:CE2	2:B:828:LEU:HD21	2.53	0.43
3:C:38:LEU:HD13	1:D:742:VAL:CG2	2.47	0.43
1:D:1024:THR:HB	1:D:1041:THR:OG1	2.17	0.43
2:H:802:PHE:CD1	3:I:146:ILE:HD11	2.53	0.43
2:H:719:TRP:HZ3	2:H:789:MET:HE3	1.84	0.43
1:A:315:THR:O	1:A:315:THR:HG23	2.18	0.43
2:B:851:HIS:ND1	2:B:915:PRO:HB3	2.34	0.43
2:E:719:TRP:HZ3	2:E:789:MET:HE3	1.84	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:851:HIS:ND1	2:H:915:PRO:HB3	2.34	0.43
2:H:898:THR:O	2:H:902:ARG:HB2	2.18	0.43
3:F:223:GLN:O	3:F:229:PRO:HA	2.19	0.43
1:A:36:ASN:ND2	1:A:1002:GLU:OE2	2.52	0.43
1:A:1124:ALA:HB1	1:A:1129:LEU:CD2	2.48	0.43
2:B:835:HIS:CD2	2:B:1031:PRO:HA	2.54	0.43
2:H:844:MET:HE1	2:H:922:CYS:SG	2.59	0.43
1:G:268:GLY:O	1:G:285:LEU:HD22	2.19	0.42
1:A:317:LEU:N	1:A:317:LEU:CD1	2.81	0.42
2:B:719:TRP:HZ3	2:B:789:MET:HE3	1.84	0.42
3:C:223:GLN:O	3:C:229:PRO:HA	2.19	0.42
1:D:983:ALA:HB3	1:D:988:GLU:OE1	2.20	0.42
1:G:58:TYR:O	1:G:1073:TRP:HB2	2.20	0.42
3:F:38:LEU:O	1:G:752:LEU:CB	2.68	0.42
1:A:58:TYR:O	1:A:1073:TRP:HB2	2.20	0.42
1:D:710:LEU:HD12	1:D:710:LEU:N	2.33	0.42
1:D:58:TYR:O	1:D:1073:TRP:HB2	2.20	0.42
1:G:886:SER:O	1:G:908:ASN:HB2	2.19	0.42
1:G:969:GLU:OE2	1:G:971:ALA:HB3	2.19	0.42
3:C:29:LYS:N	3:C:29:LYS:HD2	2.35	0.41
1:D:1114:TYR:HB2	1:D:1124:ALA:HB2	2.01	0.41
1:G:752:LEU:C	1:G:752:LEU:HD22	2.45	0.41
1:D:378:CYS:SG	1:D:724:ILE:HB	2.60	0.41
1:D:709:LYS:HG2	1:D:710:LEU:N	2.35	0.41
2:E:835:HIS:CD2	2:E:1031:PRO:HA	2.55	0.41
2:E:882:ARG:NH2	2:E:892:TYR:HE1	2.19	0.40
3:F:29:LYS:HD2	3:F:29:LYS:N	2.36	0.40
2:H:1036:TRP:CG	2:H:1037:GLN:N	2.90	0.40
1:D:762:SER:O	1:D:803:HIS:HA	2.20	0.40
1:D:886:SER:O	1:D:908:ASN:HB2	2.21	0.40
1:D:1022:THR:HB	1:D:1023:PRO:CD	2.52	0.40
1:G:1054:MET:SD	1:G:1129:LEU:HD13	2.62	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:730:SER:O	2:H:965:ARG:HH22[4_565]	1.47	0.13

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	822/840 (98%)	767 (93%)	49 (6%)	6 (1%)	18	51
1	D	823/840 (98%)	767 (93%)	51 (6%)	5 (1%)	21	53
1	G	822/840 (98%)	765 (93%)	55 (7%)	2 (0%)	43	74
2	B	330/344 (96%)	307 (93%)	20 (6%)	3 (1%)	14	46
2	E	330/344 (96%)	309 (94%)	19 (6%)	2 (1%)	21	53
2	H	330/344 (96%)	305 (92%)	23 (7%)	2 (1%)	21	53
3	C	246/271 (91%)	240 (98%)	4 (2%)	2 (1%)	16	49
3	F	246/271 (91%)	238 (97%)	7 (3%)	1 (0%)	30	62
3	I	246/271 (91%)	240 (98%)	5 (2%)	1 (0%)	30	62
All	All	4195/4365 (96%)	3938 (94%)	233 (6%)	24 (1%)	21	53

All (24) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1120	MET
1	A	1122	ARG
2	B	897	ILE
3	C	264	GLN
1	D	371	GLY
1	A	357	GLY
1	A	775	THR
2	B	1042	LEU
1	D	357	GLY
1	D	775	THR
1	G	357	GLY
1	A	1021	SER
1	D	1120	MET
3	F	265	MET
1	G	286	GLU
1	A	36	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	1036	TRP
1	D	36	ASN
2	E	888	GLU
2	E	1036	TRP
2	H	897	ILE
2	H	1036	TRP
3	I	241	ASP
3	C	265	MET

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	721/728 (99%)	712 (99%)	9 (1%)	63	74
1	D	722/728 (99%)	719 (100%)	3 (0%)	84	81
1	G	721/728 (99%)	709 (98%)	12 (2%)	53	70
2	B	297/308 (96%)	288 (97%)	9 (3%)	36	61
2	E	297/308 (96%)	292 (98%)	5 (2%)	53	70
2	H	297/308 (96%)	288 (97%)	9 (3%)	36	61
3	C	223/242 (92%)	219 (98%)	4 (2%)	51	70
3	F	223/242 (92%)	217 (97%)	6 (3%)	39	63
3	I	223/242 (92%)	219 (98%)	4 (2%)	51	70
All	All	3724/3834 (97%)	3663 (98%)	61 (2%)	55	71

All (61) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	174	GLN
1	A	279	ARG
1	A	316	TYR
1	A	317	LEU
1	A	366	ASP
1	A	370	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	720	SER
1	A	743	GLN
1	A	763	SER
2	B	798	ASP
2	B	848	GLU
2	B	863	SER
2	B	870	SER
2	B	897	ILE
2	B	977	GLN
2	B	1036	TRP
2	B	1039	CYS
2	B	1042	LEU
3	C	36	SER
3	C	142	VAL
3	C	198	SER
3	C	227	SER
1	D	720	SER
1	D	763	SER
1	D	943	GLU
2	E	848	GLU
2	E	863	SER
2	E	870	SER
2	E	1036	TRP
2	E	1039	CYS
3	F	36	SER
3	F	64	LEU
3	F	142	VAL
3	F	198	SER
3	F	227	SER
3	F	264	GLN
1	G	99	ASP
1	G	162	LEU
1	G	291	MET
1	G	303	GLU
1	G	752	LEU
1	G	763	SER
1	G	766	SER
1	G	774	SER
1	G	790	ASN
1	G	969	GLU
1	G	977	CYS
1	G	1109	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	H	848	GLU
2	H	863	SER
2	H	897	ILE
2	H	898	THR
2	H	966	LEU
2	H	1016	GLN
2	H	1036	TRP
2	H	1039	CYS
2	H	1043	TRP
3	I	36	SER
3	I	142	VAL
3	I	216	ARG
3	I	227	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (36) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	240	HIS
1	A	343	GLN
1	A	370	GLN
1	A	789	HIS
1	A	859	GLN
1	A	964	ASN
1	A	991	HIS
1	A	1049	ASN
2	B	740	GLN
2	B	780	GLN
2	B	970	ASN
2	B	1037	GLN
1	D	22	HIS
1	D	343	GLN
1	D	805	HIS
1	D	970	ASN
1	D	990	GLN
1	D	1049	ASN
2	E	740	GLN
2	E	780	GLN
2	E	864	ASN
2	E	970	ASN
2	E	977	GLN
2	E	1037	GLN
1	G	332	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	343	GLN
1	G	778	HIS
1	G	790	ASN
1	G	964	ASN
1	G	990	GLN
1	G	1049	ASN
1	G	1113	GLN
2	H	740	GLN
2	H	780	GLN
2	H	977	GLN
2	H	1037	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

3 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	TPO	B	893	2	8,10,11	1.28	1 (12%)	10,14,16	1.04	0
2	TPO	E	893	2	8,10,11	1.83	1 (12%)	10,14,16	1.34	1 (10%)
2	TPO	H	893	2	8,10,11	3.09	4 (50%)	10,14,16	2.40	4 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	TPO	B	893	2	-	0/9/11/13	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	TPO	E	893	2	-	1/9/11/13	-
2	TPO	H	893	2	-	2/9/11/13	-

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	H	893	TPO	P-OG1	6.89	1.71	1.59
2	E	893	TPO	CB-CA	4.73	1.63	1.53
2	H	893	TPO	P-O1P	3.38	1.61	1.50
2	H	893	TPO	CB-CA	2.65	1.59	1.53
2	H	893	TPO	P-O2P	2.52	1.64	1.54
2	B	893	TPO	CB-CA	2.31	1.58	1.53

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	893	TPO	P-OG1-CB	5.38	137.95	123.33
2	H	893	TPO	O3P-P-OG1	3.38	119.01	105.85
2	E	893	TPO	O-C-CA	-2.52	118.28	124.77
2	H	893	TPO	CG2-CB-CA	-2.30	108.77	113.26
2	H	893	TPO	O-C-CA	-2.20	119.12	124.77

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	H	893	TPO	CG2-CB-OG1-P
2	E	893	TPO	CB-OG1-P-O2P
2	H	893	TPO	CB-OG1-P-O1P

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	RC8	H	1101	-	35,35,35	2.53	7 (20%)	48,48,48	5.13	20 (41%)
4	RC8	E	1101	-	35,35,35	2.56	6 (17%)	48,48,48	5.15	19 (39%)
4	RC8	B	1101	-	35,35,35	2.52	5 (14%)	48,48,48	5.15	19 (39%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	RC8	H	1101	-	-	6/21/21/21	0/4/4/4
4	RC8	E	1101	-	-	6/21/21/21	0/4/4/4
4	RC8	B	1101	-	-	6/21/21/21	0/4/4/4

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	H	1101	RC8	C2-N2	10.78	1.47	1.34
4	E	1101	RC8	C2-N2	10.66	1.47	1.34
4	B	1101	RC8	C2-N2	10.38	1.46	1.34
4	E	1101	RC8	C6-N6	7.43	1.46	1.34
4	B	1101	RC8	C6-N6	7.22	1.45	1.34
4	H	1101	RC8	C6-N6	6.88	1.45	1.34
4	B	1101	RC8	C4'-C1B	-4.84	1.41	1.49
4	E	1101	RC8	C4'-C1B	-4.61	1.41	1.49
4	H	1101	RC8	C4'-C1B	-4.24	1.42	1.49
4	E	1101	RC8	C5-C4	-2.37	1.34	1.39
4	H	1101	RC8	C3B-C2B	-2.34	1.34	1.38
4	B	1101	RC8	C5-C4	-2.28	1.35	1.39
4	H	1101	RC8	C5-C4	-2.26	1.35	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	1101	RC8	C4-N3	2.08	1.36	1.34
4	H	1101	RC8	C8-N9	-2.05	1.34	1.37
4	E	1101	RC8	C8-N9	-2.03	1.34	1.37
4	E	1101	RC8	C5-N7	-2.01	1.35	1.39
4	H	1101	RC8	C4-N3	2.00	1.36	1.34

All (58) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	E	1101	RC8	N2-C2-N1	22.44	152.36	117.09
4	B	1101	RC8	N2-C2-N1	22.31	152.15	117.09
4	H	1101	RC8	N2-C2-N1	22.26	152.08	117.09
4	E	1101	RC8	N2-C2-N3	-18.61	87.83	117.09
4	H	1101	RC8	N2-C2-N3	-18.59	87.86	117.09
4	B	1101	RC8	N2-C2-N3	-18.54	87.95	117.09
4	E	1101	RC8	N6-C6-N1	8.98	130.37	118.33
4	B	1101	RC8	N6-C6-N1	8.79	130.11	118.33
4	H	1101	RC8	N6-C6-N1	8.62	129.89	118.33
4	B	1101	RC8	C5-C4-N3	-8.09	118.66	127.18
4	H	1101	RC8	C5-C4-N3	-8.08	118.67	127.18
4	E	1101	RC8	C5-C4-N3	-7.76	119.01	127.18
4	B	1101	RC8	C5-C6-N6	-7.67	107.23	122.03
4	H	1101	RC8	C5-C6-N6	-7.56	107.44	122.03
4	E	1101	RC8	C5-C6-N6	-7.55	107.46	122.03
4	B	1101	RC8	CA'-N6-C6	-7.22	113.75	123.08
4	E	1101	RC8	CA'-N6-C6	-7.00	114.03	123.08
4	H	1101	RC8	CA'-N6-C6	-6.98	114.06	123.08
4	B	1101	RC8	N3-C4-N9	4.60	132.83	126.99
4	H	1101	RC8	N3-C4-N9	4.44	132.63	126.99
4	E	1101	RC8	N3-C4-N9	4.39	132.56	126.99
4	E	1101	RC8	C9-N9-C8	-4.19	123.07	128.05
4	E	1101	RC8	N9-C8-N7	-4.07	108.16	113.94
4	B	1101	RC8	N9-C8-N7	-4.05	108.20	113.94
4	B	1101	RC8	C9-N9-C8	-4.03	123.27	128.05
4	E	1101	RC8	N3-C2-N1	-4.01	119.69	126.26
4	H	1101	RC8	C9-N9-C8	-4.01	123.29	128.05
4	H	1101	RC8	N9-C8-N7	-4.00	108.26	113.94
4	B	1101	RC8	N3-C2-N1	-3.95	119.78	126.26
4	H	1101	RC8	N3-C2-N1	-3.88	119.90	126.26
4	H	1101	RC8	C2-N2-C12	-3.30	119.18	124.32
4	B	1101	RC8	C2-N2-C12	-3.29	119.20	124.32
4	H	1101	RC8	C5-N7-C8	3.26	108.58	103.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	H	1101	RC8	C4-C5-N7	-3.23	106.88	110.58
4	B	1101	RC8	C5-N7-C8	3.22	108.52	103.45
4	E	1101	RC8	C2-N2-C12	-3.19	119.37	124.32
4	E	1101	RC8	C5-N7-C8	3.13	108.37	103.45
4	B	1101	RC8	C4-C5-N7	-3.08	107.06	110.58
4	E	1101	RC8	C4-C5-N7	-2.93	107.23	110.58
4	B	1101	RC8	C1'-CA'-N6	-2.73	106.03	113.60
4	E	1101	RC8	C1'-CA'-N6	-2.66	106.23	113.60
4	H	1101	RC8	C5-C4-N9	2.64	108.69	105.81
4	H	1101	RC8	C1'-CA'-N6	-2.61	106.35	113.60
4	E	1101	RC8	CA'-C1'-C6'	-2.57	115.70	120.94
4	B	1101	RC8	CA'-C1'-C6'	-2.56	115.72	120.94
4	B	1101	RC8	C5-C4-N9	2.47	108.50	105.81
4	H	1101	RC8	C4B-C5B-N1B	-2.45	119.55	123.42
4	E	1101	RC8	C4B-C5B-N1B	-2.44	119.55	123.42
4	H	1101	RC8	CA'-C1'-C6'	-2.44	115.96	120.94
4	E	1101	RC8	C5-C4-N9	2.39	108.42	105.81
4	B	1101	RC8	C2-N3-C4	2.32	121.42	113.99
4	H	1101	RC8	C6-C5-N7	2.30	134.94	132.43
4	B	1101	RC8	C6-C5-N7	2.26	134.90	132.43
4	H	1101	RC8	C2-N3-C4	2.26	121.23	113.99
4	E	1101	RC8	C2-N3-C4	2.22	121.11	113.99
4	E	1101	RC8	C5B-N1B-C1B	2.15	120.25	117.24
4	B	1101	RC8	C4B-C5B-N1B	-2.13	120.05	123.42
4	H	1101	RC8	C5B-N1B-C1B	2.05	120.11	117.24

There are no chirality outliers.

All (18) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	1101	RC8	N1-C2-N2-C12
4	B	1101	RC8	N3-C2-N2-C12
4	B	1101	RC8	C10-C9-N9-C4
4	B	1101	RC8	C10-C9-N9-C8
4	B	1101	RC8	C15-C12-C13-C14
4	B	1101	RC8	N2-C12-C13-C14
4	E	1101	RC8	N1-C2-N2-C12
4	E	1101	RC8	N3-C2-N2-C12
4	E	1101	RC8	C10-C9-N9-C4
4	E	1101	RC8	C10-C9-N9-C8
4	E	1101	RC8	C15-C12-C13-C14
4	E	1101	RC8	N2-C12-C13-C14

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	H	1101	RC8	N1-C2-N2-C12
4	H	1101	RC8	N3-C2-N2-C12
4	H	1101	RC8	C10-C9-N9-C4
4	H	1101	RC8	C10-C9-N9-C8
4	H	1101	RC8	C15-C12-C13-C14
4	H	1101	RC8	N2-C12-C13-C14


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	826/840 (98%)	-0.63	2 (0%) 91 83	8, 31, 62, 90	0
1	D	827/840 (98%)	-0.68	2 (0%) 91 83	6, 28, 58, 96	0
1	G	826/840 (98%)	-0.55	2 (0%) 91 83	11, 35, 68, 133	0
2	B	332/344 (96%)	-0.46	4 (1%) 76 53	17, 32, 67, 106	0
2	E	332/344 (96%)	-0.43	6 (1%) 67 43	11, 28, 62, 117	0
2	H	332/344 (96%)	-0.55	3 (0%) 81 58	2, 20, 53, 97	0
3	C	248/271 (91%)	-0.82	1 (0%) 88 73	8, 25, 48, 71	0
3	F	248/271 (91%)	-0.82	1 (0%) 88 73	2, 15, 40, 65	0
3	I	248/271 (91%)	-0.90	0 100 100	5, 17, 40, 66	0
All	All	4219/4365 (96%)	-0.63	21 (0%) 87 70	2, 28, 60, 133	0

All (21) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1017	LEU	5.0
2	H	1042	LEU	3.6
1	D	394	ILE	3.4
2	E	1042	LEU	3.2
2	E	1043	TRP	3.2
2	B	1042	LEU	3.0
2	E	1044	SER	2.7
1	A	1018	GLY	2.6
2	B	1044	SER	2.6
2	E	1047	ARG	2.6
2	B	1043	TRP	2.5
3	C	20	THR	2.3
2	E	1045	LYS	2.2
1	G	1108	VAL	2.2
2	H	839	PHE	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	777	PRO	2.1
2	H	715	THR	2.1
2	E	715	THR	2.1
2	B	763	GLU	2.1
3	F	267	HIS	2.1
1	G	100	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	TPO	E	893	11/12	0.84	0.11	83,103,187,190	6
2	TPO	H	893	11/12	0.86	0.11	41,52,86,88	5
2	TPO	B	893	11/12	0.87	0.11	87,100,188,190	5

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	RC8	B	1101	32/32	0.88	0.12	36,56,88,125	29
4	RC8	E	1101	32/32	0.90	0.10	20,35,53,75	29
4	RC8	H	1101	32/32	0.91	0.10	32,41,72,75	29




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around RC8 B 1101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around RC8 E 1101:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around RC8 H 1101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.