



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 04:34 PM UTC

PDB ID : 5TEH / pdb_00005teh
Title : c-Src V281C kinase domain in complex with Rao-IV-156
Authors : Dieter, E.M.; Merritt, E.A.; Maly, D.J.
Deposited on : 2016-09-21
Resolution : 2.99 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.99 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2672 (3.00-3.00)
Clashscore	190562	2977 (3.00-3.00)
Ramachandran outliers	187476	2877 (3.00-3.00)
Sidechain outliers	187428	2880 (3.00-3.00)
RSRZ outliers	180081	2671 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	286	
1	B	286	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4292 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Proto-oncogene tyrosine-protein kinase Src.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	261	Total	C	N	O	S	0	0	0
			2099	1346	350	385	18			
1	B	262	Total	C	N	O	S	0	0	0
			2101	1346	351	386	18			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	248	GLY	-	expression tag	UNP P00523
A	249	HIS	-	expression tag	UNP P00523
A	250	MET	-	expression tag	UNP P00523
A	281	CYS	VAL	engineered mutation	UNP P00523
B	248	GLY	-	expression tag	UNP P00523
B	249	HIS	-	expression tag	UNP P00523
B	250	MET	-	expression tag	UNP P00523
B	281	CYS	VAL	engineered mutation	UNP P00523

- Molecule 2 is (2S)-3-[4-amino-7-(2-methoxyethyl)-5-(4-phenoxyphenyl)-7H-pyrrolo[2,3-d]pyrimidin-6-yl]-2-cyano-N-(propan-2-yl)propanamide (CCD ID: S56) (formula: C₂₈H₃₀N₆O₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			37	28	6	3		
2	B	1	Total	C	N	O	0	0
			37	28	6	3		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	11	Total	O	0	0
			11	11		
3	B	7	Total	O	0	0
			7	7		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Proto-oncogene tyrosine-protein kinase Src



- Molecule 1: Proto-oncogene tyrosine-protein kinase Src



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	41.79Å 63.59Å 76.07Å 76.73° 89.93° 89.79°	Depositor
Resolution (Å)	74.04 – 2.99 74.04 – 2.99	Depositor EDS
% Data completeness (in resolution range)	78.9 (74.04-2.99) 78.7 (74.04-2.99)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.57 (at 2.51Å)	Xtriage
Refinement program	REFMAC 5.8.0155	Depositor
R, R_{free}	0.304 , 0.366 0.277 , 0.321	Depositor DCC
R_{free} test set	1230 reflections (4.66%)	wwPDB-VP
Wilson B-factor (Å ²)	23.1	Xtriage
Anisotropy	0.841	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 55.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.43$, $\langle L^2 \rangle = 0.26$	Xtriage
Estimated twinning fraction	0.287 for h,-k,-l	Xtriage
Reported twinning fraction	0.417 for H, K, L 0.583 for h,-k,-l	Depositor
Outliers	0 of 20656 reflections	Xtriage
F_o, F_c correlation	0.80	EDS
Total number of atoms	4292	wwPDB-VP
Average B, all atoms (Å ²)	77.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 13.90% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: S56

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.20	5/2151 (0.2%)	1.28	15/2911 (0.5%)
1	B	1.17	2/2152 (0.1%)	1.26	10/2913 (0.3%)
All	All	1.19	7/4303 (0.2%)	1.27	25/5824 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	530	GLY	N-CA	6.49	1.50	1.44
1	B	368	ALA	C-O	-6.18	1.17	1.24
1	B	360	LEU	N-CA	6.16	1.52	1.46
1	A	532	ASN	CA-C	-6.09	1.47	1.52
1	A	364	VAL	N-CA	5.76	1.53	1.46
1	A	487	CYS	C-N	5.34	1.40	1.33
1	A	429	THR	C-O	5.25	1.30	1.24

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	364	VAL	N-CA-C	6.86	117.61	110.62
1	A	360	LEU	CA-C-N	6.45	126.96	119.47
1	A	360	LEU	C-N-CA	6.45	126.96	119.47
1	A	457	THR	N-CA-C	-6.45	96.86	108.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	283	MET	N-CA-C	-6.28	101.69	110.35
1	A	511	TYR	N-CA-C	-6.15	104.49	111.07
1	A	446	TRP	N-CA-C	-6.10	104.55	111.07
1	B	377	VAL	N-CA-C	-6.05	104.43	110.30
1	A	484	PRO	N-CA-C	5.93	117.94	110.70
1	B	283	MET	N-CA-C	-5.91	102.90	110.53
1	A	498	CYS	N-CA-C	-5.87	105.61	112.89
1	A	276	GLY	N-CA-C	5.86	119.69	111.19
1	B	511	TYR	N-CA-C	-5.76	104.91	111.07
1	A	377	VAL	N-CA-C	-5.74	104.73	110.30
1	A	394	VAL	CB-CA-C	-5.73	103.84	111.80
1	B	484	PRO	N-CA-C	5.65	117.59	110.70
1	A	438	ARG	N-CA-C	-5.46	102.02	109.71
1	B	498	CYS	N-CA-C	-5.38	106.22	112.89
1	B	366	MET	N-CA-C	-5.28	105.42	111.07
1	A	364	VAL	N-CA-C	5.07	115.84	110.72
1	A	424	PHE	CA-C-N	5.06	126.17	119.84
1	A	424	PHE	C-N-CA	5.06	126.17	119.84
1	B	360	LEU	CA-C-N	5.04	125.31	119.47
1	B	360	LEU	C-N-CA	5.04	125.31	119.47
1	B	446	TRP	N-CA-C	-5.03	105.69	111.07

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	467	VAL	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2099	0	2078	75	0
1	B	2101	0	2082	71	0
2	A	37	0	0	1	0
2	B	37	0	0	4	0
3	A	11	0	0	7	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	7	0	0	4	0
All	All	4292	0	4160	143	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (143) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:374:MET:HE1	1:A:384:HIS:CD2	1.78	1.18
1:B:384:HIS:CD2	1:B:386:ASP:O	2.13	1.02
1:A:374:MET:HE1	1:A:384:HIS:HD2	1.43	0.84
1:B:459:GLY:O	3:B:701:HOH:O	2.01	0.79
1:A:454:GLU:O	1:A:457:THR:O	2.00	0.79
1:A:461:VAL:HG22	1:B:521:THR:HG21	1.68	0.75
1:A:374:MET:CE	1:A:384:HIS:CD2	2.67	0.75
1:B:444:ASP:OD1	3:B:702:HOH:O	2.05	0.73
1:A:442:LYS:O	1:A:506:ARG:NH1	2.22	0.73
1:A:358:LEU:N	3:A:703:HOH:O	2.21	0.72
1:A:364:VAL:HG13	1:A:516:LEU:HD22	1.72	0.71
1:A:432:GLU:HB2	1:A:438:ARG:HE	1.55	0.69
1:A:366:MET:HE2	1:A:400:CYS:SG	2.34	0.68
1:A:357:TYR:HB2	3:A:703:HOH:O	1.93	0.68
1:B:364:VAL:HG13	1:B:516:LEU:HD22	1.75	0.68
1:B:354:MET:O	1:B:356:LYS:N	2.27	0.68
1:A:377:VAL:HG21	1:A:384:HIS:CE1	2.28	0.67
1:B:436:TYR:O	1:B:438:ARG:N	2.28	0.67
1:A:354:MET:O	1:A:356:LYS:N	2.29	0.66
1:A:259:ALA:HB2	3:A:711:HOH:O	1.97	0.65
1:B:292:VAL:HG11	1:B:337:VAL:CG1	2.28	0.64
1:A:350:LEU:HD21	1:A:455:LEU:HD23	1.81	0.63
1:A:483:CYS:SG	1:A:487:CYS:O	2.57	0.63
1:B:466:MET:HE3	1:B:470:GLU:OE2	1.99	0.62
1:A:396:GLU:O	1:A:399:VAL:HG23	1.99	0.62
1:B:384:HIS:NE2	1:B:386:ASP:O	2.31	0.62
1:A:357:TYR:C	3:A:703:HOH:O	2.43	0.61
1:B:483:CYS:SG	1:B:487:CYS:O	2.59	0.61
1:A:472:LEU:O	1:A:473:ASP:C	2.42	0.61
1:B:396:GLU:O	1:B:399:VAL:HG23	2.01	0.60
1:A:490:SER:OG	1:A:519:TYR:OH	2.13	0.60
1:A:513:GLN:HG3	3:A:701:HOH:O	2.01	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:472:LEU:O	1:B:473:ASP:C	2.45	0.60
1:A:374:MET:SD	1:A:384:HIS:NE2	2.75	0.59
1:A:472:LEU:O	1:A:474:GLN:N	2.36	0.58
1:B:350:LEU:HD21	1:B:455:LEU:HD23	1.85	0.58
1:B:304:PRO:HA	1:B:334:ILE:HD11	1.86	0.58
1:A:368:ALA:O	3:A:701:HOH:O	2.17	0.57
1:B:366:MET:HE2	1:B:400:CYS:SG	2.45	0.56
1:B:358:LEU:O	1:B:359:ARG:NH1	2.39	0.56
1:A:358:LEU:O	1:A:359:ARG:NH1	2.39	0.55
1:A:466:MET:HE3	1:A:470:GLU:OE2	2.05	0.55
1:A:523:THR:OG1	3:A:702:HOH:O	2.18	0.55
1:A:473:ASP:O	1:A:477:ARG:HG3	2.06	0.55
1:B:281:CYS:SG	2:B:600:S56:O1	2.63	0.55
1:B:442:LYS:O	1:B:506:ARG:NH2	2.34	0.55
1:A:377:VAL:HG11	1:A:384:HIS:NE2	2.22	0.54
1:B:472:LEU:O	1:B:474:GLN:N	2.41	0.54
1:B:490:SER:OG	1:B:519:TYR:OH	2.15	0.54
1:B:503:PRO:HA	1:B:506:ARG:CZ	2.37	0.54
1:A:503:PRO:HA	1:A:506:ARG:CZ	2.37	0.54
1:B:474:GLN:O	1:B:475:VAL:C	2.51	0.54
1:A:362:GLN:N	1:A:362:GLN:OE1	2.41	0.53
1:B:362:GLN:N	1:B:362:GLN:OE1	2.41	0.53
1:A:293:ALA:HB2	1:A:340:TYR:HA	1.91	0.52
1:A:476:GLU:O	1:A:478:GLY:N	2.43	0.52
1:A:474:GLN:O	1:A:475:VAL:C	2.51	0.52
1:B:476:GLU:O	1:B:478:GLY:N	2.43	0.52
1:B:293:ALA:HB2	1:B:340:TYR:HA	1.92	0.51
1:B:363:LEU:HD22	1:B:455:LEU:O	2.11	0.51
1:A:372:SER:HA	1:A:513:GLN:CD	2.35	0.51
1:B:372:SER:HA	1:B:513:GLN:OE1	2.12	0.50
1:B:305:GLU:HB2	3:B:705:HOH:O	2.11	0.50
1:B:372:SER:HA	1:B:513:GLN:CD	2.37	0.50
1:A:372:SER:HA	1:A:513:GLN:OE1	2.11	0.50
1:A:301:THR:HG22	1:A:301:THR:O	2.10	0.50
1:A:527:TYR:CE1	1:A:529:PRO:HA	2.47	0.50
1:B:311:ALA:HB1	1:B:315:LYS:CE	2.42	0.50
1:A:364:VAL:HG13	1:A:516:LEU:CD2	2.42	0.49
1:B:354:MET:C	1:B:356:LYS:N	2.69	0.49
1:A:461:VAL:HG22	1:B:521:THR:CG2	2.41	0.49
1:B:365:ASP:OD1	1:B:365:ASP:C	2.56	0.49
1:A:297:LEU:HD11	1:A:336:ILE:HD11	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:394:VAL:HG12	1:A:395:GLY:N	2.28	0.48
1:B:264:ARG:NH2	1:B:331:GLU:O	2.46	0.48
1:B:354:MET:C	1:B:356:LYS:H	2.20	0.48
1:A:450:ILE:HD13	1:A:499:TRP:CZ2	2.48	0.48
1:B:388:ARG:HB3	1:B:428:TRP:CD1	2.49	0.48
1:B:402:VAL:HG12	1:B:403:ALA:N	2.28	0.48
1:A:354:MET:C	1:A:356:LYS:N	2.72	0.48
1:A:388:ARG:HB3	1:A:428:TRP:CD1	2.49	0.48
1:B:527:TYR:CE1	1:B:529:PRO:HA	2.49	0.47
1:A:354:MET:C	1:A:356:LYS:H	2.22	0.47
1:A:393:LEU:N	1:A:401:LYS:O	2.47	0.47
1:B:436:TYR:O	1:B:437:GLY:C	2.56	0.47
1:A:492:HIS:NE2	1:A:496:CYS:SG	2.88	0.47
1:B:393:LEU:N	1:B:401:LYS:O	2.47	0.47
1:B:311:ALA:HB1	1:B:315:LYS:HE2	1.96	0.47
1:B:348:ASP:O	1:B:352:GLY:N	2.45	0.47
1:A:349:PHE:O	1:A:349:PHE:CD2	2.67	0.47
1:A:402:VAL:HG12	1:A:403:ALA:N	2.30	0.47
1:A:397:ASN:CG	1:A:397:ASN:O	2.57	0.47
1:B:394:VAL:HG12	1:B:395:GLY:N	2.29	0.47
1:B:453:THR:O	1:B:457:THR:HG23	2.15	0.47
1:B:476:GLU:C	1:B:478:GLY:H	2.22	0.47
1:A:264:ARG:NH2	1:A:331:GLU:O	2.49	0.46
1:B:384:HIS:O	1:B:385:ARG:HB2	2.16	0.46
1:A:323:VAL:HG21	1:A:393:LEU:HD12	1.98	0.46
1:B:349:PHE:CD2	1:B:349:PHE:O	2.69	0.46
1:B:397:ASN:CG	1:B:397:ASN:O	2.59	0.45
1:A:346:LEU:HD22	1:A:392:ILE:HG21	1.97	0.45
1:A:281:CYS:SG	2:A:600:S56:O1	2.75	0.45
1:A:474:GLN:O	1:A:477:ARG:N	2.50	0.45
1:B:461:VAL:N	3:B:701:HOH:O	2.50	0.44
1:A:361:PRO:HB2	1:A:362:GLN:OE1	2.18	0.44
1:A:348:ASP:O	1:A:352:GLY:N	2.49	0.44
1:A:363:LEU:HD22	1:A:455:LEU:O	2.17	0.44
1:A:463:TYR:O	1:A:464:PRO:C	2.61	0.44
1:B:272:LYS:HG2	1:B:282:TRP:CH2	2.53	0.44
1:A:447:SER:O	1:A:450:ILE:N	2.51	0.44
1:A:476:GLU:C	1:A:478:GLY:H	2.24	0.44
1:B:474:GLN:O	1:B:477:ARG:N	2.51	0.44
1:A:461:VAL:HG23	1:B:518:ASP:HB3	1.99	0.44
1:A:269:LEU:HD12	1:A:269:LEU:N	2.33	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:323:VAL:CG2	1:B:403:ALA:HB2	2.48	0.43
1:A:304:PRO:HG3	1:A:332:GLU:HG3	1.99	0.43
1:B:460:ARG:O	1:B:461:VAL:C	2.61	0.43
1:B:463:TYR:O	1:B:464:PRO:C	2.61	0.43
1:A:355:GLY:O	1:A:458:LYS:NZ	2.40	0.43
1:B:260:TRP:CD1	1:B:315:LYS:CD	3.02	0.43
1:A:283:MET:SD	1:A:291:ARG:HD2	2.59	0.43
1:B:295:LYS:HB3	2:B:600:S56:C10	2.49	0.43
1:A:299:PRO:HB3	1:A:332:GLU:CD	2.44	0.43
1:A:476:GLU:C	1:A:478:GLY:N	2.77	0.42
1:A:329:VAL:O	1:A:334:ILE:HG23	2.19	0.42
1:A:377:VAL:HG13	1:A:382:TYR:HB2	2.01	0.42
1:B:476:GLU:C	1:B:478:GLY:N	2.77	0.42
1:B:447:SER:O	1:B:450:ILE:N	2.53	0.42
1:B:329:VAL:O	1:B:334:ILE:HG23	2.20	0.42
1:A:460:ARG:O	1:A:461:VAL:C	2.63	0.42
1:B:269:LEU:N	1:B:269:LEU:HD12	2.35	0.41
1:B:384:HIS:ND1	1:B:405:PHE:HA	2.35	0.41
1:B:384:HIS:CE1	1:B:405:PHE:HA	2.56	0.41
1:B:492:HIS:NE2	1:B:496:CYS:SG	2.93	0.41
1:A:283:MET:HE3	1:A:291:ARG:NH1	2.35	0.41
1:B:293:ALA:HB1	2:B:600:S56:N	2.36	0.41
1:A:486:GLU:OE1	1:A:532:ASN:N	2.50	0.40
1:B:323:VAL:HG21	1:B:393:LEU:HD12	2.03	0.40
1:B:325:LEU:O	1:B:325:LEU:HG	2.22	0.40
1:B:354:MET:O	1:B:355:GLY:C	2.65	0.40
1:A:489:GLU:O	1:A:493:ASP:OD1	2.40	0.40
1:B:432:GLU:OE2	1:B:506:ARG:NH2	2.42	0.40
1:B:295:LYS:NZ	2:B:600:S56:O1	2.47	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	257/286 (90%)	217 (84%)	28 (11%)	12 (5%)	2	11
1	B	258/286 (90%)	219 (85%)	24 (9%)	15 (6%)	1	8
All	All	515/572 (90%)	436 (85%)	52 (10%)	27 (5%)	1	9

All (27) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	355	GLY
1	A	372	SER
1	A	463	TYR
1	A	473	ASP
1	B	355	GLY
1	B	372	SER
1	B	437	GLY
1	B	463	TYR
1	B	473	ASP
1	A	451	LEU
1	A	475	VAL
1	B	405	PHE
1	B	406	GLY
1	B	475	VAL
1	A	404	ASP
1	B	299	PRO
1	B	451	LEU
1	A	352	GLY
1	A	472	LEU
1	A	477	ARG
1	B	404	ASP
1	B	472	LEU
1	B	477	ARG
1	A	299	PRO
1	A	525	PRO
1	B	425	PRO
1	B	352	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	226/245 (92%)	218 (96%)	8 (4%)	32	65
1	B	226/245 (92%)	217 (96%)	9 (4%)	28	62
All	All	452/490 (92%)	435 (96%)	17 (4%)	29	63

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	271	VAL
1	A	302	MET
1	A	309	GLN
1	A	331	GLU
1	A	345	SER
1	A	358	LEU
1	A	380	MET
1	A	383	VAL
1	B	271	VAL
1	B	303	SER
1	B	308	LEU
1	B	358	LEU
1	B	365	ASP
1	B	380	MET
1	B	383	VAL
1	B	436	TYR
1	B	522	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	275	GLN
1	A	312	GLN
1	A	319	HIS
1	A	497	GLN
1	B	319	HIS
1	B	497	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	S56	B	600	1	40,40,40	2.10	1 (2%)	46,55,55	0.97	3 (6%)
2	S56	A	600	1	40,40,40	3.91	1 (2%)	46,55,55	0.98	3 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	S56	B	600	1	-	5/24/26/26	0/4/4/4
2	S56	A	600	1	-	7/24/26/26	0/4/4/4

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	600	S56	C18-C17	24.52	1.61	1.49
2	B	600	S56	C18-C17	12.97	1.56	1.49

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	600	S56	C19-C18-C17	4.09	117.28	112.78
2	A	600	S56	C26-C25-N5	3.40	117.83	112.63
2	A	600	S56	C19-C18-C17	-2.76	109.73	112.78
2	B	600	S56	C25-N5-C2	-2.51	120.61	125.00
2	B	600	S56	O1-C21-C19	-2.24	120.26	122.31
2	A	600	S56	O-C8-C7	2.08	126.59	119.36

There are no chirality outliers.

All (12) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	600	S56	C19-C21-N4-C22
2	A	600	S56	C17-C18-C19-C21
2	A	600	S56	C26-C25-N5-C17
2	A	600	S56	C26-C25-N5-C2
2	B	600	S56	O1-C21-N4-C22
2	B	600	S56	C19-C21-N4-C22
2	A	600	S56	O1-C21-N4-C22
2	B	600	S56	N5-C25-C26-O2
2	B	600	S56	C26-C25-N5-C17
2	B	600	S56	N5-C17-C18-C19
2	A	600	S56	C24-C22-N4-C21
2	A	600	S56	C20-C19-C21-O1


There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	600	S56	4	0
2	A	600	S56	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	261/286 (91%)	-0.70	0 100 100	48, 65, 125, 137	0
1	B	262/286 (91%)	-0.71	0 100 100	57, 73, 123, 128	0
All	All	523/572 (91%)	-0.71	0 100 100	48, 71, 125, 137	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	S56	A	600	37/37	0.97	0.08	51,51,51,51	0
2	S56	B	600	37/37	0.97	0.07	51,51,51,51	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around S56 A 600:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around S56 B 600:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.