



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 09:22 PM UTC

PDB ID : 3TFJ / pdb_00003tfj
Title : DMSP-dependent demethylase from *P. ubique* - with cofactor THF
Authors : Schuller, D.J.; Reisch, C.R.; Moran, M.A.; Whitman, W.B.; Lanzilotta, W.N.
Deposited on : 2011-08-15
Resolution : 1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4673 (1.60-1.60)
Clashscore	190562	4931 (1.60-1.60)
Ramachandran outliers	187476	4831 (1.60-1.60)
Sidechain outliers	187428	4830 (1.60-1.60)
RSRZ outliers	180081	4672 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.


Mol	Chain	Length	Quality of chain
1	A	369	84% 13% .
1	B	369	85% 12% .

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GcvT-like Aminomethyltransferase protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	369	Total 3107	C 2008	N 512	O 574	S 13	0	28	0
1	B	369	Total 3043	C 1955	N 502	O 572	S 14	0	16	0

- Molecule 2 is (6S)-5,6,7,8-TETRAHYDROFOLATE (CCD ID: THG) (formula: $C_{19}H_{23}N_7O_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total 32	C 19	N 7	O 6	0	1
2	B	1	Total 32	C 19	N 7	O 6	0	1

- Molecule 3 is ACETATE ION (CCD ID: ACT) (formula: $\text{C}_2\text{H}_3\text{O}_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	1
			4	2	2		
3	B	1	Total	C	O	0	1
			4	2	2		

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total 1	Na 1	0	0
5	B	1	Total 1	Na 1	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	330	Total 330	O 330	0	1
6	B	403	Total 403	O 403	0	1


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: GcvT-like Aminomethyltransferase protein



- Molecule 1: GcvT-like Aminomethyltransferase protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	53.75Å 121.67Å 59.34Å 90.00° 100.30° 90.00°	Depositor
Resolution (Å)	36.11 – 1.60 36.11 – 1.60	Depositor EDS
% Data completeness (in resolution range)	98.7 (36.11-1.60) 98.6 (36.11-1.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.12	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.35 (at 1.60Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.126 , 0.176 0.138 , 0.185	Depositor DCC
R_{free} test set	2389 reflections (2.46%)	wwPDB-VP
Wilson B-factor (Å ²)	18.6	Xtriage
Anisotropy	0.169	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 64.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	6969	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.76% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ACT, THG, GOL, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.23	5/3254 (0.2%)	1.06	7/4371 (0.2%)
1	B	1.25	7/3151 (0.2%)	1.07	5/4239 (0.1%)
All	All	1.24	12/6405 (0.2%)	1.07	12/8610 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	2
All	All	0	4

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	279	LYS	N-CA	-8.42	1.35	1.46
1	A	70	GLY	N-CA	8.13	1.54	1.45
1	B	299	ILE	CG1-CD1	-7.24	1.23	1.51
1	B	358	THR	CA-CB	6.92	1.63	1.53
1	B	99	ILE	CA-CB	6.78	1.63	1.54
1	B	83	ARG	CG-CD	-6.37	1.33	1.52
1	B	154	ALA	CA-CB	5.93	1.62	1.53
1	A	244	LEU	C-O	-5.74	1.17	1.24
1	B	199	LYS	C-O	5.18	1.30	1.23
1	B	310	ILE	C-O	5.16	1.29	1.24
1	A	342	SER	C-O	5.05	1.30	1.24
1	A	295	VAL	N-CA	-5.01	1.40	1.46

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	344	TRP	N-CA-C	8.72	121.74	111.71
1	A	343	HIS	N-CA-C	7.65	121.44	112.72
1	B	123	ILE	N-CA-C	6.21	118.59	108.97
1	A	277	LYS	O-C-N	5.95	128.20	122.07
1	B	343	HIS	N-CA-C	5.70	120.05	112.30
1	B	344	TRP	CB-CA-C	-5.51	100.43	110.63
1	B	344	TRP	N-CA-C	5.49	118.02	111.71
1	B	2	LYS	N-CA-CB	5.17	119.22	110.49
1	A	278[A]	GLU	CA-C-N	5.02	127.94	120.31
1	A	278[A]	GLU	C-N-CA	5.02	127.94	120.31
1	A	278[B]	GLU	CA-C-N	5.02	127.94	120.31
1	A	278[B]	GLU	C-N-CA	5.02	127.94	120.31

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	277	LYS	Peptide
1	B	1[A]	MET	Peptide
1	B	1[B]	MET	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3107	0	3186	78	0
1	B	3043	0	3054	47	0
2	A	32	0	21	4	0
2	B	32	0	21	1	0
3	A	4	0	3	0	0
3	B	4	0	3	0	0
4	A	6	0	8	0	0
4	B	6	0	8	2	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
6	A	330	0	0	16	0
6	B	403	0	0	14	0
All	All	6969	0	6304	122	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (122) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:23[B]:LYS:HE2	1:B:1[B]:MET:HE1	1.22	1.15
1:B:367:PRO:HB2	6:B:715:HOH:O	1.46	1.13
1:A:23[B]:LYS:CE	1:B:1[B]:MET:HE1	1.83	1.07
1:A:299:ILE:HG23	1:A:359[A]:ILE:CD1	1.95	0.95
1:A:99:ILE:HD11	1:A:275:LEU:O	1.68	0.93
1:B:341:LYS:NZ	6:B:667:HOH:O	2.03	0.91
1:A:23[B]:LYS:HE2	1:B:1[B]:MET:CE	2.02	0.90
1:A:99:ILE:C	1:A:99:ILE:HD12	2.01	0.85
1:B:282:GLU:O	1:B:285:LEU:HD12	1.77	0.84
1:A:369:ILE:HD12	1:A:369:ILE:O	1.78	0.82
1:A:23[B]:LYS:CD	1:B:1[B]:MET:HE1	2.09	0.81
1:B:116[A]:GLU:HG2	6:B:542:HOH:O	1.81	0.81
1:A:22:GLU:O	1:B:1[B]:MET:HE2	1.82	0.80
1:A:63:GLU:HG2	1:A:197[B]:TRP:CZ2	2.17	0.79
1:A:369:ILE:HD12	1:A:369:ILE:C	2.08	0.78
1:A:299:ILE:HG23	1:A:359[A]:ILE:HD12	1.66	0.75
1:A:299:ILE:CG2	1:A:359[A]:ILE:CD1	2.65	0.74
1:B:354:ILE:HD12	1:B:359:ILE:HD12	1.69	0.74
1:B:273[B]:ASN:ND2	6:B:586:HOH:O	2.21	0.73
1:A:53[B]:GLU:HG3	6:A:680:HOH:O	1.89	0.72
1:A:369:ILE:HD11	6:A:460:HOH:O	1.89	0.72
1:B:235:ASN:HD22	1:B:238:GLU:H	1.37	0.71
1:B:50:HIS:HD2	1:B:56:GLN:HE21	1.38	0.71
2:B:370[A]:THG:OE1	6:B:671:HOH:O	2.08	0.71
1:A:23[A]:LYS:NZ	6:A:419:HOH:O	2.23	0.69
1:A:235:ASN:HD22	1:A:238:GLU:H	1.40	0.69
1:A:345:GLU:H	1:A:345:GLU:CD	2.01	0.68
1:A:48:TYR:CZ	1:A:52[B]:LYS:HD2	2.30	0.66
1:A:299:ILE:HG23	1:A:359[A]:ILE:HD11	1.75	0.66
1:A:63:GLU:HG2	1:A:197[B]:TRP:CH2	2.31	0.66
1:A:307:SER:HB3	1:A:320:GLU:CG	2.29	0.63
1:A:369:ILE:C	1:A:369:ILE:CD1	2.71	0.62
1:B:50:HIS:CD2	1:B:56:GLN:HE21	2.17	0.62
1:B:299:ILE:HG12	1:B:359:ILE:HD13	1.82	0.61
1:A:23[B]:LYS:CE	1:B:1[B]:MET:CE	2.71	0.61
1:B:298[B]:ASP:OD1	1:B:360:ASN:O	2.19	0.60
1:A:299:ILE:HG12	1:A:359[A]:ILE:HD13	1.84	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:189:LYS:HE3	6:A:659:HOH:O	2.02	0.59
1:B:54:HIS:HD2	1:B:159:LYS:NZ	2.02	0.58
1:A:308[A]:LYS:HE2	1:A:353:GLN:O	2.04	0.58
1:B:247:TYR:OH	4:B:372:GOL:H31	2.04	0.58
1:A:63:GLU:CG	1:A:197[B]:TRP:CH2	2.87	0.57
1:A:116[A]:GLU:OE2	6:A:663:HOH:O	2.17	0.57
1:A:357:ASN:HD22	1:A:359[B]:ILE:HD11	1.70	0.57
1:A:307:SER:HB3	1:A:320:GLU:HG3	1.87	0.57
1:A:63:GLU:OE2	1:A:197[B]:TRP:CE2	2.59	0.56
1:A:99:ILE:CD1	1:A:275:LEU:O	2.50	0.56
1:A:89[B]:LYS:HE2	6:A:676:HOH:O	2.06	0.56
1:A:299:ILE:CG2	1:A:359[A]:ILE:HD12	2.34	0.55
1:A:140[B]:LYS:HE3	1:A:140[B]:LYS:HA	1.87	0.55
1:B:354:ILE:HD12	1:B:359:ILE:CD1	2.36	0.54
1:B:310:ILE:HD11	1:B:339:ILE:CD1	2.37	0.54
1:B:186:GLU:OE1	6:B:693:HOH:O	2.18	0.54
1:A:369:ILE:CD1	6:A:461:HOH:O	2.56	0.54
2:A:370[A]:THG:C	6:A:737:HOH:O	2.55	0.54
1:A:318:ILE:HD12	1:A:343:HIS:CG	2.44	0.53
1:A:369:ILE:HD12	6:A:461:HOH:O	2.09	0.52
1:A:63:GLU:CG	1:A:197[B]:TRP:CZ2	2.90	0.51
2:A:370[A]:THG:OE1	6:A:670:HOH:O	2.19	0.51
1:B:247:TYR:OH	4:B:372:GOL:C3	2.58	0.50
1:A:256:ASN:HD22	1:A:258:PHE:H	1.58	0.50
1:B:197[A]:TRP:CH2	1:B:239:ARG:HD3	2.46	0.50
1:A:276:GLY:C	1:A:278[A]:GLU:HB2	2.37	0.50
1:A:345:GLU:CD	1:A:345:GLU:N	2.70	0.49
1:B:313:GLU:H	1:B:313:GLU:CD	2.20	0.49
1:A:159:LYS:NZ	6:A:534:HOH:O	2.45	0.49
1:A:197[A]:TRP:HE3	1:A:234:PRO:HB3	1.77	0.49
1:B:368:PHE:N	6:B:715:HOH:O	2.44	0.49
1:A:6:ILE:HD11	1:A:31:ILE:HD11	1.95	0.48
1:B:54:HIS:HD2	1:B:159:LYS:HZ2	1.61	0.48
1:A:48:TYR:CE2	1:A:52[B]:LYS:HD2	2.48	0.48
1:A:278[A]:GLU:OE1	1:A:279:LYS:HD2	2.14	0.48
1:B:342:SER:HG	1:B:343:HIS:CE1	2.28	0.48
1:A:308[B]:LYS:HB2	1:A:308[B]:LYS:HE2	1.44	0.48
1:B:326:TYR:OH	6:B:712:HOH:O	2.19	0.48
1:A:63:GLU:OE2	1:A:197[B]:TRP:CD2	2.67	0.47
1:B:165:GLU:OE1	6:B:692:HOH:O	2.20	0.47
1:A:22:GLU:C	1:B:1[B]:MET:HE2	2.37	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:341:LYS:HA	1:B:344:TRP:CE2	2.49	0.47
1:B:343:HIS:CD2	1:B:348:GLN:HE22	2.33	0.47
2:A:370[A]:THG:HCA	6:A:737:HOH:O	2.14	0.47
2:A:370[A]:THG:CA	6:A:737:HOH:O	2.62	0.46
1:A:23[B]:LYS:HD3	1:B:1[B]:MET:HE1	1.93	0.46
1:A:53[A]:GLU:HG3	1:A:54:HIS:CD2	2.51	0.46
1:A:200:GLN:NE2	6:A:652:HOH:O	2.49	0.45
1:A:299:ILE:CG1	1:A:359[A]:ILE:HD13	2.46	0.45
1:B:310:ILE:HD11	1:B:339:ILE:HD13	1.98	0.45
1:A:197[A]:TRP:CH2	1:A:239:ARG:HD3	2.52	0.45
1:B:278[B]:GLU:HG2	6:B:467:HOH:O	2.16	0.45
1:A:307:SER:HB3	1:A:320:GLU:CD	2.41	0.45
1:B:343:HIS:CD2	1:B:348:GLN:NE2	2.85	0.44
1:B:140[B]:LYS:HE3	1:B:140[B]:LYS:HB3	1.82	0.44
1:A:53[A]:GLU:HG3	1:A:54:HIS:NE2	2.32	0.44
1:A:79:LEU:HD22	1:A:275:LEU:HD13	2.00	0.43
1:A:354:ILE:HG12	1:A:359[A]:ILE:HG21	2.00	0.43
1:A:65:GLN:HE22	1:A:122[A]:SER:HB2	1.80	0.43
1:B:53[A]:GLU:HG3	6:B:531:HOH:O	2.18	0.43
1:A:357:ASN:ND2	1:A:359[B]:ILE:HD11	2.33	0.43
1:A:278[A]:GLU:HB3	1:A:279:LYS:HG3	2.01	0.43
1:B:52:LYS:NZ	6:B:448:HOH:O	2.51	0.43
1:B:296:LYS:HG2	1:B:334:ILE:HG22	2.01	0.43
1:A:71[A]:LYS:HE3	1:A:142:ASP:OD1	2.19	0.42
1:A:278[B]:GLU:OE1	1:A:278[B]:GLU:CA	2.61	0.42
1:A:293:ARG:HD2	6:A:536:HOH:O	2.19	0.42
1:A:354:ILE:HG12	1:A:359[A]:ILE:CG2	2.49	0.42
1:A:276:GLY:HA2	1:A:278[A]:GLU:CD	2.45	0.42
1:A:215[A]:LYS:HG3	6:A:585:HOH:O	2.19	0.41
1:A:276:GLY:HA2	1:A:278[A]:GLU:OE1	2.21	0.41
1:B:299:ILE:CG1	1:B:359:ILE:HD13	2.49	0.41
1:B:34:HIS:HE1	1:B:127:ASP:OD2	2.03	0.41
1:A:99:ILE:HD11	1:A:275:LEU:C	2.42	0.41
1:B:171[A]:LYS:HE3	6:B:661:HOH:O	2.20	0.41
1:B:278[B]:GLU:HA	1:B:281:LYS:HE2	2.02	0.41
1:A:53[A]:GLU:CG	1:A:54:HIS:CD2	3.03	0.41
1:A:352:ILE:CG2	1:A:359[A]:ILE:HG23	2.51	0.40
1:B:1[A]:MET:CE	6:B:452:HOH:O	2.70	0.40
1:B:256:ASN:HD22	1:B:258:PHE:H	1.68	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	395/369 (107%)	383 (97%)	9 (2%)	3 (1%)	16	5
1	B	382/369 (104%)	370 (97%)	12 (3%)	0	100	100
All	All	777/738 (105%)	753 (97%)	21 (3%)	3 (0%)	36	14

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	278[A]	GLU
1	A	278[B]	GLU
1	A	355	ASN

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	352/324 (109%)	333 (95%)	19 (5%)	20	4
1	B	340/324 (105%)	329 (97%)	11 (3%)	34	12
All	All	692/648 (107%)	662 (96%)	30 (4%)	32	7

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	71[A]	LYS
1	A	71[B]	LYS
1	A	79	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	114	LEU
1	A	144[A]	LYS
1	A	144[B]	LYS
1	A	197[A]	TRP
1	A	197[B]	TRP
1	A	256	ASN
1	A	270	SER
1	A	271[A]	ASP
1	A	271[B]	ASP
1	A	273[A]	ASN
1	A	273[B]	ASN
1	A	275	LEU
1	A	298[A]	ASP
1	A	298[B]	ASP
1	A	299	ILE
1	A	357	ASN
1	B	197[A]	TRP
1	B	197[B]	TRP
1	B	256	ASN
1	B	285	LEU
1	B	286	LYS
1	B	299	ILE
1	B	308	LYS
1	B	314	ASN
1	B	348	GLN
1	B	358	THR
1	B	362	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	3	ASN
1	A	65	GLN
1	A	200	GLN
1	A	211	GLN
1	A	235	ASN
1	A	256	ASN
1	A	314	ASN
1	A	316	ASN
1	A	329	HIS
1	A	357	ASN
1	B	33	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	34	HIS
1	B	50	HIS
1	B	54	HIS
1	B	117	ASN
1	B	211	GLN
1	B	228	ASN
1	B	235	ASN
1	B	256	ASN
1	B	314	ASN
1	B	316	ASN
1	B	329	HIS
1	B	348	GLN
1	B	353	GLN
1	B	360	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 2 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	ACT	A	371[A]	-	3,3,3	0.81	0	3,3,3	1.38	0
2	THG	B	370[A]	-	32,34,34	1.56	4 (12%)	39,47,47	1.89	12 (30%)
4	GOL	B	372	-	5,5,5	0.85	0	5,5,5	1.44	1 (20%)
3	ACT	B	371[A]	-	3,3,3	0.85	0	3,3,3	1.43	0
2	THG	A	370[A]	-	32,34,34	1.24	3 (9%)	39,47,47	2.40	14 (35%)
4	GOL	A	372	-	5,5,5	0.72	0	5,5,5	1.08	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	THG	B	370[A]	-	-	4/22/31/31	0/3/3/3
2	THG	A	370[A]	-	-	5/22/31/31	0/3/3/3
4	GOL	B	372	-	-	4/4/4/4	-
4	GOL	A	372	-	-	2/4/4/4	-

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	370[A]	THG	C4A-C8A	4.80	1.46	1.38
2	B	370[A]	THG	C7-N8	4.76	1.51	1.46
2	A	370[A]	THG	C4A-C8A	4.21	1.45	1.38
2	A	370[A]	THG	C7-N8	2.74	1.49	1.46
2	A	370[A]	THG	C4A-C4	2.53	1.49	1.41
2	B	370[A]	THG	C4A-C4	2.36	1.48	1.41
2	B	370[A]	THG	OE2-CD	-2.20	1.23	1.30

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	370[A]	THG	C2-N1-C8A	6.70	125.18	113.36
2	B	370[A]	THG	C2-N1-C8A	4.93	122.06	113.36
2	A	370[A]	THG	C2-N3-C4	-4.57	116.82	125.11
2	A	370[A]	THG	CB-CA-N	-4.37	102.25	110.91
2	A	370[A]	THG	O4-C4-C4A	-4.33	116.83	127.26
2	A	370[A]	THG	O11-C11-N	4.09	130.24	122.47
2	B	370[A]	THG	O4-C4-C4A	-3.97	117.68	127.26
2	B	370[A]	THG	CB-CA-N	-3.95	103.09	110.91

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	370[A]	THG	C4A-C4-N3	3.81	122.59	112.13
2	B	370[A]	THG	C7-C6-C9	-3.41	105.98	112.96
2	A	370[A]	THG	C6'-C1'-C2'	3.22	122.66	118.57
2	A	370[A]	THG	C7-C6-C9	-3.05	106.72	112.96
2	A	370[A]	THG	C3'-C2'-C1'	-3.05	117.54	120.80
2	B	370[A]	THG	C4A-C4-N3	3.02	120.41	112.13
2	A	370[A]	THG	C4-C4A-N5	2.84	124.00	116.27
2	B	370[A]	THG	O11-C11-N	2.69	127.58	122.47
2	A	370[A]	THG	C1'-C11-N	-2.68	112.06	117.04
2	B	370[A]	THG	C2-N3-C4	-2.60	120.40	125.11
2	A	370[A]	THG	CB-CG-CD	-2.57	105.63	112.49
2	A	370[A]	THG	OX2-C-CA	2.50	121.96	113.51
2	B	370[A]	THG	C4-C4A-N5	2.44	122.91	116.27
2	A	370[A]	THG	CA-N-C11	2.34	127.17	121.56
2	B	370[A]	THG	C3'-C2'-C1'	-2.22	118.43	120.80
2	B	370[A]	THG	OE2-CD-CG	2.19	120.92	114.00
2	B	370[A]	THG	OX2-C-CA	2.18	120.88	113.51
2	B	370[A]	THG	CA-N-C11	2.15	126.71	121.56
4	B	372	GOL	O1-C1-C2	2.04	119.54	110.38

There are no chirality outliers.

All (15) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	370[A]	THG	N-CA-CB-CG
2	B	370[A]	THG	N-CA-CB-CG
4	A	372	GOL	C1-C2-C3-O3
4	B	372	GOL	C1-C2-C3-O3
2	A	370[A]	THG	C-CA-CB-CG
2	B	370[A]	THG	C-CA-CB-CG
4	A	372	GOL	O2-C2-C3-O3
4	B	372	GOL	O2-C2-C3-O3
4	B	372	GOL	O1-C1-C2-C3
2	A	370[A]	THG	C6'-C1'-C11-N
2	A	370[A]	THG	C6'-C1'-C11-O11
2	A	370[A]	THG	OE1-CD-CG-CB
2	B	370[A]	THG	OE2-CD-CG-CB
4	B	372	GOL	O1-C1-C2-O2
2	B	370[A]	THG	OE1-CD-CG-CB


There are no ring outliers.

3 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	370[A]	THG	1	0
4	B	372	GOL	2	0
2	A	370[A]	THG	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	369/369 (100%)	-0.22	5 (1%) 73 78	10, 25, 44, 62	28 (7%)
1	B	369/369 (100%)	-0.26	4 (1%) 78 82	10, 24, 45, 56	16 (4%)
All	All	738/738 (100%)	-0.24	9 (1%) 76 80	10, 25, 45, 62	44 (5%)

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	285	LEU	3.4
1	B	1[A]	MET	3.3
1	B	369	ILE	2.9
1	A	313	GLU	2.8
1	B	314	ASN	2.7
1	A	314	ASN	2.6
1	A	272	ILE	2.3
1	A	343	HIS	2.1
1	A	278[A]	GLU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.


6.4 Ligands [i](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	ACT	A	371[A]	4/4	0.72	0.17	41,42,42,42	4
2	THG	A	370[A]	32/32	0.78	0.15	29,39,49,51	32
2	THG	B	370[A]	32/32	0.82	0.13	26,37,47,49	32
4	GOL	B	372	6/6	0.86	0.13	39,54,60,60	0
3	ACT	B	371[A]	4/4	0.88	0.12	33,36,36,36	4
4	GOL	A	372	6/6	0.91	0.12	37,52,55,57	0
5	NA	A	373	1/1	0.99	0.04	21,21,21,21	0
5	NA	B	373	1/1	1.00	0.02	21,21,21,21	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers ⓘ

There are no such residues in this entry.