



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 6, 2026 – 07:08 AM UTC

PDB ID : 8TGO / pdb_00008tgo
Title : Crystal structure of the BG505 triple tandem trimer gp140 HIV-1 Env in complex with PGT124 and 35O22
Authors : Xian, Y.; Yuan, M.; Wilson, I.A.
Deposited on : 2023-07-12
Resolution : 5.75 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 5.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1119 (7.50-4.00)
Clashscore	190562	1182 (7.50-4.00)
Ramachandran outliers	187476	1014 (7.50-4.00)
Sidechain outliers	187428	1006 (7.54-3.98)
RSRZ outliers	180081	1112 (7.50-4.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	164	4% 63% 12% 25%
1	H	164	2% 62% 12% 26%
1	a	164	0% 65% 10% 25%
2	D	286	0% 62% 20% 17%
2	L	286	2% 62% 19% 17%



Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	b	286	
3	C	214	
3	P	214	
3	c	214	
4	G	490	
4	R	490	
4	e	490	
5	O	235	
5	S	235	
5	f	235	
6	A	5	
7	F	2	
7	K	2	
7	M	2	
7	T	2	
7	U	2	
7	W	2	
7	X	2	
7	g	2	
7	h	2	
7	j	2	
7	l	2	
7	o	2	
7	p	2	
7	r	2	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	I	3	 100%
8	J	3	 100%
8	Y	3	 100%
8	Z	3	 100%
8	m	3	 100%
8	n	3	 100%
9	N	10	 20% 50% 30%
9	i	10	 10% 70% 20%
9	q	10	 10% 40% 50%
10	V	4	 100%
10	k	4	 50% 50%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
11	NAG	H	702	-	-	X	-

2 Entry composition

There are 11 unique types of molecules in this entry. The entry contains 29645 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Envelope glycoprotein gp41.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	123	Total	C	N	O	S	0	0	0
			967	609	167	185	6			
1	H	122	Total	C	N	O	S	0	0	0
			963	607	166	184	6			
1	a	123	Total	C	N	O	S	0	0	0
			967	609	167	185	6			

There are 51 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	519	SER	PHE	conflict	UNP Q2N0S6
B	559	PRO	ILE	conflict	UNP Q2N0S6
B	568	ASP	LEU	conflict	UNP Q2N0S6
B	570	HIS	VAL	conflict	UNP Q2N0S6
B	585	HIS	ARG	conflict	UNP Q2N0S6
B	605	CYS	THR	conflict	UNP Q2N0S6
B	665	GLY	-	expression tag	UNP Q2N0S6
B	666	SER	-	expression tag	UNP Q2N0S6
B	667	GLY	-	expression tag	UNP Q2N0S6
B	668	GLY	-	expression tag	UNP Q2N0S6
B	669	SER	-	expression tag	UNP Q2N0S6
B	670	GLY	-	expression tag	UNP Q2N0S6
B	671	GLY	-	expression tag	UNP Q2N0S6
B	672	SER	-	expression tag	UNP Q2N0S6
B	673	GLY	-	expression tag	UNP Q2N0S6
B	674	SER	-	expression tag	UNP Q2N0S6
B	675	GLY	-	expression tag	UNP Q2N0S6
H	519	SER	PHE	conflict	UNP Q2N0S6
H	559	PRO	ILE	conflict	UNP Q2N0S6
H	568	ASP	LEU	conflict	UNP Q2N0S6
H	570	HIS	VAL	conflict	UNP Q2N0S6
H	585	HIS	ARG	conflict	UNP Q2N0S6
H	605	CYS	THR	conflict	UNP Q2N0S6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	665	GLY	-	expression tag	UNP Q2N0S6
H	666	SER	-	expression tag	UNP Q2N0S6
H	667	GLY	-	expression tag	UNP Q2N0S6
H	668	GLY	-	expression tag	UNP Q2N0S6
H	669	SER	-	expression tag	UNP Q2N0S6
H	670	GLY	-	expression tag	UNP Q2N0S6
H	671	GLY	-	expression tag	UNP Q2N0S6
H	672	SER	-	expression tag	UNP Q2N0S6
H	673	GLY	-	expression tag	UNP Q2N0S6
H	674	SER	-	expression tag	UNP Q2N0S6
H	675	GLY	-	expression tag	UNP Q2N0S6
a	519	SER	PHE	conflict	UNP Q2N0S6
a	559	PRO	ILE	conflict	UNP Q2N0S6
a	568	ASP	LEU	conflict	UNP Q2N0S6
a	570	HIS	VAL	conflict	UNP Q2N0S6
a	585	HIS	ARG	conflict	UNP Q2N0S6
a	605	CYS	THR	conflict	UNP Q2N0S6
a	665	GLY	-	expression tag	UNP Q2N0S6
a	666	SER	-	expression tag	UNP Q2N0S6
a	667	GLY	-	expression tag	UNP Q2N0S6
a	668	GLY	-	expression tag	UNP Q2N0S6
a	669	SER	-	expression tag	UNP Q2N0S6
a	670	GLY	-	expression tag	UNP Q2N0S6
a	671	GLY	-	expression tag	UNP Q2N0S6
a	672	SER	-	expression tag	UNP Q2N0S6
a	673	GLY	-	expression tag	UNP Q2N0S6
a	674	SER	-	expression tag	UNP Q2N0S6
a	675	GLY	-	expression tag	UNP Q2N0S6

- Molecule 2 is a protein called 35O22 scFv.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	236	Total	C	N	O	S	0	0	0
			1820	1148	305	356	11			
2	L	236	Total	C	N	O	S	0	0	0
			1820	1148	305	356	11			
2	b	236	Total	C	N	O	S	0	0	0
			1820	1148	305	356	11			

- Molecule 3 is a protein called PGT124 light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	208	Total 1580	C 997	N 268	O 310	S 5	0	0	0
3	P	210	Total 1595	C 1005	N 270	O 315	S 5	0	0	0
3	c	210	Total 1595	C 1005	N 270	O 315	S 5	0	0	0

- Molecule 4 is a protein called Envelope glycoprotein gp120.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	G	439	Total 3473	C 2190	N 610	O 646	S 27	0	0	0
4	R	439	Total 3473	C 2190	N 610	O 646	S 27	0	0	0
4	e	439	Total 3473	C 2190	N 610	O 646	S 27	0	0	0

There are 75 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
G	64	LYS	GLU	conflict	UNP Q2N0S6
G	106	GLU	THR	conflict	UNP Q2N0S6
G	271	ILE	MET	conflict	UNP Q2N0S6
G	288	LEU	PHE	conflict	UNP Q2N0S6
G	304	VAL	ARG	conflict	UNP Q2N0S6
G	316	TRP	ALA	conflict	UNP Q2N0S6
G	319	TYR	ALA	conflict	UNP Q2N0S6
G	332	ASN	THR	conflict	UNP Q2N0S6
G	500	LYS	ARG	conflict	UNP Q2N0S6
G	501	CYS	ALA	conflict	UNP Q2N0S6
G	508	GLY	-	expression tag	UNP Q2N0S6
G	509	GLY	-	expression tag	UNP Q2N0S6
G	510	SER	-	expression tag	UNP Q2N0S6
G	511	GLY	-	expression tag	UNP Q2N0S6
G	512	GLY	-	expression tag	UNP Q2N0S6
G	513	GLY	-	expression tag	UNP Q2N0S6
G	514	GLY	-	expression tag	UNP Q2N0S6
G	515	SER	-	expression tag	UNP Q2N0S6
G	516	GLY	-	expression tag	UNP Q2N0S6
G	517	GLY	-	expression tag	UNP Q2N0S6
G	518	GLY	-	expression tag	UNP Q2N0S6
G	519	GLY	-	expression tag	UNP Q2N0S6
G	520	SER	-	expression tag	UNP Q2N0S6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	521	GLY	-	expression tag	UNP Q2N0S6
G	522	GLY	-	expression tag	UNP Q2N0S6
R	64	LYS	GLU	conflict	UNP Q2N0S6
R	106	GLU	THR	conflict	UNP Q2N0S6
R	271	ILE	MET	conflict	UNP Q2N0S6
R	288	LEU	PHE	conflict	UNP Q2N0S6
R	304	VAL	ARG	conflict	UNP Q2N0S6
R	316	TRP	ALA	conflict	UNP Q2N0S6
R	319	TYR	ALA	conflict	UNP Q2N0S6
R	332	ASN	THR	conflict	UNP Q2N0S6
R	500	LYS	ARG	conflict	UNP Q2N0S6
R	501	CYS	ALA	conflict	UNP Q2N0S6
R	508	GLY	-	expression tag	UNP Q2N0S6
R	509	GLY	-	expression tag	UNP Q2N0S6
R	510	SER	-	expression tag	UNP Q2N0S6
R	511	GLY	-	expression tag	UNP Q2N0S6
R	512	GLY	-	expression tag	UNP Q2N0S6
R	513	GLY	-	expression tag	UNP Q2N0S6
R	514	GLY	-	expression tag	UNP Q2N0S6
R	515	SER	-	expression tag	UNP Q2N0S6
R	516	GLY	-	expression tag	UNP Q2N0S6
R	517	GLY	-	expression tag	UNP Q2N0S6
R	518	GLY	-	expression tag	UNP Q2N0S6
R	519	GLY	-	expression tag	UNP Q2N0S6
R	520	SER	-	expression tag	UNP Q2N0S6
R	521	GLY	-	expression tag	UNP Q2N0S6
R	522	GLY	-	expression tag	UNP Q2N0S6
e	64	LYS	GLU	conflict	UNP Q2N0S6
e	106	GLU	THR	conflict	UNP Q2N0S6
e	271	ILE	MET	conflict	UNP Q2N0S6
e	288	LEU	PHE	conflict	UNP Q2N0S6
e	304	VAL	ARG	conflict	UNP Q2N0S6
e	316	TRP	ALA	conflict	UNP Q2N0S6
e	319	TYR	ALA	conflict	UNP Q2N0S6
e	332	ASN	THR	conflict	UNP Q2N0S6
e	500	LYS	ARG	conflict	UNP Q2N0S6
e	501	CYS	ALA	conflict	UNP Q2N0S6
e	508	GLY	-	expression tag	UNP Q2N0S6
e	509	GLY	-	expression tag	UNP Q2N0S6
e	510	SER	-	expression tag	UNP Q2N0S6
e	511	GLY	-	expression tag	UNP Q2N0S6
e	512	GLY	-	expression tag	UNP Q2N0S6

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
e	513	GLY	-	expression tag	UNP Q2N0S6
e	514	GLY	-	expression tag	UNP Q2N0S6
e	515	SER	-	expression tag	UNP Q2N0S6
e	516	GLY	-	expression tag	UNP Q2N0S6
e	517	GLY	-	expression tag	UNP Q2N0S6
e	518	GLY	-	expression tag	UNP Q2N0S6
e	519	GLY	-	expression tag	UNP Q2N0S6
e	520	SER	-	expression tag	UNP Q2N0S6
e	521	GLY	-	expression tag	UNP Q2N0S6
e	522	GLY	-	expression tag	UNP Q2N0S6

- Molecule 5 is a protein called PGT124 heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	O	130	Total	C	N	O	S	0	0	0
			1030	655	175	197	3			
5	S	230	Total	C	N	O	S	0	0	0
			1750	1109	292	344	5			
5	f	230	Total	C	N	O	S	0	0	0
			1750	1109	292	344	5			

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
6	A	5	Total	C	N	O	0	0	0
			61	34	2	25			

- Molecule 7 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
7	F	2	Total	C	N	O	0	0	0
			28	16	2	10			
7	K	2	Total	C	N	O	0	0	0
			28	16	2	10			
7	M	2	Total	C	N	O	0	0	0
			28	16	2	10			
7	T	2	Total	C	N	O	0	0	0
			28	16	2	10			
7	U	2	Total	C	N	O	0	0	0
			28	16	2	10			
7	W	2	Total	C	N	O	0	0	0
			28	16	2	10			
7	X	2	Total	C	N	O	0	0	0
			28	16	2	10			
7	g	2	Total	C	N	O	0	0	0
			28	16	2	10			
7	h	2	Total	C	N	O	0	0	0
			28	16	2	10			
7	j	2	Total	C	N	O	0	0	0
			28	16	2	10			
7	l	2	Total	C	N	O	0	0	0
			28	16	2	10			
7	o	2	Total	C	N	O	0	0	0
			28	16	2	10			
7	p	2	Total	C	N	O	0	0	0
			28	16	2	10			
7	r	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 8 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
8	I	3	Total	C	N	O	0	0	0
			39	22	2	15			
8	J	3	Total	C	N	O	0	0	0
			39	22	2	15			
8	Y	3	Total	C	N	O	0	0	0
			39	22	2	15			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
8	Z	3	Total	C	N	O	0	0	0
			39	22	2	15			
8	m	3	Total	C	N	O	0	0	0
			39	22	2	15			
8	n	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 9 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
9	N	10	Total	C	N	O	0	0	0
			116	64	2	50			
9	i	10	Total	C	N	O	0	0	0
			116	64	2	50			
9	q	10	Total	C	N	O	0	0	0
			116	64	2	50			

- Molecule 10 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
10	V	4	Total	C	N	O	0	0	0
			50	28	2	20			
10	k	4	Total	C	N	O	0	0	0
			50	28	2	20			

- Molecule 11 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
11	B	1	Total	C	N	O	0	0
			14	8	1	5		
11	B	1	Total	C	N	O	0	0
			14	8	1	5		
11	B	1	Total	C	N	O	0	0
			14	8	1	5		
11	G	1	Total	C	N	O	0	0
			14	8	1	5		
11	G	1	Total	C	N	O	0	0
			14	8	1	5		
11	G	1	Total	C	N	O	0	0
			14	8	1	5		
11	G	1	Total	C	N	O	0	0
			14	8	1	5		
11	G	1	Total	C	N	O	0	0
			14	8	1	5		
11	G	1	Total	C	N	O	0	0
			14	8	1	5		
11	G	1	Total	C	N	O	0	0
			14	8	1	5		
11	H	1	Total	C	N	O	0	0
			14	8	1	5		
11	H	1	Total	C	N	O	0	0
			14	8	1	5		
11	H	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
11	R	1	Total	C	N	O	0	0
			14	8	1	5		
11	R	1	Total	C	N	O	0	0
			14	8	1	5		
11	R	1	Total	C	N	O	0	0
			14	8	1	5		
11	R	1	Total	C	N	O	0	0
			14	8	1	5		
11	R	1	Total	C	N	O	0	0
			14	8	1	5		
11	a	1	Total	C	N	O	0	0
			14	8	1	5		
11	a	1	Total	C	N	O	0	0
			14	8	1	5		
11	a	1	Total	C	N	O	0	0
			14	8	1	5		
11	e	1	Total	C	N	O	0	0
			14	8	1	5		
11	e	1	Total	C	N	O	0	0
			14	8	1	5		
11	e	1	Total	C	N	O	0	0
			14	8	1	5		
11	e	1	Total	C	N	O	0	0
			14	8	1	5		
11	e	1	Total	C	N	O	0	0
			14	8	1	5		
11	e	1	Total	C	N	O	0	0
			14	8	1	5		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Envelope glycoprotein gp41




- Molecule 1: Envelope glycoprotein gp41




- Molecule 1: Envelope glycoprotein gp41




- Molecule 2: 35O22 scFv








• Molecule 2: 35O22 scFv




• Molecule 2: 35O22 scFv



• Molecule 3: PGT124 light chain




• Molecule 3: PGT124 light chain








- Molecule 5: PGT124 heavy chain



- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:  100%



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W:  100%



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X:  100%



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain g:  50% 50%



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain h:  100%



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain j:  100%



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain l:  50% 50%

MAG1
MAG2

- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain o:  100%

MAG1
MAG2

- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain p:  100%

MAG1
MAG2

- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain r:  100%

MAG1
MAG2

- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  100%

MAG1
MAG2
EM43

- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  100%

MAG1
MAG2
EM43

- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y:  100%



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z: 100%



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain m: 100%



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain n: 100%



- Molecule 9: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N: 20% 50% 30%



- Molecule 9: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain i: 10% 70% 20%




- Molecule 9: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain q:  10% 40% 50%



- Molecule 10: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V:  100%



- Molecule 10: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain k:  50% 50%



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	357.59Å 212.04Å 207.71Å 90.00° 125.07° 90.00°	Depositor
Resolution (Å)	41.08 – 5.75 41.08 – 5.75	Depositor EDS
% Data completeness (in resolution range)	92.3 (41.08-5.75) 92.4 (41.08-5.75)	Depositor EDS
R_{merge}	0.22	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.57 (at 5.72Å)	Xtriage
Refinement program	PHENIX (1.19.2_4158: ???)	Depositor
R, R_{free}	0.242 , 0.292 0.237 , 0.286	Depositor DCC
R_{free} test set	1560 reflections (4.30%)	wwPDB-VP
Wilson B-factor (Å ²)	213.2	Xtriage
Anisotropy	0.909	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.20 , 879.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.38$, $\langle L^2 \rangle = 0.21$	Xtriage
Estimated twinning fraction	0.039 for -1/2*h+3/2*k-l,1/2*h+1/2*k+1,1/2*h-1/2*k 0.047 for 1/2*h-1/2*k+2*l,-1/2*h+1/2*k,-1/2*h-1/2*k-l 0.034 for -h-k-l,l,k 0.049 for -h+k-l,-l,-k 0.035 for -1/2*h-3/2*k-l,-1/2*h+1/2*k-l,1/2*h+1/2*k 0.030 for 1/2*h+1/2*k+2*l,1/2*h+1/2*k,-1/2*h+1/2*k-l 0.048 for -1/2*h+1/2*k+1,1/2*h-1/2*k+1,1/2*h+1/2*k 0.035 for -1/2*h-1/2*k+1,-1/2*h-1/2*k-l,1/2*h-1/2*k 0.327 for 1/2*h-3/2*k,-1/2*h-1/2*k,-1/2*h+1/2*k-l 0.327 for 1/2*h+3/2*k,1/2*h-1/2*k,-1/2*h-1/2*k-l 0.038 for -h-2*l,-k,l	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	29645	wwPDB-VP
Average B, all atoms (Å ²)	359.0	wwPDB-VP

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.76% of the height of the origin peak. No significant pseudotranslation is detected.*

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, MAN, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	B	0.12	0/983	0.25	0/1332
1	H	0.12	0/979	0.29	0/1327
1	a	0.12	0/983	0.28	0/1332
2	D	0.20	0/1871	0.36	0/2552
2	L	0.20	0/1871	0.37	0/2552
2	b	0.12	0/1871	0.33	0/2552
3	C	0.10	0/1622	0.29	0/2215
3	P	0.11	0/1638	0.29	0/2238
3	c	0.11	0/1638	0.30	0/2238
4	G	0.15	0/3546	0.35	0/4813
4	R	0.12	0/3546	0.33	0/4813
4	e	0.12	0/3546	0.35	0/4813
5	O	0.11	0/1055	0.31	0/1436
5	S	0.22	0/1792	0.40	0/2445
5	f	0.18	0/1792	0.37	0/2445
All	All	0.15	0/28733	0.34	0/39103

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	967	0	946	16	0
1	H	963	0	943	18	0
1	a	967	0	946	15	0
2	D	1820	0	1731	37	0
2	L	1820	0	1731	45	0
2	b	1820	0	1731	44	0
3	C	1580	0	1529	20	0
3	P	1595	0	1541	29	0
3	c	1595	0	1541	27	0
4	G	3473	0	3418	78	0
4	R	3473	0	3418	63	0
4	e	3473	0	3419	74	0
5	O	1030	0	1002	13	0
5	S	1750	0	1715	29	0
5	f	1750	0	1715	22	0
6	A	61	0	52	3	0
7	F	28	0	25	0	0
7	K	28	0	25	0	0
7	M	28	0	25	0	0
7	T	28	0	25	0	0
7	U	28	0	25	0	0
7	W	28	0	25	1	0
7	X	28	0	25	0	0
7	g	28	0	25	1	0
7	h	28	0	25	0	0
7	j	28	0	25	0	0
7	l	28	0	25	1	0
7	o	28	0	25	0	0
7	p	28	0	25	0	0
7	r	28	0	25	0	0
8	I	39	0	34	0	0
8	J	39	0	34	0	0
8	Y	39	0	34	0	0
8	Z	39	0	34	0	0
8	m	39	0	34	0	0
8	n	39	0	34	0	0
9	N	116	0	97	4	0
9	i	116	0	97	3	0
9	q	116	0	97	5	0
10	V	50	0	43	3	0
10	k	50	0	43	1	0
11	B	42	0	39	1	0
11	G	112	0	104	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
11	H	42	0	39	8	0
11	R	84	0	78	2	0
11	a	42	0	39	4	0
11	e	112	0	104	3	0
All	All	29645	0	28712	493	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 493 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:a:702:NAG:H83	2:b:32:TYR:HE1	1.38	0.89
4:e:192:ARG:HH12	4:e:197:ASN:HB3	1.36	0.88
4:e:274:SER:HB3	4:e:277:ILE:HG12	1.56	0.87
4:R:274:SER:HB3	4:R:277:ILE:HG12	1.63	0.81
4:G:274:SER:HB3	4:G:277:ILE:HG12	1.64	0.80

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	119/164 (73%)	114 (96%)	5 (4%)	0	100	100
1	H	118/164 (72%)	112 (95%)	6 (5%)	0	100	100
1	a	119/164 (73%)	113 (95%)	6 (5%)	0	100	100
2	D	232/286 (81%)	213 (92%)	17 (7%)	2 (1%)	14	50
2	L	232/286 (81%)	210 (90%)	18 (8%)	4 (2%)	7	36
2	b	232/286 (81%)	214 (92%)	18 (8%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	C	204/214 (95%)	193 (95%)	10 (5%)	1 (0%)	24	63
3	P	208/214 (97%)	197 (95%)	10 (5%)	1 (0%)	24	63
3	c	208/214 (97%)	197 (95%)	10 (5%)	1 (0%)	24	63
4	G	429/490 (88%)	405 (94%)	23 (5%)	1 (0%)	43	78
4	R	429/490 (88%)	405 (94%)	23 (5%)	1 (0%)	43	78
4	e	429/490 (88%)	405 (94%)	24 (6%)	0	100	100
5	O	128/235 (54%)	124 (97%)	4 (3%)	0	100	100
5	S	224/235 (95%)	216 (96%)	8 (4%)	0	100	100
5	f	224/235 (95%)	215 (96%)	8 (4%)	1 (0%)	30	67
All	All	3535/4167 (85%)	3333 (94%)	190 (5%)	12 (0%)	36	72

5 of 12 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	L	160	VAL
2	L	241	VAL
2	D	241	VAL
3	C	152	ASP
2	L	162	CYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	105/133 (79%)	105 (100%)	0	100	100
1	H	105/133 (79%)	104 (99%)	1 (1%)	68	77
1	a	105/133 (79%)	105 (100%)	0	100	100
2	D	202/231 (87%)	199 (98%)	3 (2%)	57	71
2	L	202/231 (87%)	200 (99%)	2 (1%)	68	77
2	b	202/231 (87%)	200 (99%)	2 (1%)	68	77
3	C	174/180 (97%)	174 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	P	176/180 (98%)	176 (100%)	0	100	100
3	c	176/180 (98%)	176 (100%)	0	100	100
4	G	394/427 (92%)	393 (100%)	1 (0%)	86	85
4	R	394/427 (92%)	393 (100%)	1 (0%)	86	85
4	e	394/427 (92%)	393 (100%)	1 (0%)	86	85
5	O	112/203 (55%)	112 (100%)	0	100	100
5	S	199/203 (98%)	197 (99%)	2 (1%)	68	77
5	f	199/203 (98%)	199 (100%)	0	100	100
All	All	3139/3522 (89%)	3126 (100%)	13 (0%)	84	84

5 of 13 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
4	R	54	CYS
5	S	187	LEU
4	e	54	CYS
2	b	223	CYS
2	b	231	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 28 such sidechains are listed below:

Mol	Chain	Res	Type
4	R	80	ASN
4	e	478	ASN
4	R	280	ASN
4	e	105	HIS
4	R	114	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

89 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
6	NAG	A	1	6,4	14,14,15	0.28	0	17,19,21	0.35	0
6	NAG	A	2	6	14,14,15	0.46	0	17,19,21	0.53	0
6	BMA	A	3	6	11,11,12	0.96	1 (9%)	15,15,17	0.85	1 (6%)
6	MAN	A	4	6	11,11,12	0.58	0	15,15,17	0.98	2 (13%)
6	MAN	A	5	6	11,11,12	0.91	0	15,15,17	1.37	2 (13%)
7	NAG	F	1	2,7	14,14,15	0.17	0	17,19,21	0.42	0
7	NAG	F	2	7	14,14,15	0.31	0	17,19,21	0.58	0
8	NAG	I	1	8,4	14,14,15	0.27	0	17,19,21	0.46	0
8	NAG	I	2	8	14,14,15	0.25	0	17,19,21	0.43	0
8	BMA	I	3	8	11,11,12	0.65	0	15,15,17	0.69	0
8	NAG	J	1	8,4	14,14,15	0.27	0	17,19,21	0.50	0
8	NAG	J	2	8	14,14,15	0.20	0	17,19,21	0.44	0
8	BMA	J	3	8	11,11,12	0.64	0	15,15,17	0.74	0
7	NAG	K	1	7,4	14,14,15	0.26	0	17,19,21	0.46	0
7	NAG	K	2	7	14,14,15	0.21	0	17,19,21	0.47	0
7	NAG	M	1	7,4	14,14,15	0.22	0	17,19,21	0.42	0
7	NAG	M	2	7	14,14,15	0.24	0	17,19,21	0.52	0
9	NAG	N	1	9,4	14,14,15	0.70	1 (7%)	17,19,21	1.48	2 (11%)
9	MAN	N	10	9	11,11,12	0.91	0	15,15,17	1.11	2 (13%)
9	NAG	N	2	9	14,14,15	0.24	0	17,19,21	0.43	0
9	BMA	N	3	9	11,11,12	1.01	0	15,15,17	0.92	0
9	MAN	N	4	9	11,11,12	1.02	1 (9%)	15,15,17	1.24	1 (6%)
9	MAN	N	5	9	11,11,12	0.72	0	15,15,17	1.08	2 (13%)
9	MAN	N	6	9	11,11,12	0.75	0	15,15,17	0.95	2 (13%)
9	MAN	N	7	9	11,11,12	0.77	0	15,15,17	0.94	2 (13%)
9	MAN	N	8	9	11,11,12	0.73	0	15,15,17	1.14	1 (6%)
9	MAN	N	9	9	11,11,12	0.60	0	15,15,17	1.22	2 (13%)
7	NAG	T	1	7,4	14,14,15	0.25	0	17,19,21	0.55	0
7	NAG	T	2	7	14,14,15	0.35	0	17,19,21	0.43	0
7	NAG	U	1	7,4	14,14,15	0.22	0	17,19,21	0.50	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	NAG	U	2	7	14,14,15	0.27	0	17,19,21	0.47	0
10	NAG	V	1	10,4	14,14,15	0.29	0	17,19,21	0.35	0
10	NAG	V	2	10	14,14,15	0.56	0	17,19,21	0.62	0
10	BMA	V	3	10	11,11,12	0.91	1 (9%)	15,15,17	0.98	1 (6%)
10	MAN	V	4	10	11,11,12	0.71	0	15,15,17	2.58	4 (26%)
7	NAG	W	1	7,4	14,14,15	0.31	0	17,19,21	0.60	0
7	NAG	W	2	7	14,14,15	0.50	0	17,19,21	0.60	0
7	NAG	X	1	2,7	14,14,15	0.22	0	17,19,21	0.42	0
7	NAG	X	2	7	14,14,15	0.31	0	17,19,21	0.58	0
8	NAG	Y	1	8,4	14,14,15	0.22	0	17,19,21	0.48	0
8	NAG	Y	2	8	14,14,15	0.24	0	17,19,21	0.45	0
8	BMA	Y	3	8	11,11,12	0.62	0	15,15,17	0.71	0
8	NAG	Z	1	8,4	14,14,15	0.28	0	17,19,21	0.51	0
8	NAG	Z	2	8	14,14,15	0.32	0	17,19,21	0.45	0
8	BMA	Z	3	8	11,11,12	0.66	0	15,15,17	0.76	0
7	NAG	g	1	7,4	14,14,15	0.24	0	17,19,21	0.47	0
7	NAG	g	2	7	14,14,15	0.23	0	17,19,21	0.46	0
7	NAG	h	1	7,4	14,14,15	0.22	0	17,19,21	0.41	0
7	NAG	h	2	7	14,14,15	0.24	0	17,19,21	0.51	0
9	NAG	i	1	9,4	14,14,15	0.69	1 (7%)	17,19,21	1.48	2 (11%)
9	MAN	i	10	9	11,11,12	0.86	0	15,15,17	1.08	1 (6%)
9	NAG	i	2	9	14,14,15	0.25	0	17,19,21	0.43	0
9	BMA	i	3	9	11,11,12	1.11	1 (9%)	15,15,17	0.93	1 (6%)
9	MAN	i	4	9	11,11,12	1.03	1 (9%)	15,15,17	1.25	1 (6%)
9	MAN	i	5	9	11,11,12	0.66	0	15,15,17	1.11	2 (13%)
9	MAN	i	6	9	11,11,12	0.75	0	15,15,17	0.94	2 (13%)
9	MAN	i	7	9	11,11,12	0.80	0	15,15,17	0.92	2 (13%)
9	MAN	i	8	9	11,11,12	0.70	0	15,15,17	1.10	1 (6%)
9	MAN	i	9	9	11,11,12	0.70	0	15,15,17	1.21	2 (13%)
7	NAG	j	1	7,4	14,14,15	0.22	0	17,19,21	0.50	0
7	NAG	j	2	7	14,14,15	0.28	0	17,19,21	0.42	0
10	NAG	k	1	10,4	14,14,15	0.41	0	17,19,21	0.38	0
10	NAG	k	2	10	14,14,15	0.32	0	17,19,21	0.61	0
10	BMA	k	3	10	11,11,12	0.65	0	15,15,17	0.71	0
10	MAN	k	4	10	11,11,12	0.72	0	15,15,17	1.47	3 (20%)
7	NAG	l	1	2,7	14,14,15	0.23	0	17,19,21	0.43	0
7	NAG	l	2	7	14,14,15	0.28	0	17,19,21	0.57	0
8	NAG	m	1	8	14,14,15	0.20	0	17,19,21	0.47	0
8	NAG	m	2	8	14,14,15	0.28	0	17,19,21	0.42	0
8	BMA	m	3	8	11,11,12	0.62	0	15,15,17	0.69	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	NAG	n	1	8,4	14,14,15	0.21	0	17,19,21	0.47	0
8	NAG	n	2	8	14,14,15	0.25	0	17,19,21	0.44	0
8	BMA	n	3	8	11,11,12	0.61	0	15,15,17	0.72	0
7	NAG	o	1	7,4	14,14,15	0.28	0	17,19,21	0.50	0
7	NAG	o	2	7	14,14,15	0.23	0	17,19,21	0.49	0
7	NAG	p	1	7,4	14,14,15	0.23	0	17,19,21	0.43	0
7	NAG	p	2	7	14,14,15	0.21	0	17,19,21	0.52	0
9	NAG	q	1	9,4	14,14,15	0.69	1 (7%)	17,19,21	1.50	2 (11%)
9	MAN	q	10	9	11,11,12	0.87	0	15,15,17	1.08	1 (6%)
9	NAG	q	2	9	14,14,15	0.24	0	17,19,21	0.40	0
9	BMA	q	3	9	11,11,12	0.94	0	15,15,17	0.89	1 (6%)
9	MAN	q	4	9	11,11,12	1.04	1 (9%)	15,15,17	1.22	1 (6%)
9	MAN	q	5	9	11,11,12	0.72	0	15,15,17	1.16	2 (13%)
9	MAN	q	6	9	11,11,12	0.76	0	15,15,17	0.95	2 (13%)
9	MAN	q	7	9	11,11,12	0.71	0	15,15,17	0.95	2 (13%)
9	MAN	q	8	9	11,11,12	0.74	0	15,15,17	1.04	1 (6%)
9	MAN	q	9	9	11,11,12	0.75	0	15,15,17	1.29	2 (13%)
7	NAG	r	1	7,4	14,14,15	0.22	0	17,19,21	0.49	0
7	NAG	r	2	7	14,14,15	0.35	0	17,19,21	0.43	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	A	1	6,4	-	0/6/23/26	0/1/1/1
6	NAG	A	2	6	-	2/6/23/26	0/1/1/1
6	BMA	A	3	6	-	2/2/19/22	0/1/1/1
6	MAN	A	4	6	-	1/2/19/22	0/1/1/1
6	MAN	A	5	6	-	2/2/19/22	1/1/1/1
7	NAG	F	1	2,7	-	2/6/23/26	0/1/1/1
7	NAG	F	2	7	-	2/6/23/26	0/1/1/1
8	NAG	I	1	8,4	-	2/6/23/26	0/1/1/1
8	NAG	I	2	8	-	0/6/23/26	0/1/1/1
8	BMA	I	3	8	-	0/2/19/22	0/1/1/1
8	NAG	J	1	8,4	-	2/6/23/26	0/1/1/1
8	NAG	J	2	8	-	2/6/23/26	0/1/1/1
8	BMA	J	3	8	-	1/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	K	1	7,4	-	2/6/23/26	0/1/1/1
7	NAG	K	2	7	-	2/6/23/26	0/1/1/1
7	NAG	M	1	7,4	-	1/6/23/26	0/1/1/1
7	NAG	M	2	7	-	1/6/23/26	0/1/1/1
9	NAG	N	1	9,4	-	6/6/23/26	0/1/1/1
9	MAN	N	10	9	-	0/2/19/22	0/1/1/1
9	NAG	N	2	9	-	2/6/23/26	0/1/1/1
9	BMA	N	3	9	-	0/2/19/22	0/1/1/1
9	MAN	N	4	9	-	0/2/19/22	0/1/1/1
9	MAN	N	5	9	-	2/2/19/22	0/1/1/1
9	MAN	N	6	9	-	0/2/19/22	0/1/1/1
9	MAN	N	7	9	-	0/2/19/22	0/1/1/1
9	MAN	N	8	9	-	0/2/19/22	0/1/1/1
9	MAN	N	9	9	-	0/2/19/22	0/1/1/1
7	NAG	T	1	7,4	-	1/6/23/26	0/1/1/1
7	NAG	T	2	7	-	2/6/23/26	0/1/1/1
7	NAG	U	1	7,4	-	2/6/23/26	0/1/1/1
7	NAG	U	2	7	-	1/6/23/26	0/1/1/1
10	NAG	V	1	10,4	-	1/6/23/26	0/1/1/1
10	NAG	V	2	10	-	2/6/23/26	0/1/1/1
10	BMA	V	3	10	-	0/2/19/22	0/1/1/1
10	MAN	V	4	10	-	0/2/19/22	0/1/1/1
7	NAG	W	1	7,4	-	0/6/23/26	0/1/1/1
7	NAG	W	2	7	-	0/6/23/26	0/1/1/1
7	NAG	X	1	2,7	-	2/6/23/26	0/1/1/1
7	NAG	X	2	7	-	2/6/23/26	0/1/1/1
8	NAG	Y	1	8,4	-	2/6/23/26	0/1/1/1
8	NAG	Y	2	8	-	0/6/23/26	0/1/1/1
8	BMA	Y	3	8	-	0/2/19/22	0/1/1/1
8	NAG	Z	1	8,4	-	2/6/23/26	0/1/1/1
8	NAG	Z	2	8	-	2/6/23/26	0/1/1/1
8	BMA	Z	3	8	-	1/2/19/22	0/1/1/1
7	NAG	g	1	7,4	-	3/6/23/26	0/1/1/1
7	NAG	g	2	7	-	2/6/23/26	0/1/1/1
7	NAG	h	1	7,4	-	0/6/23/26	0/1/1/1
7	NAG	h	2	7	-	1/6/23/26	0/1/1/1
9	NAG	i	1	9,4	-	6/6/23/26	0/1/1/1
9	MAN	i	10	9	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	NAG	i	2	9	-	2/6/23/26	0/1/1/1
9	BMA	i	3	9	-	0/2/19/22	0/1/1/1
9	MAN	i	4	9	-	0/2/19/22	0/1/1/1
9	MAN	i	5	9	-	2/2/19/22	0/1/1/1
9	MAN	i	6	9	-	0/2/19/22	0/1/1/1
9	MAN	i	7	9	-	0/2/19/22	0/1/1/1
9	MAN	i	8	9	-	0/2/19/22	0/1/1/1
9	MAN	i	9	9	-	0/2/19/22	0/1/1/1
7	NAG	j	1	7,4	-	2/6/23/26	0/1/1/1
7	NAG	j	2	7	-	0/6/23/26	0/1/1/1
10	NAG	k	1	10,4	-	1/6/23/26	0/1/1/1
10	NAG	k	2	10	-	2/6/23/26	0/1/1/1
10	BMA	k	3	10	-	0/2/19/22	0/1/1/1
10	MAN	k	4	10	-	1/2/19/22	0/1/1/1
7	NAG	l	1	2,7	-	2/6/23/26	0/1/1/1
7	NAG	l	2	7	-	4/6/23/26	0/1/1/1
8	NAG	m	1	8	-	2/6/23/26	0/1/1/1
8	NAG	m	2	8	-	2/6/23/26	0/1/1/1
8	BMA	m	3	8	-	0/2/19/22	0/1/1/1
8	NAG	n	1	8,4	-	2/6/23/26	0/1/1/1
8	NAG	n	2	8	-	0/6/23/26	0/1/1/1
8	BMA	n	3	8	-	1/2/19/22	0/1/1/1
7	NAG	o	1	7,4	-	2/6/23/26	0/1/1/1
7	NAG	o	2	7	-	2/6/23/26	0/1/1/1
7	NAG	p	1	7,4	-	0/6/23/26	0/1/1/1
7	NAG	p	2	7	-	1/6/23/26	0/1/1/1
9	NAG	q	1	9,4	-	5/6/23/26	0/1/1/1
9	MAN	q	10	9	-	0/2/19/22	0/1/1/1
9	NAG	q	2	9	-	2/6/23/26	0/1/1/1
9	BMA	q	3	9	-	0/2/19/22	0/1/1/1
9	MAN	q	4	9	-	0/2/19/22	0/1/1/1
9	MAN	q	5	9	-	2/2/19/22	0/1/1/1
9	MAN	q	6	9	-	0/2/19/22	0/1/1/1
9	MAN	q	7	9	-	0/2/19/22	0/1/1/1
9	MAN	q	8	9	-	0/2/19/22	0/1/1/1
9	MAN	q	9	9	-	0/2/19/22	0/1/1/1
7	NAG	r	1	7,4	-	0/6/23/26	0/1/1/1
7	NAG	r	2	7	-	0/6/23/26	0/1/1/1

The worst 5 of 9 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	N	4	MAN	C1-C2	2.96	1.59	1.52
9	i	4	MAN	C1-C2	2.95	1.59	1.52
9	q	4	MAN	C1-C2	2.82	1.58	1.52
9	N	1	NAG	O5-C1	-2.45	1.39	1.43
9	q	1	NAG	O5-C1	-2.43	1.39	1.43

The worst 5 of 55 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	V	4	MAN	C1-O5-C5	8.51	123.59	112.19
9	q	1	NAG	C2-N2-C7	4.74	129.25	122.90
9	N	1	NAG	C2-N2-C7	4.67	129.16	122.90
9	i	1	NAG	C2-N2-C7	4.66	129.14	122.90
9	q	9	MAN	C1-O5-C5	4.17	117.77	112.19

There are no chirality outliers.

5 of 103 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	J	1	NAG	O5-C5-C6-O6
6	A	3	BMA	O5-C5-C6-O6
7	K	1	NAG	O5-C5-C6-O6
7	g	1	NAG	O5-C5-C6-O6
6	A	5	MAN	C4-C5-C6-O6

All (1) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	5	MAN	C1-C2-C3-C4-C5-O5

19 monomers are involved in 22 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	i	1	NAG	2	0
7	W	2	NAG	1	0
9	q	3	BMA	1	0
9	q	9	MAN	1	0
9	q	6	MAN	1	0
9	N	4	MAN	1	0
6	A	1	NAG	2	0
10	V	2	NAG	3	0
10	k	1	NAG	1	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	q	1	NAG	1	0
7	g	1	NAG	1	0
6	A	2	NAG	1	0
9	i	5	MAN	1	0
7	l	1	NAG	1	0
9	q	5	MAN	1	0
10	V	1	NAG	2	0
9	N	9	MAN	1	0
9	N	1	NAG	2	0
7	W	1	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.

































































5.6 Ligand geometry [i](#)

31 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
11	NAG	H	701	1	14,14,15	0.28	0	17,19,21	0.49	0
11	NAG	G	605	4	14,14,15	0.28	0	17,19,21	0.46	0
11	NAG	G	608	4	14,14,15	0.43	0	17,19,21	0.57	0
11	NAG	e	607	4	14,14,15	0.19	0	17,19,21	0.45	0
11	NAG	R	601	4	14,14,15	0.41	0	17,19,21	0.51	0
11	NAG	G	604	4	14,14,15	0.25	0	17,19,21	0.49	0
11	NAG	B	703	1	14,14,15	0.21	0	17,19,21	0.45	0
11	NAG	R	606	4	14,14,15	0.21	0	17,19,21	0.45	0
11	NAG	e	603	4	14,14,15	0.29	0	17,19,21	0.43	0
11	NAG	B	701	1	14,14,15	0.29	0	17,19,21	0.48	0
11	NAG	G	601	4	14,14,15	0.42	0	17,19,21	0.49	0
11	NAG	G	606	4	14,14,15	0.31	0	17,19,21	0.50	0
11	NAG	H	703	1	14,14,15	0.19	0	17,19,21	0.44	0
11	NAG	e	602	4	14,14,15	0.27	0	17,19,21	0.48	0
11	NAG	H	702	1	14,14,15	0.29	0	17,19,21	1.60	2 (11%)
11	NAG	e	606	4	14,14,15	0.32	0	17,19,21	0.51	0
11	NAG	R	605	4	14,14,15	0.29	0	17,19,21	0.51	0
11	NAG	G	602	4	14,14,15	0.31	0	17,19,21	0.48	0
11	NAG	R	604	4	14,14,15	0.30	0	17,19,21	0.46	0
11	NAG	e	608	4	14,14,15	0.32	0	17,19,21	0.51	0
11	NAG	G	607	4	14,14,15	0.21	0	17,19,21	0.46	0
11	NAG	B	702	1	14,14,15	0.20	0	17,19,21	0.56	0
11	NAG	e	604	4	14,14,15	0.22	0	17,19,21	0.50	0
11	NAG	e	601	4	14,14,15	0.41	0	17,19,21	0.47	0
11	NAG	R	603	4	14,14,15	0.24	0	17,19,21	0.51	0
11	NAG	a	703	1	14,14,15	0.23	0	17,19,21	0.45	0
11	NAG	a	702	1	14,14,15	0.27	0	17,19,21	0.42	0
11	NAG	G	603	4	14,14,15	0.30	0	17,19,21	0.43	0
11	NAG	a	701	1	14,14,15	0.28	0	17,19,21	0.49	0
11	NAG	R	602	4	14,14,15	0.28	0	17,19,21	0.43	0
11	NAG	e	605	4	14,14,15	0.26	0	17,19,21	0.49	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	NAG	H	701	1	-	2/6/23/26	0/1/1/1
11	NAG	G	605	4	-	2/6/23/26	0/1/1/1
11	NAG	G	608	4	-	3/6/23/26	0/1/1/1
11	NAG	e	607	4	-	1/6/23/26	0/1/1/1
11	NAG	R	601	4	-	2/6/23/26	0/1/1/1
11	NAG	G	604	4	-	2/6/23/26	0/1/1/1
11	NAG	B	703	1	-	2/6/23/26	0/1/1/1
11	NAG	R	606	4	-	0/6/23/26	0/1/1/1
11	NAG	e	603	4	-	2/6/23/26	0/1/1/1
11	NAG	B	701	1	-	2/6/23/26	0/1/1/1
11	NAG	G	601	4	-	2/6/23/26	0/1/1/1
11	NAG	G	606	4	-	2/6/23/26	0/1/1/1
11	NAG	H	703	1	-	3/6/23/26	0/1/1/1
11	NAG	e	602	4	-	2/6/23/26	0/1/1/1
11	NAG	H	702	1	-	4/6/23/26	0/1/1/1
11	NAG	e	606	4	-	2/6/23/26	0/1/1/1
11	NAG	R	605	4	-	2/6/23/26	0/1/1/1
11	NAG	G	602	4	-	2/6/23/26	0/1/1/1
11	NAG	R	604	4	-	2/6/23/26	0/1/1/1
11	NAG	e	608	4	-	3/6/23/26	0/1/1/1
11	NAG	G	607	4	-	2/6/23/26	0/1/1/1
11	NAG	B	702	1	-	3/6/23/26	0/1/1/1
11	NAG	e	604	4	-	2/6/23/26	0/1/1/1
11	NAG	e	601	4	-	1/6/23/26	0/1/1/1
11	NAG	R	603	4	-	2/6/23/26	0/1/1/1
11	NAG	a	703	1	-	2/6/23/26	0/1/1/1
11	NAG	a	702	1	-	1/6/23/26	0/1/1/1
11	NAG	G	603	4	-	2/6/23/26	0/1/1/1
11	NAG	a	701	1	-	2/6/23/26	0/1/1/1
11	NAG	R	602	4	-	2/6/23/26	0/1/1/1
11	NAG	e	605	4	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	H	702	NAG	C2-N2-C7	5.34	130.05	122.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	H	702	NAG	C1-C2-N2	3.13	115.36	110.43

There are no chirality outliers.

5 of 63 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
11	H	702	NAG	C1-C2-N2-C7
11	R	603	NAG	O5-C5-C6-O6
11	e	603	NAG	C4-C5-C6-O6
11	G	604	NAG	O5-C5-C6-O6
11	a	701	NAG	O5-C5-C6-O6

There are no ring outliers.

11 monomers are involved in 20 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
11	R	601	NAG	1	0
11	e	603	NAG	1	0
11	G	601	NAG	1	0
11	H	702	NAG	8	0
11	e	608	NAG	1	0
11	B	702	NAG	1	0
11	e	601	NAG	1	0
11	a	703	NAG	1	0
11	a	702	NAG	3	0
11	G	603	NAG	1	0
11	R	602	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	B	123/164 (75%)	-0.30	6 (4%) 35 35	267, 332, 418, 466	0
1	H	122/164 (74%)	-0.20	3 (2%) 58 49	268, 333, 406, 480	0
1	a	123/164 (75%)	-0.24	2 (1%) 70 59	262, 332, 409, 460	0
2	D	236/286 (82%)	-0.41	3 (1%) 75 63	262, 339, 418, 469	0
2	L	236/286 (82%)	-0.15	6 (2%) 58 49	258, 338, 408, 456	0
2	b	236/286 (82%)	-0.38	3 (1%) 75 63	247, 338, 411, 457	0
3	C	208/214 (97%)	-0.04	11 (5%) 32 34	283, 381, 426, 474	0
3	P	210/214 (98%)	-0.21	2 (0%) 79 68	317, 383, 439, 502	0
3	c	210/214 (98%)	-0.16	5 (2%) 59 51	307, 380, 433, 465	0
4	G	439/490 (89%)	-0.34	11 (2%) 58 49	241, 338, 416, 463	0
4	R	439/490 (89%)	-0.29	11 (2%) 58 49	244, 339, 415, 463	0
4	e	439/490 (89%)	-0.38	9 (2%) 63 54	253, 344, 420, 466	0
5	O	130/235 (55%)	-0.31	4 (3%) 51 45	300, 377, 439, 459	0
5	S	230/235 (97%)	-0.31	4 (1%) 69 58	308, 397, 479, 531	0
5	f	230/235 (97%)	-0.22	7 (3%) 52 45	293, 403, 495, 558	0
All	All	3611/4167 (86%)	-0.28	87 (2%) 59 51	241, 356, 439, 558	0

The worst 5 of 87 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
5	S	100(Q)	ASP	6.2
3	C	109	GLN	5.3
4	e	504	ARG	4.4
4	R	382	PHE	4.4
2	L	145	SER	4.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	NAG	A	1	14/15	-	-	273,319,347,364	0
6	NAG	A	2	14/15	-	-	289,314,331,378	0
6	BMA	A	3	11/12	-	-	354,385,407,408	0
6	MAN	A	4	11/12	-	-	366,389,416,418	0
6	MAN	A	5	11/12	-	-	396,413,432,451	0
7	NAG	F	1	14/15	-	-	391,453,484,493	0
7	NAG	F	2	14/15	-	-	453,498,523,528	0
7	NAG	K	1	14/15	-	-	300,356,377,398	0
7	NAG	K	2	14/15	-	-	370,399,433,436	0
7	NAG	M	1	14/15	-	-	320,379,442,446	0
7	NAG	M	2	14/15	-	-	403,433,533,561	0
7	NAG	U	2	14/15	0.90	0.09	331,387,405,412	0
7	NAG	T	2	14/15	0.94	0.08	393,423,448,457	0
7	NAG	W	2	14/15	0.94	0.09	332,399,424,429	0
8	BMA	Y	3	11/12	0.94	0.07	430,475,502,503	0
8	NAG	Z	2	14/15	0.95	0.06	362,392,403,450	0
7	NAG	X	2	14/15	0.96	0.08	467,480,486,494	0
8	NAG	Y	2	14/15	0.96	0.05	380,426,470,477	0
7	NAG	T	1	14/15	0.96	0.12	311,367,413,414	0
7	NAG	g	1	14/15	-	-	285,352,391,409	0
7	NAG	g	2	14/15	-	-	376,406,443,458	0
7	NAG	h	1	14/15	-	-	298,381,431,463	0
7	NAG	h	2	14/15	-	-	374,445,508,525	0
7	NAG	j	1	14/15	-	-	295,370,404,407	0
7	NAG	j	2	14/15	-	-	337,405,418,437	0
7	NAG	l	1	14/15	-	-	391,461,472,483	0
7	NAG	l	2	14/15	-	-	468,480,497,501	0
7	NAG	o	1	14/15	-	-	292,357,383,391	0
7	NAG	o	2	14/15	-	-	340,402,462,473	0
7	NAG	p	1	14/15	-	-	306,381,436,446	0
7	NAG	p	2	14/15	-	-	384,445,512,535	0
7	NAG	r	1	14/15	-	-	316,378,419,425	0

Continued on next page...

Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
7	NAG	r	2	14/15	-	-	337,417,428,440	0
8	NAG	I	1	14/15	-	-	345,386,404,408	0
8	NAG	I	2	14/15	-	-	413,439,462,465	0
8	BMA	I	3	11/12	-	-	400,438,458,459	0
8	NAG	J	1	14/15	-	-	304,333,373,398	0
8	NAG	J	2	14/15	-	-	322,373,406,420	0
8	BMA	J	3	11/12	-	-	361,388,412,440	0
8	NAG	Z	1	14/15	0.96	0.05	317,338,392,406	0
7	NAG	X	1	14/15	0.96	0.10	362,458,477,482	0
10	BMA	V	3	11/12	0.97	0.14	378,410,431,443	0
7	NAG	U	1	14/15	0.98	0.12	350,363,415,429	0
10	NAG	V	2	14/15	0.98	0.22	349,367,392,394	0
8	BMA	Z	3	11/12	-	-	330,388,408,433	0
8	NAG	m	1	14/15	-	-	235,354,397,416	0
8	NAG	m	2	14/15	-	-	401,457,485,490	0
8	BMA	m	3	11/12	-	-	392,431,452,454	0
8	NAG	n	1	14/15	-	-	312,321,387,421	0
8	NAG	n	2	14/15	-	-	335,372,414,419	0
8	BMA	n	3	11/12	-	-	377,426,455,494	0
9	NAG	N	1	14/15	-	-	261,317,340,357	0
9	NAG	N	2	14/15	-	-	279,347,359,361	0
9	BMA	N	3	11/12	-	-	340,347,358,363	0
9	MAN	N	4	11/12	-	-	336,360,372,373	0
9	MAN	N	5	11/12	-	-	330,379,386,388	0
9	MAN	N	6	11/12	-	-	334,367,427,436	0
9	MAN	N	7	11/12	-	-	370,402,471,486	0
9	MAN	N	8	11/12	-	-	421,440,464,465	0
9	MAN	N	9	11/12	-	-	375,407,457,470	0
9	MAN	N	10	11/12	-	-	333,399,424,436	0
9	NAG	i	1	14/15	-	-	283,332,362,382	0
9	NAG	i	2	14/15	-	-	283,359,380,386	0
9	BMA	i	3	11/12	-	-	344,362,380,398	0
9	MAN	i	4	11/12	-	-	305,333,355,355	0
9	MAN	i	5	11/12	-	-	357,383,411,424	0
9	MAN	i	6	11/12	-	-	375,383,452,474	0
9	MAN	i	7	11/12	-	-	395,429,475,478	0
9	MAN	i	8	11/12	-	-	399,431,458,459	0
9	MAN	i	9	11/12	-	-	410,443,473,481	0
9	MAN	i	10	11/12	-	-	351,378,405,421	0
9	NAG	q	1	14/15	-	-	261,317,348,354	0
9	NAG	q	2	14/15	-	-	281,341,357,357	0
9	BMA	q	3	11/12	-	-	324,349,367,368	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
9	MAN	q	4	11/12	-	-	301,353,367,371	0
9	MAN	q	5	11/12	-	-	341,378,395,398	0
9	MAN	q	6	11/12	-	-	346,366,432,440	0
9	MAN	q	7	11/12	-	-	377,426,464,474	0
9	MAN	q	8	11/12	-	-	404,444,467,470	0
9	MAN	q	9	11/12	-	-	393,423,460,469	0
9	MAN	q	10	11/12	-	-	333,359,413,423	0
7	NAG	W	1	14/15	0.98	0.05	306,388,415,420	0
8	NAG	Y	1	14/15	0.99	0.07	342,379,404,424	0
10	NAG	V	1	14/15	0.99	0.12	271,345,386,408	0
10	MAN	V	4	11/12	0.99	0.09	329,345,398,399	0
10	NAG	k	1	14/15	-	-	261,303,312,327	0
10	NAG	k	2	14/15	-	-	266,299,320,358	0
10	BMA	k	3	11/12	-	-	328,354,368,376	0
10	MAN	k	4	11/12	-	-	322,354,367,378	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain F:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain K:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain M:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain T:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain U:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain W:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain X:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain g:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain h:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain j:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain l:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain o:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain p:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain r:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain I:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain J:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain Y:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain Z:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain m:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain n:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain N:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain i:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain q:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain V:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain k:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
11	NAG	G	601	14/15	0.84	0.07	368,419,451,453	0
11	NAG	H	703	14/15	0.88	0.14	355,405,416,420	0
11	NAG	G	605	14/15	0.90	0.06	394,453,471,479	0
11	NAG	e	604	14/15	0.90	0.09	291,339,369,384	0
11	NAG	e	605	14/15	0.92	0.10	420,462,477,479	0
11	NAG	a	702	14/15	0.93	0.13	323,377,399,413	0
11	NAG	H	701	14/15	0.93	0.11	315,358,409,445	0
11	NAG	R	603	14/15	0.93	0.07	307,362,379,390	0
11	NAG	B	703	14/15	0.94	0.04	365,398,418,420	0
11	NAG	G	608	14/15	0.94	0.09	296,359,374,379	0
11	NAG	e	603	14/15	0.94	0.14	335,356,373,382	0
11	NAG	R	601	14/15	0.94	0.08	350,437,464,467	0
11	NAG	R	602	14/15	0.94	0.17	343,388,408,410	0
11	NAG	e	608	14/15	0.94	0.07	313,373,398,403	0
11	NAG	e	607	14/15	0.96	0.11	443,455,470,476	0
11	NAG	e	601	14/15	0.96	0.08	382,433,461,463	0
11	NAG	G	606	14/15	0.97	0.13	297,334,362,371	0
11	NAG	G	607	14/15	0.97	0.07	378,413,448,461	0
11	NAG	e	602	14/15	0.97	0.06	247,310,371,384	0
11	NAG	B	702	14/15	0.97	0.13	373,398,424,428	0
11	NAG	B	701	14/15	0.97	0.09	340,386,406,407	0
11	NAG	R	604	14/15	0.97	0.07	391,459,471,477	0
11	NAG	R	605	14/15	0.97	0.12	293,334,352,353	0
11	NAG	a	701	14/15	0.97	0.08	324,376,399,417	0
11	NAG	G	604	14/15	0.98	0.07	287,365,377,378	0
11	NAG	G	603	14/15	0.98	0.10	350,381,411,424	0
11	NAG	a	703	14/15	0.98	0.07	328,406,441,461	0
11	NAG	e	606	14/15	0.98	0.09	291,345,360,361	0
11	NAG	H	702	14/15	0.98	0.09	315,374,401,405	0
11	NAG	R	606	14/15	0.98	0.07	393,417,435,460	0
11	NAG	G	602	14/15	0.99	0.05	265,327,363,363	0

6.5 Other polymers [i](#)

There are no such residues in this entry.