



wwPDB EM Validation Summary Report ⓘ

Sep 30, 2026 – 04:20 am BST

PDB ID : 9TGC / pdb_00009tgc
EMDB ID : EMD-55896
Title : Structure of B10 anti-stem antibody in complex with ZEBOV spike complex
Authors : Diskin, R.; Cohen-Dvashi, H.; Shuker, H.
Deposited on : 2025-11-30
Resolution : 2.50 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev133
MolProbity : 4-5-2 with Phenix2.2
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.51



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	7115 (2.00 - 3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	234	
1	C	234	
1	H	234	
2	B	212	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	D	212	 45% . 51%
2	L	212	 46% . 51%
3	X	168	 8% . . 89%
3	Y	168	 11% . 89%
3	Z	168	 12% . 88%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 6349 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Heavy chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	H	127	Total	C	N	O	S	0	0
			976	612	173	184	7		
1	A	127	Total	C	N	O	S	0	0
			976	612	173	184	7		
1	C	127	Total	C	N	O	S	0	0
			976	612	173	184	7		

- Molecule 2 is a protein called Light chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	L	104	Total	C	N	O	S	0	0
			789	497	136	154	2		
2	B	104	Total	C	N	O	S	0	0
			789	497	136	154	2		
2	D	104	Total	C	N	O	S	0	0
			789	497	136	154	2		

- Molecule 3 is a protein called GP2.

Mol	Chain	Residues	Atoms				AltConf	Trace
3	X	19	Total	C	N	O	0	0
			163	104	26	33		
3	Y	19	Total	C	N	O	0	0
			163	104	26	33		
3	Z	21	Total	C	N	O	0	0
			180	115	30	35		

There are 111 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
X	633	GLY	-	expression tag	UNP Q05320
X	634	SER	-	expression tag	UNP Q05320
X	635	GLY	-	expression tag	UNP Q05320

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
X	636	TYR	-	expression tag	UNP Q05320
X	637	ILE	-	expression tag	UNP Q05320
X	638	PRO	-	expression tag	UNP Q05320
X	639	GLU	-	expression tag	UNP Q05320
X	640	ALA	-	expression tag	UNP Q05320
X	641	PRO	-	expression tag	UNP Q05320
X	642	ARG	-	expression tag	UNP Q05320
X	643	ASP	-	expression tag	UNP Q05320
X	644	GLY	-	expression tag	UNP Q05320
X	645	GLN	-	expression tag	UNP Q05320
X	646	ALA	-	expression tag	UNP Q05320
X	647	TYR	-	expression tag	UNP Q05320
X	648	VAL	-	expression tag	UNP Q05320
X	649	ARG	-	expression tag	UNP Q05320
X	650	LYS	-	expression tag	UNP Q05320
X	651	ASP	-	expression tag	UNP Q05320
X	652	GLY	-	expression tag	UNP Q05320
X	653	GLU	-	expression tag	UNP Q05320
X	654	TRP	-	expression tag	UNP Q05320
X	655	VAL	-	expression tag	UNP Q05320
X	656	LEU	-	expression tag	UNP Q05320
X	657	LEU	-	expression tag	UNP Q05320
X	658	SER	-	expression tag	UNP Q05320
X	659	THR	-	expression tag	UNP Q05320
X	660	PHE	-	expression tag	UNP Q05320
X	661	LEU	-	expression tag	UNP Q05320
X	662	GLY	-	expression tag	UNP Q05320
X	663	THR	-	expression tag	UNP Q05320
X	664	HIS	-	expression tag	UNP Q05320
X	665	HIS	-	expression tag	UNP Q05320
X	666	HIS	-	expression tag	UNP Q05320
X	667	HIS	-	expression tag	UNP Q05320
X	668	HIS	-	expression tag	UNP Q05320
X	669	HIS	-	expression tag	UNP Q05320
Y	633	GLY	-	expression tag	UNP Q05320
Y	634	SER	-	expression tag	UNP Q05320
Y	635	GLY	-	expression tag	UNP Q05320
Y	636	TYR	-	expression tag	UNP Q05320
Y	637	ILE	-	expression tag	UNP Q05320
Y	638	PRO	-	expression tag	UNP Q05320
Y	639	GLU	-	expression tag	UNP Q05320
Y	640	ALA	-	expression tag	UNP Q05320

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
Y	641	PRO	-	expression tag	UNP Q05320
Y	642	ARG	-	expression tag	UNP Q05320
Y	643	ASP	-	expression tag	UNP Q05320
Y	644	GLY	-	expression tag	UNP Q05320
Y	645	GLN	-	expression tag	UNP Q05320
Y	646	ALA	-	expression tag	UNP Q05320
Y	647	TYR	-	expression tag	UNP Q05320
Y	648	VAL	-	expression tag	UNP Q05320
Y	649	ARG	-	expression tag	UNP Q05320
Y	650	LYS	-	expression tag	UNP Q05320
Y	651	ASP	-	expression tag	UNP Q05320
Y	652	GLY	-	expression tag	UNP Q05320
Y	653	GLU	-	expression tag	UNP Q05320
Y	654	TRP	-	expression tag	UNP Q05320
Y	655	VAL	-	expression tag	UNP Q05320
Y	656	LEU	-	expression tag	UNP Q05320
Y	657	LEU	-	expression tag	UNP Q05320
Y	658	SER	-	expression tag	UNP Q05320
Y	659	THR	-	expression tag	UNP Q05320
Y	660	PHE	-	expression tag	UNP Q05320
Y	661	LEU	-	expression tag	UNP Q05320
Y	662	GLY	-	expression tag	UNP Q05320
Y	663	THR	-	expression tag	UNP Q05320
Y	664	HIS	-	expression tag	UNP Q05320
Y	665	HIS	-	expression tag	UNP Q05320
Y	666	HIS	-	expression tag	UNP Q05320
Y	667	HIS	-	expression tag	UNP Q05320
Y	668	HIS	-	expression tag	UNP Q05320
Y	669	HIS	-	expression tag	UNP Q05320
Z	633	GLY	-	expression tag	UNP Q05320
Z	634	SER	-	expression tag	UNP Q05320
Z	635	GLY	-	expression tag	UNP Q05320
Z	636	TYR	-	expression tag	UNP Q05320
Z	637	ILE	-	expression tag	UNP Q05320
Z	638	PRO	-	expression tag	UNP Q05320
Z	639	GLU	-	expression tag	UNP Q05320
Z	640	ALA	-	expression tag	UNP Q05320
Z	641	PRO	-	expression tag	UNP Q05320
Z	642	ARG	-	expression tag	UNP Q05320
Z	643	ASP	-	expression tag	UNP Q05320
Z	644	GLY	-	expression tag	UNP Q05320
Z	645	GLN	-	expression tag	UNP Q05320

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
Z	646	ALA	-	expression tag	UNP Q05320
Z	647	TYR	-	expression tag	UNP Q05320
Z	648	VAL	-	expression tag	UNP Q05320
Z	649	ARG	-	expression tag	UNP Q05320
Z	650	LYS	-	expression tag	UNP Q05320
Z	651	ASP	-	expression tag	UNP Q05320
Z	652	GLY	-	expression tag	UNP Q05320
Z	653	GLU	-	expression tag	UNP Q05320
Z	654	TRP	-	expression tag	UNP Q05320
Z	655	VAL	-	expression tag	UNP Q05320
Z	656	LEU	-	expression tag	UNP Q05320
Z	657	LEU	-	expression tag	UNP Q05320
Z	658	SER	-	expression tag	UNP Q05320
Z	659	THR	-	expression tag	UNP Q05320
Z	660	PHE	-	expression tag	UNP Q05320
Z	661	LEU	-	expression tag	UNP Q05320
Z	662	GLY	-	expression tag	UNP Q05320
Z	663	THR	-	expression tag	UNP Q05320
Z	664	HIS	-	expression tag	UNP Q05320
Z	665	HIS	-	expression tag	UNP Q05320
Z	666	HIS	-	expression tag	UNP Q05320
Z	667	HIS	-	expression tag	UNP Q05320
Z	668	HIS	-	expression tag	UNP Q05320
Z	669	HIS	-	expression tag	UNP Q05320


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	AltConf
4	H	98	Total O 98 98	0
4	L	89	Total O 89 89	0
4	X	17	Total O 17 17	0
4	Y	9	Total O 9 9	0
4	Z	14	Total O 14 14	0
4	B	76	Total O 76 76	0
4	D	53	Total O 53 53	0


Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		AltConf
4	A	97	Total 97	O 97	0
4	C	95	Total 95	O 95	0




- Molecule 2: Light chain



- Molecule 2: Light chain



- Molecule 3: GP2



- Molecule 3: GP2



GLU
ALA
ILE
VAL
ASN
ALA
GLN
PRO
LYS
CYS
ASN
PRO
ASN
LEU
HIS
TYR
TRP
THR
THR
GLN
ASP
GLY
GLY
ALA
ALA
ILE
GLY
LEU
ALA
ALA
TRP
ILE
PRO
TYR
PHE
GLY
PRO
ALA
ALA
GLY
GLY
ILE
TYR
ILE
ILE
GLY
GLY
MET
HIS
ASN
GLN
ASP
GLY
LEU
ILE
CYS
GLY
LEU
ARG
GLN
LEU

ALA
ASN
GLU
THR
THR
GLN
ALA
LEU
GLN
LEU
PHE
LEU
LEU
ARG
ALA
HIS
THR
GLY
GLY
LEU
ARG
THR
PHE
SER
ILE
GLY
ASN
ARG
LYS
THR
ILE
ILE
ASP
PHE
LEU
LEU
GLN
ARG
TRP
GLY
GLY
THR
CYS
HIS
ILE
LEU
GLY
PRO
ASP
CYS
CYS
ILE
GLY
PRO
HIS
D614
D614
T620
D632
GLY
SER
GLY

TYR
ILE
PRO
GLU
ALA
PRO
ARG
ASP
GLY
GLN
ALA
TYR
VAL
ARG
LYS
ASP
GLY
GLY
TRP
VAL
LEU
SER
THR
PHE
LEU
THR
HIS
HIS
HIS
HIS

● Molecule 3: GP2

Chain Z: 12% . 88%

GLU
ALA
ILE
VAL
ASN
ALA
GLN
PRO
LYS
CYS
ASN
PRO
ASN
LEU
HIS
TYR
TRP
THR
THR
GLN
ASP
GLY
GLY
ALA
ALA
ILE
GLY
LEU
ALA
ALA
TRP
ILE
PRO
TYR
PHE
GLY
ARG
TRP
ALA
ALA
GLY
GLY
ILE
TYR
ILE
ILE
GLY
GLY
MET
HIS
HIS
GLN
ASP
GLY
LEU
ILE
CYS
GLY
LEU
ARG
GLN
LEU

ALA
ASN
GLU
THR
THR
ALA
LEU
GLN
LEU
PHE
LEU
ARG
ALA
HIS
THR
GLY
GLY
LEU
ARG
THR
PHE
SER
ILE
GLY
ASN
ARG
LYS
ALA
ILE
ASP
PHE
LEU
LEU
GLN
ARG
TRP
GLY
GLY
THR
CYS
HIS
ILE
LEU
GLY
PRO
ASP
CYS
CYS
ILE
GLY
P612
H613
D632
GLY
SER
GLY
TYR
ILE
PRO

GLU
ALA
ARG
GLY
GLN
ALA
TYR
VAL
ARG
LYS
ASP
GLY
GLU
TRP
VAL
LEU
LEU
SER
THR
PHE
LEU
GLY
THR
HIS
HIS
HIS
HIS
HIS

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	1649385	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	37	Depositor
Minimum defocus (nm)	600	Depositor
Maximum defocus (nm)	1800	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.531	Depositor
Minimum map value	-0.239	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.017	Depositor
Recommended contour level	0.08	Depositor
Map size ($\text{\AA}$)	210.944, 210.944, 210.944	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	0.824, 0.824, 0.824	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.18	0/1000	0.31	0/1354
1	C	0.16	0/1000	0.31	0/1354
1	H	0.20	0/1000	0.32	0/1354
2	B	0.17	0/807	0.35	0/1096
2	D	0.15	0/807	0.32	0/1096
2	L	0.17	0/807	0.34	0/1096
3	X	0.17	0/166	0.25	0/225
3	Y	0.12	0/166	0.20	0/225
3	Z	0.17	0/185	0.19	0/251
All	All	0.17	0/5938	0.32	0/8051

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	976	0	943	7	0
1	C	976	0	943	14	0
1	H	976	0	943	7	0
2	B	789	0	769	3	0
2	D	789	0	769	5	0
2	L	789	0	769	2	0
3	X	163	0	152	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	Y	163	0	152	0	0
3	Z	180	0	167	0	0
4	A	97	0	0	0	0
4	B	76	0	0	0	0
4	C	95	0	0	0	0
4	D	53	0	0	0	0
4	H	98	0	0	1	0
4	L	89	0	0	0	0
4	X	17	0	0	0	0
4	Y	9	0	0	0	0
4	Z	14	0	0	0	0
All	All	6349	0	5607	38	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 38 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:38:ARG:HB3	1:C:48:ILE:HD11	1.70	0.73
2:B:38:GLN:HB2	2:B:48:LEU:HD11	1.83	0.61
1:C:69:THR:HG22	1:C:82:GLU:HB3	1.85	0.59
1:A:91:THR:HG23	1:A:124:THR:HA	1.85	0.58
2:L:38:GLN:HB2	2:L:48:LEU:HD11	1.88	0.56

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	125/234 (53%)	122 (98%)	3 (2%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	125/234 (53%)	121 (97%)	4 (3%)	0	100	100
1	H	125/234 (53%)	122 (98%)	3 (2%)	0	100	100
2	B	102/212 (48%)	99 (97%)	3 (3%)	0	100	100
2	D	102/212 (48%)	99 (97%)	3 (3%)	0	100	100
2	L	102/212 (48%)	99 (97%)	3 (3%)	0	100	100
3	X	17/168 (10%)	17 (100%)	0	0	100	100
3	Y	17/168 (10%)	17 (100%)	0	0	100	100
3	Z	19/168 (11%)	19 (100%)	0	0	100	100
All	All	734/1842 (40%)	715 (97%)	19 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	103/196 (53%)	101 (98%)	2 (2%)	50	76
1	C	103/196 (53%)	97 (94%)	6 (6%)	18	38
1	H	103/196 (53%)	99 (96%)	4 (4%)	28	55
2	B	84/181 (46%)	76 (90%)	8 (10%)	8	17
2	D	84/181 (46%)	82 (98%)	2 (2%)	43	70
2	L	84/181 (46%)	80 (95%)	4 (5%)	23	46
3	X	19/140 (14%)	15 (79%)	4 (21%)	1	2
3	Y	19/140 (14%)	18 (95%)	1 (5%)	20	42
3	Z	21/140 (15%)	20 (95%)	1 (5%)	23	46
All	All	620/1551 (40%)	588 (95%)	32 (5%)	22	42

5 of 32 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	67	ARG
1	C	69	THR
3	Y	620	THR
3	X	631	VAL
1	C	74	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 7 such sidechains are listed below:

Mol	Chain	Res	Type
3	Y	625	GLN
2	B	90	HIS
1	C	108	HIS
2	D	54	ASN
3	X	618	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-55896. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 146




Y Index: 111




Z Index: 130


6.3.2 Raw map



X Index: 146



Y Index: 111




Z Index: 130


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.08. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 70 nm³; this corresponds to an approximate mass of 63 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.400 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of $0.400 \text{ \AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.50	-	-
Author-provided FSC curve	2.50	2.78	2.54
Unmasked-calculated*	2.91	3.15	2.93

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 2.91 differs from the reported value 2.5 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-55896 and PDB model 9TGC. Per-residue inclusion information can be found in [section 3](#) on [page 9](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.08 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.08).

9.4 Atom inclusion [i](#)



At the recommended contour level, 93% of all backbone atoms, 92% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.08) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.9230	0.5820
A	0.9490	0.5980
B	0.9190	0.5770
C	0.9140	0.5750
D	0.8960	0.5660
H	0.9550	0.6030
L	0.9360	0.5910
X	0.9200	0.5620
Y	0.8700	0.5250
Z	0.8830	0.5380

1.0

0.0

<0.0