



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 25, 2026 – 05:26 PM EDT

PDB ID : 6THX / pdb_00006thx
Title : IRAK4 in complex with inhibitor
Authors : Xue, Y.; Aagaard, A.; Degorce, S.L.
Deposited on : 2019-11-21
Resolution : 1.99 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.99 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	308	21% 69% 18% • 9%
1	B	308	21% 76% 14% •• 8%

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 4699 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Interleukin-1 receptor-associated kinase 4.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	279	Total	C	N	O	P	S	0	0	0
			2207	1387	373	431	2	14			
1	B	283	Total	C	N	O	P	S	0	0	0
			2238	1404	377	441	2	14			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	153	GLY	-	expression tag	UNP Q9NWZ3
B	153	GLY	-	expression tag	UNP Q9NWZ3

- Molecule 2 is 2-[4-[(1-methylcyclopropyl)amino]-2-[(1-methylpyrazol-4-yl)amino]pyrido[3,2-d]pyrimidin-6-yl]ethanenitrile (CCD ID: N9Z) (formula: C₁₇H₁₈N₈) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	N	0	0
			25	17	8		
2	B	1	Total	C	N	0	0
			25	17	8		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	93	Total	O	0	0
			93	93		
3	B	111	Total	O	0	0
			111	111		

4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	87.88Å 109.23Å 142.18Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	71.09 – 1.99 71.09 – 1.99	Depositor EDS
% Data completeness (in resolution range)	100.0 (71.09-1.99) 100.0 (71.09-1.99)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.61 (at 2.00Å)	Xtriage
Refinement program	BUSTER 2.11.7	Depositor
R, R_{free}	0.231 , 0.254 0.233 , 0.274	Depositor DCC
R_{free} test set	2360 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	41.9	Xtriage
Anisotropy	0.531	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 68.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4699	wwPDB-VP
Average B, all atoms (Å ²)	66.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 18.25% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: N9Z, TPO, SEP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.93	2/2222 (0.1%)	1.21	7/2992 (0.2%)
1	B	0.93	1/2253 (0.0%)	1.30	7/3034 (0.2%)
All	All	0.93	3/4475 (0.1%)	1.26	14/6026 (0.2%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	287	MET	SD-CE	-7.18	1.61	1.79
1	A	392	GLU	C-O	-5.49	1.20	1.25
1	B	170	PHE	CA-C	5.36	1.59	1.52

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	172	GLU	CA-C-N	7.37	130.48	120.54
1	B	172	GLU	C-N-CA	7.37	130.48	120.54
1	B	369	ASP	CA-CB-CG	5.75	118.35	112.60
1	A	170	PHE	N-CA-C	5.63	118.14	111.33
1	A	263	VAL	N-CA-C	-5.54	102.37	109.30
1	A	369	ASP	CA-CB-CG	5.54	118.14	112.60
1	B	456	GLU	CA-C-N	5.33	127.69	120.38
1	B	456	GLU	C-N-CA	5.33	127.69	120.38
1	A	451	GLN	CA-C-N	5.17	127.17	120.44
1	A	451	GLN	C-N-CA	5.17	127.17	120.44
1	A	257	ASP	N-CA-C	-5.09	101.01	109.46
1	A	446	ASP	CA-CB-CG	5.05	117.65	112.60
1	B	171	TYR	CA-C-N	5.04	127.79	120.79
1	B	171	TYR	C-N-CA	5.04	127.79	120.79

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2207	0	2178	40	0
1	B	2238	0	2202	28	0
2	A	25	0	0	1	0
2	B	25	0	0	1	0
3	A	93	0	0	1	0
3	B	111	0	0	0	0
All	All	4699	0	4380	63	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (63) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:390:HIS:HB3	1:B:391:ARG:HA	1.30	1.14
1:A:284:SER:H	1:A:287:MET:HE3	1.26	1.00
1:B:192:MET:SD	1:B:264:TYR:HE1	1.94	0.90
1:A:170:PHE:HE2	1:A:174:LYS:HZ2	0.93	0.89
1:B:266:PRO:HG2	1:B:321:GLU:HG3	1.55	0.87
1:A:390:HIS:O	1:B:390:HIS:HB3	1.77	0.85
1:A:237:MET:HE3	1:A:262:TYR:HE2	1.50	0.76
1:A:391:ARG:HA	1:B:390:HIS:HB3	1.72	0.71
1:A:173:LEU:HA	1:A:176:VAL:HG22	1.72	0.71
1:A:192:MET:SD	1:A:264:TYR:HE1	2.14	0.70
1:A:183:ARG:HG2	1:A:189:GLY:HA3	1.74	0.70
1:A:246:VAL:HG11	1:A:318:LEU:HD12	1.74	0.68
1:B:246:VAL:HG11	1:B:318:LEU:HD12	1.77	0.65
1:B:192:MET:SD	1:B:264:TYR:CE1	2.85	0.65
1:B:180:PHE:HD1	1:B:201:TYR:CE1	2.18	0.61
1:A:381:ILE:HG21	1:A:410:ILE:HD11	1.82	0.61
1:A:410:ILE:HD13	1:A:430:TYR:CD1	2.36	0.60
1:A:179:ASN:O	1:A:179:ASN:ND2	2.31	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:230:PHE:CD2	1:A:258:LEU:HD22	2.37	0.59
1:A:181:ASP:OD2	1:A:183:ARG:NH1	2.34	0.59
1:A:390:HIS:O	1:B:390:HIS:CB	2.52	0.57
1:B:201:TYR:N	1:B:201:TYR:CD1	2.73	0.57
1:B:172:GLU:H	1:B:172:GLU:CD	2.12	0.56
1:A:250:GLY:O	1:A:261:VAL:N	2.35	0.56
1:A:230:PHE:CG	1:A:258:LEU:HD22	2.41	0.56
1:A:415:ASP:HB3	1:A:418:MET:HE2	1.87	0.55
1:A:170:PHE:HE2	1:A:174:LYS:NZ	1.81	0.55
1:B:381:ILE:HG21	1:B:410:ILE:HD11	1.88	0.55
1:B:321:GLU:H	1:B:321:GLU:CD	2.13	0.55
1:A:251:PHE:CD1	1:A:251:PHE:C	2.85	0.54
1:A:392:GLU:H	1:B:390:HIS:CD2	2.26	0.54
1:B:173:LEU:HG	1:B:212:VAL:HG11	1.89	0.53
1:A:392:GLU:H	1:B:390:HIS:HD2	1.56	0.53
1:B:389:GLU:HA	1:B:394:GLN:HG2	1.89	0.53
1:A:438:HIS:CE1	1:A:440:LYS:HD3	2.45	0.51
1:B:237:MET:HE1	1:B:246:VAL:HG23	1.92	0.51
1:B:233:GLU:HG2	1:B:260:LEU:HD13	1.93	0.51
1:A:192:MET:SD	1:A:264:TYR:CE1	3.00	0.50
1:A:391:ARG:HD3	3:A:641:HOH:O	2.10	0.50
1:A:237:MET:HE1	1:A:246:VAL:HG23	1.95	0.48
1:A:184:PRO:HB2	1:A:187:VAL:HG23	1.96	0.47
1:A:230:PHE:CE2	1:A:258:LEU:CD2	2.98	0.47
1:A:414:ILE:HG12	1:A:426:VAL:HG11	1.97	0.46
1:B:181:ASP:CG	1:B:189:GLY:HA2	2.40	0.46
1:B:414:ILE:HG12	1:B:426:VAL:HG11	1.97	0.46
1:A:230:PHE:CZ	1:A:258:LEU:HD23	2.51	0.45
1:B:180:PHE:HD1	1:B:201:TYR:CZ	2.34	0.45
1:A:391:ARG:HA	1:B:390:HIS:CD2	2.52	0.44
1:B:287:MET:HE2	1:B:323:PHE:CB	2.47	0.44
1:A:174:LYS:O	1:A:179:ASN:N	2.48	0.43
1:A:200:VAL:HA	1:A:212:VAL:O	2.18	0.43
1:A:237:MET:HE3	1:A:262:TYR:CE2	2.41	0.43
1:A:230:PHE:CZ	1:A:258:LEU:CD2	3.01	0.43
1:A:438:HIS:HE1	1:A:440:LYS:HD3	1.82	0.43
1:B:410:ILE:HD13	1:B:430:TYR:CD1	2.54	0.43
1:B:169:SER:O	1:B:170:PHE:HB2	2.20	0.42
1:B:415:ASP:HB3	1:B:418:MET:HE2	2.00	0.42
2:B:501:N9Z:N7	2:B:501:N9Z:C24	2.82	0.42
1:A:230:PHE:CE2	1:A:258:LEU:HD22	2.55	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:501:N9Z:C24	2:A:501:N9Z:N7	2.83	0.42
1:A:230:PHE:CD1	1:A:258:LEU:HD22	2.56	0.41
1:B:181:ASP:OD2	1:B:189:GLY:HA2	2.21	0.41
1:A:382:THR:HG22	1:A:413:TYR:HB3	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	271/308 (88%)	258 (95%)	10 (4%)	3 (1%)	11	7
1	B	275/308 (89%)	264 (96%)	10 (4%)	1 (0%)	30	27
All	All	546/616 (89%)	522 (96%)	20 (4%)	4 (1%)	18	14

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	170	PHE
1	A	181	ASP
1	A	206	ASN
1	A	188	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	242/266 (91%)	216 (89%)	26 (11%)	6	4
1	B	246/266 (92%)	227 (92%)	19 (8%)	12	8
All	All	488/532 (92%)	443 (91%)	45 (9%)	8	5

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	179	ASN
1	A	182	GLU
1	A	183	ARG
1	A	185	ILE
1	A	187	VAL
1	A	194	GLU
1	A	199	VAL
1	A	201	TYR
1	A	206	ASN
1	A	208	THR
1	A	227	LYS
1	A	232	GLN
1	A	239	LYS
1	A	252	SER
1	A	253	SER
1	A	254	ASP
1	A	258	LEU
1	A	349	VAL
1	A	400	LYS
1	A	401	GLU
1	A	408	LYS
1	A	409	THR
1	A	410	ILE
1	A	419	ASN
1	A	440	LYS
1	A	448	LYS
1	B	164	ARG
1	B	167	SER
1	B	169	SER
1	B	172	GLU
1	B	173	LEU
1	B	186	SER
1	B	199	VAL
1	B	201	TYR
1	B	206	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	223	THR
1	B	228	GLN
1	B	254	ASP
1	B	321	GLU
1	B	349	VAL
1	B	394	GLN
1	B	406	GLU
1	B	409	THR
1	B	419	ASN
1	B	440	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	175	ASN
1	A	232	GLN
1	A	244	ASN
1	A	390	HIS
1	A	419	ASN
1	A	435	GLN
1	A	452	GLN
1	B	175	ASN
1	B	228	GLN
1	B	244	ASN
1	B	306	HIS
1	B	390	HIS
1	B	419	ASN
1	B	435	GLN
1	B	452	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	SEP	B	346	1	8,9,10	0.77	0	7,12,14	2.55	3 (42%)
1	SEP	A	346	1	8,9,10	0.74	0	7,12,14	2.38	3 (42%)
1	TPO	B	345	1	8,10,11	1.17	0	10,14,16	1.24	1 (10%)
1	TPO	A	345	1	8,10,11	1.19	0	10,14,16	1.24	1 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	SEP	B	346	1	-	0/6/8/10	-
1	SEP	A	346	1	-	0/6/8/10	-
1	TPO	B	345	1	-	2/9/11/13	-
1	TPO	A	345	1	-	2/9/11/13	-

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	346	SEP	OG-CB-CA	5.65	113.64	108.14
1	A	346	SEP	OG-CB-CA	5.40	113.40	108.14
1	B	346	SEP	O3P-P-OG	2.65	113.57	106.67
1	A	345	TPO	O2P-P-OG1	2.51	115.63	105.85
1	B	345	TPO	O2P-P-OG1	2.49	115.54	105.85
1	B	346	SEP	OG-P-O1P	2.38	112.87	106.44
1	A	346	SEP	OG-P-O1P	2.24	112.48	106.44
1	A	346	SEP	O3P-P-OG	2.18	112.36	106.67

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	345	TPO	N-CA-CB-OG1
1	A	345	TPO	O-C-CA-CB

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
1	B	345	TPO	N-CA-CB-OG1
1	B	345	TPO	O-C-CA-CB

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	N9Z	A	501	-	26,28,28	1.55	3 (11%)	27,41,41	1.70	5 (18%)
2	N9Z	B	501	-	26,28,28	1.46	3 (11%)	27,41,41	1.86	7 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	N9Z	A	501	-	-	2/11/16/16	0/4/4/4
2	N9Z	B	501	-	-	1/11/16/16	0/4/4/4

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	N9Z	C8-C14	-4.03	1.38	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	N9Z	C8-N9	3.81	1.41	1.36
2	B	501	N9Z	C8-C14	-3.67	1.39	1.44
2	B	501	N9Z	C8-N9	3.12	1.40	1.36
2	B	501	N9Z	C11-C10	-2.72	1.48	1.53
2	A	501	N9Z	C16-N15	2.03	1.35	1.32

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	N9Z	C1-N2-C3	-4.15	123.78	127.94
2	B	501	N9Z	C3-N2-N25	4.11	114.42	112.08
2	A	501	N9Z	C1-N2-C3	-3.89	124.03	127.94
2	A	501	N9Z	C13-C10-N9	3.73	120.66	115.60
2	A	501	N9Z	C3-N2-N25	3.46	114.05	112.08
2	B	501	N9Z	C13-C10-N9	3.35	120.14	115.60
2	B	501	N9Z	C12-C10-N9	3.08	119.78	115.60
2	B	501	N9Z	C21-C22-C14	-2.46	116.47	119.55
2	A	501	N9Z	C1-N2-N25	2.35	121.91	120.03
2	A	501	N9Z	C21-C22-C14	-2.32	116.65	119.55
2	B	501	N9Z	C1-N2-N25	2.19	121.78	120.03
2	B	501	N9Z	N23-C6-N7	-2.18	122.68	126.25

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	N9Z	C3-C4-N5-C6
2	A	501	N9Z	C16-C17-C18-N19
2	B	501	N9Z	C3-C4-N5-C6


There are no ring outliers.


2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	N9Z	1	0
2	B	501	N9Z	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is

within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	277/308 (89%)	1.16	64 (23%) 2 2	35, 59, 123, 150	0
1	B	281/308 (91%)	1.26	66 (23%) 2 2	37, 59, 97, 132	0
All	All	558/616 (90%)	1.21	130 (23%) 2 2	35, 59, 118, 150	0

All (130) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	170	PHE	6.1
1	B	170	PHE	6.1
1	A	215	LEU	6.0
1	B	176	VAL	5.9
1	B	192	MET	5.6
1	B	178	ASN	5.6
1	B	201	TYR	5.2
1	B	186	SER	5.1
1	A	171	TYR	5.0
1	A	230	PHE	5.0
1	A	165	PHE	4.8
1	A	185	ILE	4.8
1	B	173	LEU	4.8
1	A	343	VAL	4.8
1	B	203	GLY	4.8
1	B	187	VAL	4.7
1	B	180	PHE	4.5
1	A	258	LEU	4.5
1	A	168	PHE	4.5
1	B	205	VAL	4.5
1	A	335	ALA	4.5
1	B	171	TYR	4.4
1	B	252	SER	4.4
1	A	176	VAL	4.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	252	SER	4.2
1	B	342	THR	4.2
1	B	183	ARG	4.1
1	A	251	PHE	4.1
1	A	178	ASN	4.1
1	A	348	ILE	4.1
1	B	458	THR	4.1
1	B	204	TYR	4.0
1	A	349	VAL	4.0
1	B	188	GLY	3.9
1	A	226	LEU	3.9
1	B	215	LEU	3.8
1	B	258	LEU	3.8
1	A	234	ILE	3.8
1	B	177	THR	3.7
1	B	179	ASN	3.7
1	B	336	SER	3.7
1	B	226	LEU	3.6
1	A	259	CYS	3.6
1	B	426	VAL	3.6
1	B	168	PHE	3.6
1	B	251	PHE	3.6
1	A	342	THR	3.5
1	A	260	LEU	3.5
1	B	223	THR	3.4
1	B	185	ILE	3.4
1	A	332	LEU	3.4
1	B	200	VAL	3.3
1	A	261	VAL	3.3
1	B	190	ASN	3.3
1	A	236	VAL	3.2
1	B	175	ASN	3.2
1	B	410	ILE	3.2
1	A	173	LEU	3.1
1	A	204	TYR	3.1
1	A	180	PHE	3.1
1	A	330	PHE	3.1
1	B	343	VAL	3.1
1	B	344	MET	3.1
1	A	195	GLY	3.1
1	A	344	MET	3.0
1	A	197	PHE	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	335	ALA	3.0
1	B	213	LYS	3.0
1	A	255	GLY	3.0
1	A	333	ALA	3.0
1	A	212	VAL	2.9
1	B	165	PHE	2.9
1	B	254	ASP	2.9
1	B	348	ILE	2.8
1	A	200	VAL	2.8
1	A	250	GLY	2.7
1	A	187	VAL	2.7
1	A	205	VAL	2.7
1	A	188	GLY	2.7
1	B	172	GLU	2.7
1	A	240	CYS	2.6
1	A	177	THR	2.6
1	B	166	HIS	2.6
1	A	199	VAL	2.6
1	B	212	VAL	2.6
1	B	439	GLU	2.6
1	A	331	GLY	2.6
1	A	166	HIS	2.5
1	B	206	ASN	2.5
1	A	246	VAL	2.5
1	B	236	VAL	2.5
1	A	249	LEU	2.5
1	B	255	GLY	2.5
1	A	213	LYS	2.5
1	B	259	CYS	2.5
1	B	189	GLY	2.5
1	B	209	THR	2.5
1	B	181	ASP	2.5
1	A	190	ASN	2.4
1	A	364	ILE	2.4
1	A	201	TYR	2.4
1	B	174	LYS	2.4
1	A	439	GLU	2.3
1	A	184	PRO	2.3
1	B	184	PRO	2.3
1	B	390	HIS	2.3
1	B	411	GLU	2.3
1	A	192	MET	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	352	THR	2.3
1	A	175	ASN	2.2
1	B	230	PHE	2.2
1	A	263	VAL	2.1
1	B	260	LEU	2.1
1	A	227	LYS	2.1
1	A	206	ASN	2.1
1	A	228	GLN	2.1
1	B	197	PHE	2.1
1	B	264	TYR	2.1
1	B	195	GLY	2.1
1	B	210	VAL	2.1
1	B	238	ALA	2.1
1	A	214	LYS	2.1
1	B	250	GLY	2.1
1	B	419	ASN	2.1
1	A	248	LEU	2.1
1	A	164	ARG	2.1
1	A	253	SER	2.0
1	B	287	MET	2.0
1	A	203	GLY	2.0
1	B	253	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	SEP	A	346	10/11	0.44	0.19	116,118,121,121	0
1	SEP	B	346	10/11	0.47	0.15	113,116,121,121	0
1	TPO	B	345	11/12	0.76	0.14	118,119,121,121	0
1	TPO	A	345	11/12	0.87	0.14	117,118,120,120	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	N9Z	A	501	25/25	0.96	0.08	48,52,56,59	0
2	N9Z	B	501	25/25	0.96	0.07	42,45,51,54	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around N9Z A 501:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around N9Z B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.