



Full wwPDB EM Validation Report ⓘ

Mar 9, 2026 – 02:56 AM UTC

PDB ID : 8THE / pdb_00008the
EMDB ID : EMD-41255
Title : Cryo-EM structure of Pseudomonas aeruginosa TonB-dependent transporter
PhuR in complex with synthetic antibody and heme
Authors : Knejski, P.; Erramilli, S.K.; Kossiakoff, A.A.
Deposited on : 2023-07-15
Resolution : 2.50 Å(reported)
Based on initial model : .

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	7115 (2.00 - 3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	777	 77% 14% 8%
2	H	238	 48% 5% 47%
3	L	215	 45% 5% 50%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 7682 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Heme/hemoglobin uptake outer membrane receptor PhuR.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	712	Total	C	N	O	S	0	0
			5629	3544	982	1098	5		

There are 38 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-12	MET	-	initiating methionine	UNP Q9HV88
A	-11	LYS	-	expression tag	UNP Q9HV88
A	-10	TYR	-	expression tag	UNP Q9HV88
A	-9	LEU	-	expression tag	UNP Q9HV88
A	-8	LEU	-	expression tag	UNP Q9HV88
A	-7	PRO	-	expression tag	UNP Q9HV88
A	-6	THR	-	expression tag	UNP Q9HV88
A	-5	ALA	-	expression tag	UNP Q9HV88
A	-4	ALA	-	expression tag	UNP Q9HV88
A	-3	ALA	-	expression tag	UNP Q9HV88
A	-2	GLY	-	expression tag	UNP Q9HV88
A	-1	LEU	-	expression tag	UNP Q9HV88
A	0	LEU	-	expression tag	UNP Q9HV88
A	1	LEU	-	expression tag	UNP Q9HV88
A	2	LEU	-	expression tag	UNP Q9HV88
A	3	ALA	-	expression tag	UNP Q9HV88
A	4	ALA	-	expression tag	UNP Q9HV88
A	5	GLN	-	expression tag	UNP Q9HV88
A	6	PRO	-	expression tag	UNP Q9HV88
A	7	ALA	-	expression tag	UNP Q9HV88
A	8	MET	-	expression tag	UNP Q9HV88
A	9	ALA	-	expression tag	UNP Q9HV88
A	10	MET	-	expression tag	UNP Q9HV88
A	11	GLY	-	expression tag	UNP Q9HV88
A	12	HIS	-	expression tag	UNP Q9HV88
A	13	HIS	-	expression tag	UNP Q9HV88
A	14	HIS	-	expression tag	UNP Q9HV88

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	15	HIS	-	expression tag	UNP Q9HV88
A	16	HIS	-	expression tag	UNP Q9HV88
A	17	HIS	-	expression tag	UNP Q9HV88
A	18	GLY	-	expression tag	UNP Q9HV88
A	19	GLU	-	expression tag	UNP Q9HV88
A	20	ASN	-	expression tag	UNP Q9HV88
A	21	LEU	-	expression tag	UNP Q9HV88
A	22	TYR	-	expression tag	UNP Q9HV88
A	23	PHE	-	expression tag	UNP Q9HV88
A	24	GLN	-	expression tag	UNP Q9HV88
A	25	GLY	-	expression tag	UNP Q9HV88


- Molecule 2 is a protein called Synthetic Antibody Heavy Chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	H	127	Total	C	N	O	S	0	0
			991	633	161	191	6		

- Molecule 3 is a protein called Synthetic Antibody Light Chain.


Mol	Chain	Residues	Atoms					AltConf	Trace
3	L	107	Total	C	N	O	S	0	0
			800	499	134	164	3		

- Molecule 4 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
4	A	1	Total	C	Fe	N	O	0
			43	34	1	4	4	


- Molecule 5 is (2 {R},4 {R},5 {S},6 {S})-6-[(1 {R})-1,2-bis(oxidanyl)ethyl]-2-[[[(2 {R},3 {S},4 {S},5 {R},6 {S})-5-[[[(3 {R})-3-dodecanoyloxytetradecanoyl]amino]-6-[[[(2 {R},3 {R},4 {R},5 {S},6 {S})-3-oxidanyl-5-[[[(3 {R})-3-oxidanyltetradecanoyl]amino]-4-[(3 {R})-3-oxidanyltetradecanoyl]oxy-6-phosphonoxy-oxan-2-yl]methoxy]-3-phosphonoxy-4-[(3 {S})-3-tetradecanoyloxytetradecanoyl]oxy-oxan-2-yl]methoxy]-4,5-bis(oxidanyl)oxane-2-carboxylic acid (CCD ID: CTQ) (formula: C₁₀₂H₁₉₀N₂O₃₂P₂).



Mol	Chain	Residues	Atoms					AltConf
5	A	1	Total	C	N	O	P	0
			138	102	2	32	2	

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		AltConf
6	A	67	Total	O	0
			67	67	
6	H	10	Total	O	0
			10	10	
6	L	4	Total	O	0
			4	4	



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	292512	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	900	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	3.210	Depositor
Minimum map value	-2.106	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.065	Depositor
Recommended contour level	0.35	Depositor
Map size (Å)	384.47998, 384.47998, 384.47998	wwPDB
Map dimensions	360, 360, 360	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.068, 1.068, 1.068	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CTQ, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.30	2/5770 (0.0%)	0.37	3/7822 (0.0%)
2	H	0.21	0/1020	0.36	0/1387
3	L	0.29	0/816	0.45	0/1106
All	All	0.29	2/7606 (0.0%)	0.38	3/10315 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	307	GLU	C-O	-6.30	1.16	1.24
1	A	702	TYR	C-O	-5.49	1.17	1.23

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	698	ASP	CA-CB-CG	7.27	119.87	112.60
1	A	75	GLU	CB-CA-C	5.71	115.58	110.44
1	A	74	TYR	N-CA-CB	-5.23	102.34	110.98

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	73	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5629	0	5360	60	0
2	H	991	0	926	8	0
3	L	800	0	784	6	0
4	A	43	0	30	2	0
5	A	138	0	0	2	0
6	A	67	0	0	5	0
6	H	10	0	0	1	0
6	L	4	0	0	1	0
All	All	7682	0	7100	75	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (75) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:721:LYS:HE2	5:A:802:CTQ:OG8	1.88	0.73
3:L:91:GLN:OE1	6:L:301:HOH:O	2.08	0.70
2:H:86:MET:HB3	2:H:89:LEU:HD21	1.78	0.66
1:A:354:THR:HG1	1:A:401:THR:HG1	1.42	0.66
1:A:261:LYS:HG2	1:A:307:GLU:HG2	1.80	0.62
1:A:111:LEU:HD21	1:A:128:VAL:HG23	1.82	0.62
2:H:4:GLU:OE1	6:H:301:HOH:O	2.16	0.61
1:A:513:PRO:HB3	1:A:537:LEU:HD23	1.84	0.60
1:A:467:THR:HG23	6:A:939:HOH:O	2.02	0.60
1:A:570:PHE:HB3	1:A:593:ILE:HB	1.84	0.59
2:H:16:GLN:HG3	2:H:17:PRO:HD2	1.84	0.59
1:A:64:ASN:ND2	6:A:902:HOH:O	2.23	0.59
1:A:388:ASN:HB3	1:A:431:ALA:HB3	1.86	0.58
1:A:595:ARG:HH11	1:A:632:LYS:HE3	1.69	0.57
1:A:71:LEU:HD11	1:A:136:VAL:HG11	1.85	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:801:HEM:HMB2	4:A:801:HEM:HBB2	1.86	0.56
1:A:226:LEU:HD21	1:A:743:PRO:HB2	1.88	0.55
4:A:801:HEM:HMC1	4:A:801:HEM:HBC2	1.87	0.55
1:A:296:GLN:HB2	1:A:343:PHE:HB3	1.90	0.53
1:A:306:ARG:HG3	1:A:334:ALA:HB2	1.90	0.53
1:A:531:ILE:HG13	1:A:588:PHE:HB2	1.90	0.53
3:L:23:THR:OG1	3:L:71:ASP:OD1	2.26	0.53
1:A:54:VAL:HG22	1:A:137:GLU:HG2	1.91	0.53
1:A:206:HIS:HB3	1:A:242:LEU:HB3	1.90	0.52
1:A:122:GLN:O	1:A:338:GLN:NE2	2.44	0.51
1:A:667:LEU:HB3	5:A:802:CTQ:C13	2.41	0.50
2:H:43:ALA:HB3	2:H:46:LYS:HD3	1.93	0.50
3:L:38:GLN:HB2	3:L:48:LEU:HD11	1.93	0.49
1:A:224:THR:HB	1:A:274:TYR:HB2	1.93	0.49
1:A:732:TYR:CZ	1:A:744:ALA:HB2	2.48	0.49
1:A:645:THR:HG23	1:A:668:VAL:HG22	1.95	0.49
2:H:105:TRP:CD1	2:H:108:SER:HB2	2.49	0.48
1:A:672:ASP:OD1	1:A:672:ASP:N	2.47	0.47
1:A:512:THR:HA	1:A:539:PRO:HB3	1.97	0.47
1:A:364:TRP:HB2	1:A:391:HIS:HB3	1.96	0.47
1:A:424:ASP:OD1	6:A:901:HOH:O	2.21	0.46
1:A:93:ASN:ND2	1:A:98:ASP:OD2	2.48	0.46
1:A:448:GLY:N	1:A:489:LYS:O	2.48	0.46
1:A:390:LYS:HB2	1:A:429:THR:HB	1.98	0.46
1:A:609:LEU:HD12	1:A:618:LEU:HG	1.98	0.46
1:A:352:LEU:HB2	1:A:405:LEU:HD21	1.98	0.46
1:A:444:THR:HB	1:A:493:THR:HB	1.96	0.45
1:A:762:TRP:CD2	1:A:764:ILE:HD11	2.51	0.45
3:L:21:THR:HG23	3:L:73:THR:HG23	1.97	0.45
1:A:202:ASP:OD2	1:A:248:ASN:ND2	2.43	0.45
1:A:709:LEU:HD11	1:A:760:LEU:HG	1.99	0.45
1:A:249:TYR:CZ	1:A:253:SER:HB3	2.52	0.44
1:A:367:ASP:OD1	1:A:388:ASN:ND2	2.37	0.44
1:A:57:ARG:NH2	6:A:904:HOH:O	2.36	0.44
1:A:260:GLU:OE2	1:A:306:ARG:NH2	2.44	0.44
1:A:333:LEU:HD13	1:A:362:ARG:HG3	2.00	0.44
1:A:417:GLU:HB2	1:A:466:ARG:HD3	2.00	0.44
1:A:470:GLN:HG3	2:H:111:TYR:HE1	1.83	0.44
1:A:762:TRP:CE2	1:A:764:ILE:HD11	2.52	0.44
2:H:16:GLN:HG3	2:H:17:PRO:CD	2.47	0.44
1:A:163:PRO:HG3	1:A:204:LEU:HB2	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:L:30:VAL:O	3:L:67:ARG:NH2	2.51	0.44
1:A:246:GLY:HA2	1:A:256:GLY:HA2	2.00	0.44
1:A:314:HIS:HD2	6:A:965:HOH:O	2.02	0.43
2:H:35:TYR:CD2	2:H:105:TRP:HB3	2.53	0.43
1:A:654:GLU:HG3	1:A:659:TYR:CE1	2.54	0.42
1:A:116:PHE:O	1:A:516:LYS:NZ	2.52	0.42
1:A:576:LEU:HD11	1:A:586:GLN:HB3	2.00	0.42
1:A:72:VAL:HG21	1:A:80:VAL:HG23	2.02	0.42
1:A:540:GLU:HG3	1:A:571:ILE:HG13	2.01	0.42
1:A:554:ASP:N	1:A:554:ASP:OD1	2.42	0.42
1:A:361:GLU:HG2	1:A:394:VAL:HG22	2.01	0.42
1:A:455:ARG:NH2	1:A:480:ASP:OD2	2.50	0.42
1:A:449:LEU:HD23	1:A:488:PRO:HA	2.03	0.41
3:L:15:SER:OG	3:L:108:LYS:HB3	2.21	0.41
1:A:57:ARG:HH12	1:A:131:ASP:HA	1.86	0.41
1:A:61:ASP:CG	1:A:176:ARG:HH22	2.28	0.40
1:A:427:VAL:HG22	1:A:456:MET:HG3	2.03	0.40
1:A:142:PRO:O	1:A:489:LYS:HE3	2.22	0.40
1:A:497:ALA:HB3	1:A:500:TYR:HD2	1.85	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	708/777 (91%)	696 (98%)	12 (2%)	0	100	100
2	H	125/238 (52%)	124 (99%)	1 (1%)	0	100	100
3	L	105/215 (49%)	101 (96%)	4 (4%)	0	100	100
All	All	938/1230 (76%)	921 (98%)	17 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	589/637 (92%)	585 (99%)	4 (1%)	76	89
2	H	103/200 (52%)	102 (99%)	1 (1%)	68	86
3	L	92/189 (49%)	92 (100%)	0	100	100
All	All	784/1026 (76%)	779 (99%)	5 (1%)	76	91

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	305	THR
1	A	306	ARG
1	A	365	VAL
1	A	737	GLU
2	H	15	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	314	HIS
1	A	505	GLN
1	A	658	ASN
2	H	85	GLN
3	L	28	GLN
3	L	39	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	CTQ	A	802	-	139,140,140	2.09	36 (25%)	166,176,176	2.04	40 (24%)
4	HEM	A	801	1	50,50,50	1.42	8 (16%)	67,82,82	1.13	5 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	CTQ	A	802	-	-	54/140/199/199	0/3/3/3
4	HEM	A	801	1	-	2/14/54/54	-

All (44) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	802	CTQ	CG7-NG6	8.54	1.52	1.34
5	A	802	CTQ	C29-C17	6.75	1.65	1.51
5	A	802	CTQ	CF8-NF7	6.54	1.47	1.34
5	A	802	CTQ	C29-C30	6.25	1.62	1.50
5	A	802	CTQ	O56-C49	5.27	1.56	1.43
5	A	802	CTQ	O32-C30	5.11	1.48	1.34
5	A	802	CTQ	O45-C44	4.86	1.54	1.42
5	A	802	CTQ	O32-C33	4.79	1.52	1.44
5	A	802	CTQ	OFO-CFP	4.38	1.46	1.34
5	A	802	CTQ	O16-C14	4.37	1.46	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	802	CTQ	O51-C50	4.03	1.50	1.44
5	A	802	CTQ	CEY-CEZ	-3.96	1.46	1.53
5	A	802	CTQ	PF3-OF2	3.85	1.66	1.59
5	A	802	CTQ	O51-C46	3.85	1.47	1.42
5	A	802	CTQ	OGM-CGN	3.74	1.44	1.34
5	A	802	CTQ	CFR-CFP	3.58	1.57	1.50
4	A	801	HEM	FE-ND	3.37	2.05	1.94
4	A	801	HEM	FE-NB	3.21	2.04	1.94
4	A	801	HEM	FE-NC	3.12	2.05	1.95
4	A	801	HEM	CAB-C3B	3.05	1.55	1.47
4	A	801	HEM	CAC-C3C	3.05	1.55	1.47
4	A	801	HEM	FE-NA	2.94	2.04	1.95
5	A	802	CTQ	C47-C46	2.87	1.56	1.52
5	A	802	CTQ	C48-C49	-2.76	1.48	1.52
5	A	802	CTQ	C46-CER	-2.74	1.48	1.54
5	A	802	CTQ	OG8-CG7	-2.54	1.18	1.23
5	A	802	CTQ	C33-C34	-2.49	1.49	1.53
5	A	802	CTQ	OF9-CF8	-2.47	1.18	1.23
5	A	802	CTQ	CGB-CGA	2.42	1.59	1.51
5	A	802	CTQ	C47-C48	-2.38	1.49	1.53
5	A	802	CTQ	CG9-CG7	2.36	1.56	1.51
5	A	802	CTQ	CGP-CGN	2.34	1.57	1.50
5	A	802	CTQ	CG9-CGA	2.34	1.56	1.51
5	A	802	CTQ	P40-O39	2.31	1.63	1.59
5	A	802	CTQ	C35-C34	2.25	1.56	1.53
5	A	802	CTQ	O36-C35	2.24	1.47	1.41
5	A	802	CTQ	P40-O41	-2.24	1.46	1.54
5	A	802	CTQ	O55-C52	-2.23	1.38	1.43
5	A	802	CTQ	O15-C14	-2.21	1.15	1.22
5	A	802	CTQ	CFT-CFS	2.20	1.58	1.52
4	A	801	HEM	CMC-C2C	2.15	1.55	1.50
4	A	801	HEM	CMB-C2B	2.13	1.55	1.50
5	A	802	CTQ	CFR-CFS	2.10	1.58	1.52
5	A	802	CTQ	C34-NG6	2.09	1.49	1.45

All (45) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	802	CTQ	CG9-CG7-NG6	8.47	127.83	116.25
5	A	802	CTQ	O16-C14-C13	6.43	125.39	111.48
5	A	802	CTQ	OG8-CG7-CG9	-6.35	112.26	121.54
5	A	802	CTQ	C33-C34-NG6	6.16	120.73	110.91

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	802	CTQ	C35-C34-C33	5.25	119.43	109.92
5	A	802	CTQ	O32-C30-C29	5.07	120.51	111.43
5	A	802	CTQ	PF3-OF2-CF0	-4.97	110.21	123.54
5	A	802	CTQ	CEY-CEX-CEW	4.70	119.60	109.57
5	A	802	CTQ	OGM-CGN-CGP	4.67	121.58	111.48
5	A	802	CTQ	O36-C35-C34	4.58	119.24	110.59
5	A	802	CTQ	OF1-CF0-CEZ	4.53	119.16	110.59
5	A	802	CTQ	O51-C50-C49	4.48	114.77	108.50
5	A	802	CTQ	OFO-CFP-CFR	4.35	119.22	111.43
5	A	802	CTQ	CFA-CF8-NF7	4.26	122.08	116.25
5	A	802	CTQ	O16-C17-C18	3.65	117.33	107.26
5	A	802	CTQ	C33-C38-C37	3.60	117.95	110.58
5	A	802	CTQ	CF0-CEZ-CEY	3.53	116.31	109.92
5	A	802	CTQ	OF9-CF8-CFA	-3.34	116.66	121.54
5	A	802	CTQ	C34-NG6-CG7	-3.25	118.10	122.90
5	A	802	CTQ	O32-C33-C34	3.20	113.83	107.92
5	A	802	CTQ	OF2-CF0-CEZ	3.15	114.09	108.40
5	A	802	CTQ	C44-C37-C38	-3.14	105.77	113.35
5	A	802	CTQ	O31-C30-C29	-3.06	117.55	124.65
5	A	802	CTQ	C17-O16-C14	3.04	125.07	117.80
5	A	802	CTQ	C38-C33-C34	2.98	116.10	110.55
5	A	802	CTQ	CF0-OF1-CEW	2.97	119.53	113.72
5	A	802	CTQ	O41-P40-O39	2.65	116.17	105.85
5	A	802	CTQ	OF1-CEW-CEX	2.60	114.38	109.70
5	A	802	CTQ	O16-C14-O15	-2.56	117.73	123.70
5	A	802	CTQ	OFQ-CFP-CFR	-2.55	118.73	124.65
4	A	801	HEM	C4D-ND-C1D	2.46	108.13	105.21
4	A	801	HEM	C3D-C4D-ND	-2.39	107.55	110.17
5	A	802	CTQ	OF1-CF0-OF2	-2.38	108.26	111.36
5	A	802	CTQ	O36-C37-C38	2.36	114.61	109.72
5	A	802	CTQ	C47-C48-C49	-2.32	108.59	110.84
5	A	802	CTQ	O32-C33-C38	2.29	112.80	108.25
5	A	802	CTQ	O39-C38-C37	-2.27	103.96	108.76
4	A	801	HEM	C1B-NB-C4B	2.25	107.87	105.21
5	A	802	CTQ	C46-O51-C50	2.22	119.58	114.36
5	A	802	CTQ	OGM-CGN-OGO	-2.22	118.52	123.70
4	A	801	HEM	C2A-C1A-NA	-2.20	107.71	110.15
5	A	802	CTQ	CEV-CEW-CEX	2.18	116.63	112.07
5	A	802	CTQ	CEY-CEZ-NF7	2.13	114.31	110.91
4	A	801	HEM	C3B-C2B-C1B	2.11	107.99	106.41
5	A	802	CTQ	C35-C34-NG6	-2.02	107.52	110.92

There are no chirality outliers.

All (56) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	802	CTQ	C18-C17-O16-C14
5	A	802	CTQ	O15-C14-O16-C17
5	A	802	CTQ	C34-C35-OEU-CEV
5	A	802	CTQ	O55-C52-C53-O54
5	A	802	CTQ	CFA-CFB-CFC-CFD
5	A	802	CTQ	NG6-CG7-CG9-CGA
5	A	802	CTQ	OG8-CG7-CG9-CGA
5	A	802	CTQ	CG7-CG9-CGA-CGB
5	A	802	CTQ	CG7-CG9-CGA-OGM
5	A	802	CTQ	OGO-CGN-OGM-CGA
5	A	802	CTQ	CGP-CGN-OGM-CGA
5	A	802	CTQ	C13-C14-O16-C17
5	A	802	CTQ	C50-C52-C53-O54
5	A	802	CTQ	CGN-CGP-CGQ-CGR
5	A	802	CTQ	OFN-CFB-CFC-CFD
5	A	802	CTQ	O36-C35-OEU-CEV
5	A	802	CTQ	CFD-CFE-CFF-CFG
5	A	802	CTQ	CGB-CGC-CGD-CGE
5	A	802	CTQ	CFW-CFX-CFY-CFZ
5	A	802	CTQ	CGD-CGE-CGF-CGG
5	A	802	CTQ	CGV-CGW-CGX-CGY
5	A	802	CTQ	C02-C03-C04-C05
5	A	802	CTQ	CFY-CFZ-CG0-CG1
5	A	802	CTQ	CGE-CGF-CGG-CGH
5	A	802	CTQ	CFG-CFH-CFI-CFJ
5	A	802	CTQ	CGF-CGG-CGH-CGI
5	A	802	CTQ	CGI-CGJ-CGK-CGL
5	A	802	CTQ	O16-C17-C18-C19
5	A	802	CTQ	CGU-CGV-CGW-CGX
5	A	802	CTQ	C06-C07-C08-C09
5	A	802	CTQ	CFT-CFU-CFV-CFW
5	A	802	CTQ	CEZ-CEY-OFO-CFP
5	A	802	CTQ	O16-C17-C29-C30
5	A	802	CTQ	CFE-CFF-CFG-CFH
5	A	802	CTQ	C09-C10-C11-C12
5	A	802	CTQ	CFU-CFV-CFW-CFX
5	A	802	CTQ	C24-C25-C26-C27
5	A	802	CTQ	CGH-CGI-CGJ-CGK
5	A	802	CTQ	CGR-CGS-CGT-CGU
5	A	802	CTQ	C17-C18-C19-C20
5	A	802	CTQ	CGG-CGH-CGI-CGJ
5	A	802	CTQ	C10-C11-C12-C13

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
5	A	802	CTQ	C29-C17-C18-C19
4	A	801	HEM	CAD-CBD-CGD-O2D
5	A	802	CTQ	CGQ-CGR-CGS-CGT
4	A	801	HEM	CAD-CBD-CGD-O1D
5	A	802	CTQ	C01-C02-C03-C04
5	A	802	CTQ	C37-C44-O45-C46
5	A	802	CTQ	OEU-CEV-CEW-OF1
5	A	802	CTQ	C07-C08-C09-C10
5	A	802	CTQ	C21-C22-C23-C24
5	A	802	CTQ	CGA-CGB-CGC-CGD
5	A	802	CTQ	CFX-CFY-CFZ-CG0
5	A	802	CTQ	CFJ-CFK-CFL-CFM
5	A	802	CTQ	CFV-CFW-CFX-CFY
5	A	802	CTQ	CF0-OF2-PF3-OF6


There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	802	CTQ	2	0
4	A	801	HEM	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-41255. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 180




Y Index: 180




Z Index: 180


6.2.2 Raw map



X Index: 180



Y Index: 180




Z Index: 180


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 177



Y Index: 167




Z Index: 157


6.3.2 Raw map



X Index: 175



Y Index: 167




Z Index: 154


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z

6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.35. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.

6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_41255_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 54 nm³; this corresponds to an approximate mass of 48 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.400 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.400 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.50	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.39	4.04	3.47

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.39 differs from the reported value 2.5 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-41255 and PDB model 8THE. Per-residue inclusion information can be found in [section 3](#) on [page 6](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.35 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.35).

9.4 Atom inclusion [i](#)



At the recommended contour level, 98% of all backbone atoms, 94% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.35) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.9410	0.6640
A	0.9420	0.6660
H	0.9600	0.6680
L	0.9160	0.6480

