



Full wwPDB EM Validation Report ⓘ

Mar 9, 2026 – 11:01 AM UTC

PDB ID : 7TJF / pdb_00007tjf
EMDB ID : EMD-25924
Title : S. cerevisiae ORC bound to 84 bp ARS1 DNA
Authors : Schmidt, J.M.; Yang, R.; Kumar, A.; Hunker, O.; Bleichert, F.
Deposited on : 2022-01-16
Resolution : 2.60 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	8728 (2.10 - 3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	917	45% 8% 47%
2	B	620	37% . 59%
3	C	616	6% 79% 11% 10%
4	D	532	71% 9% . 19%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	E	479	82%10%8%
6	F	435	5%33%63%
7	G	84	45%51%
8	H	84	43%6%51%

2 Entry composition [i](#)

There are 11 unique types of molecules in this entry. The entry contains 21125 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Origin recognition complex subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	486	Total	C	N	O	S	0	0
			3897	2488	668	723	18		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	SER	-	expression tag	UNP P54784
A	-1	ASN	-	expression tag	UNP P54784
A	0	ALA	-	expression tag	UNP P54784

- Molecule 2 is a protein called Origin recognition complex subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	254	Total	C	N	O	S	0	0
			2103	1363	348	383	9		

- Molecule 3 is a protein called Origin recognition complex subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	554	Total	C	N	O	S	0	0
			4575	2962	746	851	16		

- Molecule 4 is a protein called Origin recognition complex subunit 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	433	Total	C	N	O	S	0	0
			3536	2266	600	657	13		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	-2	SER	-	expression tag	UNP P54791

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-1	ASN	-	expression tag	UNP P54791
D	0	ALA	-	expression tag	UNP P54791

- Molecule 5 is a protein called Origin recognition complex subunit 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	440	Total	C	N	O	S	0	0
			3608	2349	586	661	12		

- Molecule 6 is a protein called Origin recognition complex subunit 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	160	Total	C	N	O	S	0	0
			1335	858	225	240	12		


- Molecule 7 is a DNA chain called DNA, 84 bp ARS1.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	G	41	Total	C	N	O	P	0	0
			832	405	132	255	40		

- Molecule 8 is a DNA chain called DNA, 84 bp ARS1.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	H	41	Total	C	N	O	P	0	0
			846	405	165	235	41		

- Molecule 9 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: C₁₀H₁₆N₅O₁₃P₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
9	A	1	Total	C	N	O	P	0
			31	10	5	13	3	
9	D	1	Total	C	N	O	P	0
			31	10	5	13	3	
9	E	1	Total	C	N	O	P	0
			31	10	5	13	3	

- Molecule 10 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
10	A	1	Total	Mg	0
			1	1	
10	D	1	Total	Mg	0
			1	1	
10	E	1	Total	Mg	0
			1	1	

- Molecule 11 is water.

Mol	Chain	Residues	Atoms		AltConf
11	A	46	Total	O	0
			46	46	
11	B	38	Total	O	0
			38	38	
11	C	12	Total	O	0
			12	12	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
11	D	96	Total 96	O 96	0
11	E	63	Total 63	O 63	0
11	F	1	Total 1	O 1	0
11	G	22	Total 22	O 22	0
11	H	19	Total 19	O 19	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Origin recognition complex subunit 1





• Molecule 2: Origin recognition complex subunit 2






- Molecule 5: Origin recognition complex subunit 5




- Molecule 6: Origin recognition complex subunit 6



- Molecule 7: DNA, 84 bp ARS1



- Molecule 8: DNA, 84 bp ARS1



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	238056	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	6.6	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	1600	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.089	Depositor
Minimum map value	-0.024	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.002	Depositor
Recommended contour level	0.01	Depositor
Map size (Å)	258.0, 258.0, 258.0	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.86, 0.86, 0.86	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ATP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.30	0/3956	0.57	1/5319 (0.0%)
2	B	0.23	0/2156	0.50	0/2915
3	C	0.22	0/4673	0.51	1/6307 (0.0%)
4	D	0.23	0/3598	0.47	0/4860
5	E	0.19	0/3691	0.45	0/5008
6	F	0.21	0/1357	0.54	0/1828
7	G	0.24	0/928	0.54	0/1431
8	H	0.22	0/953	0.48	0/1468
All	All	0.24	0/21312	0.51	2/29136 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	779	MET	CB-CG-SD	5.63	129.59	112.70
3	C	27	PRO	CB-CA-C	5.35	118.02	111.12

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3897	0	4011	43	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	2103	0	2078	24	0
3	C	4575	0	4537	49	0
4	D	3536	0	3594	35	0
5	E	3608	0	3648	40	0
6	F	1335	0	1372	10	0
7	G	832	0	474	2	0
8	H	846	0	462	4	0
9	A	31	0	12	1	0
9	D	31	0	12	1	0
9	E	31	0	12	0	0
10	A	1	0	0	0	0
10	D	1	0	0	0	0
10	E	1	0	0	0	0
11	A	46	0	0	2	0
11	B	38	0	0	3	0
11	C	12	0	0	3	0
11	D	96	0	0	5	0
11	E	63	0	0	12	0
11	F	1	0	0	0	0
11	G	22	0	0	0	0
11	H	19	0	0	1	0
All	All	21125	0	20212	171	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (171) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:340:TYR:CE1	3:C:29:LEU:HD21	1.94	1.03
5:E:136:ASP:OD1	11:E:1101:HOH:O	1.79	0.98
2:B:415:PRO:O	11:B:701:HOH:O	1.81	0.97
2:B:340:TYR:OH	3:C:29:LEU:CD2	2.16	0.93
5:E:169:THR:HG22	11:E:1154:HOH:O	1.69	0.93
1:A:867:ASP:OD1	11:A:1101:HOH:O	1.88	0.88
4:D:470:THR:HG22	11:D:1168:HOH:O	1.74	0.87
5:E:184:ILE:O	11:E:1102:HOH:O	1.95	0.85
2:B:340:TYR:CZ	3:C:29:LEU:HD21	2.12	0.84
2:B:479:ASP:OD2	11:B:702:HOH:O	2.00	0.80
2:B:340:TYR:OH	3:C:29:LEU:HD21	1.84	0.77
2:B:340:TYR:OH	3:C:29:LEU:HD23	1.84	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:568:LEU:HD21	1:A:579:MET:HE3	1.69	0.75
2:B:340:TYR:HE1	3:C:29:LEU:HD21	1.47	0.74
3:C:180:ASP:OD1	11:C:701:HOH:O	2.07	0.71
2:B:371:ASN:OD1	11:B:703:HOH:O	2.10	0.69
9:D:1001:ATP:O1G	11:D:1101:HOH:O	2.08	0.69
8:H:44:DG:N3	11:H:102:HOH:O	2.26	0.68
2:B:340:TYR:CZ	3:C:29:LEU:CD2	2.78	0.64
1:A:718:GLU:OE1	4:D:84:ARG:NH2	2.29	0.64
3:C:240:ILE:HD12	3:C:247:ILE:HG13	1.79	0.64
3:C:25:VAL:O	3:C:27:PRO:HD3	1.99	0.63
1:A:474:THR:HG23	1:A:619:PHE:HB3	1.82	0.62
1:A:547:GLU:HG2	1:A:585:TRP:HE1	1.66	0.61
3:C:129:ILE:HG23	3:C:149:LYS:HE3	1.83	0.60
3:C:481:PRO:HD2	5:E:418:ILE:HG12	1.83	0.60
1:A:450:PRO:O	1:A:451:ALA:HB3	2.02	0.59
5:E:83:TYR:HA	5:E:86:LYS:HE2	1.85	0.59
1:A:687:ASP:OD1	1:A:687:ASP:N	2.36	0.58
4:D:59:GLN:HG2	4:D:64:LEU:HD11	1.87	0.57
3:C:133:PRO:HG3	3:C:210:SER:HB2	1.87	0.57
4:D:315:ASP:O	4:D:321:ASN:ND2	2.37	0.56
4:D:299:SER:HB3	4:D:302:VAL:HG23	1.87	0.56
1:A:653:LYS:HG3	1:A:654:THR:HG23	1.88	0.56
3:C:459:ASP:OD1	3:C:463:GLN:NE2	2.38	0.56
3:C:291:LYS:HD3	3:C:338:ILE:HD12	1.87	0.55
4:D:105:GLN:HB3	4:D:335:PRO:HG2	1.89	0.55
1:A:896:ILE:HG13	1:A:897:SER:H	1.73	0.55
1:A:364:ASN:ND2	5:E:103:GLU:OE1	2.36	0.54
1:A:645:ASP:HB3	1:A:681:ARG:HH21	1.72	0.54
3:C:190:ASN:OD1	3:C:193:ARG:NH1	2.41	0.54
5:E:153:ASN:HB3	11:E:1151:HOH:O	2.07	0.54
3:C:84:LYS:NZ	3:C:115:LYS:O	2.40	0.54
2:B:244:GLU:HG3	5:E:353:LYS:HE3	1.90	0.53
5:E:218:ARG:NH1	5:E:221:GLU:OE1	2.41	0.53
6:F:329:PHE:O	6:F:336:ARG:NH1	2.42	0.53
1:A:362:LYS:NZ	7:G:32:DT:O2	2.42	0.53
6:F:332:PHE:HB3	6:F:335:ARG:HD3	1.90	0.52
3:C:261:ARG:NH2	5:E:260:ASP:OD1	2.42	0.52
1:A:568:LEU:HD22	1:A:597:ALA:HB1	1.91	0.52
1:A:536:ARG:NH2	4:D:179:GLU:OE2	2.44	0.51
5:E:216:ARG:HA	5:E:219:ILE:HG12	1.93	0.51
1:A:359:LYS:NZ	8:H:53:DA:OP1	2.39	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:580:TYR:O	1:A:584:ASN:HB2	2.10	0.51
3:C:111:ASP:OD1	3:C:311:ASN:ND2	2.42	0.51
4:D:395:ALA:HB2	4:D:506:MET:HE2	1.93	0.51
2:B:267:PRO:HG2	3:C:577:ASP:HB3	1.93	0.50
3:C:433:ILE:HG13	3:C:435:LYS:HG3	1.93	0.50
3:C:224:LYS:HE2	3:C:258:LEU:HD22	1.94	0.50
1:A:489:VAL:HG11	1:A:564:LEU:HD13	1.94	0.50
5:E:178:ARG:NH2	11:E:1114:HOH:O	2.44	0.50
5:E:164:ILE:HG22	11:E:1134:HOH:O	2.12	0.49
4:D:136:ILE:HG23	5:E:105:PRO:HB2	1.94	0.49
4:D:224:GLY:C	4:D:226:VAL:H	2.21	0.49
3:C:288:VAL:HB	3:C:292:LEU:HB2	1.94	0.49
2:B:262:THR:OG1	2:B:263:MET:N	2.46	0.48
3:C:186:SER:HA	3:C:189:GLU:HG2	1.94	0.48
3:C:257:ARG:NH2	11:C:702:HOH:O	2.45	0.48
2:B:274:PHE:O	2:B:278:SER:OG	2.25	0.48
2:B:293:LEU:HA	2:B:296:ILE:HD12	1.94	0.48
3:C:483:TYR:HB3	11:E:1144:HOH:O	2.13	0.48
6:F:292:PHE:HE1	6:F:346:ILE:HG23	1.79	0.47
1:A:459:ILE:HG22	1:A:492:VAL:HG11	1.96	0.47
1:A:387:ASP:OD2	1:A:389:THR:OG1	2.33	0.47
2:B:240:LEU:HD12	6:F:371:GLU:HG2	1.96	0.47
3:C:185:LEU:HB3	5:E:66:GLU:HB3	1.96	0.47
3:C:502:ASP:OD1	3:C:502:ASP:N	2.45	0.47
4:D:55:ARG:HB2	4:D:298:ILE:HD11	1.96	0.47
4:D:75:LEU:HD23	4:D:276:PRO:HG2	1.96	0.47
4:D:385:ASP:OD1	5:E:249:SER:OG	2.32	0.47
1:A:421:THR:HG21	1:A:718:GLU:HG3	1.97	0.47
1:A:431:ASN:O	1:A:639:ARG:NH1	2.39	0.47
1:A:584:ASN:O	1:A:587:THR:OG1	2.32	0.47
1:A:362:LYS:HB2	8:H:55:DA:H5"	1.96	0.47
1:A:881:LYS:NZ	11:A:1110:HOH:O	2.44	0.47
4:D:226:VAL:O	4:D:227:ARG:C	2.57	0.47
6:F:294:LEU:HD11	6:F:324:VAL:HG13	1.96	0.46
1:A:885:LYS:HB3	4:D:476:GLY:HA3	1.97	0.46
5:E:194:VAL:N	11:E:1103:HOH:O	2.19	0.46
1:A:600:ASN:HD22	4:D:262:LYS:HE3	1.81	0.46
1:A:639:ARG:HG3	1:A:707:LEU:HD11	1.98	0.46
6:F:361:ASP:N	6:F:361:ASP:OD1	2.49	0.46
3:C:107:LEU:HB3	3:C:268:VAL:HG21	1.97	0.46
4:D:418:MET:HG3	4:D:526:TRP:CD2	2.50	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:569:ASP:HA	1:A:572:VAL:HG12	1.98	0.46
9:A:1001:ATP:O2G	4:D:267:ARG:NH1	2.44	0.46
5:E:194:VAL:HG12	11:E:1103:HOH:O	2.16	0.46
6:F:305:GLU:HG2	6:F:323:LEU:HD21	1.98	0.46
5:E:170:MET:HE2	5:E:170:MET:HB3	1.87	0.46
1:A:452:ARG:NH2	1:A:625:THR:O	2.48	0.45
2:B:460:TYR:OH	5:E:384:GLU:OE1	2.33	0.45
1:A:636:ILE:HD11	1:A:706:ALA:HB1	1.98	0.45
5:E:218:ARG:HE	5:E:271:SER:HA	1.80	0.45
4:D:349:LYS:HA	4:D:349:LYS:HD3	1.82	0.45
1:A:715:GLU:OE2	4:D:84:ARG:NE	2.43	0.45
2:B:312:PHE:HE1	3:C:319:LYS:HG3	1.80	0.45
5:E:133:ASP:HA	5:E:169:THR:HB	1.98	0.45
5:E:358:GLN:HG2	6:F:314:VAL:HG12	1.99	0.45
3:C:253:GLN:NE2	5:E:297:ASP:O	2.50	0.45
5:E:243:ILE:HG21	5:E:262:ILE:HG13	1.98	0.45
2:B:249:GLN:OE1	3:C:613:TRP:NE1	2.41	0.45
3:C:374:ALA:HA	3:C:377:ILE:HD12	1.98	0.45
3:C:598:LYS:HD3	5:E:446:PRO:HB2	1.98	0.44
4:D:144:ASN:CG	11:D:1112:HOH:O	2.59	0.44
5:E:139:GLN:NE2	11:E:1115:HOH:O	2.45	0.44
5:E:69:SER:HB3	11:E:1146:HOH:O	2.16	0.44
1:A:475:ILE:HG23	1:A:620:THR:HB	1.98	0.44
4:D:97:SER:O	4:D:269:SER:OG	2.36	0.44
2:B:433:ARG:HA	2:B:438:GLN:HE21	1.83	0.44
4:D:493:GLN:NE2	5:E:438:ASN:OD1	2.38	0.44
3:C:104:THR:O	3:C:263:TYR:HA	2.16	0.44
1:A:697:ALA:HA	1:A:701:GLY:HA2	2.00	0.43
4:D:524:TYR:O	4:D:527:THR:OG1	2.34	0.43
1:A:683:ARG:O	1:A:772:THR:HA	2.18	0.43
8:H:24:DT:H2"	8:H:25:DT:H5"	1.99	0.43
5:E:84:LYS:O	5:E:88:LEU:HB2	2.17	0.43
1:A:842:VAL:HA	1:A:845:ILE:HG22	2.01	0.43
3:C:470:ASN:CB	11:C:712:HOH:O	2.66	0.43
5:E:38:TYR:O	5:E:43:LYS:NZ	2.51	0.43
4:D:90:ILE:HG23	4:D:127:PHE:HB3	1.99	0.43
3:C:437:ASP:OD1	3:C:437:ASP:N	2.49	0.43
5:E:68:VAL:HG13	5:E:139:GLN:HB2	2.00	0.43
1:A:450:PRO:O	1:A:451:ALA:CB	2.65	0.43
1:A:808:LEU:O	1:A:812:MET:HG3	2.19	0.43
6:F:338:LYS:HB3	6:F:338:LYS:HE2	1.79	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:565:LEU:HD22	1:A:571:MET:HE1	2.01	0.42
3:C:253:GLN:HA	3:C:256:ILE:HD12	2.01	0.42
1:A:475:ILE:HD12	1:A:596:ILE:HG12	2.00	0.42
1:A:833:ILE:HG21	1:A:850:PHE:HE2	1.85	0.42
2:B:382:LEU:HD21	3:C:24:THR:HG21	2.00	0.42
1:A:576:GLN:H	1:A:576:GLN:HG3	1.66	0.42
3:C:470:ASN:N	3:C:470:ASN:OD1	2.52	0.42
4:D:112:LEU:HD13	4:D:215:ILE:HD12	2.02	0.41
4:D:335:PRO:HA	4:D:338:LYS:HE3	2.02	0.41
3:C:241:ASN:HD22	5:E:430:LEU:HD21	1.84	0.41
1:A:433:SER:HB2	4:D:240:HIS:HA	2.02	0.41
1:A:474:THR:HA	1:A:595:VAL:O	2.20	0.41
2:B:340:TYR:CE1	3:C:29:LEU:CD2	2.84	0.41
4:D:103:PRO:O	4:D:106:SER:OG	2.33	0.41
7:G:28:DT:H1'	7:G:29:DT:H5'	2.02	0.41
4:D:409:ASN:OD1	4:D:453:LYS:NZ	2.54	0.41
3:C:405:HIS:CE1	3:C:455:PHE:HB2	2.56	0.41
4:D:408:PHE:HB3	4:D:500:ASP:HA	2.02	0.41
5:E:277:ASN:HB3	5:E:284:LEU:HB2	2.01	0.41
3:C:344:ASP:N	3:C:344:ASP:OD1	2.48	0.41
5:E:205:ARG:NH1	5:E:259:ASN:OD1	2.42	0.41
5:E:476:ASP:OD1	5:E:476:ASP:N	2.54	0.41
5:E:368:LYS:NZ	5:E:476:ASP:O	2.43	0.40
3:C:107:LEU:HD22	3:C:268:VAL:HG11	2.03	0.40
3:C:184:ASP:OD1	3:C:186:SER:OG	2.28	0.40
3:C:537:ILE:HD13	3:C:537:ILE:HA	1.94	0.40
2:B:239:PHE:CE1	5:E:353:LYS:HD2	2.57	0.40
3:C:431:LEU:HG	3:C:436:LEU:HD13	2.03	0.40
4:D:262:LYS:HG3	11:D:1151:HOH:O	2.20	0.40
5:E:193:ASN:HB2	11:E:1103:HOH:O	2.21	0.40
4:D:227:ARG:HH11	4:D:227:ARG:HD2	1.76	0.40
4:D:470:THR:CG2	11:D:1168:HOH:O	2.52	0.40
6:F:349:LYS:O	6:F:352:SER:HB2	2.21	0.40
2:B:306:PHE:CE2	3:C:326:MET:HB3	2.56	0.40
4:D:147:ALA:HB2	4:D:184:ILE:HD11	2.03	0.40
5:E:161:LYS:HD3	5:E:161:LYS:HA	1.88	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	476/917 (52%)	468 (98%)	8 (2%)	0	100	100
2	B	250/620 (40%)	240 (96%)	10 (4%)	0	100	100
3	C	542/616 (88%)	528 (97%)	14 (3%)	0	100	100
4	D	425/532 (80%)	420 (99%)	5 (1%)	0	100	100
5	E	432/479 (90%)	423 (98%)	9 (2%)	0	100	100
6	F	158/435 (36%)	155 (98%)	3 (2%)	0	100	100
All	All	2283/3599 (63%)	2234 (98%)	49 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	431/815 (53%)	418 (97%)	13 (3%)	36	64
2	B	237/573 (41%)	235 (99%)	2 (1%)	73	88
3	C	516/576 (90%)	506 (98%)	10 (2%)	50	75
4	D	400/490 (82%)	390 (98%)	10 (2%)	42	69
5	E	407/440 (92%)	404 (99%)	3 (1%)	76	89
6	F	153/406 (38%)	151 (99%)	2 (1%)	61	82
All	All	2144/3300 (65%)	2104 (98%)	40 (2%)	49	75

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	405	ARG
1	A	421	THR
1	A	453	GLU
1	A	498	SER
1	A	560	THR
1	A	566	ASP
1	A	615	SER
1	A	687	ASP
1	A	693	SER
1	A	724	LYS
1	A	840	LYS
1	A	892	VAL
1	A	893	LYS
2	B	278	SER
2	B	480	ILE
3	C	63	GLN
3	C	112	SER
3	C	114	THR
3	C	260	LYS
3	C	313	ASN
3	C	357	CYS
3	C	367	LEU
3	C	485	SER
3	C	524	LEU
3	C	533	MET
4	D	51	SER
4	D	69	LYS
4	D	77	ASP
4	D	226	VAL
4	D	262	LYS
4	D	270	GLN
4	D	303	SER
4	D	359	LYS
4	D	453	LYS
4	D	493	GLN
5	E	3	VAL
5	E	249	SER
5	E	379	SER
6	F	356	THR
6	F	368	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (28)

such sidechains are listed below:

Mol	Chain	Res	Type
1	A	556	ASN
1	A	581	ASN
1	A	906	ASN
2	B	284	ASN
2	B	297	GLN
2	B	371	ASN
2	B	405	GLN
3	C	71	GLN
3	C	103	ASN
3	C	212	ASN
3	C	214	ASN
3	C	218	ASN
3	C	253	GLN
3	C	400	ASN
3	C	532	ASN
4	D	80	GLN
4	D	144	ASN
4	D	280	ASN
4	D	371	GLN
4	D	505	GLN
5	E	58	HIS
5	E	101	GLN
5	E	147	ASN
5	E	163	ASN
5	E	182	HIS
5	E	238	ASN
5	E	248	HIS
5	E	253	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 6 ligands modelled in this entry, 3 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
9	ATP	D	1001	10	32,33,33	0.44	0	48,52,52	0.31	0
9	ATP	E	1001	10	32,33,33	0.41	0	48,52,52	0.28	0
9	ATP	A	1001	10	32,33,33	0.38	0	48,52,52	0.29	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	ATP	D	1001	10	-	0/22/38/38	0/3/3/3
9	ATP	E	1001	10	-	5/22/38/38	0/3/3/3
9	ATP	A	1001	10	-	3/22/38/38	0/3/3/3

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (8) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
9	E	1001	ATP	C5'-O5'-PA-O1A
9	A	1001	ATP	O4'-C4'-C5'-O5'
9	A	1001	ATP	C3'-C4'-C5'-O5'
9	E	1001	ATP	PA-O3A-PB-O1B
9	E	1001	ATP	C5'-O5'-PA-O2A
9	E	1001	ATP	C5'-O5'-PA-O3A
9	A	1001	ATP	PA-O3A-PB-O2B
9	E	1001	ATP	PA-O3A-PB-O2B


There are no ring outliers.


2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	D	1001	ATP	1	0
9	A	1001	ATP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-25924. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 150




Y Index: 150




Z Index: 150


6.2.2 Raw map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 134




Y Index: 164




Z Index: 124


6.3.2 Raw map



X Index: 134



Y Index: 164




Z Index: 124


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)


6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.01. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 125 nm³; this corresponds to an approximate mass of 113 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.385 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of $0.385 \text{ \AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.60	-	-
Author-provided FSC curve	2.55	2.94	2.59
Unmasked-calculated*	2.96	3.39	3.01

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 2.96 differs from the reported value 2.6 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-25924 and PDB model 7TJF. Per-residue inclusion information can be found in section [3](#) on page [8](#).


9.1 Map-model overlay [i](#)



X




Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.01 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)

This section was not generated.

9.4 Atom inclusion ⓘ



At the recommended contour level, 88% of all backbone atoms, 86% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.01) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8590	0.5850
A	0.8630	0.5820
B	0.9090	0.6130
C	0.8010	0.5610
D	0.9260	0.6180
E	0.8820	0.5960
F	0.6910	0.4930
G	0.9270	0.5990
H	0.9180	0.5970

1.0

0.0

<0.0