



Full wwPDB EM Validation Report ⓘ

Mar 28, 2026 – 07:48 AM UTC

PDB ID : 8TJY / pdb_00008tjy
EMDB ID : EMD-41314
Title : Structure of Gabija AB complex
Authors : Shen, Z.F.; Yang, X.Y.; Fu, T.M.
Deposited on : 2023-07-24
Resolution : 2.79 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.79 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	10811 (2.29 - 3.29)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	578	
1	C	578	
1	E	578	
1	G	578	

Continued on next page...

Mol	Chain	Length	Quality of chain
2	B	494	 42% 55%
2	D	494	 42% 55%
2	F	494	 41% 55%
2	H	494	 41% 55%

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 22692 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Endonuclease GajA.


Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	476	Total	C	N	O	S	0	0
			3892	2500	643	736	13		
1	C	476	Total	C	N	O	S	0	0
			3892	2500	643	736	13		
1	E	476	Total	C	N	O	S	0	0
			3892	2500	643	736	13		
1	G	476	Total	C	N	O	S	0	0
			3892	2500	643	736	13		

- Molecule 2 is a protein called Gabija protein GajB.


Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	221	Total	C	N	O	S	0	0
			1781	1146	294	338	3		
2	D	221	Total	C	N	O	S	0	0
			1781	1146	294	338	3		
2	F	221	Total	C	N	O	S	0	0
			1781	1146	294	338	3		
2	H	221	Total	C	N	O	S	0	0
			1781	1146	294	338	3		



Chain D: 42% 55%



Chain H: 41% 55%



LEU	ARG
ASN	ASN
GLN	GLN
ALA	ALA
ILE	ILE
GLU	GLU
ILE	ILE
LYS	ILE
MET	ILE
GLU	LYS
ILE	GLN
GLN	GLN
LYS	LEU
LEU	ILE
ASN	ASN
GLU	ILE
GLU	GLU
GLY	GLY
PHE	PHE
LEU	ASN
ASN	PHE
VAL	PHE
ASN	ILE
PRO	ILE
ASN	PHE
ILE	ILE
ILE	ILE
ASN	PRO
ASN	GLN
PRO	GLN
ASN	GLN
GLN	THR
VAL	THR
LEU	PRO
ILE	PRO
ILE	LEU
ASN	ASN
ASP	ASP
GLN	ARG
ARG	ALA
ALA	ALA
VAL	THR
LEU	THR
ILE	PRO
ASN	ASN
LEU	ALA
PHE	THR
ALA	ALA
HIS	LEU
TYR	LYS
ASN	LEU
ASN	LYS
ARG	GLU
ASP	ILE
THR	ILE
THR	THR
LEU	LYS
ASP	LYS
THR	TYR
VAL	VAL
LYS	LYS
ASN	ASN
GLU	GLU
ILE	ILE
THR	THR
THR	THR
ALA	ALA
ARG	ARG
ALA	ALA
LYS	LYS
ASP	ASP
LYS	LYS
LEU	LEU
ILE	ILE
VAL	VAL
ILE	ILE
MET	MET
ASP	ASP
GLY	GLY
ASN	ASN

ALA
PHE
ASP
THR
ASN
ASP
GLU
TYR
ILE
GLU
THR
HIS
LYS
MET
ILE
PHE
THR
THR
VAL
VAL
HIS
SER
ALA
LYS
ASN
GLY
LEU
GLU
PHE
ASN
ASN
GLN
VAL
VAL
ILE
ILE
THR
THR
ALA
ALA
SER
THR
ASP
ASN
TYR
ASN
VAL
HIS
TYR
ASN
ASN
ARG
ASP
THR
THR
ASN
GLU
HIS
TYR
VAL
ALA
THR
THR
ALA
ARG
ALA
LYS
ASP
LYS
LEU
ILE
VAL
ILE
MET
ASP
ASN

LYS
LYS
TYR
SER
ASP
TYR
ILE
GLU
THR
LEU
MET
LYS
GLU
GLU
LEU
LYS
ILE
LYS
ASN
ILE
ILE
LYS
SER
ILE

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	942091	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	1.794	Depositor
Minimum map value	-0.021	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.022	Depositor
Recommended contour level	0.07	Depositor
Map size ($\text{\AA}$)	358.4, 358.4, 358.4	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	1.12, 1.12, 1.12	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.12	0/3959	0.28	0/5315
1	C	0.12	0/3959	0.28	0/5315
1	E	0.13	0/3959	0.28	0/5315
1	G	0.12	0/3959	0.28	0/5315
2	B	0.10	0/1817	0.23	0/2442
2	D	0.10	0/1817	0.22	0/2442
2	F	0.10	0/1817	0.23	0/2442
2	H	0.10	0/1817	0.23	0/2442
All	All	0.12	0/23104	0.26	0/31028

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3892	0	3942	33	0
1	C	3892	0	3942	35	0
1	E	3892	0	3942	32	0
1	G	3892	0	3942	32	0
2	B	1781	0	1767	11	0
2	D	1781	0	1767	10	0
2	F	1781	0	1767	12	0
2	H	1781	0	1767	13	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	22692	0	22836	156	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (156) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:527:ILE:O	1:G:439:LYS:NZ	2.10	0.84
1:A:527:ILE:O	1:E:439:LYS:NZ	2.10	0.83
1:A:439:LYS:NZ	1:E:527:ILE:O	2.10	0.83
1:C:439:LYS:NZ	1:G:527:ILE:O	2.11	0.82
1:A:271:ASN:OD1	1:A:272:TYR:N	2.16	0.79
1:C:271:ASN:OD1	1:C:272:TYR:N	2.16	0.79
1:A:531:GLU:OE2	1:E:440:GLY:N	2.16	0.78
1:C:531:GLU:OE2	1:G:440:GLY:N	2.16	0.78
1:A:440:GLY:N	1:E:531:GLU:OE2	2.16	0.78
1:C:440:GLY:N	1:G:531:GLU:OE2	2.17	0.77
1:G:271:ASN:OD1	1:G:272:TYR:N	2.16	0.77
1:E:271:ASN:OD1	1:E:272:TYR:N	2.16	0.77
1:A:393:GLU:OE2	1:A:554:THR:OG1	2.04	0.75
1:C:393:GLU:OE2	1:C:554:THR:OG1	2.04	0.75
1:E:393:GLU:OE2	1:E:554:THR:OG1	2.03	0.74
1:G:393:GLU:OE2	1:G:554:THR:OG1	2.04	0.73
2:D:125:THR:HG22	2:D:126:TYR:H	1.59	0.66
1:A:4:SER:OG	1:A:76:ASP:OD2	2.14	0.65
1:C:4:SER:OG	1:C:76:ASP:OD2	2.15	0.65
1:E:4:SER:OG	1:E:76:ASP:OD2	2.19	0.61
1:G:4:SER:OG	1:G:76:ASP:OD2	2.20	0.60
1:A:377:LEU:HD22	1:A:406:LEU:HD23	1.84	0.60
1:C:377:LEU:HD22	1:C:406:LEU:HD23	1.84	0.60
1:G:377:LEU:HD22	1:G:406:LEU:HD23	1.84	0.60
1:E:377:LEU:HD22	1:E:406:LEU:HD23	1.84	0.59
2:H:125:THR:HG22	2:H:126:TYR:H	1.69	0.57
2:F:125:THR:HG22	2:F:126:TYR:N	2.20	0.56
2:F:125:THR:HG22	2:F:126:TYR:H	1.70	0.56
2:B:31:ILE:HG23	2:B:44:ILE:CD1	2.35	0.56
2:D:31:ILE:HG23	2:D:44:ILE:CD1	2.35	0.56
2:H:31:ILE:HG23	2:H:44:ILE:CD1	2.35	0.56
2:H:125:THR:HG22	2:H:126:TYR:N	2.20	0.56
2:F:31:ILE:HG23	2:F:44:ILE:CD1	2.36	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:125:THR:HG22	2:B:126:TYR:N	2.20	0.56
1:C:148:VAL:HG12	1:C:282:ILE:HD12	1.88	0.56
1:A:148:VAL:HG12	1:A:282:ILE:HD12	1.88	0.56
1:E:148:VAL:HG12	1:E:282:ILE:HD12	1.88	0.55
1:G:148:VAL:HG12	1:G:282:ILE:HD12	1.88	0.55
2:B:125:THR:HG22	2:B:126:TYR:H	1.70	0.55
1:C:431:THR:HG22	1:C:432:ASP:N	2.23	0.53
1:G:280:ASP:OD1	1:G:280:ASP:N	2.42	0.52
1:E:431:THR:HG22	1:E:432:ASP:N	2.24	0.52
1:G:431:THR:HG22	1:G:432:ASP:N	2.23	0.52
1:A:431:THR:HG22	1:A:432:ASP:N	2.24	0.52
2:B:140:ASP:OD1	2:B:144:LYS:NZ	2.40	0.52
2:D:140:ASP:OD1	2:D:144:LYS:NZ	2.41	0.51
1:E:451:ASN:O	1:E:455:ASN:ND2	2.44	0.51
1:G:451:ASN:O	1:G:455:ASN:ND2	2.44	0.51
1:C:496:GLU:N	1:C:496:GLU:OE1	2.42	0.51
1:A:451:ASN:O	1:A:455:ASN:ND2	2.44	0.51
2:H:104:ASP:OD1	2:H:105:ASN:N	2.43	0.51
1:C:451:ASN:O	1:C:455:ASN:ND2	2.44	0.51
1:E:547:GLU:O	1:E:551:ASN:ND2	2.38	0.51
1:A:496:GLU:N	1:A:496:GLU:OE1	2.42	0.51
1:A:547:GLU:O	1:A:551:ASN:ND2	2.38	0.50
1:C:547:GLU:O	1:C:551:ASN:ND2	2.38	0.50
1:E:86:THR:HG22	1:E:90:ILE:HD12	1.94	0.50
1:G:547:GLU:O	1:G:551:ASN:ND2	2.39	0.50
1:A:86:THR:HG22	1:A:90:ILE:HD12	1.93	0.50
2:D:104:ASP:OD1	2:D:105:ASN:N	2.42	0.50
1:G:86:THR:HG22	1:G:90:ILE:HD12	1.94	0.50
1:A:280:ASP:OD1	1:A:280:ASP:N	2.42	0.50
2:B:97:ASN:O	2:B:121:ASN:ND2	2.45	0.50
1:C:280:ASP:OD1	1:C:280:ASP:N	2.42	0.49
2:F:97:ASN:O	2:F:121:ASN:ND2	2.45	0.49
1:C:86:THR:HG22	1:C:90:ILE:HD12	1.94	0.49
1:G:496:GLU:N	1:G:496:GLU:OE1	2.42	0.49
1:E:496:GLU:N	1:E:496:GLU:OE1	2.42	0.49
1:E:271:ASN:HB2	1:E:311:THR:HG21	1.96	0.48
1:G:271:ASN:HB2	1:G:311:THR:HG21	1.96	0.48
2:B:104:ASP:OD1	2:B:105:ASN:N	2.44	0.48
2:H:97:ASN:O	2:H:121:ASN:ND2	2.47	0.48
2:F:104:ASP:OD1	2:F:105:ASN:N	2.44	0.48
2:B:9:ASP:O	2:B:30:LYS:NZ	2.43	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:271:ASN:HB2	1:C:311:THR:HG21	1.96	0.48
1:C:292:ILE:HG23	1:G:292:ILE:HG23	1.95	0.47
1:A:271:ASN:HB2	1:A:311:THR:HG21	1.97	0.47
1:A:292:ILE:HG23	1:E:292:ILE:HG23	1.96	0.47
2:D:9:ASP:O	2:D:30:LYS:NZ	2.43	0.47
2:D:18:GLY:O	2:D:23:LYS:NZ	2.48	0.47
2:D:97:ASN:O	2:D:121:ASN:ND2	2.48	0.47
1:G:377:LEU:CD2	1:G:406:LEU:HD23	2.44	0.47
2:F:120:GLN:O	2:H:120:GLN:O	2.33	0.47
2:F:9:ASP:O	2:F:30:LYS:NZ	2.44	0.47
2:H:18:GLY:O	2:H:23:LYS:NZ	2.48	0.46
2:B:18:GLY:O	2:B:23:LYS:NZ	2.49	0.46
1:E:377:LEU:CD2	1:E:406:LEU:HD23	2.45	0.46
1:G:126:TRP:CH2	1:G:136:ILE:HG23	2.51	0.46
1:E:126:TRP:CH2	1:E:136:ILE:HG23	2.51	0.46
2:H:9:ASP:O	2:H:30:LYS:NZ	2.45	0.46
2:H:140:ASP:OD1	2:H:144:LYS:NZ	2.40	0.46
2:F:18:GLY:O	2:F:23:LYS:NZ	2.49	0.46
1:A:115:ASP:O	1:A:118:LEU:HD12	2.16	0.46
1:C:115:ASP:O	1:C:118:LEU:HD12	2.16	0.46
2:F:140:ASP:OD1	2:F:144:LYS:NZ	2.39	0.46
1:C:377:LEU:CD2	1:C:406:LEU:HD23	2.45	0.46
1:G:115:ASP:O	1:G:118:LEU:HD12	2.16	0.46
1:A:377:LEU:CD2	1:A:406:LEU:HD23	2.45	0.45
1:E:115:ASP:O	1:E:118:LEU:HD12	2.16	0.45
2:B:120:GLN:O	2:D:120:GLN:O	2.34	0.45
1:E:271:ASN:OD1	1:E:271:ASN:C	2.60	0.45
1:G:271:ASN:OD1	1:G:271:ASN:C	2.60	0.45
1:E:280:ASP:OD1	1:E:280:ASP:N	2.42	0.45
1:A:126:TRP:CH2	1:A:136:ILE:HG23	2.51	0.45
1:C:126:TRP:CH2	1:C:136:ILE:HG23	2.51	0.45
1:G:431:THR:HG22	1:G:432:ASP:H	1.82	0.45
1:C:271:ASN:OD1	1:C:271:ASN:C	2.60	0.44
1:A:271:ASN:OD1	1:A:271:ASN:C	2.60	0.44
1:C:431:THR:HG22	1:C:432:ASP:H	1.81	0.44
1:C:298:MET:HE3	1:G:30:MET:HE3	2.00	0.44
1:A:298:MET:HE3	1:E:30:MET:HE3	2.00	0.43
2:D:125:THR:HG22	2:D:126:TYR:N	2.31	0.43
1:A:555:LYS:NZ	1:A:559:ASP:OD1	2.47	0.43
1:E:431:THR:HG22	1:E:432:ASP:H	1.83	0.43
2:F:205:GLU:OE1	2:F:205:GLU:N	2.49	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:292:ILE:HG23	1:E:292:ILE:HD12	2.01	0.43
1:C:292:ILE:HG23	1:G:292:ILE:HD12	2.01	0.43
1:C:292:ILE:HD12	1:G:292:ILE:HG23	2.01	0.43
1:A:30:MET:HE3	1:E:298:MET:HE3	2.00	0.43
1:E:541:LYS:O	1:E:545:MET:HG2	2.19	0.43
1:A:22:ASP:HB2	1:A:332:ARG:HG2	2.00	0.43
1:C:22:ASP:HB2	1:C:332:ARG:HG2	1.99	0.43
1:A:292:ILE:HD12	1:E:292:ILE:HG23	2.01	0.43
1:C:30:MET:HE3	1:G:298:MET:HE3	2.00	0.43
1:C:555:LYS:NZ	1:C:559:ASP:OD1	2.48	0.43
1:C:14:PHE:HD2	1:C:17:VAL:HG21	1.84	0.42
1:G:22:ASP:HB2	1:G:332:ARG:HG2	2.00	0.42
1:A:14:PHE:HD2	1:A:17:VAL:HG21	1.84	0.42
1:E:22:ASP:HB2	1:E:332:ARG:HG2	2.00	0.42
1:G:124:LEU:CB	1:G:136:ILE:HD12	2.50	0.42
1:C:124:LEU:CB	1:C:136:ILE:HD12	2.50	0.42
1:E:124:LEU:CB	1:E:136:ILE:HD12	2.50	0.42
1:A:124:LEU:CB	1:A:136:ILE:HD12	2.50	0.42
2:D:121:ASN:C	2:D:121:ASN:HD22	2.27	0.42
1:E:14:PHE:HD2	1:E:17:VAL:HG21	1.84	0.42
1:C:148:VAL:CG1	1:C:282:ILE:HD12	2.50	0.41
1:E:537:LEU:HD11	1:E:545:MET:SD	2.60	0.41
1:G:14:PHE:HD2	1:G:17:VAL:HG21	1.84	0.41
1:G:555:LYS:NZ	1:G:559:ASP:OD1	2.48	0.41
2:F:121:ASN:C	2:F:121:ASN:HD22	2.27	0.41
2:H:121:ASN:C	2:H:121:ASN:HD22	2.27	0.41
1:A:148:VAL:CG1	1:A:282:ILE:HD12	2.51	0.41
2:B:125:THR:CG2	2:B:126:TYR:H	2.34	0.41
1:A:124:LEU:HB3	1:A:136:ILE:HD12	2.03	0.41
1:A:311:THR:HG22	1:A:311:THR:O	2.21	0.41
2:B:121:ASN:C	2:B:121:ASN:HD22	2.28	0.41
1:C:311:THR:O	1:C:311:THR:HG22	2.21	0.41
1:C:439:LYS:HE3	1:G:528:PHE:HA	2.03	0.41
1:G:124:LEU:HB3	1:G:136:ILE:HD12	2.03	0.41
1:C:124:LEU:HB3	1:C:136:ILE:HD12	2.03	0.40
2:H:110:TYR:O	2:H:114:LEU:HD12	2.21	0.40
2:H:125:THR:CG2	2:H:126:TYR:H	2.33	0.40
1:E:555:LYS:NZ	1:E:559:ASP:OD1	2.49	0.40
1:A:14:PHE:CD2	1:A:17:VAL:HG21	2.56	0.40
1:C:14:PHE:CD2	1:C:17:VAL:HG21	2.56	0.40
2:F:120:GLN:HB3	2:H:120:GLN:HB3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	472/578 (82%)	452 (96%)	20 (4%)	0	100	100
1	C	472/578 (82%)	453 (96%)	19 (4%)	0	100	100
1	E	472/578 (82%)	452 (96%)	20 (4%)	0	100	100
1	G	472/578 (82%)	452 (96%)	20 (4%)	0	100	100
2	B	217/494 (44%)	209 (96%)	8 (4%)	0	100	100
2	D	217/494 (44%)	209 (96%)	8 (4%)	0	100	100
2	F	217/494 (44%)	210 (97%)	7 (3%)	0	100	100
2	H	217/494 (44%)	209 (96%)	8 (4%)	0	100	100
All	All	2756/4288 (64%)	2646 (96%)	110 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	435/529 (82%)	435 (100%)	0	100	100
1	C	435/529 (82%)	435 (100%)	0	100	100
1	E	435/529 (82%)	435 (100%)	0	100	100
1	G	435/529 (82%)	435 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	192/448 (43%)	192 (100%)	0	100	100
2	D	192/448 (43%)	192 (100%)	0	100	100
2	F	192/448 (43%)	192 (100%)	0	100	100
2	H	192/448 (43%)	192 (100%)	0	100	100
All	All	2508/3908 (64%)	2508 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	5	ASN
1	A	18	ASN
1	C	5	ASN
1	C	18	ASN
1	C	31	ASN
2	D	105	ASN
1	E	5	ASN
1	E	18	ASN
1	E	31	ASN
1	E	535	HIS
1	G	5	ASN
1	G	18	ASN
1	G	31	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-41314. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 160




Y Index: 160




Z Index: 160


6.2.2 Raw map



X Index: 160



Y Index: 160




Z Index: 160

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 176




Y Index: 173




Z Index: 165


6.3.2 Raw map



X Index: 144



Y Index: 173




Z Index: 166


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.07. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 129 nm³; this corresponds to an approximate mass of 117 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.358 $\text{\AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of $0.358 \text{ \AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.79	-	-
Author-provided FSC curve	2.79	3.05	2.83
Unmasked-calculated*	3.08	3.29	3.10

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.08 differs from the reported value 2.79 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-41314 and PDB model 8TJY. Per-residue inclusion information can be found in section [3](#) on page [5](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.07 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.07).

9.4 Atom inclusion [i](#)



At the recommended contour level, 92% of all backbone atoms, 86% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.07) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8620	0.5340
A	0.8820	0.5570
B	0.8090	0.4860
C	0.8840	0.5570
D	0.8190	0.4860
E	0.8810	0.5540
F	0.8200	0.4880
G	0.8870	0.5560
H	0.8130	0.4820

1.0

0.0

<0.0