



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 09:11 PM UTC

PDB ID : 5TKY / pdb_00005tky
Title : Crystal structure of the co-translational Hsp70 chaperone Ssb in the ATP-bound, open conformation
Authors : Gumiero, A.; Gese, G.V.; Weyer, F.A.; Lapouge, K.; Sinning, I.
Deposited on : 2016-10-10
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	621	
1	B	621	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 9273 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative uncharacterized protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	597	Total	C	N	O	S	0	1	0
			4578	2877	780	906	15			
1	B	591	Total	C	N	O	S	0	2	0
			4545	2860	775	895	15			

There are 50 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-6	MET	-	initiating methionine	UNP G0SCU5
A	-5	GLY	-	expression tag	UNP G0SCU5
A	-4	HIS	-	expression tag	UNP G0SCU5
A	-3	HIS	-	expression tag	UNP G0SCU5
A	-2	HIS	-	expression tag	UNP G0SCU5
A	-1	HIS	-	expression tag	UNP G0SCU5
A	0	HIS	-	expression tag	UNP G0SCU5
A	1	HIS	-	expression tag	UNP G0SCU5
A	2	ALA	-	expression tag	UNP G0SCU5
A	3	GLU	-	expression tag	UNP G0SCU5
A	?	-	LYS	deletion	UNP G0SCU5
A	?	-	ALA	deletion	UNP G0SCU5
A	?	-	PRO	deletion	UNP G0SCU5
A	?	-	VAL	deletion	UNP G0SCU5
A	?	-	PRO	deletion	UNP G0SCU5
A	?	-	LEU	deletion	UNP G0SCU5
A	?	-	PRO	deletion	UNP G0SCU5
A	?	-	ARG	deletion	UNP G0SCU5
A	?	-	TRP	deletion	UNP G0SCU5
A	?	-	LEU	deletion	UNP G0SCU5
A	?	-	ARG	deletion	UNP G0SCU5
A	51	CYS	GLU	conflict	UNP G0SCU5
A	208	ALA	THR	conflict	UNP G0SCU5
A	534	CYS	ASP	conflict	UNP G0SCU5
A	614	ARG	-	expression tag	UNP G0SCU5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-6	MET	-	initiating methionine	UNP G0SCU5
B	-5	GLY	-	expression tag	UNP G0SCU5
B	-4	HIS	-	expression tag	UNP G0SCU5
B	-3	HIS	-	expression tag	UNP G0SCU5
B	-2	HIS	-	expression tag	UNP G0SCU5
B	-1	HIS	-	expression tag	UNP G0SCU5
B	0	HIS	-	expression tag	UNP G0SCU5
B	1	HIS	-	expression tag	UNP G0SCU5
B	2	ALA	-	expression tag	UNP G0SCU5
B	3	GLU	-	expression tag	UNP G0SCU5
B	?	-	LYS	deletion	UNP G0SCU5
B	?	-	ALA	deletion	UNP G0SCU5
B	?	-	PRO	deletion	UNP G0SCU5
B	?	-	VAL	deletion	UNP G0SCU5
B	?	-	PRO	deletion	UNP G0SCU5
B	?	-	LEU	deletion	UNP G0SCU5
B	?	-	PRO	deletion	UNP G0SCU5
B	?	-	ARG	deletion	UNP G0SCU5
B	?	-	TRP	deletion	UNP G0SCU5
B	?	-	LEU	deletion	UNP G0SCU5
B	?	-	ARG	deletion	UNP G0SCU5
B	51	CYS	GLU	conflict	UNP G0SCU5
B	208	ALA	THR	conflict	UNP G0SCU5
B	534	CYS	ASP	conflict	UNP G0SCU5
B	614	ARG	-	expression tag	UNP G0SCU5

- Molecule 2 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
2	B	1	Total	C	N	O	P	0	0
			31	10	5	13	3		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		
3	B	1	Total	Mg	0	0
			1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	43	Total	O	0	0
			43	43		
4	B	43	Total	O	0	0
			43	43		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Putative uncharacterized protein



• Molecule 1: Putative uncharacterized protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	66.93Å 128.24Å 79.68Å 90.00° 93.22° 90.00°	Depositor
Resolution (Å)	46.43 – 2.60 46.43 – 2.60	Depositor EDS
% Data completeness (in resolution range)	98.1 (46.43-2.60) 87.8 (46.43-2.60)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.79 (at 2.61Å)	Xtriage
Refinement program	PHENIX (1.10_2155: ???)	Depositor
R, R_{free}	0.228 , 0.264 0.232 , 0.265	Depositor DCC
R_{free} test set	1978 reflections (4.79%)	wwPDB-VP
Wilson B-factor (Å ²)	47.1	Xtriage
Anisotropy	0.564	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 50.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	9273	wwPDB-VP
Average B, all atoms (Å ²)	58.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.34% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.12	0/4641	0.31	0/6264
1	B	0.11	0/4604	0.29	0/6210
All	All	0.11	0/9245	0.30	0/12474

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4578	0	4630	47	0
1	B	4545	0	4607	54	0
2	A	31	0	12	0	0
2	B	31	0	12	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	43	0	0	1	0
4	B	43	0	0	0	0
All	All	9273	0	9261	98	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (98) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:548:GLU:HG2	1:A:586:LEU:HD21	1.51	0.93
1:A:70:ILE:HG21	1:A:122:ILE:HD13	1.75	0.69
1:B:70:ILE:HG21	1:B:122:ILE:HD13	1.78	0.66
1:B:203:ASP:HA	1:B:341:VAL:O	1.96	0.66
1:A:443:VAL:HG13	1:A:466:LEU:HB3	1.79	0.63
1:A:289:ASP:OD2	1:B:266:ARG:NH1	2.32	0.63
1:A:72:ASP:OD1	1:A:235:GLN:NE2	2.28	0.62
1:B:480:GLU:HB3	1:B:496:THR:O	1.99	0.62
1:B:184:ILE:HD11	1:B:398:LEU:HD11	1.82	0.62
1:B:286:ILE:O	1:B:298:ASN:HA	2.00	0.62
1:B:410:MET:HG3	1:B:416:ALA:HB2	1.82	0.62
1:A:25:GLU:OE2	1:A:387:LYS:NZ	2.33	0.62
1:A:443:VAL:HG12	1:A:469:ILE:HD11	1.86	0.58
1:A:262:ARG:NH2	1:B:287:GLU:OE1	2.37	0.57
1:A:604:LYS:O	1:A:608:THR:OG1	2.18	0.57
1:B:244:TYR:OH	1:B:305:ARG:NH1	2.37	0.57
1:B:191:GLY:O	1:B:192:LYS:HB2	2.06	0.55
1:B:255:LYS:NZ	1:B:293:ASP:OD2	2.40	0.55
1:A:235:GLN:NE2	4:A:804:HOH:O	2.39	0.55
1:B:291:LEU:HD12	1:B:297:PHE:HB2	1.88	0.55
1:B:550:TYR:CZ	1:B:604:LYS:HG2	2.41	0.55
1:A:244:TYR:OH	1:A:305:ARG:NH2	2.41	0.54
1:A:257:LEU:HD22	1:A:291:LEU:HD22	1.88	0.54
1:B:24:TYR:CD1	1:B:29:VAL:HG22	2.42	0.54
1:B:193:SER:HB2	1:B:195:LYS:HD3	1.90	0.54
1:B:289:ASP:N	1:B:289:ASP:OD1	2.42	0.52
1:B:106:VAL:O	1:B:116:THR:HA	2.10	0.52
1:A:289:ASP:OD1	1:A:289:ASP:N	2.40	0.52
1:B:325:LEU:HD21	1:B:332[B]:LYS:HG3	1.92	0.51
1:A:202:TYR:CG	1:A:354:LEU:HD11	2.46	0.51
1:B:593:ALA:O	1:B:597:LYS:HG2	2.12	0.50
1:A:12:ILE:HD13	1:A:130:MET:HG3	1.94	0.49
1:A:52:ARG:HH21	1:A:125:MET:HE2	1.77	0.48
1:A:132:GLU:O	1:A:136:THR:HG23	2.13	0.48
1:A:603:LEU:O	1:A:607:VAL:HG12	2.12	0.48
1:A:536:ALA:O	1:A:540:ARG:HG2	2.12	0.48
1:A:318:LEU:HD11	1:A:353:LEU:HB3	1.95	0.48
1:B:342:GLY:O	1:B:345:THR:OG1	2.27	0.48
1:B:465:THR:HB	1:B:507:THR:HG22	1.96	0.48
1:A:7:ASP:OD1	1:A:7:ASP:N	2.47	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:446:PRO:HB2	1:B:448:TYR:CE2	2.49	0.47
1:A:234:GLY:HA2	1:A:237:PHE:CD2	2.50	0.47
1:B:201:ILE:O	1:B:211:VAL:HA	2.14	0.47
1:B:601:LEU:O	1:B:605:ARG:HG2	2.14	0.47
1:A:321:VAL:O	1:A:324:VAL:HG12	2.14	0.47
1:B:551:ILE:HG23	1:B:579:LEU:HD12	1.97	0.47
1:B:548:GLU:HB2	1:B:586:LEU:HD21	1.96	0.47
1:A:443:VAL:HG11	1:A:479:LEU:HD13	1.97	0.46
1:B:253:THR:C	1:B:255:LYS:H	2.23	0.46
1:A:330:ILE:HG23	1:A:334:GLN:HB2	1.97	0.46
1:B:435:THR:HG22	1:B:437:ALA:H	1.80	0.46
1:B:83:ASP:HB2	1:B:86:VAL:HG13	1.97	0.46
1:A:143:GLU:O	1:A:171:ASN:N	2.41	0.45
1:A:551:ILE:HG23	1:A:579:LEU:HD22	1.97	0.45
1:B:132:GLU:OE2	1:B:531:LYS:NZ	2.30	0.45
1:B:224:LYS:HD3	1:B:224:LYS:HA	1.83	0.45
1:A:184:ILE:HD11	1:A:398:LEU:HD11	1.99	0.45
1:A:466:LEU:HD11	1:A:504:ALA:HB1	1.98	0.45
1:A:389:THR:O	1:A:391:ALA:N	2.44	0.45
1:B:90:MET:HE3	1:B:90:MET:HB2	1.81	0.44
1:A:199:VAL:HG21	1:A:216:ILE:HD12	1.99	0.44
1:A:262:ARG:NH1	1:B:289:ASP:OD1	2.50	0.44
1:A:547:LEU:HD12	1:A:586:LEU:HD13	1.99	0.44
1:A:336:ASP:C	1:A:361:LYS:HZ1	2.23	0.44
1:B:21:VAL:HG13	1:B:32:ILE:HB	1.99	0.44
1:B:290:SER:O	1:B:292:PHE:N	2.51	0.44
1:B:432:THR:HG23	1:B:478:VAL:HG23	1.99	0.44
1:B:289:ASP:O	1:B:291:LEU:N	2.49	0.43
1:B:444:GLN:HA	1:B:464:PHE:O	2.18	0.43
1:A:21:VAL:HG13	1:A:32:ILE:HB	2.00	0.43
1:A:148:THR:HG21	1:A:373:VAL:HG12	2.00	0.43
1:B:574:LYS:HG3	1:B:606:LEU:HD21	2.01	0.43
1:A:558:ILE:HG12	1:A:572:LYS:HE3	2.00	0.43
1:A:152:TYR:CE2	1:A:227:ALA:HA	2.55	0.42
1:B:154:ASN:O	1:B:158:ARG:HG3	2.19	0.42
1:A:14:LEU:HD22	1:A:127:LEU:HD21	2.02	0.42
1:B:14:LEU:HD22	1:B:127:LEU:HD21	2.01	0.42
1:A:203:ASP:HA	1:A:341:VAL:O	2.19	0.42
1:B:588:ILE:HG22	1:B:590:ASP:H	1.85	0.42
1:B:65:ASN:ND2	1:B:68:ASN:HB2	2.34	0.42
1:A:30:GLU:OE1	1:A:137:LYS:NZ	2.52	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:547:LEU:HD23	1:B:586:LEU:HD13	2.01	0.41
1:B:177:ASN:HD22	1:B:400:ASP:CG	2.28	0.41
1:B:467:ALA:HB3	1:B:468:PRO:HD3	2.01	0.41
1:B:234:GLY:HA2	1:B:237:PHE:CD2	2.55	0.41
1:A:472:MET:HB2	1:A:477:PRO:HD3	2.02	0.41
1:A:482:VAL:O	1:A:493:VAL:HA	2.20	0.41
1:B:16:THR:HG21	1:B:207:GLY:HA3	2.02	0.41
1:B:288:ILE:HG12	1:B:291:LEU:HG	2.01	0.41
1:A:525:SER:O	1:A:529:LYS:HG3	2.21	0.41
1:B:16:THR:OG1	1:B:74:LYS:HD3	2.21	0.41
1:B:45:VAL:HG22	1:B:54:ILE:HG12	2.02	0.41
1:A:362:LYS:HA	1:A:362:LYS:HD3	1.95	0.41
1:B:213:LEU:O	1:B:224:LYS:N	2.53	0.40
1:A:497:GLU:HG3	1:A:499:THR:O	2.21	0.40
1:B:288:ILE:HD11	1:B:291:LEU:HA	2.04	0.40
1:A:65:ASN:ND2	1:A:68:ASN:HB2	2.36	0.40
1:B:575:ILE:O	1:B:579:LEU:HD23	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	592/621 (95%)	576 (97%)	15 (2%)	1 (0%)	43	66
1	B	585/621 (94%)	563 (96%)	17 (3%)	5 (1%)	14	30
All	All	1177/1242 (95%)	1139 (97%)	32 (3%)	6 (0%)	24	46

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	192	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	291	LEU
1	A	502	ARG
1	B	193	SER
1	B	468	PRO
1	B	189	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	496/516 (96%)	465 (94%)	31 (6%)	16	36
1	B	492/516 (95%)	460 (94%)	32 (6%)	15	35
All	All	988/1032 (96%)	925 (94%)	63 (6%)	16	35

All (63) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	VAL
1	A	12	ILE
1	A	29	VAL
1	A	50	ASN
1	A	56	GLU
1	A	73	VAL
1	A	98	VAL
1	A	99	ASP
1	A	106	VAL
1	A	136	THR
1	A	152	TYR
1	A	153	PHE
1	A	161	THR
1	A	201	ILE
1	A	288	ILE
1	A	298	ASN
1	A	324	VAL
1	A	339	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	345	THR
1	A	380	GLN
1	A	411	GLU
1	A	425	VAL
1	A	443	VAL
1	A	452	ARG
1	A	478	VAL
1	A	493	VAL
1	A	496	THR
1	A	507	THR
1	A	542	GLU
1	A	547	LEU
1	A	554	VAL
1	B	5	VAL
1	B	27	THR
1	B	29	VAL
1	B	76	LEU
1	B	86	VAL
1	B	98	VAL
1	B	131	LYS
1	B	152	TYR
1	B	153	PHE
1	B	188	LEU
1	B	192	LYS
1	B	201	ILE
1	B	262	ARG
1	B	264	LEU
1	B	288	ILE
1	B	289	ASP
1	B	291	LEU
1	B	312	LYS
1	B	319	GLU
1	B	325	LEU
1	B	333[A]	HIS
1	B	333[B]	HIS
1	B	392	ASP
1	B	396	LEU
1	B	398	LEU
1	B	401	VAL
1	B	402	VAL
1	B	425	VAL
1	B	427	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	469	ILE
1	B	478	VAL
1	B	549	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	36	GLN
1	A	235	GLN
1	A	298	ASN
1	A	441	GLN
1	B	101	ASN
1	B	103	ASN
1	B	115	HIS
1	B	159	GLN
1	B	235	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ATP	A	700	3	32,33,33	1.41	5 (15%)	48,52,52	1.75	9 (18%)
2	ATP	B	700	3	32,33,33	1.42	5 (15%)	48,52,52	1.74	9 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ATP	A	700	3	-	1/22/38/38	0/3/3/3
2	ATP	B	700	3	-	0/22/38/38	0/3/3/3

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	700	ATP	C5-C4	4.80	1.47	1.39
2	B	700	ATP	C5-C4	4.73	1.47	1.39
2	B	700	ATP	C5-C6	2.75	1.48	1.41
2	A	700	ATP	C5-C6	2.74	1.48	1.41
2	B	700	ATP	C8-N7	2.39	1.36	1.31
2	A	700	ATP	C8-N7	2.34	1.36	1.31
2	B	700	ATP	C5-N7	-2.27	1.34	1.39
2	B	700	ATP	PB-O3B	2.19	1.61	1.59
2	A	700	ATP	C5-N7	-2.18	1.35	1.39
2	A	700	ATP	PB-O3B	2.09	1.61	1.59

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	700	ATP	C5-C4-N3	-5.75	118.80	126.72
2	A	700	ATP	C5-C4-N3	-5.72	118.83	126.72
2	B	700	ATP	N3-C4-N9	4.56	134.93	127.17
2	A	700	ATP	N3-C4-N9	4.49	134.80	127.17
2	B	700	ATP	C2-N3-C4	3.65	120.75	111.83
2	A	700	ATP	C2-N3-C4	3.62	120.67	111.83
2	A	700	ATP	C4-C5-N7	-3.54	106.53	110.58
2	B	700	ATP	C4-C5-N7	-3.48	106.61	110.58
2	B	700	ATP	N3-C2-N1	-3.21	123.72	128.58
2	A	700	ATP	N3-C2-N1	-3.14	123.82	128.58
2	B	700	ATP	C4-N9-C8	2.71	108.58	105.74
2	A	700	ATP	C4-N9-C8	2.60	108.47	105.74
2	B	700	ATP	C5-N7-C8	2.59	107.51	103.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	700	ATP	C5-N7-C8	2.53	107.43	103.45
2	A	700	ATP	C3'-C2'-C1'	2.27	105.76	101.46
2	B	700	ATP	C6-C5-N7	2.11	136.15	132.09
2	A	700	ATP	C6-C5-N7	2.10	136.15	132.09
2	B	700	ATP	N9-C8-N7	-2.05	111.02	113.94

There are no chirality outliers.


All (1) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	700	ATP	PA-O3A-PB-O2B

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	597/621 (96%)	0.46	14 (2%) 61 55	32, 53, 82, 115	1 (0%)
1	B	591/621 (95%)	0.61	35 (5%) 28 23	29, 57, 101, 120	2 (0%)
All	All	1188/1242 (95%)	0.54	49 (4%) 41 36	29, 55, 92, 120	3 (0%)

All (49) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	466	LEU	4.5
1	B	435	THR	4.1
1	B	557	ILE	3.9
1	B	436	VAL	3.5
1	A	592	THR	3.1
1	B	612	ALA	3.1
1	B	467	ALA	2.9
1	B	333[A]	HIS	2.8
1	B	611	MET	2.7
1	B	437	ALA	2.7
1	B	469	ILE	2.7
1	B	479	LEU	2.6
1	A	191	GLY	2.5
1	B	468	PRO	2.5
1	A	333[A]	HIS	2.4
1	B	191	GLY	2.4
1	B	393	THR	2.4
1	B	287	GLU	2.4
1	B	471	PRO	2.4
1	B	477	PRO	2.4
1	B	478	VAL	2.4
1	A	193	SER	2.4
1	B	190	SER	2.4
1	B	605	ARG	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	250	THR	2.3
1	B	442	THR	2.3
1	B	443	VAL	2.3
1	B	610	ALA	2.2
1	B	253	THR	2.2
1	A	497	GLU	2.2
1	B	608	THR	2.2
1	A	543	ALA	2.2
1	A	501	GLY	2.2
1	B	194	ASP	2.2
1	A	288	ILE	2.2
1	B	288	ILE	2.2
1	A	114	THR	2.1
1	B	465	THR	2.1
1	A	539	LYS	2.1
1	B	297	PHE	2.1
1	B	470	PRO	2.1
1	A	98	VAL	2.1
1	A	392	ASP	2.1
1	B	64	MET	2.1
1	B	444	GLN	2.1
1	A	545	GLN	2.0
1	B	462	GLY	2.0
1	A	595	GLU	2.0
1	B	61	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ


There are no oligosaccharides in this entry.


6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	ATP	A	700	31/31	0.96	0.08	32,39,51,56	0
2	ATP	B	700	31/31	0.96	0.09	34,42,50,66	0
3	MG	B	701	1/1	0.97	0.07	33,33,33,33	0
3	MG	A	701	1/1	0.99	0.06	28,28,28,28	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.