



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 04:50 AM UTC

PDB ID : 6TKZ / pdb_00006tkz
Title : Crystal structure of the DHR2 domain of DOCK10 in complex with CDC42
Authors : Barford, D.
Deposited on : 2019-11-29
Resolution : 2.64 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.64 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2053 (2.66-2.62)
Clashscore	190562	2097 (2.66-2.62)
Ramachandran outliers	187476	2066 (2.66-2.62)
Sidechain outliers	187428	2066 (2.66-2.62)
RSRZ outliers	180081	2052 (2.66-2.62)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	458	 3% 77% 14% • 9%
1	B	458	 3% 79% 11% 9%
2	C	188	 31% 67% 27% • 6%
2	D	188	 4% 79% 15% • 5%

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 9582 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Dedicator of cytokinesis protein 10.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	416	Total	C	N	O	S	0	0	0
			3315	2119	555	624	17			
1	A	417	Total	C	N	O	S	0	0	0
			3321	2129	559	616	17			

- Molecule 2 is a protein called Cell division control protein 42 homolog.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	177	Total	C	N	O	S	0	0	0
			1323	853	212	252	6			
2	D	178	Total	C	N	O	S	0	0	0
			1323	851	209	257	6			

- Molecule 3 is GUANOSINE-5'-DIPHOSPHATE (CCD ID: GDP) (formula: $C_{10}H_{15}N_5O_{11}P_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	C	1	Total	C	N	O	P	0	0
			28	10	5	11	2		
3	D	1	Total	C	N	O	P	0	0
			28	10	5	11	2		

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	96	Total	O	0	0
			96	96		
5	C	29	Total	O	0	0
			29	29		
5	D	36	Total	O	0	0
			36	36		
5	A	77	Total	O	0	0
			77	77		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Dedicator of cytokinesis protein 10




• Molecule 1: Dedicator of cytokinesis protein 10





• Molecule 2: Cell division control protein 42 homolog





● Molecule 2: Cell division control protein 42 homolog



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	97.17Å 97.17Å 312.00Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	82.48 – 2.64 82.48 – 2.64	Depositor EDS
% Data completeness (in resolution range)	99.9 (82.48-2.64) 99.9 (82.48-2.64)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.78 (at 2.65Å)	Xtriage
Refinement program	PHENIX dev_4620, PHENIX dev_4620	Depositor
R, R_{free}	0.212 , 0.274 0.215 , 0.275	Depositor DCC
R_{free} test set	2277 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	48.6	Xtriage
Anisotropy	0.048	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 47.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	9582	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.58% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, GDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.40	0/3389	0.56	0/4578
1	B	0.40	0/3381	0.57	1/4570 (0.0%)
2	C	0.33	0/1353	0.55	0/1854
2	D	0.40	0/1353	0.59	0/1856
All	All	0.39	0/9476	0.57	1/12858 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	1858	ARG	CB-CG-CD	5.76	124.55	111.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3321	0	3227	45	0
1	B	3315	0	3195	31	0
2	C	1323	0	1286	41	0
2	D	1323	0	1268	22	0
3	C	28	0	12	3	0
3	D	28	0	12	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	6	0	8	0	0
5	A	77	0	0	2	0
5	B	96	0	0	3	0
5	C	29	0	0	4	0
5	D	36	0	0	1	0
All	All	9582	0	9008	132	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (132) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1721:MET:HE2	1:B:2010:PRO:HG2	1.52	0.92
1:A:2121:GLU:HA	1:A:2124:LEU:HD23	1.68	0.76
2:C:98:VAL:HG11	2:C:149:LEU:HD13	1.69	0.74
3:C:201:GDP:O6	5:C:301:HOH:O	2.05	0.73
1:A:2035:GLU:OE2	5:A:2301:HOH:O	2.07	0.71
1:B:1885:GLN:HA	1:B:1892:GLU:HG3	1.71	0.70
2:D:117:ILE:HG21	2:D:156:GLU:HB3	1.74	0.70
1:A:1890:GLU:O	1:A:1894:LYS:NZ	2.25	0.68
1:A:1858:ARG:HG3	5:A:2339:HOH:O	1.95	0.67
1:B:2074:MET:HE1	1:B:2141:LEU:HD13	1.76	0.67
1:A:1881:ALA:HB2	1:A:1895:GLU:HG3	1.77	0.67
2:C:118:ASP:OD1	5:C:301:HOH:O	2.13	0.66
2:D:178:GLU:OE2	5:D:301:HOH:O	2.13	0.65
1:B:2049:MET:HE3	1:B:2052:VAL:HA	1.79	0.65
1:A:1999:ARG:NH1	1:A:2025:GLU:OE2	2.32	0.63
2:C:5:LYS:NZ	5:C:302:HOH:O	2.24	0.62
2:C:3:THR:OG1	1:A:2053:ASP:OD2	2.15	0.62
1:B:1775:MET:HG3	5:B:2210:HOH:O	2.00	0.62
1:B:1716:LEU:HD13	1:B:1822:LYS:HB3	1.81	0.61
1:B:1878:TYR:OH	2:D:26:ASN:ND2	2.34	0.60
1:B:1736:ARG:NH1	1:B:1793:MET:HB3	2.17	0.59
2:D:93:VAL:HG11	2:D:112:LEU:HD11	1.84	0.59
1:A:1914:LEU:HD13	1:A:1928:ILE:HG12	1.85	0.58
2:C:98:VAL:HG13	2:C:99:PRO:HD3	1.85	0.58
2:C:45:MET:HE2	1:A:1902:LYS:HD3	1.86	0.57
2:D:18:CYS:SG	2:D:29:PRO:HB3	2.45	0.57
2:C:19:LEU:O	2:C:22:SER:OG	2.20	0.56
2:C:98:VAL:O	2:C:102:THR:OG1	2.17	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:2041:SER:O	1:A:2045:GLN:HG2	2.05	0.56
1:B:1705:SER:O	1:B:1709:ILE:HG13	2.05	0.56
1:B:1914:LEU:HD13	1:B:1928:ILE:HG12	1.87	0.56
1:B:1989:LYS:HE2	2:D:31:GLU:OE2	2.06	0.56
2:C:82:PHE:CD2	2:C:90:PHE:HB2	2.41	0.55
2:C:98:VAL:CG1	2:C:99:PRO:HD3	2.36	0.55
2:C:67:LEU:H	2:C:67:LEU:HD23	1.71	0.54
2:D:139:PRO:O	2:D:143:GLU:HG3	2.06	0.54
2:C:45:MET:HE3	2:C:48:GLY:HA2	1.88	0.53
2:C:92:ASN:ND2	5:C:304:HOH:O	2.39	0.53
2:C:84:VAL:HG11	2:C:117:ILE:HG22	1.91	0.52
2:C:16:LYS:NZ	3:C:201:GDP:O3B	2.35	0.52
2:D:154:TYR:OH	2:D:156:GLU:HG2	2.09	0.52
1:B:1975:ASN:HB3	1:B:2008:LEU:HD23	1.91	0.52
1:A:2049:MET:HE3	1:A:2052:VAL:HA	1.93	0.51
2:C:84:VAL:HG21	2:C:117:ILE:HA	1.93	0.51
1:A:2046:LEU:HD21	1:A:2056:ARG:HG2	1.92	0.51
2:C:93:VAL:O	2:C:98:VAL:HG12	2.10	0.51
2:C:98:VAL:HG11	2:C:149:LEU:CD1	2.40	0.51
1:A:1807:ASN:O	1:A:1811:GLU:HG2	2.11	0.51
2:D:129:LEU:HD13	2:D:136:PRO:HG3	1.93	0.50
1:A:2092:ASN:H	1:A:2092:ASN:HD22	1.60	0.50
1:A:1805:ASN:O	1:A:1808:ILE:HG22	2.11	0.50
1:B:1984:THR:HB	1:B:1995:GLU:HG3	1.94	0.50
1:B:1697:GLU:O	1:B:1701:THR:HG23	2.11	0.49
2:C:96:LYS:C	2:C:99:PRO:HD2	2.37	0.49
2:D:13:ALA:HA	3:D:201:GDP:H5'	1.95	0.49
1:B:2074:MET:HE3	1:B:2137:MET:HG3	1.94	0.49
1:B:2074:MET:HE3	1:B:2137:MET:CG	2.43	0.49
2:C:139:PRO:O	2:C:143:GLU:HG3	2.13	0.49
1:A:2119:ILE:HB	1:A:2123:GLN:HB2	1.95	0.49
1:B:1786:ASN:ND2	1:B:2008:LEU:O	2.40	0.49
2:C:83:SER:HB3	2:C:86:SER:HB3	1.95	0.49
2:D:120:ARG:HH22	2:D:156:GLU:CD	2.21	0.49
2:D:98:VAL:HG21	2:D:149:LEU:HD13	1.95	0.48
1:A:2129:GLU:O	1:A:2133:HIS:ND1	2.45	0.48
2:C:45:MET:CE	1:A:1902:LYS:HD3	2.44	0.48
2:D:138:THR:HG22	2:D:141:THR:OG1	2.13	0.48
1:B:2049:MET:HE1	1:B:2053:ASP:H	1.79	0.47
2:C:44:VAL:HG21	2:C:173:ILE:HD13	1.95	0.47
2:D:24:THR:HG21	2:D:40:TYR:HB3	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1721:MET:HE1	1:B:1784:THR:HB	1.97	0.47
1:A:2065:VAL:O	1:A:2133:HIS:HB3	2.15	0.47
1:A:2047:CYS:SG	1:A:2110:GLN:HG2	2.55	0.47
1:A:1888:PHE:HB2	1:A:1892:GLU:HG2	1.97	0.46
1:A:2116:GLU:HA	1:A:2119:ILE:HG12	1.96	0.46
2:C:13:ALA:HA	3:C:201:GDP:H5'	1.98	0.46
1:B:1783:ILE:HD11	1:B:1831:ASP:HB2	1.96	0.46
1:A:1781:LEU:HD23	1:A:1785:PRO:HA	1.98	0.46
1:B:1891:GLU:HA	1:B:1894:LYS:HD2	1.98	0.46
2:C:44:VAL:HG21	2:C:173:ILE:CD1	2.45	0.46
2:C:152:VAL:HG12	2:C:153:LYS:HG3	1.98	0.46
2:D:177:LEU:O	2:D:178:GLU:HB2	2.14	0.46
1:A:2116:GLU:HB3	1:A:2127:GLN:NE2	2.31	0.45
2:D:154:TYR:CZ	2:D:156:GLU:HG2	2.52	0.45
1:A:1815:MET:HE3	1:A:1819:PHE:HE2	1.81	0.45
1:A:1975:ASN:O	1:A:2004:THR:HA	2.17	0.45
2:D:112:LEU:HD23	2:D:154:TYR:CD1	2.52	0.45
2:C:90:PHE:CE2	2:C:145:LEU:HD13	2.53	0.44
2:C:157:CYS:HB2	2:C:165:LEU:HD13	1.99	0.44
1:A:1777:TRP:CG	1:A:1778:PRO:HD3	2.52	0.44
2:C:61:GLN:O	2:C:68:ARG:NH2	2.50	0.44
2:D:122:ASP:HB3	2:D:125:THR:HB	1.99	0.44
1:A:1915:LYS:HA	1:A:1915:LYS:HD3	1.81	0.44
1:A:2091:ASP:O	1:A:2095:LYS:HG2	2.19	0.43
1:B:2049:MET:CE	1:B:2053:ASP:H	2.32	0.43
2:C:112:LEU:HD21	2:C:145:LEU:HD22	2.01	0.43
1:A:2092:ASN:H	1:A:2092:ASN:ND2	2.16	0.43
1:B:2006:SER:HA	1:B:2019:ILE:HD13	2.00	0.43
2:C:125:THR:O	2:C:129:LEU:HG	2.19	0.43
2:C:8:VAL:HG22	2:C:79:LEU:HB2	2.01	0.42
2:C:117:ILE:HG12	2:C:158:SER:HB2	2.01	0.42
1:A:2129:GLU:HG3	1:A:2133:HIS:CE1	2.53	0.42
1:A:2124:LEU:HD13	1:A:2124:LEU:HA	1.82	0.42
2:C:31:GLU:OE2	1:A:1989:LYS:HE3	2.19	0.42
1:A:2119:ILE:HD12	1:A:2124:LEU:HD22	2.02	0.42
1:B:1935:VAL:HG11	1:B:1940:LEU:HD11	2.00	0.42
2:C:120:ARG:NH2	2:C:137:ILE:O	2.51	0.42
1:A:1721:MET:O	1:A:1724:ILE:HG22	2.20	0.42
1:A:1970:MET:HE3	1:A:1970:MET:HB3	1.90	0.42
2:C:64:TYR:HB2	2:C:68:ARG:NH2	2.35	0.42
1:A:2051:GLU:HA	1:A:2051:GLU:OE1	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1813:LEU:HD23	1:A:1813:LEU:HA	1.81	0.42
1:B:1773:PHE:N	5:B:2209:HOH:O	2.53	0.41
2:C:157:CYS:HB3	2:C:168:VAL:HG21	2.01	0.41
1:B:1868:ASN:OD1	1:B:1966:THR:HA	2.20	0.41
2:D:5:LYS:HG3	2:D:56:PHE:CE1	2.55	0.41
1:B:1808:ILE:O	1:B:1812:GLN:HG2	2.20	0.41
1:A:1928:ILE:HD13	1:A:1928:ILE:HA	1.85	0.41
1:B:1940:LEU:HD22	1:B:1946:TYR:CD2	2.56	0.41
2:C:78:PHE:HB2	2:C:110:PHE:HB3	2.02	0.41
2:D:116:GLN:HG2	3:D:201:GDP:C6	2.55	0.41
1:A:1854:TYR:OH	1:A:1858:ARG:NH1	2.53	0.41
1:A:2074:MET:HE2	1:A:2140:GLU:HB3	2.03	0.41
2:C:45:MET:O	2:C:46:ILE:HD13	2.21	0.41
2:C:118:ASP:OD2	2:C:119:LEU:HG	2.21	0.41
1:A:1784:THR:O	1:A:1787:ILE:HG13	2.21	0.41
1:B:1905:GLY:HA2	2:D:26:ASN:HD21	1.86	0.41
2:C:155:VAL:HG21	2:C:168:VAL:HG13	2.03	0.41
1:B:2022:SER:HA	1:A:2021:GLN:O	2.21	0.41
1:A:1695:THR:HG23	1:A:1698:LEU:HB2	2.03	0.41
1:B:1976:ARG:HD3	5:B:2250:HOH:O	2.21	0.40
2:D:60:GLY:HA2	2:D:97:TRP:HH2	1.86	0.40
1:A:1983:PHE:HA	1:A:1989:LYS:HA	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	411/458 (90%)	399 (97%)	11 (3%)	1 (0%)	43	58
1	B	410/458 (90%)	392 (96%)	14 (3%)	4 (1%)	12	18
2	C	175/188 (93%)	167 (95%)	8 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	D	176/188 (94%)	170 (97%)	6 (3%)	0	100	100
All	All	1172/1292 (91%)	1128 (96%)	39 (3%)	5 (0%)	30	42

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	1738	GLY
1	B	1889	GLU
1	A	1884	GLY
1	B	1884	GLY
1	B	1987	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	346/411 (84%)	340 (98%)	6 (2%)	53	72
1	B	346/411 (84%)	343 (99%)	3 (1%)	70	82
2	C	142/168 (84%)	140 (99%)	2 (1%)	59	75
2	D	141/168 (84%)	140 (99%)	1 (1%)	76	86
All	All	975/1158 (84%)	963 (99%)	12 (1%)	63	78

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	1986	SER
1	B	1993	VAL
1	B	1995	GLU
2	C	30	SER
2	C	137	ILE
2	D	24	THR
1	A	1695	THR
1	A	1783	ILE
1	A	1891	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1928	ILE
1	A	2019	ILE
1	A	2021	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	1972	HIS
1	B	2045	GLN
2	C	167	ASN
2	D	104	HIS
1	A	1812	GLN
1	A	1973	ASN
1	A	2092	ASN
1	A	2123	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GOL	A	2201	-	5,5,5	0.32	0	5,5,5	0.62	0
3	GDP	C	201	-	29,30,30	1.21	4 (13%)	45,47,47	1.75	5 (11%)
3	GDP	D	201	-	29,30,30	1.18	2 (6%)	45,47,47	1.92	7 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	A	2201	-	-	2/4/4/4	-
3	GDP	C	201	-	-	5/16/32/32	0/3/3/3
3	GDP	D	201	-	-	4/16/32/32	0/3/3/3

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	201	GDP	C5-C4	3.31	1.47	1.38
3	C	201	GDP	C5-C4	3.20	1.47	1.38
3	D	201	GDP	C6-N1	-2.57	1.34	1.38
3	C	201	GDP	C6-N1	-2.44	1.34	1.38
3	C	201	GDP	PA-O3A	2.21	1.61	1.59
3	C	201	GDP	C5-N7	-2.11	1.34	1.39

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	201	GDP	C5-C4-N3	-6.41	118.20	128.39
3	C	201	GDP	C5-C4-N3	-6.27	118.42	128.39
3	D	201	GDP	C2-N3-C4	5.67	122.07	112.30
3	C	201	GDP	C2-N3-C4	4.91	120.76	112.30
3	D	201	GDP	N9-C4-N3	4.76	135.46	125.95
3	C	201	GDP	N9-C4-N3	4.61	135.16	125.95
3	D	201	GDP	C6-C5-N7	4.28	138.08	130.29
3	C	201	GDP	C6-C5-N7	3.19	136.09	130.29
3	D	201	GDP	C4-C5-N7	-2.95	106.00	110.67
3	C	201	GDP	C4-C5-N7	-2.72	106.36	110.67
3	D	201	GDP	C5-C6-N1	2.44	119.45	113.25
3	D	201	GDP	C8-N7-C5	2.16	108.11	104.26

There are no chirality outliers.

All (11) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
3	C	201	GDP	C5'-O5'-PA-O3A
3	C	201	GDP	C5'-O5'-PA-O1A
3	D	201	GDP	C5'-O5'-PA-O3A
3	D	201	GDP	C5'-O5'-PA-O1A
4	A	2201	GOL	O1-C1-C2-C3
4	A	2201	GOL	O1-C1-C2-O2
3	C	201	GDP	C5'-O5'-PA-O2A
3	D	201	GDP	C5'-O5'-PA-O2A
3	C	201	GDP	O4'-C4'-C5'-O5'
3	C	201	GDP	PB-O3A-PA-O2A
3	D	201	GDP	PB-O3A-PA-O2A


There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	201	GDP	3	0
3	D	201	GDP	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	417/458 (91%)	0.05	16 (3%) 44 38	27, 48, 78, 100	0
1	B	416/458 (90%)	0.03	16 (3%) 44 38	29, 47, 81, 105	0
2	C	177/188 (94%)	1.53	59 (33%) 1 0	39, 83, 118, 129	0
2	D	178/188 (94%)	-0.01	8 (4%) 38 32	32, 46, 84, 105	0
All	All	1188/1292 (91%)	0.25	99 (8%) 17 13	27, 50, 96, 129	0

All (99) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	1740	TRP	5.7
2	D	131	LYS	4.6
2	C	81	CYS	4.4
2	C	132	ASN	4.4
2	C	137	ILE	4.3
2	C	136	PRO	4.2
2	C	142	ALA	4.2
1	A	1772	MET	4.1
1	A	1805	ASN	4.0
2	C	84	VAL	4.0
1	B	1694	SER	4.0
2	C	10	GLY	3.9
2	C	85	VAL	3.9
1	B	1858	ARG	3.9
2	C	90	PHE	3.8
2	C	149	LEU	3.7
1	A	1804	TYR	3.7
1	B	1794	LYS	3.7
2	C	121	ASP	3.6
2	C	93	VAL	3.6
1	A	1858	ARG	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	C	145	LEU	3.4
1	B	1773	PHE	3.4
2	C	113	VAL	3.4
2	C	2	GLN	3.3
1	A	1771	SER	3.3
1	B	1923	ALA	3.3
2	C	119	LEU	3.2
2	C	138	THR	3.2
1	B	1925	ASN	3.2
2	C	32	TYR	3.2
1	B	1924	ASP	3.1
1	A	1792	ALA	3.1
2	C	157	CYS	3.1
2	D	178	GLU	3.0
1	B	1738	GLY	3.0
1	B	1961	ILE	3.0
2	C	49	GLU	3.0
2	C	123	PRO	3.0
1	A	1776	GLY	3.0
1	B	1963	ASP	2.9
2	C	146	ALA	2.9
2	C	101	ILE	2.9
2	C	104	HIS	2.8
2	D	1	MET	2.8
1	A	1924	ASP	2.7
2	C	91	GLU	2.7
2	C	51	TYR	2.7
2	C	60	GLY	2.7
2	C	98	VAL	2.7
2	D	134	GLN	2.7
1	A	1944	TYR	2.6
2	C	133	LYS	2.6
2	C	135	LYS	2.6
1	A	1921	PHE	2.6
2	C	117	ILE	2.4
1	B	1884	GLY	2.4
1	A	1739	TYR	2.4
2	C	160	LEU	2.4
1	B	1890	GLU	2.4
2	C	13	ALA	2.4
2	C	141	THR	2.3
2	C	139	PRO	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	1885	GLN	2.3
2	C	112	LEU	2.3
2	C	21	ILE	2.3
2	C	92	ASN	2.3
1	A	1923	ALA	2.3
2	D	126	ILE	2.3
2	C	125	THR	2.3
2	C	130	ALA	2.3
2	C	178	GLU	2.3
2	C	11	ASP	2.3
2	C	120	ARG	2.3
1	B	1922	GLY	2.3
2	C	159	ALA	2.2
2	C	163	LYS	2.2
1	A	1868	ASN	2.2
2	C	69	PRO	2.2
2	C	158	SER	2.2
1	A	1770	GLY	2.1
1	A	1773	PHE	2.1
1	B	1962	GLU	2.1
2	C	97	TRP	2.1
2	C	100	GLU	2.1
2	C	165	LEU	2.1
1	B	2150	THR	2.1
2	C	24	THR	2.1
2	D	123	PRO	2.1
2	C	79	LEU	2.1
2	C	129	LEU	2.1
2	C	118	ASP	2.1
2	C	22	SER	2.1
2	C	47	GLY	2.1
2	C	154	TYR	2.1
2	C	71	SER	2.0
2	D	133	LYS	2.0
2	D	135	LYS	2.0
2	C	19	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	GOL	A	2201	6/6	0.75	0.19	56,65,91,91	0
3	GDP	C	201	28/28	0.77	0.15	85,101,108,112	0
3	GDP	D	201	28/28	0.93	0.09	48,58,63,81	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around GOL A 2201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GDP C 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around GDP D 201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.