



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 02:13 AM UTC

PDB ID : 1TLY / pdb_00001tly
Title : Tsx structure
Authors : Ye, J.; van den Berg, B.
Deposited on : 2004-06-10
Resolution : 3.01 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.01 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3131 (3.04-3.00)
Clashscore	190562	3444 (3.04-3.00)
Ramachandran outliers	187476	3319 (3.04-3.00)
Sidechain outliers	187428	3322 (3.04-3.00)
RSRZ outliers	180081	3130 (3.04-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	278	8% 51% 35% 5% 10%
1	B	278	43% 44% 41% • 11%

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 4126 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nucleoside-specific channel-forming protein tsx.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	251	Total	C	N	O	S	0	0	0
			2078	1340	347	386	5			
1	B	248	Total	C	N	O	S	0	0	0
			2048	1322	338	383	5			


There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	273	HIS	-	expression tag	UNP P0A927
A	274	HIS	-	expression tag	UNP P0A927
A	275	HIS	-	expression tag	UNP P0A927
A	276	HIS	-	expression tag	UNP P0A927
A	277	HIS	-	expression tag	UNP P0A927
A	278	HIS	-	expression tag	UNP P0A927
B	273	HIS	-	expression tag	UNP P0A927
B	274	HIS	-	expression tag	UNP P0A927
B	275	HIS	-	expression tag	UNP P0A927
B	276	HIS	-	expression tag	UNP P0A927
B	277	HIS	-	expression tag	UNP P0A927
B	278	HIS	-	expression tag	UNP P0A927


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Nucleoside-specific channel-forming protein tsx



- Molecule 1: Nucleoside-specific channel-forming protein tsx



4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	149.78Å 149.78Å 120.89Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	29.76 – 3.01 29.76 – 3.01	Depositor EDS
% Data completeness (in resolution range)	97.1 (29.76-3.01) 96.9 (29.76-3.01)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.16 (at 3.01Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.262 , 0.288 0.263 , 0.284	Depositor DCC
R_{free} test set	4307 reflections (7.17%)	wwPDB-VP
Wilson B-factor (Å ²)	60.2	Xtriage
Anisotropy	0.213	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 62.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.018 for -h,-k,l	Xtriage
F_o, F_c correlation	0.87	EDS
Total number of atoms	4126	wwPDB-VP
Average B, all atoms (Å ²)	67.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.10% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.52	0/2154	1.04	11/2931 (0.4%)
1	B	0.39	0/2121	0.97	11/2886 (0.4%)
All	All	0.46	0/4275	1.01	22/5817 (0.4%)

There are no bond length outliers.

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	116	LYS	N-CA-C	-10.36	100.25	113.72
1	B	145	ALA	N-CA-C	-8.41	96.56	109.85
1	A	145	ALA	N-CA-C	-8.29	96.75	109.85
1	B	104	PHE	N-CA-C	-7.32	95.68	108.20
1	A	104	PHE	N-CA-C	-6.95	97.21	108.41
1	B	203	ILE	N-CA-C	-6.82	102.85	110.62
1	B	28	GLY	CA-C-N	6.44	126.20	119.05
1	B	28	GLY	C-N-CA	6.44	126.20	119.05
1	A	26	ARG	N-CA-C	6.44	120.44	111.56
1	A	203	ILE	N-CA-C	-6.20	103.30	111.05
1	A	219	ILE	N-CA-C	6.17	116.75	108.11
1	A	160	TRP	N-CA-C	-5.95	100.29	109.76
1	B	219	ILE	N-CA-C	5.43	115.71	108.11
1	B	26	ARG	N-CA-C	5.40	119.01	111.56
1	B	267	VAL	N-CA-C	5.28	115.59	107.77
1	B	197	ASP	N-CA-C	-5.17	105.54	111.07
1	A	56	ALA	CA-C-N	5.13	125.12	119.89
1	A	56	ALA	C-N-CA	5.13	125.12	119.89
1	B	223	ASN	N-CA-C	5.08	116.81	108.52
1	B	198	ASP	N-CA-C	5.07	118.61	112.93
1	A	28	GLY	CA-C-N	5.05	124.66	119.05
1	A	28	GLY	C-N-CA	5.05	124.66	119.05

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2078	0	1867	84	0
1	B	2048	0	1846	102	0
All	All	4126	0	3713	186	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 24.

All (186) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:75:PRO:HA	1:B:113:GLY:HA2	1.39	1.03
1:A:106:ASN:HD22	1:A:123:TRP:HE1	1.13	0.91
1:B:29:PRO:HG3	1:B:242:TRP:CZ2	2.09	0.88
1:B:112:MET:HA	1:B:119:ARG:HD2	1.59	0.82
1:B:210:THR:HG22	1:B:212:ASN:H	1.44	0.81
1:A:210:THR:HG22	1:A:212:ASN:H	1.47	0.79
1:A:29:PRO:HG3	1:A:242:TRP:CZ2	2.19	0.77
1:B:131:ILE:HB	1:B:139:LEU:HD12	1.67	0.76
1:B:9:LEU:HG	1:B:11:ASP:H	1.52	0.73
1:B:29:PRO:HG3	1:B:242:TRP:CE2	2.24	0.72
1:B:106:ASN:HD22	1:B:123:TRP:HE1	1.35	0.71
1:B:111:ASP:O	1:B:119:ARG:HB3	1.89	0.71
1:A:106:ASN:HD22	1:A:123:TRP:NE1	1.88	0.71
1:B:107:ASN:ND2	1:B:164:ARG:HH11	1.88	0.70
1:A:204:ASN:HB2	1:A:247:GLU:H	1.56	0.69
1:A:131:ILE:HB	1:A:139:LEU:HD12	1.73	0.69
1:B:100:LYS:CG	1:B:132:ASP:HB2	2.23	0.68
1:B:204:ASN:HB2	1:B:247:GLU:H	1.56	0.68
1:A:16:SER:HB2	1:A:271:ASN:OD1	1.92	0.67
1:B:79:GLU:HG3	1:B:109:ILE:HG13	1.76	0.66
1:A:102:TRP:CZ3	1:A:127:LEU:HD11	2.30	0.66
1:B:112:MET:HG3	1:B:119:ARG:HH11	1.59	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:107:ASN:ND2	1:A:164:ARG:HH11	1.94	0.65
1:A:79:GLU:HG3	1:A:109:ILE:HG13	1.78	0.65
1:B:76:LEU:HG	1:B:77:PHE:N	2.12	0.64
1:B:196:GLY:O	1:B:207:LYS:HD3	1.97	0.64
1:A:219:ILE:HG12	1:A:232:VAL:HG22	1.80	0.63
1:B:49:ASP:OD2	1:B:83:ARG:HB2	2.00	0.62
1:A:206:ILE:HD12	1:A:243:ASN:ND2	2.15	0.62
1:A:193:SER:O	1:A:211:ASN:ND2	2.34	0.61
1:A:20:VAL:O	1:A:35:THR:HA	2.01	0.60
1:A:225:ASP:O	1:A:273:HIS:HE1	1.84	0.60
1:B:219:ILE:HG12	1:B:232:VAL:HG22	1.82	0.60
1:A:196:GLY:O	1:A:207:LYS:HD3	2.02	0.59
1:B:18:ASN:OD1	1:B:269:GLY:HA3	2.02	0.58
1:A:210:THR:HG22	1:A:212:ASN:N	2.17	0.58
1:B:100:LYS:HD2	1:B:132:ASP:HB2	1.86	0.58
1:A:17:VAL:HG23	1:A:272:PHE:HE1	1.69	0.57
1:B:76:LEU:HD22	1:B:112:MET:HE2	1.85	0.56
1:A:45:LYS:O	1:A:47:TRP:N	2.38	0.56
1:A:210:THR:HG22	1:A:212:ASN:O	2.04	0.56
1:B:12:TRP:O	1:B:43:ALA:HA	2.05	0.56
1:B:210:THR:HG22	1:B:212:ASN:N	2.18	0.56
1:A:18:ASN:OD1	1:A:269:GLY:HA3	2.05	0.56
1:B:16:SER:HB2	1:B:271:ASN:OD1	2.07	0.55
1:B:141:MET:HE3	1:B:165:PHE:HZ	1.71	0.55
1:B:20:VAL:O	1:B:35:THR:HA	2.05	0.55
1:A:169:TYR:HE1	1:A:183:TYR:HE2	1.53	0.55
1:B:204:ASN:ND2	1:B:245:ASP:O	2.40	0.55
1:B:169:TYR:HE1	1:B:183:TYR:HE2	1.56	0.54
1:B:206:ILE:HD11	1:B:246:ALA:HA	1.89	0.54
1:B:164:ARG:HB2	1:B:190:ASP:OD2	2.08	0.54
1:B:195:LEU:O	1:B:197:ASP:N	2.40	0.53
1:B:110:TYR:CZ	1:B:112:MET:HB2	2.43	0.53
1:A:36:TYR:HB2	1:A:56:ALA:O	2.09	0.53
1:A:102:TRP:CE3	1:A:127:LEU:HD11	2.44	0.53
1:A:210:THR:CG2	1:A:212:ASN:O	2.56	0.53
1:A:131:ILE:HD13	1:A:139:LEU:CD1	2.39	0.52
1:B:206:ILE:HD12	1:B:243:ASN:ND2	2.24	0.52
1:B:100:LYS:HG3	1:B:132:ASP:HB2	1.90	0.52
1:B:45:LYS:O	1:B:47:TRP:N	2.43	0.52
1:B:166:LYS:HD3	1:B:168:LYS:HE3	1.92	0.52
1:B:122:THR:HG23	1:B:146:LYS:HD2	1.92	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:107:ASN:HB3	1:B:124:TYR:HB2	1.92	0.51
1:B:9:LEU:HB3	1:B:12:TRP:HE1	1.75	0.51
1:B:75:PRO:CA	1:B:113:GLY:HA2	2.28	0.51
1:A:93:ASP:OD1	1:A:95:SER:HB3	2.10	0.51
1:A:272:PHE:O	1:A:273:HIS:HB3	2.11	0.51
1:B:100:LYS:CD	1:B:132:ASP:HB2	2.41	0.50
1:B:139:LEU:HD23	1:B:169:TYR:HB3	1.93	0.50
1:A:106:ASN:ND2	1:A:123:TRP:HE1	1.95	0.50
1:A:109:ILE:HD12	1:A:109:ILE:N	2.27	0.50
1:A:202:ALA:HB1	1:A:247:GLU:O	2.12	0.50
1:B:210:THR:HG22	1:B:212:ASN:O	2.11	0.50
1:A:226:HIS:HB3	1:A:270:TYR:CE1	2.47	0.50
1:B:93:ASP:OD1	1:B:95:SER:HB3	2.12	0.50
1:A:203:ILE:HD12	1:A:247:GLU:HG2	1.95	0.49
1:B:193:SER:O	1:B:211:ASN:ND2	2.45	0.49
1:A:176:LEU:HD22	1:A:177:TRP:N	2.27	0.49
1:B:156:ASN:HA	1:B:159:GLU:OE1	2.13	0.49
1:A:102:TRP:HZ3	1:A:127:LEU:HD11	1.75	0.49
1:B:27:PHE:O	1:B:240:GLY:HA3	2.13	0.49
1:B:36:TYR:HB2	1:B:56:ALA:O	2.12	0.49
1:B:107:ASN:HD21	1:B:164:ARG:HH11	1.57	0.49
1:A:131:ILE:HD13	1:A:139:LEU:HD13	1.95	0.49
1:A:156:ASN:HA	1:A:159:GLU:OE1	2.12	0.49
1:B:176:LEU:HD22	1:B:177:TRP:N	2.28	0.48
1:A:23:TYR:O	1:A:24:HIS:HB2	2.12	0.48
1:A:195:LEU:O	1:A:211:ASN:ND2	2.47	0.48
1:B:9:LEU:HD21	1:B:11:ASP:HB2	1.94	0.48
1:B:46:ASP:O	1:B:88:LYS:HG2	2.13	0.48
1:B:131:ILE:CB	1:B:139:LEU:HD12	2.40	0.48
1:B:50:PHE:HE1	1:B:80:ILE:HB	1.79	0.48
1:B:148:GLN:O	1:B:158:ASN:HA	2.14	0.48
1:A:17:VAL:HG23	1:A:272:PHE:CE1	2.49	0.48
1:B:107:ASN:ND2	1:B:164:ARG:NH1	2.61	0.48
1:B:229:TYR:CD1	1:B:229:TYR:N	2.81	0.48
1:B:247:GLU:C	1:B:248:LEU:HD13	2.38	0.48
1:A:139:LEU:HD23	1:A:169:TYR:HB3	1.94	0.47
1:A:169:TYR:HE1	1:A:183:TYR:CE2	2.32	0.47
1:A:166:LYS:HD3	1:A:168:LYS:HE3	1.97	0.47
1:B:169:TYR:HE1	1:B:183:TYR:CE2	2.32	0.47
1:A:48:PHE:CD2	1:A:48:PHE:O	2.68	0.47
1:B:38:GLU:HA	1:B:54:ALA:O	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:103:TYR:O	1:B:127:LEU:HD22	2.15	0.47
1:B:109:ILE:HD12	1:B:109:ILE:N	2.30	0.47
1:A:46:ASP:O	1:A:88:LYS:HG2	2.15	0.47
1:A:210:THR:CG2	1:A:212:ASN:H	2.23	0.47
1:B:226:HIS:HB3	1:B:270:TYR:CE1	2.49	0.47
1:B:115:ASN:O	1:B:116:LYS:C	2.57	0.46
1:B:23:TYR:O	1:B:24:HIS:HB2	2.15	0.46
1:A:26:ARG:HB2	1:A:236:TRP:CD2	2.51	0.46
1:A:206:ILE:HD11	1:A:246:ALA:HA	1.97	0.46
1:A:49:ASP:OD2	1:A:83:ARG:HB2	2.15	0.46
1:A:92:THR:O	1:A:94:LEU:HG	2.16	0.46
1:A:247:GLU:C	1:A:248:LEU:HD13	2.41	0.46
1:A:75:PRO:HG2	1:A:76:LEU:H	1.79	0.46
1:B:115:ASN:ND2	1:B:152:TYR:CD2	2.84	0.46
1:B:168:LYS:HB3	1:B:186:PHE:HB3	1.97	0.46
1:B:169:TYR:CE1	1:B:183:TYR:HE2	2.34	0.46
1:A:154:ALA:O	1:A:157:GLU:HG3	2.15	0.46
1:A:13:TRP:CE3	1:A:43:ALA:HB2	2.51	0.46
1:A:29:PRO:HG3	1:A:242:TRP:CE2	2.50	0.46
1:A:107:ASN:HB3	1:A:124:TYR:HB2	1.97	0.46
1:B:210:THR:CG2	1:B:212:ASN:O	2.64	0.46
1:B:52:GLY:HA2	1:B:79:GLU:O	2.16	0.46
1:A:87:ASP:O	1:A:91:ASN:N	2.49	0.45
1:A:164:ARG:HB2	1:A:190:ASP:OD2	2.16	0.45
1:B:131:ILE:HD13	1:B:139:LEU:HD13	1.98	0.45
1:A:38:GLU:HA	1:A:54:ALA:O	2.16	0.45
1:B:26:ARG:HB2	1:B:236:TRP:CD2	2.52	0.45
1:B:76:LEU:HD23	1:B:112:MET:HB3	1.97	0.45
1:B:123:TRP:CD2	1:B:125:MET:HE2	2.52	0.45
1:A:49:ASP:OD2	1:A:49:ASP:C	2.60	0.45
1:A:220:LEU:HA	1:A:220:LEU:HD12	1.84	0.45
1:B:175:ASP:OD1	1:B:180:GLN:HG2	2.17	0.45
1:B:203:ILE:HD12	1:B:247:GLU:HG2	1.99	0.45
1:B:124:TYR:CD2	1:B:146:LYS:HB3	2.52	0.45
1:A:232:VAL:HB	1:A:265:TYR:HB2	1.99	0.44
1:A:169:TYR:CE1	1:A:183:TYR:HE2	2.35	0.44
1:A:148:GLN:O	1:A:158:ASN:HA	2.17	0.44
1:A:37:LEU:HD22	1:A:37:LEU:N	2.32	0.44
1:A:123:TRP:CD2	1:A:125:MET:HE2	2.53	0.44
1:B:107:ASN:HD21	1:B:164:ARG:NH1	2.14	0.44
1:B:23:TYR:CZ	1:B:24:HIS:CE1	3.06	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:110:TYR:CE1	1:B:112:MET:HB2	2.53	0.44
1:A:166:LYS:HG3	1:A:188:ASN:HD21	1.83	0.43
1:B:167:ILE:O	1:B:167:ILE:HG23	2.17	0.43
1:B:120:GLN:HA	1:B:150:GLN:O	2.18	0.43
1:A:45:LYS:O	1:A:46:ASP:C	2.61	0.43
1:A:195:LEU:O	1:A:197:ASP:N	2.50	0.43
1:B:112:MET:O	1:B:113:GLY:O	2.36	0.43
1:B:202:ALA:HB1	1:B:247:GLU:O	2.19	0.43
1:B:195:LEU:O	1:B:211:ASN:ND2	2.52	0.43
1:B:9:LEU:CD2	1:B:11:ASP:HB2	2.49	0.43
1:A:116:LYS:HA	1:A:119:ARG:HH11	1.83	0.43
1:A:167:ILE:O	1:A:186:PHE:HA	2.18	0.43
1:B:39:TYR:O	1:B:53:TYR:HA	2.19	0.43
1:B:122:THR:CG2	1:B:146:LYS:HD2	2.48	0.42
1:B:206:ILE:HD11	1:B:246:ALA:CA	2.50	0.42
1:A:122:THR:HG23	1:A:146:LYS:HD2	2.01	0.42
1:A:9:LEU:HG	1:A:11:ASP:H	1.85	0.42
1:A:14:HIS:O	1:A:41:ALA:HA	2.19	0.42
1:A:229:TYR:CD1	1:A:229:TYR:N	2.87	0.42
1:B:102:TRP:CZ3	1:B:127:LEU:HD11	2.54	0.42
1:B:82:PRO:HG2	1:B:106:ASN:HB2	2.01	0.42
1:B:167:ILE:O	1:B:186:PHE:HA	2.20	0.42
1:A:44:LYS:HD2	1:A:49:ASP:HB3	2.02	0.42
1:B:184:ILE:HB	1:B:219:ILE:HB	2.02	0.42
1:A:166:LYS:HG3	1:A:188:ASN:ND2	2.35	0.41
1:A:131:ILE:CB	1:A:139:LEU:HD12	2.46	0.41
1:A:204:ASN:HB2	1:A:247:GLU:HB3	2.01	0.41
1:A:168:LYS:CB	1:A:186:PHE:HB3	2.50	0.41
1:B:154:ALA:O	1:B:157:GLU:HG3	2.20	0.41
1:B:166:LYS:HG3	1:B:188:ASN:ND2	2.36	0.41
1:B:166:LYS:HG3	1:B:188:ASN:HD21	1.84	0.41
1:B:33:ASN:C	1:B:34:ASP:OD1	2.64	0.41
1:A:115:ASN:ND2	1:A:115:ASN:N	2.67	0.41
1:A:121:SER:HB3	1:A:149:TRP:HB2	2.03	0.41
1:A:176:LEU:HD22	1:A:177:TRP:CD1	2.56	0.41
1:B:37:LEU:HD22	1:B:37:LEU:N	2.36	0.41
1:B:195:LEU:C	1:B:197:ASP:N	2.79	0.41
1:A:90:THR:HG22	1:A:92:THR:OG1	2.20	0.41
1:B:203:ILE:H	1:B:203:ILE:HG13	1.74	0.41
1:B:92:THR:O	1:B:94:LEU:HG	2.20	0.40
1:B:173:ILE:HD11	1:B:183:TYR:HB2	2.01	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	247/278 (89%)	226 (92%)	17 (7%)	4 (2%)	7	32
1	B	244/278 (88%)	220 (90%)	20 (8%)	4 (2%)	7	32
All	All	491/556 (88%)	446 (91%)	37 (8%)	8 (2%)	7	32

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	46	ASP
1	B	46	ASP
1	B	113	GLY
1	B	116	LYS
1	A	93	ASP
1	A	273	HIS
1	B	12	TRP
1	A	76	LEU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	212/233 (91%)	204 (96%)	8 (4%)	29	62
1	B	209/233 (90%)	201 (96%)	8 (4%)	29	62

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	421/466 (90%)	405 (96%)	16 (4%)	29	62

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	25	THR
1	A	48	PHE
1	A	115	ASN
1	A	143	VAL
1	A	176	LEU
1	A	216	SER
1	A	222	LEU
1	A	248	LEU
1	B	25	THR
1	B	48	PHE
1	B	76	LEU
1	B	116	LYS
1	B	144	TYR
1	B	176	LEU
1	B	222	LEU
1	B	248	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (28) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	14	HIS
1	A	15	GLN
1	A	24	HIS
1	A	91	ASN
1	A	106	ASN
1	A	107	ASN
1	A	115	ASN
1	A	120	GLN
1	A	151	ASN
1	A	180	GLN
1	A	188	ASN
1	A	211	ASN
1	A	237	HIS
1	A	256	ASN
1	A	271	ASN
1	A	273	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	15	GLN
1	B	24	HIS
1	B	91	ASN
1	B	106	ASN
1	B	107	ASN
1	B	115	ASN
1	B	151	ASN
1	B	180	GLN
1	B	188	ASN
1	B	211	ASN
1	B	237	HIS
1	B	256	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	251/278 (90%)	0.34	21 (8%)	17 8	27, 44, 80, 101	0
1	B	248/278 (89%)	1.94	119 (47%)	0 0	40, 84, 131, 172	0
All	All	499/556 (89%)	1.14	140 (28%)	1 1	27, 57, 118, 172	0

All (140) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	116	LYS	8.6
1	B	114	ARG	7.8
1	B	272	PHE	7.6
1	B	271	ASN	7.5
1	B	9	LEU	6.8
1	B	75	PRO	6.7
1	B	10	SER	5.6
1	B	162	GLY	5.4
1	B	155	ALA	5.2
1	B	47	TRP	5.2
1	B	15	GLN	5.2
1	B	108	TYR	5.1
1	B	92	THR	5.1
1	B	90	THR	5.0
1	B	89	LEU	5.0
1	B	130	ASP	4.8
1	A	275	HIS	4.6
1	B	87	ASP	4.5
1	B	112	MET	4.5
1	B	227	TRP	4.5
1	B	115	ASN	4.5
1	B	156	ASN	4.5
1	B	160	TRP	4.2
1	B	42	PHE	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	13	TRP	4.2
1	B	159	GLU	4.1
1	B	147	TYR	4.0
1	B	123	TRP	4.0
1	B	45	LYS	4.0
1	B	118	GLY	4.0
1	B	39	TYR	4.0
1	A	58	VAL	3.9
1	A	9	LEU	3.8
1	B	270	TYR	3.8
1	B	110	TYR	3.8
1	B	14	HIS	3.8
1	B	158	ASN	3.7
1	B	48	PHE	3.7
1	B	103	TYR	3.6
1	B	104	PHE	3.6
1	B	12	TRP	3.6
1	B	121	SER	3.5
1	B	101	GLU	3.5
1	B	85	SER	3.5
1	B	161	ASP	3.5
1	B	91	ASN	3.5
1	B	46	ASP	3.5
1	B	153	GLY	3.4
1	A	45	LYS	3.4
1	B	149	TRP	3.4
1	B	84	PHE	3.4
1	B	16	SER	3.4
1	B	58	VAL	3.4
1	B	226	HIS	3.4
1	B	38	GLU	3.3
1	B	151	ASN	3.3
1	B	49	ASP	3.3
1	B	113	GLY	3.3
1	A	114	ARG	3.3
1	A	204	ASN	3.2
1	B	44	LYS	3.2
1	B	77	PHE	3.2
1	A	274	HIS	3.2
1	B	148	GLN	3.2
1	B	55	ASP	3.1
1	B	18	ASN	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	225	ASP	3.1
1	B	106	ASN	3.0
1	B	40	GLU	3.0
1	B	268	VAL	3.0
1	B	95	SER	2.9
1	B	54	ALA	2.9
1	B	122	THR	2.9
1	B	107	ASN	2.9
1	B	180	GLN	2.8
1	B	157	GLU	2.8
1	B	120	GLN	2.8
1	B	41	ALA	2.8
1	A	87	ASP	2.8
1	B	81	GLU	2.8
1	B	88	LYS	2.8
1	B	82	PRO	2.8
1	B	78	MET	2.8
1	B	229	TYR	2.8
1	A	271	ASN	2.7
1	B	109	ILE	2.7
1	B	117	ASP	2.7
1	A	115	ASN	2.7
1	B	127	LEU	2.6
1	B	199	SER	2.6
1	B	124	TYR	2.6
1	A	117	ASP	2.6
1	B	76	LEU	2.6
1	B	11	ASP	2.6
1	B	195	LEU	2.6
1	A	75	PRO	2.5
1	B	19	VAL	2.5
1	B	194	ASP	2.5
1	B	145	ALA	2.5
1	B	37	LEU	2.5
1	B	86	ILE	2.5
1	B	196	GLY	2.5
1	B	204	ASN	2.5
1	B	83	ARG	2.5
1	B	32	ARG	2.4
1	B	152	TYR	2.4
1	B	126	GLY	2.4
1	B	143	VAL	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	35	THR	2.4
1	B	52	GLY	2.4
1	B	228	HIS	2.4
1	A	180	GLN	2.4
1	A	42	PHE	2.4
1	B	57	PRO	2.4
1	B	269	GLY	2.3
1	A	116	LYS	2.3
1	B	163	TYR	2.3
1	B	154	ALA	2.3
1	B	56	ALA	2.3
1	B	102	TRP	2.3
1	B	222	LEU	2.3
1	B	53	TYR	2.2
1	B	79	GLU	2.2
1	B	50	PHE	2.2
1	A	95	SER	2.2
1	A	94	LEU	2.2
1	B	43	ALA	2.2
1	B	200	GLY	2.2
1	A	196	GLY	2.2
1	B	146	LYS	2.2
1	A	225	ASP	2.2
1	B	176	LEU	2.1
1	B	223	ASN	2.1
1	B	111	ASP	2.1
1	A	90	THR	2.1
1	B	125	MET	2.1
1	B	198	ASP	2.1
1	B	36	TYR	2.1
1	B	100	LYS	2.0
1	A	11	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.